PROFESSIONAL PRODUCTION

PRECISION BEARING

山东鼎赛轴承有限公司

0635-568 1679

0531-8705 7711

sale10@jndsbr.com

www.dsbr-bearing.com


山东省聊城市冠县东古城镇杨召村

DSBR®

BEARINGS

SINGLE & DOUBLE ROW TAPERED ROLLER BEARINGS

DOUBLE ROW ANGULAR CONTACT BALL BEARINGS



PROFESSIONAL MANUFACTURER OF PRECISION BEARINGS

山东鼎赛轴承有限公司

SHANDONG DINGSAI BEARING CO., LTD

企业文化
corporate culture

我们的理念:

诚实守信.顾客为尊
Honest and trustworthy,customer supreme

我们的文化:

开拓创新，积极进取，打造一流品牌
Develop and innovate, forge ahead actively, and build a first-class brand

我们的营销理念:

只有专业才能制造高品质轴承
Only profession can manufacture high-quality bearings

我们的核心价值观:

品质、诚信、卓越
Quality、Integrity、Excellence

我们的生产理念:

精益求精，制造高品质轴承，用我们的诚心，换顾客的放心
Keep improving, manufacture high-quality bearings, and our sincerity exchange for customers' confidence

我们的用人理念:

人适其位，位适其人，量才为用，全能发展
A man is fit for his position, his position is fit for a man, a man is fit for his ability, comprehensive development



DSBR®

P 01-02
公司简介

P 03-04
生产设备、检测仪器

P 05-22
圆锥滚子轴承

P 23-29
双列角接触球轴承

P 30-34
双列圆锥滚子轴承

P 35
应用领域

P 36
销售网络



企业简介

Company profile

山东鼎赛轴承有限公司创建于2010年，是一家集研发、设计、制造为一体的汽车轴承生产企业，主要生产的产品单、双列圆锥滚子轴承和双列角接触球轴承，公司占地20000平方米，建筑面积12000平方米。

目前公司拥有国内先进轴承生产设备100余台，8条精密磨加工生产线，3条装配生产线，公司现有职工100余人，

公司检验设备齐全，公司配有光谱仪、金相显微镜、圆度仪、粗糙度、轮廓测量仪、测长仪、振动仪、探伤机等各类检测仪器，可对产品的材料、金相、形状、轮廓、圆度、粗糙度、振动、裂纹等进行无损检测。

公司能够按国家标准生产内径15mm-120mm P0、P6、P5级单、双列圆锥滚子及双列角接触球轴承，年产量450万套，年产值5000余万元。公司重视产品质量和客户服务，并于2018年通过ISO9000：2016质量管理体系认证,2022年通过了IATF16949:2016质量管理体系认证。

公司产品主要用于轿车汽车、重卡汽车、工程机械、农业机械等领域，公司产品在国内有较高口碑，并且远销美国、德国、日本、韩国等海外国家，受到客户一致好评。

DSBR®



The DSBR factory was founded in 2010, covering an area of 20,000 square meters. It is located in Donggu Town, Guan county, Liaocheng city, Shangdong province. DSBR mainly produce single row/double row tapered roller bearing and double row angular contact ball bearing.(P0,P6,P5 grade with the inner diameter from 15mm to 120mm)

At present, the DSBR has more than 100 sets of advanced bearing production equipment, 8 precision grinding production lines, 3 assembly production lines and more than 100 employees. The annual output can be 4.5 million sets. DSBR has complete inspection equipment , 2018 passed ISO 9001 certification， and 2022 passed IATF16949:2016.

The DSBR bearings are widely used in cars, trucks,buses, trailers, construction machinery, automobile gearbox bearings, agricultural machinery and other fields. DSBR bearing has enjoyed a great reputation among the Europe,Asia, North and South America.

生产设备
Production equipment



仓库
Warehouse







- “质量为根，诚信为本”
- “始于您的需求，终于您的满意”
- “坚持以市场和用户为中心，以向用户提供优质产品，优质服务为基本点”

DSBR®


精准是我们衡量一切的标准
Precision is our standard to measure everything



轮廓测量仪



圆度测量仪




金相显微镜




立式光学仪



洛氏硬度计



投影万能测长仪




正弦仪

从原材料到成品，每个环节我们都要做到百分之百的检测，并做好产品质量记录，确保每件产品质量的可追溯性。

From raw materials to finished products, the whole process we do 100% inspection and quality records can ensure traceability of each product.

英制圆锥滚子轴承系列






Bearing type	Principal dimensions (mm)							Basic load ratings (KN)		Reference weight (kg)
	d	D	T	B	C	R	r	Cr	Cor	W
LM11749/LM11710	17.462	39.878	13.843	14.605	10.668	1.3	1.3	22.3	22.8	0.085
LM11949/LM11910	19.05	45.237	15.494	16.637	12.065	1.3	1.3	29.0	30.3	0.121
09067/09195	19.05	49.225	18.034	19.05	14.288	1.3	1.3	37.0	37.5	0.180
09074/09194	19.05	49.225	23.02	21.539	17.462	1.5	3.5	37.5	37.0	0.206
LM112748/LM12710	21.43	45.237	15.494	16.637	12.065	1.3	1.3	29.2	33.5	0.120
LM12649/LM12610	21.43	50.005	17.526	18.288	13.97	1.3	1.3	39.2	40.9	0.171
LM112749/LM12710	21.987	45.237	15.494	16.637	12.065	1.3	1.3	29.2	33.5	0.117
07093/07196	23.812	50.005	13.495	14.26	9.525	1.5	1.0	26.0	27.9	0.123
L44643/L44610	25.4	50.292	14.224	14.732	10.668	1.3	1.3	27.6	32.0	0.128
M84548/M84510	25.4	57.15	19.431	19.431	14.732	1.5	1.5	42.5	49.0	0.245
15101/15245	25.4	62	19.05	20.638	14.288	0.8	1.3	46.0	53.0	0.294
639297/639154	28	57.15	17.462	17.462	13.5	4.0	1.5	41.1	47.6	0.201
2689/2631	28.575	66.421	23.812	25.433	19.05	1.3	1.3	76.5	81.8	0.412
02872/02820	28.575	73.025	22.225	22.225	17.462	0.8	3.3	54.5	64.5	0.481
L44649/10	26.987	50.292	14.224	14.732	10.668	3.5	1.3	27.6	32.0	0.119
15106/15250X	26.987	63.5	20.638	20.638	15.875	0.8	1.5	53.8	60.0	0.320
L45449/L45410	29	50.292	14.224	14.732	10.668	3.5	1.3	28.2	35.9	0.130
M86649/M88610	30.162	64.292	21.433	21.433	16.67	1.5	1.5	55.2	70.7	0.332
M88043/M88010	30.162	68.262	22.225	22.225	17.462	2.3	1.5	56.1	71.0	0.398
LM67048/LM67010	31.75	59.131	15.875	16.764	11.811	SP	1.3	33.9	42.5	0.177
15123/15245	31.75	62	18.161	19.05	14.288	SP	1.3	46.0	53.0	0.239
15126/15245	31.75	62	19.05	20.638	14.288	0.8	1.3	46.0	53.0	0.257
15123/15250X	31.75	63.5	19.749	19.05	15.875	SP	1.5	46.0	53.0	0.270
02475/02420	31.75	68.262	22.225	22.225	17.462	3.5	1.5	55.0	64.0	0.375
02476/02420	31.75	68.262	22.225	22.225	17.462	0.8	1.5	55.0	64.0	0.379
2580/2520	31.75	66.421	25.4	25.357	20.638	0.8	3.3	77.5	94.4	0.390
2580/2523	31.75	69.85	23.812	25.357	19.05	0.8	1.3	71.0	84.0	0.451
14125A/14276	31.75	69.012	19.845	19.583	15.875	3.5	1.3	47.0	56.0	0.354
HM88542/HM88510	31.75	73.025	29.37	27.783	23.02	1.3	3.3	74.0	100.0	0.621

英制圆锥滚子轴承系列






Bearing type	Principal dimensions (mm)							Basic load ratings (KN)		Reference weight (kg)
	d	D	T	B	C	R	r	Cr	Cor	W
M88048/M88010	33.338	68.262	22.225	22.225	17.462	0.8	1.5	55.5	70.5	0.382
HM88547/HM88510	33.338	73.025	29.37	27.783	23.02	0.8	3.3	74.0	100.0	0.604
LM48548/LM48510	34.925	65.088	18.034	18.288	13.97	SP	1.3	48.2	58.8	0.252
LM48548/LM48511	34.925	65.088	20.32	18.288	16.256	SP	1.3	48.2	58.8	0.288
14137A/14276	34.925	69.012	19.845	19.583	15.875	1.5	1.3	47.0	56.0	0.329
14138A/14274	34.925	69.012	19.845	19.583	15.875	3.5	3.3	47.0	56.0	0.314
14138A/14276	34.925	69.012	19.845	19.583	15.875	3.5	1.3	47.0	56.0	0.315
14139/14283	34.976	72.085	22.385	19.583	18.415	1.3	2.3	47.0	56.0	0.408
HM88649/HM88610	34.925	72.333	25.4	25.4	19.842	2.3	2.3	63.5	83.5	0.483
25877/25821	34.925	73.025	23.812	24.608	19.05	1.5	0.8	71.0	86.0	0.473
23690/23620	34.925	73.025	26.988	26.975	22.225	3.5	1.5	93.0	94.6	0.530
31594/31520	34.925	76.2	29.37	28.575	23.812	1.5	3.3	80.5	96.5	0.639
HM89446/10	34.925	76.2	29.37	28.575	23.02	3.5	3.3	79.6	107.0	0.643
L68149/L68110	34.987	59.131	15.875	16.764	11.938	SP	1.3	35.4	47.8	0.173
L68149/L68111	34.987	59.975	15.875	16.764	11.938	SP	1.3	35.4	47.8	0.181
HM89449/HM89410	36.512	76.2	29.37	28.575	23.02	3.5	3.3	79.8	107.0	0.637
JL69349/JL69310	38	63	17	17	13.5	SP	1.3	38.5	52.0	0.194
LM29748/10	38.1	65.088	18.034	18.288	13.97	SP	1.3	42.5	55.0	0.226
LM29749/10	38.1	65.088	18.034	18.288	13.97	2.3	1.3	42.5	55.0	0.239
13685/13620	38.1	69.012	19.05	19.05	15.083	3.5	0.8	49.0	61.0	0.296
2788/2720	38.1	76.2	23.812	25.654	19.05	3.5	3.3	73.5	91.0	0.499
2789/2720	39.688	76.2	23.812	25.654	19.05	3.5	3.3	73.5	91.0	0.479
2789/2729	39.688	76.2	23.812	25.654	19.05	3.5	0.8	73.5	91.0	0.485
3382/3320	39.688	80.167	29.37	30.391	23.812	3.5	3.3	115.0	129.0	0.650
LM300849/11	40.987	67.975	17.5	18	13.5	SP	1.5	43.5	58.0	0.242
18590/18520	41.275	73.025	16.667	17.462	12.7	3.5	1.5	44.5	54.0	0.285
LM501349/LM501310	41.275	73.431	19.558	19.812	14.732	3.5	0.8	54.5	67.0	0.334
M802048/M802010	41.275	82.55	26.543	26.543	20.193	3.5	1.3	78.5	102.0	0.636
25577/25522	42.875	83.058	23.876	25.4	19.114	3.5	2.0	90.3	110.7	0.580

英制圆锥滚子轴承系列






Bearing type	Principal dimensions (mm)							Basic load ratings (KN)		Reference weight (kg)
	d	D	T	B	C	R	r	Cr	Cor	W
25577/25523	42.875	82.931	26.988	25.4	22.225	3.5	2.3	76.5	99.0	0.629
18685/18620	44.45	79.375	17.462	17.462	13.495	2.8	1.5	47.1	59.1	0.345
25580/25520	44.45	82.931	23.812	25.4	19.05	3.5	0.8	78.0	100.0	0.554
25581/25520	44.45	82.931	23.812	25.4	19.05	0.5	0.8	78.0	100.0	0.558
3578/3525	44.45	87.312	30.162	30.886	23.812	3.5	3.3	113.0	134.0	0.770
HM803149/HM803110	44.45	88.9	30.612	29.37	23.02	3.5	3.3	96.5	129.0	0.835
3782/3720	44.45	93.264	30.162	30.302	23.812	3.5	3.3	103.0	136.0	0.970
HM903249/HM903210	44.45	95.25	30.958	28.575	22.225	3.5	0.8	100.0	122.0	1.024
527/522	44.45	101.6	34.925	36.068	26.988	3.5	2.3	131.0	159.0	1.365
59175/59412	44.45	104.775	36.512	36.512	28.575	3.5	3.3	167.0	202.0	1.540
JW4549/JW4510	45	95	29	26.5	20	2.5	2.5	118.0	114.0	0.900
17887/17831	45.23	79.985	19.842	20.638	15.08	2.0	1.3	61.3	78.4	0.397
LM102949/LM102910	45.242	73.431	19.558	19.812	15.748	3.5	0.8	47.0	70.5	0.301
LM603049/LM603011	45.242	77.788	19.842	19.842	15.08	3.5	0.8	56.0	71.0	0.368
LM603049/LM603012	45.242	77.788	21.43	19.842	16.667	3.5	0.8	56.0	71.0	0.386
25590/25520	45.618	82.931	23.812	25.4	19.05	3.5	0.8	76.5	99.0	0.546
25590/25523	45.618	82.931	26.988	25.4	22.225	3.5	2.3	76.5	99.0	0.591
M804049/M804010	47.625	88.9	25.4	25.4	19.05	3.5	3.3	86.0	107.0	0.673
HM804846/HM804810	47.625	95.25	30.162	29.37	23.02	3.5	3.3	106.0	143.0	0.980
55187/55437	47.625	111.125	30.162	26.909	20.638	3.5	3.3	92.5	110.0	1.331
55187/55443	47.625	112.712	30.162	26.909	20.638	3.5	3.3	92.5	110.0	1.370
HM807044/HM807010	49.212	104.775	36.512	36.512	28.575	3.5	3.3	139.0	192.0	1.538
LM503349/LM503310	49.987	74.975	18	18	14	2.3	1.5	51.0	71.5	0.296
28579/28521	49.987	92.075	24.608	25.4	19.845	2.3	0.8	84.5	117.0	0.712
JLM104948/JLM104910	50	82	21.5	21.5	17	3.0	0.5	71.0	96.0	0.435
JLM704649/JLM704610	50	84	22	22	17.5	3.5	1.5	96.5	104.5	0.467
JM205149/JM205110	50	90	28	28	23	3.0	2.5	104.0	136.0	0.753
JW5049/JW5010	50	105	37	29	22	3.0	3.0	203.0	223.0	1.230

英制圆锥滚子轴承系列






Bearing type	Principal dimensions (mm)							Basic load ratings (KN)		Reference weight (kg)
	d	D	T	B	C	R	r	Cr	Cor	W
368/362A	50.8	88.9	20.638	22.225	16.513	1.5	1.3	73.0	85.0	0.507
368A/362A	50.8	88.9	20.638	22.225	16.513	3.5	1.3	73.0	85.0	0.504
28580/28521	50.8	92.075	24.608	25.4	19.845	3.5	0.8	84.5	117.0	0.703
3775/3720	50.8	93.264	30.162	30.302	23.812	0.8	3.3	103.0	136.0	0.862
3780/3720	50.8	93.264	30.162	30.302	23.812	3.5	3.3	103.0	136.0	0.858
HM807046/HM807010	50.8	104.775	36.512	36.512	28.575	3.5	3.3	139.0	192.0	1.483
28584/28521	52.388	92.075	24.608	25.4	19.845	3.5	0.8	84.5	117.0	0.682
55206/55437	52.388	111.125	30.162	26.909	20.638	3.5	2.0	92.5	110.0	1.251
HM806649/HM806610	53.975	88.9	19.05	19.05	13.492	2.3	2.0	62.9	86.8	0.426
33895/33822	53.975	95.25	27.783	28.575	22.225	1.5	0.8	120.0	161.0	0.790
389A/383A	53.975	100	21	21.946	17.826	0.8	2.0	82.5	103.0	0.717
HM807049/HM807010	53.975	104.775	36.512	36.512	28.575	3.5	3.3	139.0	192.0	1.400
JLM506849/JLM506810	55	90	23	23	18.5	1.5	0.5	80.0	113.2	0.551
JM207049/JM2070101	55	95	29	29	23.5	1.5	2.5	111.0	152.0	0.850
28680/28622	55.562	97.63	24.608	24.608	19.446	3.5	0.8	89.0	129.0	0.769
387A/382A	57.15	96.838	21	21.946	15.875	3.5	0.8	80.5	100.0	0.599
28682/28621	57.15	96.838	24.608	24.608	19.446	3.5	0.8	89.6	131.0	0.714
462/453X	57.15	104.775	30.162	29.317	24.605	2.3	3.3	116.0	149.0	1.070
39581/39520	57.15	112.712	30.162	30.162	23.812	8.0	0.8	142.0	202.0	1.380
JLM508748/JLM508710	60	95	24	24	19	5.0	2.5	86.5	125.0	0.630
28985/28920	60.325	101.6	25.4	25.4	19.845	3.5	3.3	92.1	137.2	0.799
65237/65500	60.325	127	44.45	44.45	34.925	3.5	3.3	199.0	258.0	2.590
HM813843/HM813810	61.912	127	36.512	36.512	26.988	3.5	3.3	179.0	256.0	2.130
H715334/H715311	61.912	136.525	46.038	46.038	36.512	3.5	3.3	233.0	370.0	3.471
29585/29520	63.5	107.95	25.4	25.4	19.05	3.5	3.3	90.0	138.0	0.942
395/394A	63.5	110	22	21.996	18.824	3.5	1.3	85.0	113.0	0.791
HM212047/11	63.5	122.238	38.1	38.354	29.718	7.0	3.5	193.1	254.3	1.938
39585/39520	63.5	112.712	30.162	30.162	23.812	3.5	0.8	142.0	202.0	1.258

英制圆锥滚子轴承系列






Bearing type	Principal dimensions (mm)							Basic load ratings (KN)		Reference weight (kg)
	d	D	T	B	C	R	r	Cr	Cor	W
JM511946/JM511910	65	110	28	28	22.5	3.0	2.5	120.0	173.0	1.062
29590/29520	66.675	107.95	25.4	25.4	19.05	3.5	3.3	131.0	161.0	0.840
395S/394A	66.675	110	22	21.996	18.824	3.5	1.3	85.0	113.0	0.760
395A/394A	66.675	110	22	21.996	18.824	0.8	1.3	85.0	113.0	0.786
3984/3920	66.675	112.712	30.162	30.048	23.812	3.5	3.3	120.0	173.0	1.168
3994/3920	66.675	112.712	30.162	30.048	23.812	5.5	3.3	120.0	173.0	1.160
39590/39520	66.675	112.712	30.162	30.162	23.812	3.5	3.3	142.0	202.0	1.181
HM212049/10	66.675	122.238	38.1	38.354	29.718	3.5	3.5	193.1	254.3	1.840
HM212049/11	66.675	122.238	38.1	38.354	29.718	3.5	3.3	193.1	254.3	1.840
642/632	68.262	136.525	41.275	41.275	31.75	3.5	3.3	233.0	298.0	2.670
9278/9220	68.262	161.925	49.212	46.038	31.75	3.5	3.3	248.0	490.0	4.520
H913849/H913810	69.85	146.05	41.275	39.688	25.4	3.5	3.3	193.0	225.0	2.920
33281/33462	71.438	117.475	30.162	30.162	23.812	3.5	3.3	119.0	179.0	1.231
JLM813049/JLM813010	70	110	26	25	20.5	1.0	2.5	98.5	152.0	0.908
JM612949/JM612910	70	115	29	29	23	3.0	2.5	126.0	177.0	1.162
JW7049/JW7010	70	140	39	35.5	27	3.0	3.0	189.0	257.0	2.630
33287/33462	73.025	117.475	30.162	30.162	23.812	3.5	3.3	119.0	179.0	1.170
29685/29620	73.025	112.712	25.4	25.4	19.05	3.5	3.3	96.0	152.0	0.893
JM714249/JM714210	75	120	31	29.5	25	3.0	2.5	129.0	198.0	1.299
42687/42620	76.2	127	30.162	31.001	22.225	3.5	3.3	134.0	195.0	1.468
42688/42620	76.2	127	30.162	31.001	22.225	6.4	3.3	134.0	195.0	1.448
495A/493	76.2	136.525	30.162	29.769	22.225	3.5	3.3	130.0	192.0	1.820
9380/21	76.2	161.925	47.625	48.26	38.1	3.5	3.3	273.0	391.0	4.694
34306/34478	77.788	121.442	24.608	23.012	17.462	3.5	2.0	89.0	124.0	0.928
JM515649/JM515610	80	130	35	34	28.5	3.0	2.5	166.0	251.0	1.763
495/493	82.55	136.525	30.162	29.769	22.225	3.5	3.3	130.0	192.0	1.630
580/572	82.55	139.992	36.512	36.098	28.575	3.5	3.3	175.0	260.0	2.178
498/492A	84.138	133.35	30.162	29.769	22.225	3.5	3.3	130.0	192.0	1.450

英制圆锥滚子轴承系列






Bearing type	Principal dimensions (mm)							Basic load ratings (KN)		Reference weight (kg)
	d	D	T	B	C	R	r	Cr	Cor	W
498/493	84.138	136.525	30.162	29.769	22.225	3.5	3.3	130.0	192.0	1.590
JM716649/JM716610	85	130	30	29	24	3.0	2.5	142.0	228.0	1.360
JHM516849/JHM516810	85	140	39	38	31.5	3.0	2.5	282.0	339.0	2.270
749/742	85.026	150.089	45.45	46.672	36.512	3.5	3.3	265.0	370.0	3.180
497/492A	85.725	133.35	30.162	29.769	22.225	3.5	3.3	130.0	192.0	1.421
27687/27620	82.55	125.412	25.4	25.4	19.845	3.5	1.5	102.0	164.0	1.095
HM518445/HM518410	88.9	152.4	39.688	39.688	30.162	6.4	3.3	258.0	373.1	2.832
6580/6535	88.9	161.925	53.975	55.1	42.862	3.5	3.3	319.0	477.0	4.720
HM218248/HM218210	89.975	146.975	40	40	32.5	7.0	3.5	235.0	351.0	2.499
JL819349/JL819310	95	135	20	20	14	5.0	2.0	76.9	133.0	0.850
594/592	95.25	152.4	39.688	36.332	33.338	3.5	3.3	183.0	285.0	2.590
683/672	95.25	168.275	41.275	41.275	30.162	3.5	3.3	223.0	345.0	3.710
42381/42584	96.838	148.43	28.575	28.971	21.433	3.5	3.0	140.0	218.0	1.683
685/672	98.425	168.275	41.275	41.275	30.162	3.5	3.3	223.0	345.0	3.524
HM220149/HM220110	99.975	156.975	42	42	34	8.0	3.5	243.0	391.0	2.900
52400/52618	101.6	157.162	36.512	36.116	26.195	3.5	3.3	191.0	310.0	2.270
37425/37625	107.95	158.75	23.02	21.438	15.875	3.5	3.3	102.0	165.0	1.374
37431/37625	109.538	158.75	23.02	21.438	15.875	3.5	3.3	102.0	165.0	1.310
JM720249/JM720210	100	155	36	35	28	3.0	2.5	231.0	355.0	2.360
JHM720249/JHM720210	100	160	41	40	32	3.0	2.5	331.0	416.0	3.064
JHM522649/JHM522610	110	180	47	46	38	3.0	2.5	310.0	490.0	4.630
64450/64700	114.3	117.8	41.275	41.275	30.162	3.5	3.3	232.0	375.0	3.500
68462/68712	117.475	180.975	34.925	31.75	25.4	3.5	3.3	174.0	254.0	2.780
JP12049/JP12010	120	170	27	25	19.5	3.0	2.5	196.0	238.0	1.705



双列角接触球轴承系列






Bearing number	Reference number	Dimension (mm)				Oil seal	APPLICATION
		d	D	B	C		
DAC20420030/29	565592	20	42	30	29	NONE	
DAC205000206	156704	20	50	20.6	20.6	YES	
DAC255200206	617546A	25	52	20.6	20.6	YES	FIAT, SEAT, POLEA VENTILADOR 124
DAC25520037	546467/576467/BT2B445539AA	25	52	37	37	YES	RENAULT,PEUGEOT,CITROEN, TRAS RENAULT 9
DAC25520040		25	52	40	40	YES	
DAC25520042	25BWD01	25	52	42	42	YES	
DAC25520043	25	25	52	43	43	YES	RENAULT, PEUGEOT, CITROEN
DAC25520043/45		25	52	43	45	YES	
DAC25550043		25	55	43	43	YES	RENAULT
DAC25550045		25	55	45	45	YES	
DAC255600206/29	633280	25	56	20.6	29	NONE	FIAT
DAC25560032	445979/BAH5000	25	56	32	32	YES	CITROEN
DAC256000206/29	633272	25	60	20.6	29	NONE	FIAT
DAC25620028/17	GB10827	25	62	28	17	NONE	
DAC25650038		25	65	38	38	YES	
DAC25680043		25	68	43	43	YES	
DAC25680045		25	68	45	45	YES	
DAC25720043		25	72	43	43	YES	
DAC27520045		25	72	45	45	YES	
DAC27520045/43	801437/27KWD02	27	52	45	43	NONE	NISSAN
DAC27520050		27	52	50	50	YES	
DAC27530043		27	53	43	43	YES	
DAC27600050	FW120/27BWD01J	27	60	50	50	YES	NISSAN
DAC28580042	09267-28002	28	58	42	42	YES	SUZUKI SUPER CARRY BUS/CARRY BOX
DAC28580044	VKBA6975	28	58	44	44	YES	SUZUKI SWIFT III
DAC29530037	801023AB	29	53	37	37	YES	
DAC30580042	30KWD01AG3	30	58	42	42	YES	
DAC30600031		30	60	31	31	YES	
DAC30600037		30	60	37	37	YES	FIAT,LADA,LANCIA, SEAT, VOLVO
DAC30600337	X044438800	30	60.03	37	37	YES	FIAT/LADA/LANCIA/SEAT/VOLVO
DAC30620038	30BWD10	30	62	38	38	YES	
DAC30630042	90369-30044	30	63	42	42	YES	TOYOTA CAMRY CELICA/MR 2
DAC30640042	30BWD03ACA78	30	64	42	42	YES	
DAC30670024	361971	30	67	24	24	YES	FORD

双列角接触球轴承系列






Bearing number	Reference number	Dimension (mm)				Oil seal	APPLICATION
		d	D	B	C		
DAC30680045	30BWD04CA19	30	68	45	45	YES	
DAC32700038		32	70	38	38	YES	
DAC32720034		32	72	34	34	YES	
DAC32720045	32BWD06	32	72	45	45	YES	
DAC32720345	32BWD05 P5A	32	72.03	45	45	YES	
DAC34620037	531910/561447/BAHB311316B/309724	34	62	37	37	YES	AUDI/VW/CHRYSLER/ POLO
DAC34640034	VKBA1382/34BWD03ACA78	34	64	34	34	YES	HONDA
DAC34640037	171407625	34	64	37	37	YES	LADA /OPEL/VW/FORD
DAC34660037	90447280	34	66	37	37	YES	OPEL/VAUXHALL/ACCORD
DAC34670037		34	67	37	37	YES	
DAC34740037		34	74	37	37	YES	
DAC34740040		34	74	40	40	YES	
DAC35618040	43440-84F00	35	61.8	40	40	YES	OPEL AGILA/SUZUKI WAGON R+
DAC35620040		35	62	40	40	YES	
DAC35640037	BAH0042	35	64	37	37	YES	
DAC35650037	35BWD19E	35	65	37	37	YES	
DAC35650035	GB12438 S01	35	65	35	35	YES	RENAULT 9/11, CILO,SUPER 5/TWINGO
DAC35660032	IR-8091	35	66	32	32	YES	CITROEN AX/SAXO/ PEUGEOT 106
DAC35660033	BAHB633676	35	66	33	33	YES	FIAT PUNTO
DAC35660037	BAHB311309	35	66	37	37	YES	VW GOLF II/JETTA II
DAC35670042		35	67	42	42	YES	
DAC35680037 ABS	XGB12132S02	35	68	37	37	ABS	FIAT
DAC35680037	6U0407625A	35	68	37	37	YES	FIAT
DAC35680045		35	68	45	45	YES	SKODA
DAC35680048		35	68	48	48	YES	
DAC35720027		35	72	27	27	YES	
DAC35720033	91537605	35	72	33	33	YES	CITROEN / PEUGEOT
DAC35720034	VKBA857/35BWD01C/540763/548376A	35	72	34	34	YES	HONDA CIVIC
DAC35720037		35	72	37	37	YES	
DAC35720042		35	72	42	42	YES	
DAC35720228	544033/441832AB	35	72.02	28	28	YES	
DAC35720045		35	72	45	45	YES	
DAC35740030	3507DTN	35	74	30	30	YES	
DAC35760054	35BWD10	35	76	54	54	YES	
DAC35770042	VKBA3763	35	77	42	42	YES	TOYOTA

双列角接触球轴承系列






Bearing number	Reference number	Dimension (mm)				Oil seal	APPLICATION
		d	D	B	C		
DAC35770442	90311-5000B	35	77.04	42	42	YES	LEXUS GS/IS/LS; TOYOTA SUPRA
DAC35800047	DAC358047BW2	35	80	47	47	YES	
DAC36680033	36BWD04	36	68	33	33	YES	SUZUKI SWIFT II/ HATCHBACK /ALTO III
DAC36720034	VKBA1372/36BWD01C	36	72	34	34	YES	CHRYSLER
DAC36720042	36BWD03	36	72	42	42	YES	
DAC37680034	MR410569	37	68	34	34	YES	MITSUBISHI PAJERO SPORT/PININ
DAC37720033	GE40547	37	72	33	33	YES	CITROEN / PEUGEOT
DAC37720033 ABS	XGB40547S01	37	72	33	33	ABS	CITROEN / PEUGEOT
DAC37720037	7703090353	37	72	37	37	YES	RENAULT 19/21 ; CLIO/LOGAN/MEGANE
DAC37720437 ABS	XGB41371/BAH-0055AX	37	72.04	37	37	ABS	DACIA LOGAN/RENAULT LOGAN/CLIO NISSAN MICRA/MEGANE/MODUS/TWINGO
DAC37740037		37	74	37	37	YES	
DAC37740437 ABS	XGB40721	37	74.04	37	37	ABS	FIAT BRAVO II
DAC37740045	541521C/309945A/37BWD01B	37	74	45	45	YES	BMW,OPEL, FORD
DAC38640036/34		38	64	36	34	YES	
DAC38650050		38	65	50	50	YES	
DAC38650052		38	65	52	52	YES	
DAC38680037	38KWD02	38	68	37	37	YES	CHRYSLER
DAC38690039/34 ABS	3748.85	38	69	39	34	ABS	CITROEN C1/PEUGEOT 107/TOYOTA AYGO/IQ
DAC3870037	636193 C	38	70	37	37	YES	HYUNDAI ATOS/ACCENT/COUPE//LANTRA II
DAC38700038	90043-68187	38	70	38	38	YES	AIHATSU APPLAUSE I
DAC38710233/30	90369-38006	38	71.02	33	33	NONE	TOYOTA COROLLA COMPACT
DAC38710039	90369-38021	38	71	39	39	YES	TOYOTA YARIS/TOYOTA YARIS VERSO
DAC38720034	VKBA1381/38BWD04CA60	38	72	34	34	YES	HONDA
DAC38720036/33	38BAD12	38	72	36	33	YES	
DAC38720040	575069B/VKBA1377	38	72	40	40	YES	HONDA
DAC38730040	44300-S04-004	38	73	40	40	YES	HONDA CIVIC/LOGO
DAC38730040 ABS	XGB41135	38	73	40	40	ABS	HONDA JAZZ II/CR-V II
DAC38740236/33	90369-38002	38	74.02	36	36	NONE	TOYOTA RAV 4 I/CARINA E/CELICA
DAC38740036/33	574795A/38BWD01ACA121/38BWD01A1	38	74	36	33	YES	TOYOTA CELICA
DAC38740040 ABS	44300-S9H-003	38	74	40	40	ABS	HONDA STEP WGN RG1/RG2/RG3/RG4
DAC38740050	559192	38	74	50	50	YES	NISSAN,CHRYSLER
DAC38800036/33	38BAD18	38	80	36	33	YES	FORD,AUDI,SANTANA,MAZDA,PASSAT
DAC39680037	BAHB311315/BA2B309692/39BWD03CA69	39	68	37	37	YES	
DAC39720037 ABS	BAH-0106BX	39	72	37	37	ABS	MAZDA-2/ FORD FOCUS/FIESTA V/FUSION

双列角接触球轴承系列






Bearing number	Reference number	Dimension (mm)				Oil seal	APPLICATION
		d	D	B	C		
DAC39740036/34	51720-2D000	39	74	36	34	YES	HYUNDAI COUPE/ELANTRA/MATRIX
DAC39740039	BAH0043	39	74	39	39	YES	OPEL ASTRA F/CALBRA A/VECTRA A/OMEGA B
DAC39740039 ABS	BAH-0043CX	39	74	39	39	ABS	FORD
DAC40700043	MB663547	40	70	43	43	YES	MITSUBISHI SPACE WAGON/SPACE RUNNER/SANTAMO
DAC40720037	1H0407625	40	72	37	37	YES	SEAT /PASSAT/GOLF/POLO/JETTA/CORRADO/CADDY
DAC407202036/33	09267-40001	40	72.02	36	33	NONE	SUZUKI VITARA/X-90/JIMNY/ GRAND VITARA
DAC40730055	BTH1024C	40	73	55	55	YES	
DAC40740036/34	MB808442	40	74	36	34	NONE	MITSUBISHI PAJERO PININ/ PERSONA/CARISMA SALOON
DAC40740036	40BWD15A	40	74	36	36	YES	MITSUBISHI PERSONA/SPCE STAR/LANCER IV
DAC40740040	BAH0049	40	74	40	40	YES	AUDI A3/GOLF IV/NEW BEETLE/BORA
DAC40740042	90080-36087	40	74	42	42	YES	TOYOTA COROLLA/AVEIS/CELICA/MR 2 III
DAC40750037	BAH0068	40	75	37	37	YES	VOLVO S40 I/V40 ESTATE
DAC40750037 ABS	1133023	40	75	37	37	ABS	FORD MONDEO III/JAGUAR X-TYPE
DAC40750039 ABS	90363-40079	40	75	39	39	ABS	TOYOTA YARIS
DAC40760036		40	76	36	36	YES	CHRYSLER, VOLKSWAGEN, ROVER
DAC40760041/38	44300-SE0-003	40	76	41	38	YES	HONDA ACCORD/PRELUDE III/CONCERTO ROVER 25/200/400/CABRIOLET/COUPE/STREETWISE
DAC40800036		40	80	36	36	YES	
DAC40800036/34	51720-34000	40	80	36	34	YES	HYUNDAI SONATA III/KIA JOICE/MITSUBISHI SANTAMO
DAC40800037		40	80	37	37	YES	GM,
DAC40800040	MR491449	40	80	40	40	YES	MITSUBISHE LANCER SALOON/LANCER ESTATE
DAC40800045/44		40	80	45	44	YES	MITSUBISHE
DAC40840338	7701205780	40	84.3	38	38	YES	RENAULT KANGOO/THALIA/CLIO/KANGOO EXPRESS
DAC40840539/40 ABS	XGB40492S01P	40	84.05	39	40	ABS	RENAULT LAGUNA
DAC40900028/33	90363-40068	40	90	28	33	YES	TOYOTA HILUX II PICKUP/4 RUNNER
DAC40940031/26	DG4094W2RSHR4S	40	94	31	26	YES	HIACE 4*4 REAR WHEEL BEARING
DAC401080017/32	7703090222	40	108	17	32	YES	RENAULT 18/20/21/25/30/ESPACE/PUEGO
DAC42720038	BAHB1866047A	42	72	38	38	YES	MAZDA,
DAC42720038/35	VKBA3235/42KWD02AG3CA123	42	72	38	35	YES	SUBARU LEGACY,BISSAN
DAC42750037	BA2B533457/545495/603694A BAH-0059C	42	75	37	37	YES	ALFA ROMEO,AUDI,PORSHE, BMW
DAC42760033	42BWD12	42	76	33	33	YES	CHRYSLER PT CRUISER
DAC42760038/35	42BWD06	42	76	38	35	NONE	NISSAN MAXIMA /PRIMERA/PRAIRIE PRO
DAC42760038	BCA 510068	42	76	38	38	YES	NISSAN ALTIMA
DAC42760039	52710-26500	42	76	39	39	YES	HYUNDAI SANTA FE

双列角接触球轴承系列






Bearing number	Reference number	Dimension (mm)				Oil seal	APPLICATION
		d	D	B	C		
DAC42760040/37	DE0895LA1LCS40	42	76	40	37	YES	CHRYSLER; DODGE; MASERATI; MINI; PLYMOUTH
DAC42770039ABS	XGB40880S01P	42	77	39	39	ABS	RENAULT CLIO/MEGANE
DAC42780038	42BWD09	42	78	38	38	YES	HONDA LEGEND I/LEGEND I Coupe/PRELUDE IV
DAC42780040	51718-2H000	42	78	40	40	YES	HONDA CIVIC IV Hatchback/CRX II/i30; KIA CEE'D
DAC42780045	EC01-33-047	42	78	45	45	YES	MAZDA TRIBUTE
DAC42800036/34	51720-38000	42	80	36	34	YES	HYUNDAI SONATA IV/ELANTRA/COUP; KIA MAGENTIS/CERATO
DAC42800037	BAHB633770	42	80	37	37	YES	ALFA ROMEO; FIAT; LANCIA
DAC42800042	33411134549	42	80	42	42	YES	BMW 5/6/7-Series
DAC42800045	GA2A-33-047	42	80	45	45	YES	FORD USA PROBE II; KIA CLARUS; MAZDA 626
DAC42800045ABS	BP4L-33-047	42	80	45	45	ABS	MAZDA 3/3 Saloon
DAC42820036	GB40574	42	82	36	36	YES	CITROEN BX/ZX/XANTIA/BERLINGO XSARA PEUGEOT 206/305/306/309/405/406/PARTNER Box
DAC42820036ABS	XGB40574	42	82	36	36	ABS	CITROEN BX/ZX/XANTIA/BERLINGO XSARA PEUGEOT 206/305/306/309/405/406/PARTNER Box
DAC42820037	BAHB311413A	42	82	37	37	YES	AUDI 200/200 Avant
DAC42840034	IR-8012	42	84	34	34	YES	CITROEN; PEUGEOT
DAC42840036	GB10857S02	42	84	36	36	NONE	PEUGEOT 504 Coupe/504 Convertible/505/604
DAC42840039	7703090199	42	84	39	39	YES	OPEL ARENA Box/Combi; RENAULT TRAFIC Bus/Box
DAC42840041		42	84	41	41	YES	
DAC4345820037	8D0498625A	43/45	82	37	37	YES	AUDI 80/90/A4/A6/A8/COUPE/CABRIOLET; SKODA;PASSAT
DAC43760043	40210-2Y000	43	76	43	43	YES	INFINITI I30; NISSAN ALMERA TINO/MAXIMA QX/X-TRAIL/PRIMERA
DAC43770042		43	77	42	42	YES	
DAC43780044ABS	XGB41576P	43	78	44	44	ABS	HONDA CIVIC VIII Saloon
DAC43790041		43	79	41	41	YES	ROVER
DAC43790041/38	44300-S04-A01	43	79	41	38	YES	HONDA CIVIC III/CIVIC V/CRX III/INTEGRA COUPE/JAZZ II
DAC43790041/38ABS	43BWD14A	43	79	41	38	ABS	HONDA CIVIC
DAC43790045	43210-AG000	43	79	45	45	YES	NISSAN X-TRAIL
DAC43800038	7M0407625	43	80	38	38	YES	FORD GALAXY; SEAT ALHAMBRA; SEAT SHARAN
DAC43800040ABS	XGB35233	43	80	40	40	ABS	CITROEN C-CROSSER/JEEP COMPASS/OUTLANDER II
DAC43800050/45	90369-43005	43	80	50	45	NONE	LEXUS GS/IS/LS/SUPRA
DAC43820037		43	82	37	37	YES	
DAC43820045	90080-36021	43	82	45	45	YES	TOYOTA CAMRY
DAC44825037	GB40246S07	44	82.5	37	37	YES	CITROEN EVASION/JUMPY; FIAT ULYSSE/SCUDO;LANCIA; PEUGEOT
DAC44825037ABS	XGB40246S07P	44	82.5	37	37	ABS	CITROEN EVASION/JUMPY;FIAT ULYSSE/SCUDO;LANCIA;PEUGEOT
DAC44840042/40	44300-SG0-004	44	84	42	40	YES	HONDA LEGEND I/LEGEND I Coupe/PRELUDE IV
DAC45800045	BAHB311363AA	45	80	45	45	YES	VW TRAPORTER IV Bus/Box/Flatbed/Chassis

DSBR®

双列角接触球轴承系列






Bearing number	Reference number	Dimension (mm)				Oil seal	APPLICATION
		d	D	B	C		
DAC45830039ABS	XGB40550S03	45	83	39	39	ABS	RENAULT ESPACE96-02
DAC45830044ABS	XGB41225	45	83	44	44	ABS	CITROEN、PEUGEOT 407,607
DAC45830045		45	83	45	45	YES	MAZDA
DAC45840039	1249800016	45	84	39	39	YES	VOLVO S90/850 Estate/940 II/960 II/740/760/780/V70 I Estate
DAC45840039ABS	BAH636149CC	45	84	39	39	ABS	RENAULT LAGUNA II/LAGUNA II Grandtour/LAGUNA III/LAGUNA III Grandtour
DAC45840039ABS	XGB35074	45	84	39	39	ABS	CITROEN C4/C5/C6; PEUGEOT 308 CC/407/508
DAC45840041/39	BAH0160A	45	84	41	39	YES	MITSUBISHI SIGMA
DAC45840042/40	44300-S1A-E01	45	84	42	40	YES	HONDA ACCORD/CIVIC/CR-V/INTEGRA/PRELUDE/S2000/S-MX
DAC45840042/40ABS	44300-S9A-003	45	84	42	40	ABS	HONDA CIVIC VIII Hatchback
DAC45840045	90520-77001	45	84	45	45	YES	LEXUS RX/SC 430/ES; TOYOTA CAMRY/PREVIA CENTURY 5.0 MAZDA6 Station Wagon/CX-7
DAC458500302	92VB1225BA	45	85	30.2	30.2	YES	FORD TRAIT Bus/Box/Flatbed/Chassis
DAC45850441ABS	BAHB633960	45	85.04	41	41	ABS	BMW 3/7/8X3/Z3 Coupe/Z4/Z8
DAC45850041ABS	FAG580191	45	85	41	41	ABS	BMW3/7/8/Z3/Z4/X3
DAC45850048/43		45	85	48	43	YES	BMW
DAC45860039ABS	XGB40575S02	45	86	39	39	ABS	RENAULT
DAC45880039		45	88	39	39	YES	
DAC45880239	7701469682	45	88.02	39	39	YES	RENAULT ESPACE III
DAC47810053	FW154	47	81	53	53	YES	
DAC47850045	559431A	47	85	45	45	YES	
DAC478800575	DU4788-2	47	88	57.5	57.5	YES	
DAC48860042/40ABS	44300-SDA-A51	48	86	42	40	ABS	HONDA ACCORD VIII/ACCORD VIII Tourer
DAC48890044/42	90369-48001	48	89	44	42	YES	TOYOTA PRADO
DAC49840043		49	84	43	43	YES	HONDA
DAC49840048	DU4984-7/BTHB329129DE	49	84	48	48	YES	
DAC49840050	49BWD02-A-LA101	49	84	50	50	YES	
DAC49880046	2209810027	49	88	46	46	YES	MERCEDES-BENZ S-CLASS/E-CLASS
DAC49900045ABS	31213413946	49	90	45	45	ABS	BMW X3
DAC50900040	446210	50	90	40	40	YES	
DAC51910044ABS	44300-SHJ-A51	51	91	44	44	ABS	HONDA ODYSSEY/SHUTTLE RB3/RB4/CR-V RE3/RE4
DAC51960050ABS	XGB40900P	51	96	50	50	ABS	VW Tuareg/Porsche Cayene 3.2/4.2/4.5
DAC52910040ABS	44300-TA0-A51	52	91	40	40	ABS	HONDA ACCORD IX Estate 2.0 I/2.2 i-DTEC/2.4i
DAC55900060	BTH1011	55	90	60	60	YES	
DAC56880040/35		56	88	40	35	YES	
DAC55900052/40		55	90	52	40	YES	
DAC55900054/39		55	90	54	39	YES	
DAC39/41750037	GB12399S01	39/41	75	37	37	YES	AUDI 80/A4; PASSAT



双列圆锥滚子轴承系列






Bearing number	Reference number	Dimension(mm)				Oil seal	Application
		d	D	B	C		
DU25520037	DT255237HL/FC12025 S09/FC12156 S02 FC12182/FC12180 S04/FC12271 S03	25	52	37	37	YES	2001-2011 CHEVROLET AVEO 4-1600 1.6L DOHC, RENAULT/ CITROEN/PEUGEOT/FORD Tempo
DU25520043	FC12180 S04/FC12271 S03	25	52	43	43	YES	RENULT 21/5 BOX/EXPRESS BOX/NISSAN KUBISTAR RENULT KANGOO/LAGUNA/MERCEDES-BENZ A-CLASS
DU25550045	FC 40858 S03	25	55	45	45	YES	RENULT CLIO/MEGANE/MODACS
DU25550048	FC 41288 S04	25	55	48	48	YES	RENULT GRAND SCENIC/MEGNAE II/SCENIC
DU25550053.5	FC 40887	25	55	53.5	53.5	YES	1997/07-2004/08 MERCEDES-BENZ A-CLASS
DU25560045	BTH-1209E	25	60	45	45	YES	CITROEN C4/PEUGEOT 207/307
DU25620048	FC40725	25	62	48	48	YES	RENULT MEGANE BREAK MEGANE SCENIC/SCENIC
DU27520045/43	4T-CRI-0569	27	52	45	43	NO	NISSAN PULSAR/SUNNY
DU27530043	FC40650 S01	24	53	43	43	YES	OPEL CORSA C TIGAR TWIN TOP/VAUXHALL CORSA
DU29530037	801023AB	29	53	37	37	YES	FORD FIESTA/FOCUS/FUSION/KA/PUMA/MAZDA 2
DU30580042	FC35080	30	58	42	42	YES	FORD USA PROBE I/MAZDA 626 III
DU30600337	BAHB633313B	30	60.3	37	37	YES	LADA SAMARA/DIVA/FIAT X1/9/127/128/FIORIND
DU30610038	FC40118	30	61	38	38	YES	
DU30620048	FC40696	30	62	48	48	YES	RENULT ESPACE REAR GRAND SCENIC/LAGUNA/VEL SATIS
DU30620051	FC41394	30	62	51	51	YES	CITROEN C4/PEUGEOT308/3008/5008
DU32580065/57	BCA513056	32	58	35	57	NO	SUBARU LEONE I/LEONE II /XT
DU34640037	BAHB309726	34	64	37	37	YES	CHEVROLET/DAWEOO/OPEL/CADDY CORRADO//GOLF/JETTA/SCIROCCO
DU34660037	BAHB636114	34	66	37	37	YES	OPEL ASTRA F/CLASSIC CONVERTIBLE/HATCHBACK/ESTATE
DU35620040	43440-84F00	35	62	40	40	YES	OPEL AGILA/SUZUKI WAGON R+/IGNIS VAUXHALL AGILA MK I
DU35640037	JRM3535/JRM 3564XD	35	64	37	37	YES	DAIHATSU CHARADE IV/APPLAUSE I CHARADE III/GRAN MOVE/TERIOS
DU35650035	GB12438S01/BT2B445620RR/FC12033 S01	35	65	35	35	YES	RENULT 9/11/CLIO/SUPER 5/TWINGO
DU35680048	FC40772 S03	35	68	48	48	YES	NISSAN PRIMASTAR/TRAFIC/OPEL VIVARO/
DU35680050	BTH1861887AA	35	68	50	50	YES	IVECO
DU35680037	BAHB63352	35	68	37	37	YES	LADA-KALINA/SKODA FAVORIT/FELICIA
DU35720070/60	DTR3572	35	72	70	60	NO	
DU35750060	BTH-0001/Q	35	75	60	60	YES	

双列圆锥滚子轴承系列






Bearing number	Reference number	Dimension(mm)				Oil seal	Application
		d	D	B	C		
DU36640042	BCA513245	36	64	42	42	YES	MAZDA 626 III
DU37740045	37KWD01	37	74	45	45	YES	92/11 NISSAN SERENA
DU37720037	6Y-537908C17	37	72	37	37	YES	DACIA LOGAN/RENAULT CLIO ESPACE I/19II/19 I/21/MAGANE I
DU38640032/29	46T080603	38	64	32	29	NO	DAIHATSU MIRA CUORE
DU38640037	38KWD01G	38	64	37	37	YES	1985-1989 ISUZU I-MARK/1985-1988 CHEVROLET SPECTRUM
DU38650052/48	BCA513248	38	65	52	48	NO	SUBARU FORESTER/IMPREZA/LEGACY/REZA
DU38680037	38KWD02G	38	68	37	37	YES	HYUNDAI-ACCENT/ATOS/COUPE/GETZ/LANTRA
DU38.10680037	JRM3938A/LRM3968XD	38.1	68	37	37	YES	SANTANA
DU38.1700037	BCA510055	38.1	70	37	37	YES	HYUNDAI LANTRA II/COUPE/ATOS/ACCENT
DU38730040	44300-S04-044	38	73	40	40	YES	HONDA FRONT AXLE
DU38740040	H260-33-047	38	74	40	40	YES	MAZDA-929 FRONT AXLE
DU38740043/40	BCA513244	38	74	43	40	NO	NISSAN 300 ZX/SERENA VANETTE CARGO BOX/BUS
DU39680037	JRM3939/JRM3968XD; BAHB311315;540360AA	39	68	37	37	YES	AUDI 90/80 /COUPE/VW CARAT GOLF/JETTA/PASSAT/SANTANA
DU39720037	BAHB311396B	39	72	37	37	YES	BMW/DAEWOO/FORD/OPEL/VAUXHALL
DU40680042	JRM3940X2/JRM4068XD	40	68	42	42	YES	FORKLIFT TRUCK BEARING
DU40720037	JRM3940/JRM4072XD	40	72	37	37	YES	VW PASSAT/GOLF II/JETTA II
DU40730055	BTH-1024C	40	73	55	55	YES	IVECO DAILY
DU40740040	BCA510013	40	74	40	40	YES	KIA SEPHIA/SHUMA/MAZDA MX-3/MX-5/323/PREMACY
DU40750050	40KWD02U	40	75	50	50	YES	MITSUBISHI L200 PICKUP
DU40800038	BCA513246	40	80	38	38	NO	NISSAN TERRANO II/PATHFINDER PICKUP/PRIMERA/TERRANO I
DU40800045/44	DU4080/46T080805	40	80	45	44	YES	02/08-KIA SORENTO HYUNDAI/TOYOTA/MITSUBISHI
DU42720038/35	46T080704X	42	72	38	35	NO	SUBARU FORESTER/IMPREZA LEGACY/VIVIO 660 4WD
DU42720038	42KWD02D	42	72	38	38	YES	MAZDA 626/929
DU42720052/48	4T-CRI-08A02	42	72	52	48	NO	SUBARU IMPREZA/SVX
DU42740038	DU42740038	42	74	38	38	YES	
DU42750060	FC40784 S01	42	75	60	60	YES	CITROEN JUMPER/PEUGEOT BOXER/FIAT DACCATO

双列圆锥滚子轴承系列






Bearing number	Reference number	Dimension(mm)				Oil seal	Application
		d	D	B	C		
DU42760039	JRM 4249/JRM4210XD	42	76	39	39	YES	FORD/JAGUAR/KIA/HYUNDAI
DU42760040/37	LV547059R	42	76	40	37	NONE	CHRYSLER/DODGE/MASERATI MINI PLYMOUTH FRONT WHEEL BEARING
DU42800038	42KWD08A	42	80	38	38	YES	NISSAN FRONTIER/KING SERENA/TERRANO/URVAN
DU42820036	JRM3942/JRM4282XD	42	82	36	36	YES	CITROEN/PEUGEOT
DU42820040	90366-T0044	42	82	40	40	YES	TOYOTA HILUX
DU43730045/41	4T-CRI-0993	43	73	45	41	NONE	1999/06-2004/04 NISSAN CEDRIC
DU43760043/40	43KWD02G	43	76	43	40	NONE	91/04-96/06 NISSAN PRIMERA
DU43760043	BCA510060	43	76	43	43	YES	INFINITI I30 3.0/ALMERA TINO NISSAN MAXIMA QX/X-TRAIL PRIMERA
DU43770042/38	46T090804	43	77	43	38	NONE	1990/05-2000/08 TOYOTA ESTIMA (PREVIA)
DU4377045.5/41.5	43KWD07A	43	77	45.5	41.5	NONE	TOYOTA HILUX VIGO PICKUP/INNOVA
DU45770050/45	46T090805	45	77	50	45	NONE	LEXUS GS300/GS400 TOYOTA SUPRA/PREVIA/CELICA SUPRA
DU45780040/37	45KWD03G	45	78	40	37	NONE	SUBARU SVX (CX)3.3 i 24V 4WD
DU45800050	45KWD05B	45	80	50	50	YES	2000 NISSAN VANETTE /MAZDA BONGO
DU45850051	JRM4549CS	45	85	51	51	YES	FORD-F150 2WD PICKUP
DU45880055	BTH-1053B	45	88	55	55	YES	01/11-06/04 IVECO DAILY II
DU45900054/51	4T-CRI-0966	45	90	54	51	YES	NISSAN PATROL STATION WAGON/GR II/GR I
DU4530800048	FC40096 S05	45.3	80	48	48	YES	RENAULT/OPEL REAR WHEEL BEARING
DU46770045/41	46KWD04G	46	77	45	41	NONE	1994-1996 INFINITI Q45
DU46780049	46KWD03	46	78	49	49	YES	92/11-NISSAN SERENA (C23W)2.0 16V
DU46800043/40	4T-CRI-0994	46	80	43	40	NONE	NISSAN CEDRIC/GLORIA Y33/CIMA/LEOPARD JPY33
DU478200575	47KWD01	47	82	57.5	57.5	YES	1997/08-1999/07 HIACE REGIUS
DU47850045	BCA516008	47	85	45	45	YES	FORD EXPLORER/MERCURY MO
DU47880055	47KWD02A	47	88	55	55	YES	MAZDA BT50/B2500; FORD RANGER EQ
DU478800575	DU4788-2LFT	47	88	57.5	57.5	YES	TOYOTA HIACE III WAGON/I BOX; HIACE IV BOX/WAGON/ HIACE V BOX
DU49840043	JXC25469C/DA	49	84	43	43	YES	MERCEDES-BENZ KOMBI ESTATE
DU49840048	FC40240 S01	49	84	48	48	YES	FORD TRANSIT FLATBED/CHASSIC/BUX
DU49840048/N	BTHB329129DE	49	84	48	48	YES	CITROEN JUMPER/FIAT DUCATO/PEUGEOT BOXER

Double row tapered roller bearings DSBR®

双列圆锥滚子轴承系列





Bearing number	Reference number	Dimension(mm)				Oil seal	Application
		d	D	B	C		
DU49840048/NS	581408AE30	49	84	48	48	YES	MERCEDES-BENZ G-CLASS/SPINTER VW LT
DU50840054	4T-CRI-1069	50	84	54	54	NONE	LADA ROVER DISCOVERY/RANGE ROVER SPORT
DU50890051	JRM5049AA	50	89	51	51	YES	LADA ROVER DISCOVERY/RANGE ROVER SPORT
DU54960051	DU5496-5LFT	54	96	51	51	YES	TOYOTA 4 RUNNER/LAND CRUISER 90 PRADO
DU55900054	BTH-1215C	55	90	54	54	YES	2006/04- CITROEN JUMPER; FIAT DUCATO/PEUGEOT BOXER
DU55900060	BTH-1011BA	55	90	60	60	YES	IVECO-DAILY
32211C	BT2B441026D/Q1	55	100	56	42.5	NONE	PEUGEOT J7/J9 Box; Bus; Flatbed/Chassis
DU601080075	DU60108-8CS32	60	108	75	75	YES	MERCEDES-BENZ ATEGO/ATEGO 2
DU6812700115	VKBA5314	68	127	115	115	YES	SCANIA P, G, R, T/4/3/2- series
DU781300090	VKBA5415	78	130	90	90	YES	MERCEDES-BENZ ATEGO/TOURINO/ATEGO 2; VOLVO FL 16
DU8214000115	VKBA5412	82	140	115	115	YES	06/10-/MAN TGL/TGM; 98/01-04/10 MECEDES-BENZ ATEGO
DU38640036/33	46T080604-1	38	64	36	33	NONE	95/09-02/01 TOYOTA COROLLA Wagon
DU45820045	45KWD07C	45	82	45	45	YES	02/04-/SSANGYONG REXTON; 05/05-/SSANGYONG RODIUS 2.7 Xdi
4T-CRI-0691	4T-CRI-0691CS50PX1	30	69.01	46.04	38.1	NONE	Water Pump Bearing
DU30890051	NA15117SW	30	88.9	51	51	YES	
514137TVP	514137TVP	25	67/74.5	40.8	29.3	NONE	
511515TVP	ERT64359	35	81.5	34.9	24.5	NONE	VW Transporter Differential pinion bearing
33010/DB	33010/DB	50	80	54	44	NONE	
350210X2	350210X2	50	90	40	38.9	NONE	
32212/DB	32212/DB	60	110	65	57	NONE	
LM11749/10/DB	LM11749/10/DB	17.46	39.88	29.21	21.34	NONE	
LM11949/10/DB	LM11949/10/DB	19.05	45.24	33.27	24.13	NONE	
LM104949E/11/DB	LM104949E/11/DB	50.8	82.55	44.45	33.02	NONE	
DU20470040/35	DTR2047	20	47	40	35	NONE	
DU25490045/40	DTR2549	25	49	45	40	NONE	
F-49285	NJ40615	40	61.5	32	/	NONE	
HUR056	FAG:201042	50	140	95	95	YES	RENAULT Truck


应用领域
Application

DSBR产品广泛应用于轿车、卡车、客车、拖车、工程机械、汽车变速箱轴承农业机械、采煤机、机床、工业设备等领域。

DSBR products are widely used in car, truck, bus, trailer, engineering machinery, automobile gearbox bearings Agricultural machinery, shearers, machine tools, industrial equipment and other fields.









销售网络
Sales network

DSBR®

山东鼎赛轴承有限公司发展到今天，公司产品已走向世界国际市场，并远销欧美东南亚、澳洲、非洲等二十多个国家和地区。面对国际市场需求的不断增长与变化，公司对外贸易部与全球各大专业买家始终保持紧密合作。不断开拓海外贸易伙伴的同时，更重视品牌的战略推进，最终把产品延伸到全球的每一个角落。

DSBR Bearing has developed to this day, and its products have been to the world international market, exported to Europe and the United States etc. With the continuous growth and change of international market demand,DSBR Bearing has always maintained close cooperation with clients all over the world. We always pay more attention to the strategic promotion of the brand, and finally extend our products to every corner of the world.

