

Following The Light

EASDAR2022-2023 Automobile Led
Lighting Products ■

EASDAR

ZHONG SHAN EASDAR OPTOELECTRONICS CO., LTD

Add.: No.152,Tanlong North Road,Tanzhou Town,
Zhongshan City,Guangdong Province,China

0760-23636618
www.easdar.com
info@easdar.com



 EASDAR

EASDAR COMPANY PROFILE ■

ZHONG SHAN EASDAR OPTOELECTRONICS CO., LTD is a professional automobile LED lighting manufacturer, located in Zhongshan city, China.

We have the plants of NC, CNC, SMT, and Die-casting. and over 600 employees.

We've got the management system certificates of IATF 16949, ISO 9001, ISO 45001, RBA, BSCI, and the product certificates of CE, ROHS, FCC, E-MARK etc.

We cooperated with some famous supplier of LED chip, such as CREE, LUMILEDS and we keep providing the products with high quality to our customers.

75,000 M², the new EASDAR Industry Park already been completed in the end of 2023.

Solution & Service,

- Providing most suitable product solutions.
- Strict quality control and warranty policy
- Prompt delivery
- Constant innovation
- Occupy the market together with our customers

EASDAR Optoelectronics Industrial Park

易事达光电科技产业园

中山易事达光电科技有限公司

Certificate

The products are exported to more than 60 countries and regions,
And we've got more than 60 international patents.





R B A



B S C I



IATF16949



ISO9001



ISO14001



ISO45001



I P M S

International Professional Certificate ■

It has dozens of industry certification in world.

Pioneer of automobile intelligent lighting




Classic Models Of Automobile LED Lighting ■

There is no boundary between light and darkness



LED BULB 5S Plus

Integrated Design With Blue Woven Belt



LED highlight

PHI-ZES

IP65


3200LM

Parameter


Power	Voltage	Lumen(LM)	Water Proof Grade	LED Chip	Color(K)	Material	Lifespan
19W	DC9-32V	3200LM	IP65	Lumileds luxeon ZES	6500K	Aviation aluminum 6063	>30,000hrs



LUXEON ZES Chip



Quick Heat Dissipation



Perfect Light Pattern



360° Adjustable Socket



Intelligent Temperature Control Driver



Low Beam



High Beam




■ Model: H1/H3/H4/H7/H8/H9/H10/H11/H13/H16/9004/9005/9006/9007/9012/P13/PSX24/PSX26/880/881



LED BULB

7HL

The 1st Standard Light Type
Design Of LED Bulbs.




Parameter


Power	Voltage	Lumen(LM)	Water Proof Grade	LED Chip	Color(K)	Material	Lifespan
20W	DC9-32V	4000LM	IP65	Lumileds luxeon ZES	6500K	Aviation aluminum 6063	>30,000hrs




Imported Lumileds ZES Chip



Intelligent Temperature System



Beam Angle:360°



Aviation Grade Aluminum




High Beam



Low Beam




■ Model: H1/H3/H4/H7/H8/H9/H10/H11/H13/H15/H16/9004/9005/9006/9007/9012/P13/PSX24/X26/880/881



LED BULB

X3

Many Types of Color
Temperature With Glass Tube




Parameter

Power	Voltage	Lumen(LM)	Water Proof Grade	LED Chip	Color(K)	Material	Lifespan
22W	DC9-32V	3400LM	IP65	Lumileds luxeon ZES	6500K	Aviation aluminum 6063	>30,000hrs



Imported Lumileds ZES Chip



Intelligent Temperature System



Beam Angle:360°



Aviation Grade Aluminum



Four Kinds of Films



High Beam



Low Beam




■ Model: H1/H3/H4/H7/H8/H9/H10/H11/H13/H16/9004/9005/9006/9007/9012/P13/PSX24/PSX26/880/881

LED highlight

Custom-made Chip

IP65

6000LM



LED BULB

E5

New Product With Two Kinds Of Colors Interchange.

15

41

72

38

Parameter

Power	Voltage	Lumen(LM)	Water Proof Grade	LED Chip	Color(K)	Material	Lifespan
28W	DC9-32V	6000LM	IP65	Custom-made Chip	6500K	ADC12	>30,000hrs

Custom-made Chip

1:1 The same small size design as halogen lamp

Heat pipe-200 Times Heat Conduction Than Copper

Noiseless Fan

Intelligent Temperature System

Low Beam

High Beam

Yellow

White

■ Model: H4/H7/H8/H9/H10/H11/9005/9006/9012




EASDAR what you see is what you achieve

LED BULB

E4X

1:1 Size With Halogen lamp



Parameter


Power	Voltage	Lumen(LM)	Water Proof Grade	LED Chip	Color(K)	Material	Lifespan
27W	DC9-32V	5600LM	IP65	7535	6500K	ADC12	>30,000hrs




7535



1:1The same small size design as halogen lamp



Intelligent Temperature System



Micro Turbine Silent Fan



High Beam



Low Beam




EASDAR What You See is What You Get

LED BULB


F9C

Small size, High power, Cost-Effective



Parameter

Power	Voltage	Lumen(LM)	Water Proof Grade	LED Chip	Color(K)	Material	Lifespan
90W	DC9-32V	18000LM	IP65	7545	6500K	Aviation aluminum 6063	>30,000hrs



7545



Double Copper Tube+ Copper-plated&Fin-shaped heat dissipation solution



Heat Sink on the bottom with Anti-closed design



High Beam



Low Beam



LED BULB


FG1

1:1 Non Destructive Installation




Parameter

Power	Voltage	Lumen(LM)	Water Proof Grade	LED Chip	Color(K)	Material	Lifespan
25W	DC9-32V	4200LM	IP65	7535	6500K	ADC12	>30,000hrs




7535



Intelligent Temperature System



1:1Non Destructive Installation



Aviation Grade Aluminum



Pure White Light



Golden Light

LED BULB


FG2

LED Fog Light with Dual-Color




Parameter

Power	Voltage	Lumen(LM)	Water Proof Grade	LED Chip	Color(K)	Material	Lifespan
19W	DC9-32V	3200LM	IP65	7535	6500K/3000K	ADC12	>30,000hrs




7535



Intelligent Temperature System



Control of Original Switch



Aviation Grade Aluminum



Golden Light



Bright white Light

LED highlight

7535+1860

IP65

7000LM

T04

T03-H8

16

9

52

23

41

17

16

T04

T03-H8

Parameter

Power	Voltage	Lumen(LM)	Water Proof Grade	LED Chip	Color(K)	Material	Lifespan
65W	DC9-32V	7000LM	IP65	7535+1860	6500K	ADC12+6063	>30,000hrs

Famous LED Chip

H4 Lens Headlight

Low Beam Tangent Line

High Beam Tangent Line Diagram


EASDAR what you see is what you achieve



LED BULB


MINI

The 1st Type Of LED Bulbs With
Classic Integrated Fan




Parameter

Power	Voltage	Lumen(LM)	Water Proof Grade	LED Chip	Color(K)	Material	Lifespan
30W	DC9-32V	4000LM	IP65	Custom-made Chip	6500K	Aviation Aluminum 6063	>30,000hrs




Ultra thin Substrate
for High Thermal
Conductivity



Intelligent Temperature
System



Cooling system



Built-in Fan for High Speed
Heat Dissipation Speed Over
10,000Times,Instant Heat
Dissipation




■ Model: H1/H3/H4/H7/H8/H9/H10/H11/H13/H16/9004/9005/9006/9007/9012/P13/PSX24/PSX26/880/881

LED BULB

J1-CSP

External Driver and Without Fan



Parameter

Power	Voltage	Lumen(LM)	Water Proof Grade	LED Chip	Color(K)	Material	Lifespan
19W	DC9-32V	3500LM	IP65	SEOUL CSP Y19	6500K	Aviation aluminum 6063	>30,000hrs



Imported SEOUL Y19




Color Customization



No Fan



Ultra thin Design 2.5mm




Beam Angle:360°



High Beam



Low Beam




■ Model: H1/H3/H4/H7/H8/H9/H10/H11/H13/H16/9004/9005/9006/9007/9012/P13/PSX24/PSX26/880/881

LED highlight

PHI-ZES

IP65

4200LM




LED BULB

M3


Classical Design,t Plug and Play

Same Size with Halogen Lamp




Parameter


Power	Voltage	Lumen(LM)	Water Proof Grade	LED Chip	Color(K)	Material	Lifespan
25W	DC9-32V	4200LM	IP65	PHI-ZES	6500K	ADC12	>30,000hrs




Imported Lumileds ZES Chip




Intelligent Temperature System




High Speed Ball Fan






High Beam



Low Beam



■ Model: H1/H3/H4/H7/H8/H9/H10/H11/H13/9004/9005/9006/9007/9012/880/881

LED highlight

Custom-made Chip

IP65

4200LM



LED BULB


M2

Internal Driver,with Fan




Parameter


Power	Voltage	Lumen(LM)	Water Proof Grade	LED Chip	Color(K)	Material	Lifespan
26W	DC9-32V	4200LM	IP65	Custom-made Chip	6500K	Aviation aluminum 6063	>30,000hrs




Custom-made Chip



Intelligent Temperature System




High Speed Ball Fan




360 Degree Adjustable Socket

Same Size with Halogen
Applicable to More Vehicles


VS




Original Halogen Bulbs



Low Beam



High Beam




EASDAR What You See is What You Achieve.

■ Model: H1/H3/H4/H7/H8/H9/H10/H11/H13/H16/9004/9005/9006/9007/9012/P13/PSX24/PSX26/880/881



LED BULB
F2
High-power With Fan.




Parameter


Power	Voltage	Lumen(LM)	Water Proof Grade	LED Chip	Color(K)	Material	Lifespan
32W	DC9-32V	4600LM	IP65	Custom-made Chip	6500K	Aviation aluminum 6063	>30,000hrs




Custom-made Chip




360 Degrees Rotated Socket



High Speed Ball Fan



Intelligent Driver




Aviation Grade Aluminum

Strong Penetration For Long Distance


Customization Technology: Enhance The Brightness Over 50%

5090Lux



Model: H1/H3/H4/H7/H8/H9/H10/H11/H13/H16/9004/9005/9006/9007/9012/P13/PSX24/PSX26/880/881


LED BULB
F3
Mini With High-power.



LED highlight
Custom-made Chip
IP65
8000LM

Parameter


Power	Voltage	Lumen(LM)	Water Proof Grade	LED Chip	Color(K)	Material	Lifespan
45W	DC9-32V	8000LM	IP65	Custom-made Chip	6500K	Aviation aluminum 6063	>30,000hrs



Custom-made Chip




Intelligent Driver



Heat pipe-200 Times Heat Conduction Than Copper



Intelligent Cooling System With Dual Ball Fan




Intelligent Temperature System



Low Beam



HighBeam



Model: H1/H3/H4/H7/H8/H9/H10/H11/H13/H15/H16/9004/9005/9006/9007/9012/P13/PSX24/PSX26/880/881

LED highlight

Custom-made Chip

IP65

7600LM



LED BULB


E4S H8

Classical Design ,Plug and Play,
Same Size with Halogen Lamp




Parameter


Power	Voltage	Lumen(LM)	Water Proof Grade	LED Chip	Color(K)	Material	Lifespan
40W	DC11-18V	7600LM	IP65	Custom-made Chip	6500K	ADC12	>30,000hrs




Custom-made Chip




Beam Angle:360°



Intelligent Cooling System
With Dual Ball Fan



Intelligent Temperature
System



Heat pipe-200 Times Heat
Conduction Than Copper




LED highlight

Custom-made Chip

IP65


5200LM



LED BULB


E4S H7

Classical Design ,Plug and Play,
Same Size with Halogen Lamp




Parameter


Power	Voltage	Lumen(LM)	Water Proof Grade	LED Chip	Color(K)	Material	Lifespan
28W	DC11-18V	5200LM	IP65	Custom-made Chip	6500K	ADC12	>30,000hrs




Custom-made Chip




Beam Angle:360°



Intelligent Cooling System
With Dual Ball Fan




Intelligent Temperature
System



LED BULB


M6

The Updated High-power Without Fan



Parameter


Power	Voltage	Lumen(LM)	Water Proof Grade	LED Chip	Color(K)	Material	Lifespan
28W	DC11-18V	6000LM	IP65	Custom-made Chip	6500K	ADC12	>30,000hrs




Custom-made Chip




Beam Angle:360°



Heat pipe-200 Times Heat Conduction Than Copper



1mm Ultra-thin Copper Substrate



Intelligent Temperature System



Low Beam



HighBeam

■ Model: H1/H3/H4/H7/H8/H9/H10/H11/H13/H16/9004/9005/9006/880/881

There is no boundary between light and darkness



Follow The Light

The peak of light makes the future possible

New Models Of Automobile LED Lighting ■


There is no boundary between light and darkness



LED BULB


M5S

Plug and Play,with High-Power



Parameter


Power	Voltage	Lumen(LM)	Water Proof Grade	LED Chip	Color(K)	Material	Lifespan
45W	DC9-32V	8000LM	IP65	Custom-made Chip	6500K	ADC12	>30,000hrs




Custom-made Chip




1mm Ultra-thin
Copper Substrate



Heat pipe-200 Times Heat
Conduction Than Copper



Intelligent Cooling System
With Dual Ball Fan



Intelligent Temperature
System



Low Beam



HighBeam




■ Model: H3/H4/H7/H8/H9/H10/H11/H13/9004/9005/9006/9007/9012

Signal Or Reading Bulbs Of Automobile LED Lighting ■

There is no boundary between light and darkness




LED BULB
2GT10
Top-selling Item With Classic Design.



Parameter

Power	Voltage	Lumen(LM)	LED Chip	Beam Angle	Usage
1.2W	DC12-24V	200LM	PHI	110°	Door Light/Reading Light

Color






LED BULB

7G

Classic Design With Reflective Cup.



Parameter

Power	Voltage	Lumen(LM)	LED Chip	Beam Angle	Usage
8W	DC12-24V	1300LM	6PC-CREE	360°	Back-Up Light/Brake Light

Color




■ Model: T20S/T20D/1156/1157/3156/3157/H1/H3/H4/H7/H8/H9/H10/H16(JP)/9005/9006/P13/PSX26/H16(EU) PSX24W



LED BULB

10G

Integrated Design With Die-casting & High-power.



Parameter

Power	Voltage	Lumen(LM)	LED Chip	Beam Angle	Usage
8W	DC12-24V	1400LM	Lumileds luxeon ZES	320°	Back-Up Light/Brake Light

Color



■ Model: T20S/T20D/1156/1157/3156/3157/H1/H3/H4/H7/H8/H9/H10/H16(JP)/9005/9006/P13/PSX26/H16(EU) PSX24W

LED BULB

S03

25W high power without fan




Parameter

Power	Voltage	Lumen(LM)	Water Proof Grade	LED Chip	Material	Lifespan
25W	DC9-32V	2500LM	IP65	2835/4218	ADC12	>30,000hrs



2835+4218



Glowing With 360 Degrees Wider Radiation



Different Colors are Available



Increase 300% Brightness

LED BULB

S05

30W high power with fan



Parameter

Power	Voltage	Lumen(LM)	Water Proof Grade	LED Chip	Material	Lifespan
30W	DC9-32V	3200LM	IP65	2835/4218	ADC12	>30,000hrs



2835+4218



Widely used Suitable for 99% cars



360°Surround Glow




Worry Free Decoding




Parameter

Power	Voltage	Lumen(LM)	Water Proof Grade	LED Chip	Material	Lifespan
7W	DC11-18V	1400LM	IP65	2835+4218	ADC12	>30,000hrs



T10/T10(canbus)/1156/1157/3156/3157/T20S/T20D



EASDAR what you see is what you achieve

Special Models Of Automobile LED Lighting ■


There is no boundary between light and darkness



LED BULB

Automobile Laser Lighting

Long Distance



Parameter

Power	Voltage	Lumen(LM)	Water Proof Grade	LED Chip	Color(K)	Material	Lifespan
13W	DC9-17V	1000LM	IP65	Laser Light Source	6500K	Aviation Aluminum 6063	>30.000hrs




Constant current driver separately to ensure 30000 hours life time.



The Central Luminous Intensity of High Energy Laser Excitation Fluorescence Crysta



Intelligent Cooling System With Dual Ball Fan



Intelligent Temperature System



The luminous intensity on the road is 140,000 /mm² and the light distance is up to 3,000 meters.


■ Model: H8/H9/H10/H11/9005/9006/9012

LED highlight

Custom-made Chip

IP65


3000LM-5600LM



LED BULB

LENS-H4

Classic Design With Lossless Lens.



Parameter


Power	Voltage	Lumen(LM)	Water Proof Grade	LED Chip	Beam Angle	Usage
36W	DC9-32V	L/3000LM,H/5600LM	IP65	Custom-made Chip	360°	Head Light



Custom-Made Chip



Avoid Light Flood by Reflection cup



Adjust the Light Pattern Automatically



Optional Lighting Pattern for Driving on Left/Right Side



Drive on Left(Light Pattern)



Drive on Left(Light Pattern)



EASDAR what you see is what you achieve


There is no boundary between light and darkness



LED BULB


ST1

Adjusting Light Intelligently
through Bluetooth.



Parameter

Power	Voltage	Lumen(LM)	Water Proof Grade	LED Chip	Color(K)	Material	Usage
28W	DC9-32V	4500LM	IP65	Custom-made Chip	3000K-6500K	Aviation Aluminum 6063	Fog Light



Model: H7/H8/H9/H10/H11/9005/9006/9012



EASDAR What You See is What You Achieve



EASDAR**2022-2023**Automobile Led Lighting Products