


Product Brochure


Intelligent sensors, shaping tomorrow



About Us

ZhiTek Co.,LTD is in

Hefei High-tech Development Zone.



Schematic diagram of a diesel vehicle aftertreatment system



Euro IV Standard Sensor



Intellectual property rights Our self-developed nitrogen and oxygen sensor series is the only one with independent intellectual property rights in Asia

Test metrics

Parameters		Value	Unit (of measure)
Measurement range	Nox	0-3000	ppm
	O ₂	0-21	%
Nitrogen Oxide Accuracy	0-100ppm	±10	ppm
	100-500ppm	3	%
	500-1800ppm	5	%
	1800-3000ppm	10	%
Oxygen Accuracy	0%-5%	0.2	%
	5%-21%	3	%



Euro V Standard Sensor






Euro VI Standard Sensor Post-catalyst



Euro VI Standard Sensor Pre-catalyst

Number of Products

There are nearly six hundred kinds of products.



Type of Product

This means that it is compatible with all types of diesel powertrain around the world.



EPA Method 10 Standard Sensor



EPA Method 17 Standard Sensor




Product Status

Our products have been incorporated into several before and after market spare parts supply systems.



China V VI Standard Sensor



Relationship with customers


We serve OEMs and OGMs with integrity, innovation, professionalism and hard work.



China V Standard Sensor

Sensitivity indicators

Parameters	Minimum	Standard	Maximum	Unit (of measure)
NO2 Cross-sensitivity	65	81	98	%
NO3 cross-sensitivity	76	108	142	%
NOx Pressure Sensitivity	-30	-	23	%
Oxygen Pressure Sensitivity	0	-	100	%



Product Standards


We continue to improve our product standards and are IATF 16949 qualified.



China VI Standard Sensor


Time Indicator

Parameters	iviaximum	Unit (of Measure)	
NOx Response Time	4	Second (of time)	
Oxygen Response Time	3.5	Second (of time)	
NOx Stabilization Time	180	Second (of time)	
Oxygen Stabilization Time	90	Second (of time)	
Design Life	6,000 hours or 300,000 kilometers		




Test curves


Our products are all reliably tested




Stationary test curve



Dynamic Test Curve



In-vehicle test curves





Wechat QR Code Zhitek Co.LTD

401-406 Building F3,Hefei Software Park II
Wenqu Road,Hefei High Tech Devlopment Zone
Hefei City, Anhui Province
China, 230088
www.zhitek.com.cn
Tel: +86-0551-66662733