




PC BRAKE SHOES CATALOGUE 2023

MAKING THE ART OF FRICTION



Section A

The Company



The Company



GROWTH : WITH ALLROUND DYNAMISM

In 1966, the Group's founder, Mr. Jagjyoti Jain, laid down the foundation stone for the Group when he opened a small factory to manufacture Piston Rings in New Delhi, the capital of India. Now, the Group has expanded to consist of nine different units engaged in the manufacture, trading and exports of a large range of automotive parts and accessories.

The Group's growth since its inception has been phenomenal, thanks to a dynamic and progressive management. The driving force behind the success has been enthusiasm for exploring new fields. The adventurous spirit has been and continues to be complemented by a strong emphasis on independent research and development.

MARKET : THE WHOLE WORLD



Super Circle is one of the leading groups in the Indian automotive parts sector. All products of the Group are of International quality and bear the Super Circle stamp of reliability. A large percentage of the Group's production is exported worldwide to more than 50 countries in Europe, America, Australia, Asia and Africa.

PRODUCTS : QUALITY WITH DIVERSITY

The Group is manufacturing Disc Brake Pads, Brake Linings, Rubberised Roll Linings, Brake Shoes, Backing Plates, Shims, Unlined Brake Shoes, Brake Parts & Accessories, Piston Rings, Steel Wool Fibre, Bronze Fibre and Copper Fibre.

THE SUPER CIRCLE FAMILY : EMPLOYEES, SUPPLIERS & CUSTOMERS

Super Circle's state-of-the-art manufacturing facilities, exclusive R & D, extensive marketing network and customer support services, have kept the Group close to its ideals - to be in tune with its markets and customers.



Important Points

1. The geometric shape, the dimensions and all other technical/commercial indication shown in this catalogue are given for information only. Although SC has checked this information with the greatest care, no responsibility will be taken as far as their accuracy is concerned.
2. Drawings shown in this catalogue are not to scale, but representative indication only.
3. FMSI® and FMS® are registered trade marks of the Friction Materials Standards Institute, Madison, CT, U.S.A., and the proprietary part numbering system is owned by FMSI.
4. The reference nos. of other companies shown in this catalogue are properties of their respective companies and have been used for customer guidance and identification only. Parts will be supplied as per SC standard product at the time of ordering.
5. The translation or reproduction, even partial, of material in this catalogue is forbidden without the prior written authorization of SC.
6. All disputes are subject to Indian law and courts.



Section B

Brake Shoes Vehicle Application



BUYER'S GUIDE

SL. NO.	MODEL APPLICATION	REF. NO.	PAGE NO.
1	ASHOK LEYLAND DOST	BA665	44
2	AUDI	BB220	48
3	BAJAJ MAXIMA CNG 1ST OVER SIZE	BN339 H/F	56
4	BAJAJ MAXIMA Z	BN243 H/F	54
5	BAJAJ THREE WHEELER	BP226	72
6	BAJAJ THREE WHEELER - OLD CNG	BP212 H/F	65
7	BAJAJ THREE WHEELER N/M	BP223	69
8	CHEVROLET AVEO	BA335	31
9	CHEVROLET ENJOY	BP543	86
10	CHEVROLET SPARK / MATIZ	BA234	13
11	CHEVROLET TAVERA	BR655	99
12	FIAT PUNTO	BA436	37
13	FIAT UNO / PALIO	BA218	7
14	FORD CARTINA	BP657	88
15	FORD ECO SPORTS	BA442	41
16	FORD FIESTA N/M / FIGO	BA318	19
17	FORD FIESTA O/M	BA329	27
18	FORD FIESTA TYPE 3	BA337	33
19	FORD IKON	BA227	9
20	GM OPEL AGILA	BA320	21
21	GM OPEL ASTRA / CORSA	BA326	25
22	HONDA ACCORD	BP330	83
23	HONDA AMAZE	BP206	60
24	HONDA AMAZE 2018 ONWARDS	BA206	3
25	HONDA CITY	BP222	68
26	HONDA CITY 6 & 7th GEN./JAZZ 2nd GEN./WR-V	BA316	17
27	HYUNDAI	BA240	14
28	HYUNDAI ACCENT	BA229	11

SL. NO.	MODEL APPLICATION	REF. NO.	PAGE NO.
29	HYUNDAI ACCENT CRDi / GETZ	BB333	49
30	HYUNDAI CRETA R	BA438	39
31	HYUNDAI ELANTRA	BA333	29
32	HYUNDAI EON	BA233	12
33	HYUNDAI GETZ	BA228	10
34	HYUNDAI GETZ	BA242	16
35	HYUNDAI i10 / i20	BA214	5
36	HYUNDAI i10 GRAND / XCENT	BA331	28
37	HYUNDAI SANTRO	BA221	8
38	HYUNDAI SANTRO NEW	BA241	15
39	HYUNDAI VERNA / i20	BA327	26
40	ISUZU	BC655	50
41	ISUZU ELF	BR895	102
42	KIA PRIDE	BP213	66
43	MAHINDRA ALFA KBX	BP238HF	78
44	MAHINDRA JEETO	BP238	77
45	MAHINDRA LOGAN	BA322	22
46	MAHINDRA TUV 300	BN773	58
47	MAHINDRA XYLO	BA773	45
48	MARUTI 800 / ZEN (BI TYPE)	BP225	71
49	MARUTI 800 / ZEN (KBX TYPE)	BN225	53
50	MARUTI ALTO (KBX TYPE)	BN215	51
51	MARUTI ALTO / WAGON R (BI TYPE)	BA217	6
52	MARUTI ALTO K-10 (KBX TYPE)	BP237	76
53	MARUTI ERTIGA	BA435	36
54	MARUTI ESTEEM	BN328	55
55	MARUTI ESTEEM (BI TYPE)	BP328	82
56	MARUTI GYPSY (KBX TYPE)	BP434	84
57	MARUTI GYPSY N/M	BN441	57

SL. NO.	MODEL APPLICATION	REF. NO.	PAGE NO.
58	MARUTI IGNIS	BR202	92
59	MARUTI SUZUKI	BP211	64
60	MARUTI SUZUKI ERTIGA N/M (2020 ONWARDS)	BA431	35
61	MARUTI SUZUKI IGINS R / WAGON R	BA320	21
62	MARUTI SWIFT N/M	BR321	96
63	MARUTI SWIFT O/M	BA325	24
64	MARUTI VAN / OMNI	BP440	85
65	MARUTI VAN TYPE III	BR428	97
66	MARUTI WAGON R - K SERIES WITH LEVER	BA210	4
67	NISSAN	BP663	90
68	NISSAN ALMERA	BP314	80
69	NISSAN MICRA	BA336	32
70	NISSAN SUNNY	BR216	93
71	PEUGEOT 405	BA634	43
72	PIAGIO APE	BP230, BA231, BA232	73
73	PIAGIO APE (LEFT & RIGHT)	BP239HF	79
74	RENAULT DUSTER	BA538	42
75	RENAULT DUSTER TYPE 2	BA439	40
76	RENAULT KWID	BA114	1
77	SCODA ABIA/ RAPID	BA338	34
78	SEAT	BB220	48
79	TATA INDICA / ACE (BI TYPE)	BP219	67
80	TATA INDICA / ACE (KBX TYPE)	BN219	52
81	TATA INDICA VISTA DIESEL	BA324	23
82	TATA INDIGO (BI TYPE)	BP328	82
83	TATA INDIGO (KBX TYPE)	BN328	55
84	TATA NANO (KBX Type)	BP224	70
85	TATA NANO KBX	BP238HF	78
86	TATA NANO KBX (F)	BP235	74

SL. NO.	MODEL APPLICATION	REF. NO.	PAGE NO.
87	TATA NANO REAR TVS TYPE	BP201	59
88	TATA NANO TVS TYPE REAR	BP236	75
89	TATA SAFARI DICOR 2.2	BA890	47
90	TATA TIAGO	BA205	2
91	TATA TML / MAGIC / IRIS / ZIP / NANO - TVS GRILLING-R	BP209	63
92	TATA WINGER	BP664	91
93	TATA YODHA	BR776	101
94	TATA ZEST / BOLT	BA317	18
95	TOYOTA CAMRY	BR315	94
96	TOYOTA CAMRY	BR319	95
97	TOYOTA COROLLA	BP323	81
98	TOYOTA ETIOS	BA334	30
99	TOYOTA FORTUNER	BA873	46
100	TOYOTA HI-ACE, HILUX	BR661	100
101	TOYOTA INNOVA	BP643	87
102	TOYOTA INNOVA CRYSTA	BR652	98
103	TOYOTA QUALIS	BP659	89
104	TOYOTA YARIS	BA319	20
105	TVS KING N/M	BP207	61
106	TVS KING O/M	BP208	62
107	VOLKSWAGEN	BB220	48
108	VOLKSWAGEN POLO / VENTO	BA437	38
109	VOLKSWAGEN POLO TYPE 1 & TYPE 2	BA338	34



Section C

Brake Shoes Illustrations




SC REF. NO.

BA114

O.E. NO.

—



2 with lever+2 without lever


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
145.0 X 25.0 X 4.0	73.40	3.00	1.70	77.40
VEHICLE	MODEL APPLICATION			F/R
RENAULT	KWID			R

SC REF. NO.

BA205

O.E. NO.

—



2 with lever+2 without lever


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
166.0 X 30.0 X 4.3	84.90	3.20	1.60	89.20
VEHICLE	MODEL APPLICATION			F/R
TATA	TIAGO			R

SC REF. NO.

BA206

O.E. NO.

04431TSVT00



2 Pcs. With lever & 2 Pcs. Plain


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
155 X 24.80 X 4.20	84.80	3.00	2.00	89.00
VEHICLE	MODEL APPLICATION			F/R
HONDA	AMAZE 2018 ONWARDS			R

SC REF. NO.

BA210

O.E. NO.

53200M76G00



2 with lever+2 without lever


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
172.0 X 26.0 X 4.0	86.50	3.00	1.50	90.50
VEHICLE	MODEL APPLICATION			F/R
MARUTI	WAGON R - K SERIES WITH LEVER			R

SC REF. NO.

BA214

O.E. NO.

583050XA00



2 with lever + 2 with dowel pin


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
172.0 X 29.90 X 4.20	81.80	3.20	1.60	88.00
VEHICLE	MODEL APPLICATION			F/R
HYUNDAI	i10 / i20			R

SC REF. NO.

BA217

O.E. NO.

53200M76G31



2 with lever + 2 without lever


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
172 x 26.00 x 3.60	86.0	3.20	1.50	89.00
VEHICLE	MODEL APPLICATION			F/R
MARUTI SUZUKI	ALTO, WAGON R (BI TYPE)			R

SC REF. NO.

BA218

O.E. NO.

—



2 + 2


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
137.0 X 29.6 X 4.0	85.20	3.00	1.50	89.20
VEHICLE	MODEL APPLICATION			F/R
FIAT	UNO / PALIO			R

SC REF. NO.

BA221

O.E. NO.

5830505A00



2 with lever + 2 without lever


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
165 x 30.5 x 4.10	84.5	3.00	1.50	88.6
VEHICLE	MODEL APPLICATION			F/R
HYUNDAI	SANTRO			R

SC REF. NO.

BA227

O.E. NO.

X561 2200 AB



2 with lever+2 without lever

BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
172 x 31.0 x 4.80	82.30	3.00	1.50	87.10
138 x 31.0 x 6.50	85.00	3.00	1.50	91.50


VEHICLE	MODEL APPLICATION	F/R
FORD	IKON	R

SC REF. NO.

BA228

O.E. NO.

—



2 with lever+2 without lever


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
165.0 X 30.6 X 4.5	85.30	3.00	1.80	89.80
VEHICLE	MODEL APPLICATION			F/R
HYUNDAI	GETZ			R

SC REF. NO.

BA229

O.E. NO.

5830525A10



2 + 2


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
167 x 35 x 4.5	85.00	3.00	1.50	89.5
VEHICLE	MODEL APPLICATION			F/R
HYUNDAI	ACCENT			R

SC REF. NO.

BA233

O.E. NO.

583054NA00



2 with lever+2 without lever


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
163.0x25.30x4.0	85.00	3.00	1.50	89.5
VEHICLE	MODEL APPLICATION			F/R
HYUNDAI	EON			R

SC REF. NO.

BA234

O.E. NO.

96268686



2 with lever + 2 without lever


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
171.0 X 29.8 X 4.0	85.00	3.50	1.80	89.00
VEHICLE	MODEL APPLICATION			F/R
CHEVROLET	SPARK / MATIZ			R

SC REF. NO.

BA240

O.E. NO.

—



2Pcs. with hand lever L/R+2Pcs. Plain


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
168.9 X 30.5X 4.0	84.50	3.00	1.50	88.60
VEHICLE	MODEL APPLICATION			F/R
HYUNDAI	—			R

SC REF. NO.

BA241

O.E. NO.

—



2Pcs. with lever +2Pcs. with dowel pin


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
175.3 X 30.0X 4.50	84.90	3.20	1.70	89.60
VEHICLE	MODEL APPLICATION			F/R
HYUNDAI	SANTRO NEW			R

SC REF. NO.

BA242

O.E. NO.

—



2Pcs. with lever +2Pcs. with dowel pin


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
173.8 X 29.90 X 4.20	85.10	3.00	1.50	89.30
VEHICLE	MODEL APPLICATION			F/R
HYUNDAI	GETZ			R

SC REF. NO.

BA316

O.E. NO.

—



2 Pcs. with lever L/R+Rivet+2Pcs. with 2+2 dowelpin


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
185.0 x 29.5 x 4.0	96.35	3.0	2.0	100.35
VEHICLE	MODEL APPLICATION			F/R
HONDA	CITY 6 & 7TH GEN./JAZZ 2ND GEN./WR-V			R

SC REF. NO.

BA317

O.E. NO.

—



2 with lever + 2 without lever


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
183.0 X 29.3 X 4.0	95.90	3.20	1.90	99.90
VEHICLE	MODEL APPLICATION			F/R
TATA	ZEST / BOLT			R

SC REF. NO.

BA318

O.E. NO.

8V512200AD



2 with lever + 2 without lever


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
157.0 X 37.0 X 4.4	96.00	3.20	1.60	100.40
VEHICLE	MODEL APPLICATION			F/R
FORD	FIESTA N/M, FIGO			R

SC REF. NO.

BA319

O.E. NO.

—



2 with lever + 2 without lever


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
170.0 X 30.0 X 3.80	95.50	3.0	1.50	99.30
VEHICLE	MODEL APPLICATION			F/R
TOYOTA	YARIS			—

SC REF. NO.

BA320

O.E. NO.

—



2 with lever + 2 without lever


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
182.0 X 28.0 X 4.0	96.00	3.50	2.40	100.00
VEHICLE	MODEL APPLICATION			F/R
MARUTI	OPEL AGILA, SUZUKI IGNIS R, WAGON R			R

SC REF. NO.

BA322

O.E. NO.

—



2 with lever + 2 without lever


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
189/150 X 37.0 X 4.5	96.50	3.00	2.00	101.00
VEHICLE	MODEL APPLICATION			F/R
MAHINDRA	LOGAN			R

SC REF. NO.

BA324

O.E. NO.

—



2 with lever + 2 without lever


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
185.0 X 29.5 X 4.5	93.80	3.50	1.60	98.30
VEHICLE	MODEL APPLICATION			F/R
TATA	INDICA VISTA DIESEL			R

SC REF. NO.

BA325

O.E. NO.

53200M75J00



2+2


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
188.75 x 29.8 x 4.5	95.0	3.0	2.0	99.50
VEHICLE	MODEL APPLICATION			F/R
MARUTI	SWIFT O/M			—

SC REF. NO.

BA326

O.E. NO.

—



2 with lever+2 without lever


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
188.0 x 27.7 x 4.7	95.00	3.50	2.50	99.70
VEHICLE	MODEL APPLICATION			F/R
GM	OPEL ASTRA / CORSA			R

SC REF. NO.

BA327

O.E. NO.

583500PA00



2 with lever+2 without lever

BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
196 x 30.45 x 4.70	96.80	3.00	2.00	101.50


VEHICLE	MODEL APPLICATION	F/R
HYUNDAI	VERNA / i20	R

SC REF. NO.

BA329

O.E. NO.

1197674



2 with lever + 2 without lever


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
165.0 X 37.25 X 5.15	96.50	3.00	1.50	101.65
VEHICLE	MODEL APPLICATION			F/R
FORD	FIESTA O/M			R

SC REF. NO.

BA331

O.E. NO.

—



2 with lever + 2 without lever


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
192.0 X 30.45 X 4.7	96.80	3.20	2.00	101.50
VEHICLE	MODEL APPLICATION			F/R
HYUNDAI	i 10 GRAND / XCENT			R

SC REF. NO.

BA333

O.E. NO.

58305-29A10



2 with lever+2 without lever


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
190 x 37.50 x 4.40	95.50	3.20	2.00	99.90
VEHICLE	MODEL APPLICATION			F/R
HYUNDAI	ELENTRA			R

SC REF. NO.

BA334

O.E. NO.

04495-0D080



2 with lever+2 without lever


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
192 x 30.90 x 4.65	95.0	3.0	2.0	99.65
VEHICLE	MODEL APPLICATION			F/R
TOYOTA	ETIOS			R

SC REF. NO.

BA335

O.E. NO.

96473228



2 with lever + 2 without lever


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
165.0 X 35.0 X 5.25	95.00	4.00	2.50	100.25
VEHICLE	MODEL APPLICATION			F/R
CHEVROLET	AVEO			R

SC REF. NO.

BA336

O.E. NO.

D4060-1HD3A



2 with lever + 2 without lever


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
189/150 X 37.0 X 4.5	96.50	3.00	2.00	101.00
VEHICLE	MODEL APPLICATION			F/R
NISSAN	MICRA			R

SC REF. NO.

BA337

O.E. NO.

—



2 Pcs. With lever & 2 Pcs. Plain


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
186.0 X 38.0 X 5.0	96.30	3.00	1.50	101.30
VEHICLE	MODEL APPLICATION			F/R
FORD	FIESTA TYPE 3			R

SC REF. NO.

BA338

O.E. NO.

6RU698525



2Pcs.with left & right hand lever & 2Pcs. with Dowel pins


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
186 X 35.00 X 4.50	95.30	3.00	2.00	99.80
VEHICLE	MODEL APPLICATION			F/R
SCODA VOLKSWAGEN	FABIA / RAPID POLO TYPE 1 & TYPE 2			R

SC REF. NO.

BA431

O.E. NO.

—



2 Pcs. with lever + 2 Pcs. Plain


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
216.5 x 34.5 x 4.50	105.40	3.20	2.40	109.50
VEHICLE	MODEL APPLICATION			F/R
MARUTI SUZUKI	ERTIGA NEW MODEL (2020 ONWARDS)			R

SC REF. NO.

BA435

O.E. NO.

53200M55K10



2 with lever + 2 without lever


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
206.0 X 35.1 X 4.5	104.00	3.50	2.00	108.50
VEHICLE	MODEL APPLICATION			F/R
MARUTI	ERTIGA			R

SC REF. NO.

BA436

O.E. NO.

—



2 with lever + 2 without lever


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
172.0 X 26.0 X 4.0	86.50	3.00	1.50	90.50
VEHICLE	MODEL APPLICATION			F/R
FIAT	PUNTO			R

SC REF. NO.

BA437

O.E. NO.

—



2 with lever + 2 without lever


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
210.0 X 40.0 X 4.5	109.50	3.20	2.00	114.00
VEHICLE	MODEL APPLICATION			F/R
VOLKSWAGEN	POLO / VENTO			R

SC REF. NO.

BA438

O.E. NO.

—



2 with lever + 2 without lever


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
210.0 x 42.0 x 4.2	109.50	3.20	2.00	113.70
VEHICLE	MODEL APPLICATION			F/R
HYUNDAI	CRETA			R

SC REF. NO.

BA439

O.E. NO.

440605238R



2 Pcs. with hand lever & 2 Pcs. plain


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
180 X 39.50 X 4.00 217 X 39.50 X 4.00	109.50	4.00	2.00	113.50
VEHICLE	MODEL APPLICATION			F/R
RENAULT	DUSTER TYPE 2			R

SC REF. NO.

BA442

O.E. NO.

—



2 Pcs. with lever & 2 Pcs. plain


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
200.10 x 40.50 x 4.70	109.50	3.5	2.00	114.0
VEHICLE	MODEL APPLICATION			F/R
FORD	ECO SPORTS			R

SC REF. NO.

BA538

O.E. NO.

—



2 with lever + 2 without lever


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
216/183 X 41.5 X 4.8	110.50	3.80	2.00	115.30
VEHICLE	MODEL APPLICATION			F/R
RENAULT	DUSTER			R

SC REF. NO.

BA634

O.E. NO.

—



2 with lever+2 without lever


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
170.0 X 41.5 X 4.8	120.35	4.00	2.00	125.15
VEHICLE	MODEL APPLICATION			F/R
PEUGEOT	PEUGEOT 405			R

SC REF. NO.

BA665

O.E. NO.

—



2 with lever + 2 without lever


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
256/236 X 50.0 X 5.0	122.00	3.00	2.00	127.00
VEHICLE	MODEL APPLICATION			F/R
ASHOK LEYLAND	DOST			R

SC REF. NO.

BA773

O.E. NO.

0602BA05380N



2 with lever + 2 without lever


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
303/246 X 49.0 X 5.7	135.40	4.00	2.20	141.10
VEHICLE	MODEL APPLICATION			F/R
MAHINDRA	XYLO			R

SC REF. NO.

BA873

O.E. NO.

—



2 with lever + 2 without lever


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
273.0 X 50.0 X 5.4	143.40	4.50	2.50	148.80
VEHICLE	MODEL APPLICATION			F/R
TOYOTA	FORTUNER			R

SC REF. NO.

BA890

O.E. NO.

—



2 with lever + 2 without lever

BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
275.0 X 61.0 X 5.4	143.50	4.50	2.50	148.90
VEHICLE	MODEL APPLICATION			F/R
TATA	SAFARI DICOR 2.2			R



SC REF. NO.

BB220

O.E. NO. —

DAN-BLOCK No. 0343

SBS No. 340



2+2


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
132 x 30.0 x 4.80	84.50	3.00	2.50	89.30
VEHICLE	MODEL APPLICATION			F/R
AUDI, SEAT, VW	--			R

SC REF. NO.

BB333

O.E. NO.

58305-29A10



2 with lever+2 without lever


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
190 x 37.50 x 4.40	95.50	3.00	2.00	99.90
VEHICLE	MODEL APPLICATION			F/R
HYUNDAI	ACCENT, GETZ			R

SC REF. NO.

BC655

O.E. NO.

8-97049176-1



2+2


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
225 x 50.50 x 4.80	121.00	3.20	2.00	125.80
VEHICLE	MODEL APPLICATION			F/R
ISUZU	-			R

SC REF. NO.

BN215

O.E. NO.

53200M68K10




BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
172.0 X 26.0 X 4.0	86.50	3.00	1.50	90.50
VEHICLE	MODEL APPLICATION			F/R
MARUTI	ALTO (KBX TYPE)			R

SC REF. NO.

BN219

O.E. NO.

—



2+2


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
155 x 30.25 x 4.00	85.0	4.00	1.80	89.00
VEHICLE	MODEL APPLICATION			F/R
TATA	INDICA/ ACE (KBX TYPE)			R

SC REF. NO.

BN225

O.E. NO.

—



2+2


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
174 x 30.25 x 4.0	85.0	4.00	1.80	89.0
VEHICLE	MODEL APPLICATION			F/R
MARUTI SUZUKI	800 / ZEN (KBX TYPE)			R

SC REF. NO.

BN243 H/F

O.E. NO.

—



2+2 Pcs. Plain


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
170.0 x 30.0 x 4.0	85.90	4.00	1.50	89.90
VEHICLE	MODEL APPLICATION			F/R
BAJAJ	MAXIMA Z (F/R)			R

SC REF. NO.

BN328

O.E. NO.

—



2+2


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
188 x 30.25 x 4.70	95.0	4.00	1.50	99.70
VEHICLE	MODEL APPLICATION			F/R
SUZUKI TATA	MARUTI EXTEEM, INDIGO (KBX TYPE)			R

SC REF. NO.

BN339 H/F

O.E. NO.

—



2+2 Pcs. Plain


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
185.5 x 30.0 x 4.5	95.0	4.00	1.50	99.5
VEHICLE	MODEL APPLICATION			F/R
BAJAJ	MAXIMA CNG 1ST OVER SIZE			R

SC REF. NO.

BN441

O.E. NO.

53201-83310



2 + 2 without lever


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
204.0 X 39.5 X 5.0	105.00	3.50	1.50	110.00
VEHICLE	MODEL APPLICATION			F/R
MARUTI	GYPSY N/M			R

SC REF. NO.

BN773

O.E. NO.

—



2 + 2 without lever


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
303/246 X 49.0 X 5.7	135.40	4.00	2.20	141.10
VEHICLE	MODEL APPLICATION			F/R
MAHINDRA	TUV 300			R

SC REF. NO.

BP201

O.E. NO.

43153TG1T01



2 Pcs. with dowel pin + 2 pcs. plain


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
162.7 x 25.0 x 4.80	84.90	2.50	1.50	89.70
VEHICLE	MODEL APPLICATION			F/R
TATA	NANO REAR TVS TYPE			R

SC REF. NO.

BP206

O.E. NO.

43153TG1T01



4 Pcs. without lever


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
155.0 X 24.8 X 4.2	85.70	3.20	2.00	89.90
VEHICLE	MODEL APPLICATION			F/R
HONDA	AMAZE			R

SC REF. NO.

BP207

O.E. NO.

—



4 Pcs. without lever


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
163.0 X 30.0 X 4.5	80.50	2.80	2.00	85.00
VEHICLE	MODEL APPLICATION			F/R
TVS	KING N/M			R

SC REF. NO.

BP208

O.E. NO.

—



4 Pcs. without lever


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
163.0 X 30.0 X 4.5	81.00	2.80	2.00	85.50
VEHICLE	MODEL APPLICATION			F/R
TVS	KING O/M			R

SC REF. NO.

BP209

O.E. NO.

283442990127




BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
150.0 X 29.0 X 4.5	83.40	2.50	1.50	87.90
VEHICLE	MODEL APPLICATION			F/R
TATA	TML / MAGIC / IRIS / ZIP / NANO / TVS GIRLING-R			R

SC REF. NO.

BP211

O.E. NO.

—



4 Pcs. without lever


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
165.0 X 26.0 X 4.0	85.50	3.00	2.00	89.50
VEHICLE	MODEL APPLICATION			F/R
SUZUKI	SUZUKI			R

SC REF. NO.

BP212 H/F

O.E. NO.

—



2


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
160 x 30.2 x 4.2	80.70	3.00	2.00	84.90
VEHICLE	MODEL APPLICATION			F/R
BAJAJ	THREE WHEELER (OLD MODEL CNG)			F/R

SC REF. NO.

BP213

O.E. NO.

—



4


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
145 x 25.30 x 3.80	81.10	3.0	1.60	84.90
VEHICLE	MODEL APPLICATION			F/R
KIA	PRIDE			R

SC REF. NO.

BP219

O.E. NO.

270242300129



4


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
155 x 30.5 x 4.00	85.0	3.00	1.80	89.00
VEHICLE	MODEL APPLICATION			F/R
TATA	INDICA / ACE (BI TYPE)			R

SC REF. NO.

BP222

O.E. NO.

43153-SEL-003



4


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
162 X 29.80 X 4.20	85.25	3.00	1.50	89.45
VEHICLE	MODEL APPLICATION			F/R
HONDA	CITY			R

SC REF. NO.

BP223

O.E. NO.

—



4 Pcs. without lever


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
159.2 x 29.25 x 4.2	80.00	3.20	2.00	84.20
VEHICLE	MODEL APPLICATION			F/R
BAJAJ	3W N/M			R

SC REF. NO.

BP224

O.E. NO.

283442990106



2 + 2 Pcs. without lever


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
160.0 x 25.2 x 4.5	85.90	3.00	1.50	90.40
VEHICLE	MODEL APPLICATION			F/R
TATA	NANO (KBX TYPE)			R

SC REF. NO.

BP225

O.E. NO.

53200M84040



4


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
174 x 30.25 x 4.00	85.00	3.00	1.80	89.00
VEHICLE	MODEL APPLICATION			F/R
SUZUKI	MARUTI 800 / ZEN (BI TYPE)			R

SC REF. NO.

BP226

O.E. NO.



—





4

BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
—	—	—	—	—
VEHICLE	MODEL APPLICATION			F/R
BAJAJ	3W			—



SC REF. NO.	O.E. NO.
BP230, BA231, BA232	—



1 + 1
Front



1 + 1
Rear - Left



1 + 1
Rear - Right

BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
148.5 x 40.95 x 4.0 168.5 x 40.95 x 4.0	85.50	4.00	2.00	89.50


VEHICLE	MODEL APPLICATION	F/R
PIAGGIO	APE	F/R

SC REF. NO.

BP235

O.E. NO.

—



4 Pcs. without lever


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
161.0 x 40.0 x 4.25	84.75	3.20	2.00	89.00
VEHICLE	MODEL APPLICATION			F/R
TATA	NANO (KBX - F)			R

SC REF. NO.

BP236

O.E. NO.

283442990121



2 + 2 without lever


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
155.0 X 39.0 X 4.6	84.30	3.70	2.00	88.90
VEHICLE	MODEL APPLICATION			F/R
TATA	NANO TVS TYPE			R

SC REF. NO.

BP237

O.E. NO.

53200M79GCO



2 with rivet + 2 plain


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
162/146 x 25.0 x 4.0	82.30	3.40	1.60	86.30
VEHICLE	MODEL APPLICATION			F/R
MARUTI	ALTO K-10 (KBX TYPE)			R

SC REF. NO.

BP238

O.E. NO.

—



4 Pcs.


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
160.0 X 41.0 X 4.0	85.80	3.00	1.80	89.80
VEHICLE	MODEL APPLICATION			F/R
MAHINDRA	JEETO			R

SC REF. NO.

BP238 H/F

O.E. NO.

—



2 Pcs. without lever


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
160.0 x 41.0 x 4.0	85.80	3.00	1.80	89.80
VEHICLE	MODEL APPLICATION			F/R
MAHINDRA / TATA	ALFA KBX / NANO KBX			R

SC REF. NO.

BP239 H/F

O.E. NO.

—



2 Pcs.


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
168.5 X 40.95 X 4.0	85.50	4.00	2.00	89.50
VEHICLE	MODEL APPLICATION			F/R
PIAGIO	APE PIAGIO (L & R)			R

SC REF. NO.

BP314

O.E. NO.

—



4 Pcs. plain


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
190.0 x 36.0 x 4.0	97.10	3.00	1.50	101.10
VEHICLE	MODEL APPLICATION			F/R
NISSAN	ALMERA (12.08-03.06)			R

SC REF. NO.

BP323

O.E. NO.

—



2+2


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
186.0X30.0X4.0	95.50	3.00	1.50	99.50
VEHICLE	MODEL APPLICATION			F/R
TOYOTA	COROLLA			R

SC REF. NO.

BP328

O.E. NO.

53200-69G12



4


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
188 x 30.25 x 4.70	95.00	3.00	1.50	99.70
VEHICLE	MODEL APPLICATION			F/R
SUZUKI	MARUTI ESTEEM (BI TYPE)			R
TATA	INDIGO (BI TYPE)			

SC REF. NO.

BP330

O.E. NO.

—



4


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
185 x 35.0 x 4.40	93.50	3.00	2.00	97.90
VEHICLE	MODEL APPLICATION			F/R
HONDA	ACCORD			R

SC REF. NO.

BP434

O.E. NO.

—



4 Pcs. without lever


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
206.0 X 39.2 X 4.3	108.00	3.00	1.50	112.30
VEHICLE	MODEL APPLICATION			F/R
MARUTI	GYPSY (KBX TYPE)			R

SC REF. NO.

BP440

O.E. NO.

53200M77130



4


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
205 x 39.0 x 4.80	104.50	4.00	2.00	109.30
VEHICLE	MODEL APPLICATION			F/R
SUZUKI	MARUTI VAN / OMNI			F/R

SC REF. NO.

BP543

O.E. NO.

J24545658



2 + 2 without lever


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
225.0 X 40.5 X 4.7	115.90	4.00	1.90	120.60
VEHICLE	MODEL APPLICATION			F/R
CHEVROLET	ENJOY			R

SC REF. NO.

BP643

O.E. NO.

04495-0K040



2+2


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
238 x 40.0 x 4.50	121.90	4.50	2.50	126.40
VEHICLE	MODEL APPLICATION			F/R
TOYOTA	INNOVA			R

SC REF. NO.

BP657

O.E. NO.

—



2 + 2 without lever


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
235.9 X 56.6 X 4.4	123.60	3.50	2.50	128.00
VEHICLE	MODEL APPLICATION			F/R
FORD	CARTINA			R

SC REF. NO.

BP659

O.E. NO.

—



2 + 2


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
245.50 x 49.50 x 4.80	121.90	4.50	2.50	126.70
VEHICLE	MODEL APPLICATION			F/R
TOYOTA	QUALIS			R

SC REF. NO.

BP663

O.E. NO.

—



2+2


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
245.0 x 49.0 x 5.25	124.00	—	—	129.25
VEHICLE	MODEL APPLICATION			F/R
NISSAN	--			R

SC REF. NO.

BP664

O.E. NO.

284542300120



4 Pcs. without lever


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
233.0 X 60.6 X 4.5	125.00	4.00	2.00	129.50
VEHICLE	MODEL APPLICATION			F/R
TATA	WINGER			R

SC REF. NO.

BR202

O.E. NO.

53200M68P00



2 with rivet + 2 plain


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
168.0 X 29.3 X 4.0	86.50	3.00	1.50	90.50
VEHICLE	MODEL APPLICATION			F/R
MARUTI	IGNIS			R

SC REF. NO.

BR216

O.E. NO.

—



2+2


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
172 x 28.50 x 3.30	85.90	3.00	1.50	89.20
VEHICLE	MODEL APPLICATION			F/R
NISSAN	SUNNY			R

SC REF. NO.

BR315

O.E. NO.

—



2 Pcs. with Rivet + 2 Pcs. Plain


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
170.0 x 30.0 x 3.80	95.50	3.00	1.50	99.30
VEHICLE	MODEL APPLICATION			F/R
TOYOTA	CAMRY			R

SC REF. NO.

BR319

O.E. NO.

—



2+2


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
170.0 x 30.0 x 3.80	95.50	3.00	1.50	99.30
VEHICLE	MODEL APPLICATION			F/R
TOYOTA	CAMRY			R

SC REF. NO.

BR321

O.E. NO.

53200M74L00



2 pcs. with rivet + 2 pcs. plain


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
186.0 X 25.0 X 4.5	93.50	3.50	1.80	98.00
VEHICLE	MODEL APPLICATION			F/R
MARUTI	SWIFT N/M			R

SC REF. NO.

BR428

O.E. NO.

53200-81A11



2+2


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
205 x 35.0 x 4.00	105.00	4.00	2.00	109.00
VEHICLE	MODEL APPLICATION			F/R
MARUTI	Van Type III			R

SC REF. NO.

BR652

O.E. NO.

—



2 + 2 without lever


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
234.0 X 45.0 X 5.0	121.10	4.50	2.00	126.10
VEHICLE	MODEL APPLICATION			F/R
TOYOTA	INNOVA CRYSTA			R

SC REF. NO.

BR655

O.E. NO.

T88800214



2+2


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
225 x 50.50 x 4.80	121.00	3.20	2.00	125.80
VEHICLE	MODEL APPLICATION			F/R
CHEVROLET	TAVERA			R

SC REF. NO.

BR661

O.E. NO.

—



2+2


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
210 x 56.00 x 4.50 275 x 56.00 x 4.50	121.75	6.00	2.50	123.25
VEHICLE	MODEL APPLICATION			F/R
TOYOTA	HICE			R

SC REF. NO.

BR776

O.E. NO.

—



2 Pcs. with Revit & 2 Pcs. Plain


BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
263.0 x 49.1 x 5.8	134.25	4.00	2.50	140.25
VEHICLE	MODEL APPLICATION			F/R
TATA	YODHA			R

SC REF. NO.

BR895


O.E. NO.

—



2 Pcs. with Revit & 2 Pcs. Plain

BRAKE LINING DIMENSION (mm)	SHOE METAL RADIUS (mm)	WEB THICKNESS (mm)	TABLE THICKNESS (mm)	RADIUS WITH LINING (mm)
273.10 x 59.65 x 6.0	140.70	4.00	2.0	146.7
VEHICLE	MODEL APPLICATION			F/R
ISUZU	ELF (06.99-06.07)			R



Corporate Office:

SUPER CIRCLE AUTO LIMITED

B-45 1st Floor, Mayapuri Industrial Area, Phase-I, New Delhi - 110064, India

Tel.: 91-11-41446500

E-mail : export@supercircle.com Website : www.supercircle.com