

INTER-CHINA GROUP

Established in 1993,JIANGSU INTER-CHINA GROUP has over 30 years of experience in professional wood working tools.Our Products have earned a great market reputation when widely applied in the furniture industry,cabinate industry,and carpenter & hobby market.

**AUTO
TOOLS**
2023**Phone:**

+86-511-84406495 84406496

Fax:

+86-511-84406498

Mail:

yanwei@interchinatool.com

Address:

8F,Inter-China Building,NO.116 Ding Mao Qiao Road,
Zhenjiang jiangsu China

Category Reference



Brake System Service Tools

Page 1-2




Cooling System Service Tools

Page 3-4




Engine & Under Hood Service Tools

Page 5-13



Fuel System Service Tools

Page 14-16



Suspension Steering and Drive Train System Service Tools

Page 17-19



Wheel & Tyre Service Tools

Page 20-21

BMS001 Vacuum/ Pressure pump & Brake Bleeding kit

- * Attach many kinds of joint to fit most kinds of vehicles
- * Check vacuum/pressure operated automotive components
- * Can be used to bleed hydraulic system or siphon fluids
- * The body is the switch to control two kinds of pressure conditions.
- * Pressure range: positive pressure.0 to 40PSI;negative pressure.0 to -25inHg



Hand-held Vacuum Pump BMS002

- * Attach many kinds of joint to fit most kinds of vehicles
- * (2) 1/4" ID x 23" vacuum hose
- * (2) Tapered hose adaptors
- * Straight hose connector
- * Universal cup adaptor
- * (2) 1/4" ID x 3" vacuum hose
- * T Hose connector
- * Brake bleeder valve adaptors
- * 4oz reservoir jar, jar lids

BMS003 Hand-held Vacuum Pump

- * Attach many kinds of joint to fit most kinds of vehicles
- * The body has the switch to control two kinds of pressure conditions
- * Include the parts of brake bleeder
- * Pressure range: 0-760mmHg, 0-30 inHg



Dual Vacuum/Pressure Pump Kit BMS004

- * Generates either vacuum or pressure
- * Easily bleed brakes and other fluid transfer applications
- * Test automotive vacuum systems and perform engine diagnostics
- * Works on all vehicle makes and models
- * Gauge: 0-30 inHg vacuum, 0-30 PSI pressure
- * Durable steel construction vacuum pump/brake bleeder
- * Includes 3 master cylinder refill plates with 12 oz. and 32 oz. brake fluid bottle adapters, and 4 sizes of vacuum plugs with various bleeding and diagnostic adapters




Hose Clamp Pliers Kit
BMS005

- * This hose clamp tool box set works with plastic and metal hose clamps from 11/16 inch to 2 1/2 inches.
- * 9pcs includes 1" hose clamp plier 1" swivel jaw spring wire clip plier 1" swivel jaw band clipper plier 1" angled flat band hose clamp plier 1" hose remover plier 1" click-r collar plier 1" flat band hose clamp plier 1" screwdriver 1" hose remover


BMS006 8 PCS Professional Brake Tool Set

- * Suitable for most domestic and international cars and trucks
- * Includes: Spring compressor Brake spring installer Spring removal tool Brake retaining spring tool Brake spring pliers 2pcs brake adjustment spoons Mini adjustment spoon


Pneumatic Brake Fluid Bleeder
BMS007

- * Working pressure: 90 – 120psi
- * Inlet Size: 1/4"-18 NPT
- * Fill bottle capacity: 24oz
- * Oil fluid bottle capacity: 34oz
- * Adapter Sizes: 1-1/4" – 1-19/32" (32–41mm) 1-3/32" – 1-16/32" (28–37mm) 31/32" – 1-1/4" (24–32mm) 26/32" – 1-7/32" (21–30mm)


BMS008 18 Pc Disc Brake Caliper Tool Set

- * For use on most domestic and import 2WD & 4WD vehicles
- * Use on front or rear brakes
- * Includes tools and adapters for both right- and left-handed applications
- * Use on main brake and parking brake systems
- * Prevents damage to brake piston and boot


CCS001 25PCS Radiator Pressure Tester Kit

- * Allows easy testing for leakage in radiator system
- * Unit is suitable for domestic and import vehicles
- * Gauge tests pressure ranges from 0 - 35PSI
- * 21pcs. Test Caps for testing cooling systems on most domestic and import vehicles
- * Applications: Mercedes Benz, GM, Jeep, Peugeot, Subaru, Chrysler Acura, Mitsubishi, Nissan, Mazda, Toyota, Infiniti, Geo, Suzuki, Isuzu, Honda, Acura, Lexus, Volvo, Saab, Citroen, Renault, Fiat, Alfa, Mini Cooper, VW, BMW, Ford, Opel, Porsche, Audi, Late BMW and Land Rover, Late GM and Ford


14PC Radiator Pressure Tester Kit
CCS002

- * Gauge tests pressure ranges from 0 - 36lbs
- * Color coded dial gauge allows easy accurate testing of higher pressure caps and systems
- * Makes testing cars' higher pressure cooling systems and pressure caps easy
- * This tester includes a pressure testing pump with gauge and hose, thermometer, 4 steel cap adapters and eight anodized aluminum cap adapters
- * The set also includes a quick-connect adapter to allow use with other cap adapters available on the market.


CCS003 Heavy-Duty Cooling System Pressure Test & Refill Kit

- * Remove the complications that often result from unreliable rubber plugs or bladders with our heavy-duty cooling system pressure test and refill kit
- * Uses shop air to hold continuous pressure in the cooling system during testing and refill
- * (5) Quick disconnect vacuum attachments provide quick refilling of the cooling system and eliminate air pockets
- * For Use With: Freightliner, International, Kenworth, Peterbilt, Mack, Volvo, GMC and Sterling cooling systems


ECONOMY MANIFOLD GAUGE SET
CCS004

- * Forged Brass Body without Sight Glass
- * R12/R134A Gauge
- * 60" Anti-Blowback Yellow Hose (1/2" ACME x 1/2" ACME)
- * 60" Blue, Red hose (1/2" ACME x 1/4 x 1.6mm)
- * With two quick couplers (female)




DELUXE DUAL ALUMINUM A/C MANIFOLD GAUGE SET
CCS005

- * 1pc Anodized Aluminum Manifold(1/4SAE-M) with Sight Glass and 2pc R12/R134A Gauge
- * 3pcs 60"Yellow/Blue/Red Hose (1/4SAE-Fx1/4SAE-F)
- * 1pc Adapter (1/4"SAE-M to 1/2"ACME) for yellow hose
- * 2pcs Quick Male Adjustable couplers for blue&red hose
- * 1pc hook

CCS006 A/C Compressor Clutch Installer/Remove Kit

- * Replaces clutches found on FS6, C171, 6P & 148 compressors GM R4 & A6, HR-6, DA-6 & V5 A/C compressors, Sanden compressors SD505, 507, 510, 575, 708 & 709
- * 2 & 3 hole puller plate fits most clutches, mechanical force does the pulling


Double Flaring Tool Kit
CCS007

- * Designed for double or single flare in copper, aluminum, soft steel brake line and brass tubing (to 45°)
- * Chrome swivel, made of alloy steel reduces friction
- * Forged yoke made of heat-treated steel
- * Included 6pcs Adapters: 3/16" adapter; 1/4" adapter; 5/16" adapter; 3/8" adapter; 1/2" adapter


CCS008 Bubble (ISO) Flaring Tool Kit

- * Designed for crack-free bubble flares on soft steel tubing used in automotive brake systems
- * Forged steel yoke, flaring bar and all the adapters needed for ISO bubble flaring
- * Included 4pcs Adapters: 4.76mm adapter; 6mm adapter; 8mm adapter; 10mm adapter


EUS001 Cylinder Pressure Meter For Diesel Truck

- * Diesel and petrol engines compression tester set
- * Flexible hose with proportioned pressure check quick coupling and valve to connect different adapters. Extra pressure release valve between gauge and hose
- * 0-1000 PSI/0-70 bar Gauge(2-1/2")
- * With 9 different glow plugs and 4 injector adaptors


Fuel Injection Pump Pressure Tester
EUS002

- * Pressure Gauge: Dual scale range 0-140psi (0-10 bar)
- * Fitting & Adapters: Fuel injector tester has a 1/4" SAE female brass fitting at end of the hose, can be inserted directly into the fuel pump's standard Schrader or fuel pressure test port, or installed a tee fitting on to help splice an in-line connection. And there are also M8/M10/M12/M14 adapters for the corresponding test port on fuel rail.

EUS003 Cylinder Pressure Meter For Diesel Truck

- * Dual scale pressure gauge. Reading ranges from 0-1000psi or 0-70kg/cm²
- * Including many different size adaptors for many car models. Such as Compatible with VW, AUDI, BMW, VOLVO, MERCEDES-BENZ, FORD, MAZDA, NISSAN, TOYOTA, PEUGEOT and so on.


Vacuum & Pressure Tester Kit
EUS004

- * Large 4" diameter colour coded easy read gauge with protective rubber bumper and hanging hook.
- * Test Pressure up to 10 psi. Vacuum 0-28IN-HG
- * Rubber hose and 14mm/18mm manifold adapter.
- * Test both mechanical and electrical fuel pumps.
- * Checks for worn or defective parts in fuel pump and vacuum system.



Oil Pressure Tester Kit For Engine EUS005

* The pressure gauge uses metal gauge head with shockproof rubber cover, 3" big dial with clear dual scale range 0-100 PSI and 0-7 Bar. Compared to a large range, this oil pressure gauge is easy to read about 1-2 Bar with a short range.

* Adapters in sizes of 1/8", 1/4", 3/8" are made of brass, featured with high hardness, rustless, durable and good air sealing.


Fuel Injection Pressure Tester Kit EUS006

* Comes with an instruction, a complete kit including adapters, hoses & fittings, suitable for Chrysler, Ford, GM Jeep, Nissan Toyota & more gasoline cars.

* With a scale of 0-140 PSI / 0-10 bar scale, the versatile fuel pressure gauge kit boasts dual dials for accurate reading and great precision.


Fuel Injection Pump Pressure Tester EUS009

* The Fuel Pressure Test Kit has all necessary fittings, hoses, clamps to work on most vehicles. Gauge calibrated from 0-100psi (0-7 bar); Includes Brass fitting 1/8"-27 NPTx1/4"-18NPT, Brass 1/4" Barbed x1/4"-18NPT, Aluminum 1/4" & 3/8" Barbed x 1/8-24NPT, Rubber Hoses 1/4" x 2.5" L, 3/8" x 3.0" L


Petrol Engine Compression Tester EUS010

* Fitted with Ø66mm gauge having two scales (psi and kPa), reading from 0-300psi and 0-2000kPa

* Includes quick coupling 160mm rigid stem with cone-type adaptor and 320mm flexible adaptor with 14 and 18mm screw in adaptors.


Petrol Engine Compression Test Kit EUS007

- * Quickly and accurately check compression on petrol engines
- * Thread size: M18X1.5, M14X1.25, M12X1.25, M10X1.0
- * Compression tester fitted with Ø63mm gauge reading up to 300psi and 20kg/cm²
- * 400mm Flexible Extension


Oil Pressure Test Kit EUS011

- * 2-1/2" (60mm) Diameter Pressure Gauge calibrated in PSI or bar with protective rubber boot
- * 60" (1500MM) Heavy Duty Professional Quality Hose with hot surface protectors
- * Pressure held gauge with quick release
- * Supplied in a case complete with steel adapters, seals and fittings
- * Oil Pump Pressure Gauge to 140 PSI or 10bar for use with most cars (imports and domestic), trucks, and other motor vehicles, most engines


Engine Oil Pressure Tester EUS008

* The engine oil pressure tester gauge adopts rubber cover protected 3-1/2" large dial, 0-600psi and 0-38bar big scale range, suitable for testing big engine. No pressure holding function, return to zero automatically. The 40" long rubber nylon resin hose, is equipped with a 1/8" NPT brass adapter.

* Max working pressure: 600psi


Carburetor Synchronize Tool Kit EUS012

* Each 2" gauge of this motorcycle carb synchronizer tool features 0.76 cm/hg readings, shut off valve and all hardware is high-grade chrome finish.

* Includes 4 synchronizer gauges with fixed plates (vacuums) and 4 rubber pipes 8mm x 6mm x 760mm, /Extension and Connector Tubes: includes 4 extension tubes 3.9 x 62mm, 4 tubes 3.9 x 122mm, and 8 tubes with conical type connectors 8mm x 40mm. /Additional Tubes: includes 4 tubes 10mm x 62mm (M6 x 0.75) and 4 tubes 10mm x 60mm (M6 x 1.0).




Vacuum/Pressure Gauge Kit
EUS013

- * Ideal for testing vacuum lines and components
- * Accurately tests low-pressure fuel systems
- * Quickly diagnose internal engine problems such as bad rings valves and leaking head gaskets
- * Kit comes complete with adapter for most applications.
- * Pin point hard to find problems such as cracked lines PCV fuel pump fuel filters and more
- * Large 3-1/2" gauge and rugged protective outer boot.
- * Dual purpose gauge reads vacuum and pressure. Dual scale gauge reads 0-30 in. Hg Vac and 0-70 cm Hg also reads 0-16 psi and 0-100 kPa.
- * Built in rear hook allows gauge to be hung at eye level

EUS014 Trans-Eng Oil Pressure Tester

- * Large 3-1/2 inch gauges feature a chrome bezel and rugged protective outer boot
- * High pressure gauge reads 0-400 psi and 0-2800 kPa
- * Low pressure gauge reads 0-100 psi and 0-700 kPa
- * Both gauges include rear hook to allow gauge to be hung conveniently out of the way
- * Gauges and hose assembly incorporate quick couplers for easy disconnect


Compression Tester
EUS015

- * Designed for complete compression testing on small engines, including domestic, imports, motorcycles, marine, and gas engines
- * Extra long 26" flex hose gauge assembly with quick coupler
- * Quick disconnect coupler separates hose from gauge allowing faster, easier connections to the engine
- * Push-button side release valve allows repeated testing without disconnecting
- * 10mm, 12mm, 14mm, 16mm and 14mm long reach adapters included
- * Repair parts kit included
- * 6" flex Ford Triton 16mm adapter and Deep Well Connector included
- * Easy-to read 2-1/2 inch gauge
- * Dual scale gauge reads 0-300 psi and 0-2000 kPa


EUS016 Cylinder Leakage Tester Kit

- * Quickly diagnose internal engine problems such as bad rings valves and leaking head gaskets
- * Comes complete with adapters for most applications
- * Dual 2-1/2 inch gauge and rugged protective outer boot
- * The scales read 0-100 pounds per square inch and 0-700 kPa.
- * Complete with pressure regulated manifold with quick couplers, long flex 24 inch 14 mm hose, and 10mm, 12mm and 18mm thread adapters


EUS017 Fuel Pressure Test Kit

- * Performs running, residual, rail and flow rate pressure tests
- * Professional dual scale gauge reads 0-100psi and 0-700kPa with relief valve and fuel discharge hose and protective rubber boot
- * Includes adapters, hoses and fittings to test fuel injection systems plus two popular adapters for import vehicles, as well as the GM TBI adapter


M12X1.75 Thread Repair Kit
EUS018

- * Repairs GM drain plug holes with size of M12 x 1.75
- * Oil pan thread repair kit for stripped out threads

EUS019 16 Pcs Glow Plug Removal Set

- * For removing broken or damaged glow plugs, removes 8mm and 10mm glow plugs
- * Tap: 1/4"-28 UNF, M10 x P1.0, M8 x 1.0 T-handle, ratchet-bar, drill holding adaptor, puller outer housing, force screw, force nut, top connection removal tool star socket, allen key, dual-size high-tensile step drill m8 & m10, pilot drill centring sleeves, pilot drills 3.6mm, puller adaptor mandrels


13 Pieces Bolt Extractor Tool Set
EUS020

- * All the bolt extractors are precision engineered to easily extract damaged bolts, nuts and screws even if they are stripped, rusted or frozen
- * Tight grips and won't let go, the internal thread design provides excellent torque, the more you turn, the tighter the socket grips
- * 13 pieces 3/8 inch drive bolt & nut remover comes with 3/4"(19mm), 11/16", 17mm, 8/8"(16mm), 9/16"(14mm), 13mm, 1/2", 12mm, 7/16"(11mm), 10mm, 3/8", 5/16"(8mm), 1/4"


AXLE Spindle Threading Set
EUS021

* Axle threads that are damaged or rusted need a specialty tool that can restore them to their former functionality. Our metric axle spindle threading set is your go to for most domestic and import vehicles' axles. Pivot our axle nuts over the threading to restore your axle's quality.

* Sizes included M20 x 1.25, M20 x 1.50, M22 x 1.00, M22 x 1.50, M24 x 1.50, M24 x 2.00, 13/16 Inches x 20 UNEF, 3/4 Inches x 20 UNEF, and 27mm extension bar


EUS022 3/8" Drive Diesel Injector Line Socket Wrench Set

* Flex-head crows feet set includes the following sizes: 3/8" Drive 12mm & 14mm, 16mm, 17mm, 18mm, 19mm.

* Special crow foot wrench set is ideal for removing flared fixings and softer metals, such as brake, fuel & hydraulic lines.


26-Piece Bolt Extractor Screw Extractor Set and Cobalt Drill Bit Set
EUS023

* 4-in-1 Screw & Nut Remover Kit-Including 6-piece spiral screw extractors: 1/8", 2/8", 3/8", 4/8", 5/8", 6/8"; 6-pieces HSS left hand drill bits: 3/32", 1/8", 5/32", 1/4", 9/32", 3/8" and 13-piece bolt nut remover set: 3/4" (19mm) 11/16" (17mm) 5/8" (16mm) 3/4" (14mm) 13mm, 1/2", 12mm, 7/16" (11mm), 10mm, 3/8", 5/16" (8mm), 1/4" and 1-piece 1/4" extractor extension.


EUS024 88PC Thread Repair Set

* This Thread Repair Kits can be used in daily repair, car repair, drilling machine, etc. Suitable for engine repair and other automotive applications for steel, cast iron and aluminium.

* 3PCS Installation Tools * 3PCS Break Pin Tools * 3PCS Twist Drills
* 1PCS Hex Key * 3PCS Taps

* 75 Wire Thread Inserts: M6x1.0x10.8mm
M8x1.25x10.8mm
M10x1.5x13.6mm


EUS025 131PC Metric Thread Repair Set

* This Thread Repair Kits can be used in daily repair, car repair, drilling machine, etc. Suitable for engine repair and other automotive applications for steel, cast iron and aluminium.

* 6 Installation Tools * 6 Break Pin Tools * 6 Twist Drill Bits

* 1 Hex Key * 5 Taps

* 110 Wire Thread Inserts: M5x0.8x6.7mm : 25PC M6x1.0x10.8mm : 25PC
M8x1.25x10.8mm : 25PC M10x1.5x13.6mm : 25PC
M12x1.75x16.3mm : 10PC


131PC SAE Thread Repair Set
EUS026

* This Thread Repair Kits can be used in daily repair, car repair, drilling machine, etc. Suitable for engine repair and other automotive applications for steel, cast iron and aluminium.

* 6 Installation Tools * 6 Break Pin Tools * 6 Twist Drill Bits

* 1 Hex Key * 5 Taps

* 110 Wire Thread Inserts: 1/4-20: 25PC 5/16-18: 25PC
3/8-16: 25PC 7/16-14: 25PC
1/2-13: 10PC

EUS027 25 pcs Screw Extractor/Drill and Guide Kit

* Can be used on thread sizes from 3/16" to 9/16" (6mm to 16mm)

* Removes broken fastener without breaking or jamming

* Turns broken fasteners out & permits highest torque without expansion

* HSS drill bits for long service life

* Blow molded case for easy storage and transport

* Material: drill bit: HSS4341, Screw Extractors : CrV


24PCS Oil Pan Thread Repair Set
EUS028

* A comprehensive thread repair kit ideal for repairing sump, gearbox and differential drain plug threads.

* Used to tap the damaged thread slightly over size, then fit a new drain plug and washer supplied.

* Set is suitable for the most popular threads used on cars and light commercial vehicles

* Tap Sizes: M13, M15, M17, M20

* Suitable for Cars / Motorbikes / Trucks and Vans


Spark Plug Thread Repair Kit M14*1.25
EUS029

* Suitable for repairing spark plug threads 14mm * 1.26mm, fits for all kinds of products that require high thread strength, complete kit for meeting various needs, designed for quickly and efficiently repairing the damaged spark plug threads.

* Includes: M14*1.25 inserts-total length 17.6mm
M14*1.25 inserts-total length 17.6mm
M14*1.25 inserts-total length 11.2mm
1" tap reamer: M16*1.25

EUS030 5-Piece Metric Bolt and Lug Nut Extractor Socket Tools

* Use with 1/2 inch square drive wrench to loosen the nut counterclockwise to remove these rusted nuts.

* 4-piece larger sized nuts or bolts. And sockets work on SAE/Metric sizes - 17MM, 19MM, 21MM and 22MM, include a 12MM drift punch nut removal bar to easily pop a removed nut from your extraction sockets.


114Pcs Oil Pan Thread Repair Set
EUS031

* Set includes: 6 x TAPS: M13 x 1.25P / M13 x 1.6P / M16 x 1.6P / M17 x 1.6P / M20 x 1.6P / M22 x 1.6P;

36 OIL DRAIN PLUGS: M13 x 1.25 (x6), M13 x 1.6 (x6),
M16 x 1.6 (x6), M17 x 1.6 (x6),
M20 x 1.6 (x6), M22 x 1.6 (x6);

72 x COPPER WASHERS: 24 x M13, 12 x M16, 12 x M17,
12 x M20, 12 x M22;


EUS033
16Pcs Locking Wheel Nut Master Key Set

* Dual head design fits most factory lug wrenches.

* Cold forged, heat treated, hardened steel construction.

* Thin wall design matches your wheel lock diameter to prevent scratching your wheels.

* Includes: 5-spline 5/8-inch, 6-spline 41/64-inch and 45/64-inch,
7-spline 3/4-inch, 8/8-inch and 1 1/16-inch,
12-spline 1 1/16-inch and 1 3/16-inch,
Star Lug-10-point 1/2-inch, 8-point 5/8-inch and 7/16-inch, 9-point 1/2-inch.
High Tech Hex Lug -15mm, 9/16, 12mm, Fluted 12mm.


35-Piece Screw Extractor/ Drill Bit Set
EUS034

* Multiple sizes can be used with any drill bit and any size screw or bolt, is the ideal tool for removing broken screws, bolts, studs, fittings, threaded pipes and pins

* Aggressive left hand design creates extra gripping power

* Easy out style spiral flutes embed themselves to increase grip as resistance increases

* Extractor sizes and recommended drill bit sizes etched on each tool

* Content: Spiral screw extractors: No.1, No.2, No.3, No.4, No.5, No.6 (CrMo)
Screw extractors size: 1/8", 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8",
13/32", 7/16", 15/32", 1/2", (CrMo)
Left hand cobalt drill bits: 5/64", 7/64", 1/8", 5/32", 3/16", 7/32", 1/4", 9/32",
19/64", 5/16", 11/32", 3/8", 13/32", 7/16", 15/32", 1/2"


EUS035
25Pcs Screw Extractor Set

* Premium chrome molybdenum steel industrial grade extractors are ideal for removing broken screws, bolts, nuts, studs, fittings, threaded pipes and pins and is perfect for any mechanic's tool kit.

* Precisely machined aggressive multipiane teeth with left hand spiral design provides extra gripping power and faster threading.

* Specially designed hexagon head for applying maximum torque with sockets and wrenches

* 25 pieces of extractors from 1/8 inch to 7/8 inch in 1/32" increments and a heavy duty carrying case for storage and organization.


EUS032
42 Pc. SAE & Metric Thread Restorer Kit

* Suitable for chasing out damaged threads and the removal of nicks and burrs without undercutting good threads. Thread file restores damaged external threads on any diameter, right or left-hand

* 21Pcs Dies: Inch coarse(NC) sizes: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8",
Inch fine(NF) sizes: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", Metric sizes:
M6x1.00, M8x1.25, M10x1.25, M10x1.50, M12x1.25, M12x1.5, M12x1.75mm

* 19Pcs Taps: Inch coarse(NC) sizes: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16",
Inch fine(NF) sizes: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16",
Metric sizes: M6x1.00, M8x1.25, M10x1.25, M10x1.50, M12x1.25, M12x1.5,
M12x1.75mm

* 2Pcs Thread Files SAE size: 9, 10, 12, 16, 20, 27, 28, 32 and SAE size: 11, 12, 13,
14, 16, 18, 20, 24


Serpentine Belt Tool Set
EUS036

* Use on Ford, GM, Chrysler, SAAB, VW, Volvo and other models with Serpentine tensioners

* Fits tensioner pulleys with 13mm-16mm, 18mm hex or 3/8" and 1/2" square drives.

* 13mm and 15mm 12-point wrenches built into the handle.

* Kit including: 13mm Crowfoot - GM Quad 4 engine 14mm Crowfoot - Saturn engine
15mm Crowfoot - Ford Windstar with 3.8L engine 15mm Socket - GM Quad 4 engine
14mm Socket - 1.9L Saturn 15mm Socket - some GM and Chrysler
16mm Socket - 4.0L Ford 16mm Socket - GM 3000 engine
3/8" Square Drive Socket - 3.1L GM 1/2" Square Drive Socket - late model GM and Ford
Short Extension: 15mm Socket - 3.3L Chrysler; 16mm Socket - 3.8L Ford
Long Extension: 15mm Socket - 3.3L Chrysler; 16mm Socket - 3.8L Ford
Serpentine Belt Holder: (Length: 590mm) 13mm Socket - late model GM Quad 4 engine;
15mm Socket - 3.8L Ford
3/8" Bolt (connects serpentine belt holder to extension)



30Pcs Cap Oil Filter Wrench
FHS001

- * Fit the most popular domestic and import vehicles
- * The oil filter socket set is used to remove and install the oil filter cap when replacing the old one
- * Set includes 30 low profile sockets in sizes


10PCS Cap Oil Filter Wrench
FHS002

- * Built-to-last heavy duty carbon steel construction
- * Use with 3/8" drive ratchet
- * Include:
65/67MM-14F, 68MM-14F, 74/76MM-16F, 76MM-30F, 76MM-14F, 80MM-16F, 86MM-16F, 93MM-16F, 93MM-36F, 100MM-16F, Adaptor 1/2(F) to 3/8(M)


5pcs Oil Filter Swivel Wrench Set
FHS003

- * Ergonomic non slip grip ensures comfortable working in narrow places and provides better safety.
- * Mini size: 2-3/4" - 3-1/4" (69.85-82.55mm), Small size: 3-1/2" - 3-3/4" (88.9-96.25mm), Medium size: 4" - 4-1/2" (101.6-114.3mm), Large size: 4-3/4" - 6-1/4" (120.65-133.35mm), 12" Adjustable Oil Filter Pliers, Fits filters from 2-3/4 to 4-1/2-inch


6PC Cap Oil Filter Wrench
FHS004

- * Six wrenches with a total of eight different sizes to fit the most popular domestic and import vehicles
- * Built-to-last heavy duty carbon steel construction
- * Fits 3/8 in. drive ratchet
- * Size: 65/67MM-14F, 74/76MM-16F, 80MM-16F, 93MM-36F, 76MM-14F, 93MM-16F


Oil Filter Wrench
FHS005

- * Heavy duty spring steel construction
- * Long handle for easy reach
- * New inside gripper bumps to prevent slippage
- * Option range: 3-7/16" - 3-3/4" (88-96mm)
2-7/8" - 3-1/4" (73-82mm)
2-1/4" - 2-3/4" (67-69mm)


Oil Filter Wrench
FHS006

- * Automatic clamping action
- * Sturdy steel construction
- * Vinyl grip handle for added comfort
- * Option range: 3-7/16" - 3-3/4" (88-96mm)
73-83mm
67-96mm


FHS007 Oil Filter Wrench

- * With swivel handle
- * Easy grip vinyl handle
- * Wide dimpled band securely grips filter without crushing
- * Option range: 73-83mm 85-98mm 102-111mm
2-3/8"-2-5/8" (60.3-67.7mm)
2-3/4"-3-1/4" (70-82.6mm)
3-7/16"-3-3/4" (87-96mm)
4-1/8"-4-1/2" (104-113mm)


FHS009 Oil Filter Wrench Jaw Grips

- * Fits 2-1/4" - 4" (67-102mm)
- * Gets into tight spots to break tough seals
- * Spring loaded for ease of use
- * Short handle for maneuverability


FHS011 3-Leg Two Way Oil Filter Wrench

- * Includes 1pc 3/8" to 1/2" Drive Adapter, CrV material
- * The surface finishing is mirror chrome plated
- * Range 2-2/8" to 4-9/10"


FHS008 Heavy Duty Oil Filter Wrench

- * With swivel handle
- * Easy grip vinyl handle
- * Wide dimpled band securely grips filter without crushing
- * Fits extra larger size filters
- * Option range: 4-1/8" to 4-1/2" (104-113mm)
6-1/4" to 6-3/4" (133-146mm)


FHS010 Oil Filter Wrench

- * Jaw teeth for sure grip
- * Soft grip comfort handle
- * Option range: 2" to 3-1/4", 1-7/8" to 4"


FHS012 3-Leg Two Way Oil Filter Wrench

- * Fits Oil Filters From 2-1/2" to 4-1/3" (63.6mm to 110mm)
- * Use with 3/8" + 1/2" ratchet



Extra Large Two Way Adjustable Filter Wrench FHS013 |

- * Range 2-1/2" to 4-1/2" (63.6 - 114.3 mm)
- * Removes hard to get at filters
- * 3/8" Drive
- * Includes 1pc 3/8" to 1/2" Drive Adapter


Large Adjustable Oil Filter Wrench FHS014 |

- * Range 3-1/8" to 3-7/8" (79.4 - 98.4 mm)
- * For removal of oil filters only
- * 3/8" Drive


Small Adjustable Oil Filter Wrench FHS015 |

- * Range 2-1/2" - 3-1/8" (63.6-79.4 mm)
- * For removal of oil filters only
- * 3/8" Drive


Oil filter Drain Wrench FHS016 |

- * For Toyota/Lexus
- * Size: 14Flutes x 64.6mmx3/8" drive


12 Inch Chain Wrench FHS017 |

- * Chain wrenches are designed for working in tight areas where ordinary pipe wrenches won't fit. 12 Inch chain wrench for easy portability.
- * Adjustable chain length for a secure grip on objects from 1/2" to 4-1/2".


9" Strap Oil Filter Wrench FHS018 |

- * Range 60-110mm
- * Drop forged, heat-treated
- * Strong nylon belt
- * Adjusts quickly to any spin-on filter


SSD001 Ball Joint Service Tool Set

- * Special designed for the removal and installation of press fit parts. Such as ball joints, universal joints and truck break anchor pins, without having to resort to makeshift methods.
- * It contains heavy-duty C frame press, receiver tubes, and installation and removing adapters.
- * C frame Carbon Steel, drop forged, heat treatment, HRC 36-38
- * 3pc receiver tubes: 2-3/4" ID x 3" OD; 2-1/4" ID x 2-1/2" OD; 1-3/4" ID x 2" OD


Ball Joint Service Tool Set And Master Adapter Set SSD002 |

- * Removes and replaces ball joints
- * C frame press alone can be used to remove and replace universal joints
- * Set includes all the receiver tubes and removing/installing adapters needed to work on press-fit upper and lower ball joints on most GM, Ford, and Dodge 2 and 4 wheel drive pickups, vans and sport utility vehicles through 1997
- * Also included live center forcing screw plug
- * C frame Carbon Steel, drop forged, heat treatment, HRC 36-38


SSD003 Master Ball joint Adapter Set

- * Includes all the receiving tubes and removing/installing adapters needed to work on most GM, Ford and Dodge 2-wheel and 4-wheel drive pick-ups, vans and sport utility vehicles through 1997
- * Work on press-fit upper and lower ball joints
- * Set includes live center forcing screw plug


14PC Bearing Separator Set SSD004 |

- * Drop forged and heat treated
- * Bearing Separator & Bolt 1 set Cap 2"
- * Bearing Separator & Bolt 1 set Cap 3"
- * K4 pcs-Main Rod
- * 4 pcs -Extension Rod
- * 1 pc-beam
- * 1 pc-Center Bolt
- * 2pcs puller jaws
- * Black oxide finished and chrome plated for durability.




Stinger Blind Hole Bearing Puller Set
SSD005

- * Stinger Blind Hole Bearing Puller Set For pulling jobs requiring an internal pull, such as pilot bearings
- * Set includes four collets which fit a wide range of applications.
- * Select the appropriate sized collet by comparing it with the application
- * Insert the collet, expand it to fit the hole, then attach the slide hammer assembly.
- * Four collet: 3/8" to 1/2", 9/16" to 11/16", 5/8" to 1", 1" to 1-1/4"
- * Set includes a 0.9KG slide hammer with T-handle

SSD006 5 Pcs Front End Service Tool Set

- * Forged Carbon Steel
- * 2Pcs Pitman Arm Pullers for large or small ball joint applications.
- * 2Pcs Ball Joint Separators
- * 3Pcs different Tie Rod Pullers.


Steering Wheel Remover Set
SSD007

- * Removing Steering Wheels of Most Domestic & Imported Vehicles
- * Includes: Steering Wheel Puller, 6 sets of Cap Screws, Steering Wheel Lock Plate Compressor.


Macpherson Strut Spring Compressor
SSD010

- * Professional Multi Use MacPherson Interchangeable Fork Spring Compressor Set
- * Compresses all types of MacPherson style coil springs front and rear.
- * Includes three sets of jaws: 2 each of 66-126mm, 88-160mm and 126-212mm



TIGHTEN THE BOLT

TIGHTEN THE COMPRESSOR

SSD011 Inner Tie Rod Removal Set

- * Made for use with inner tie rod ends, as well as rack and pinion assemblies
- * This kit is not for use with "Saginaw" type rack and pinion assemblies
- * These tools should not be used with power tools, but used only with a hand wrench
- * Designed for working in cramped conditions where sockets and wrenches just won't work or fit
- * This kit features a quick slide collar to secure the crow's feet, and includes 1 long socket removal tool, and sizes 1-1/2in, 1-7/16in, 1-3/8in, 1-5/8in, 1-1/4in, 1-3/16in, 33.6mm, 32.5mm, and 29mm


SSD008 5PCS Separator

- * Used to remove shock linkage, tie rods and ball joints
- * Includes: 11" x 1-1/8" fork spread, M12x1.75mm 11-3/4"x1-5/8" fork spread 11-5/8"x1-7/16" fork spread 16"x11/16" fork spread 16"x15/16" fork spread



HIGH VERSATILITY


Harmonic Damper Pulley Puller Kit
SSD012

- * Quickly remove pressed-on harmonic balancers with a single retainer bolt.
- * 3-Jaw Puller: 2 1/4" (69.3 mm) Jaws
Forcing Screw: 1/2" (24 mm) Hex
4 Forcing Rods: 3/4" (98 mm), 5/8" (132 mm), 6/8" (159 mm), 7/8" (193 mm)
- * Works for dampers and balancers in a wide range of domestic and import vehicles, including Cadillacs since 1988, Chevrolet trucks since 2003, 1990 Chryslers, Fords since 1995, GM Generation II engine, the 1995 Mitsubishi Eclipse, and more


50Pcs Custom Bush/Bearing/Seal Driver Set
WTT001

- * Master deluxe custom bush, bearing and seal driver allows you to build your own custom bushing driver so you always have the right size for the job
- * The discs go from 18mm(45/64") all the way to 66mm (2-9/16") in 1mm increments plus 2-29/32" 74mm
- * All discs are connected with a 12mm shaft and screw which quickly connects to a 180mm handle
- * All 60 pieces are interchangeable with each other so you get 2460 different size variations in one set so you will do the job quickly, professionally and promptly. Can remove or install bushings that are flush with the housing

WTT002 FWD Front Wheel Bearing Adapters

- * Remove replace front wheel bearing with steering knuckle and strut assembly still on the vehicle
- * That makes the whole job easier and eliminates the need for a front end alignment after service work is done
- * Use with a slide hammer and front hub puller
- * Work on both domestic and import front wheel drive cars and light trucks


Front Wheel Bearing Adapters
WTT003

- * Remove and replace front wheel bearing with the steering knuckle and strut assembly still on the vehicle
- * Eliminates need for front end alignment after service work is done
- * For front wheel drive cars and light trucks
- * Black oxide finish
- * Packed in a blow mold case for easy transport and storage


WTT004 Extra Large Custom Built Bush/Bearing/Seal Driver Set

- * This extra large driver set allows you to build your own custom bushing driver
- * Select the required sizes and assemble your driver tool
- * Discs are connected with a shaft and screw which connects to the driver handle
- * Build to suit the required seal bush or bearing job
- * Discs size: 70mm through to 150mm in 5mm increments
- * All discs are connected with a 70mm shaft and screw which quickly connects to a 10 3/4" x 1/2" handle for quick tool change and easy access


WTT005 Bearing Race & Seal Driver Set

- * Makes it Easier To Insert Wheel bearing Race And Seals Without Damage To Race And Axle Housing
- * This Master set includes nine drivers to fit most standard wheel bearings. Turn discs over to drive seals.
- * Contains: 1.666"/39.6MM 2.325"/59.0MM
2.83"/72.0MM 1.76"/44.6MM
2.47"/63.0MM 2.398"/60.9MM
1.966"/50.0MM 2.666"/68.0MM
3.18"/81.0MM, Handle


17 Pcs Metric Bushing Driver Set
WTT006

- * Kit includes 3 aluminum handles
- * Kit includes 14 aluminum metric bushing adapters
- * Metric kit for Motorcycles, Asian and European vehicles
- * Aluminum construction will not mar surface or affect bushing tolerance to ensure engine, transmission or hub performance
- * Saves the technician time with precise fit adapters
- * adapters: 10-12mm, 12-14mm, 14-16mm, 15-17mm, 16-18mm, 18-20mm, 20-22mm, 22-24mm, 25-27mm, 28-30mm, 30-34mm, 32-36mm, 36-40mm, 38-42mm
- * Aluminum construction will not mar the bushing or affect the bushing tolerance which is critical for proper performance of the engine, transmission and hubs.


WTT007 Rear Axle Bearing Service Set

- * Allows for easy removal of semi-floating rear axle bearings
- * Set works on most domestic cars
- * Set includes the following sizes to fit main bearing tube I.D.: 1" to 1-7/8", 1-6/16" to 2-3/8", 1-3/8" to 2-7/8"


6 PCS Spindle Nut Socket Set
WTT008

- * For use with 1/2" square drive tool
- * For many 2 wheel and 4 wheel drive light truck applications
- * Includes 4x4 spindle removing socket
- * Includes Toyota locknut wrench
- * Not for use with impact wrenches
- * Replacement part availability

