


**STEEL
FORCE**®



Add: 8F Inter-China Building, 116 Ding Mao Qiao Road, Zhenjiang city, Jiangsu, China 212003
Tel: +86 511 84406495, 88699088 ext 801 Fax: +86 511 84406498
Website: www.interchinatool.com Email: yanwei@interchinatool.com

JIANGSU INTER-CHINA GROUP



JIANGSU INTER-CHINA GROUP
Cordless tools Subsidiary Factory

Established in 1992, JIANGSU INTER-CHINA GROUP has over 30 years of experience in professional Cordless Tools. Our products have earned a great market reputation when widely applied in the Construction industry, Automotive after service and Industrial supply Chain.

In 2005, JIANGSU INTER-CHINA GROUP invested a subsidiary factory operated under the ISO9001 and 6S management system. We have also developed a mature production chain that fully integrates housing injection, machining, battery packing assembling, and final assembling services.

With such assurance, we manage to control the quality of products from raw materials, guarantee the working consistency of spare parts, promise shorter lead time, and provide efficient after-sales services for every customer.

WORKSHOP

Brushed Series

DCDD1201
Cordless Drill

Voltage:	10.8V
No load speed:	0-450 / 0-1600rpm
Max torque:	25N.m
Torque setting:	21+1
Chuck size:	10mm
Drilling capacity:	Ø10mm steel Ø25mm wood



Quick release chuck is optional



DCID1201
Cordless Impact Driver

Voltage:	10.8V
No load speed:	0-2750rpm
Impact rate:	0-3600bpm
Max torque:	80N.m
Collet size:	1/4"(6.35mm)
Drilling capacity:	M4-M10 Ø10mm steel Ø25mm wood



DCDD1202 / 1601 / 2001
Cordless Drill

Voltage:	10.8V / 14.4V / 18V
No load speed:	0-450 / 0-1600rpm
Max torque:	25/30/35N.m
Torque setting:	21+1
Chuck size:	10mm
Drilling capacity:	Ø10mm steel Ø25mm wood



Brushed Series

DCBL2501

Cordless Blower

Voltage:	18V
No load speed:	1000 / 1750rpm
Max air volume:	2.5m³/min



DCIS1501

Cordless Iron Shears

Voltage:	18V
No load speed:	0-500 / 0-1500rpm
Cutting frequency:	2800 / min
Cutting capacity:	1.2mm iron sheet



DCCG2001

Caulking Gun

Voltage:	18V
Force:	6500N
Speed:	0-9.5mm/s
Application material:	600ml sausage 300ml cartridge



Brushless Series

DBDD1001 / DBBD1001

Cordless Drill / Cordless Impact Drill

Voltage:	14.4V
No load speed:	0-500 / 0-1600rpm
Max torque:	40N.m
Torque setting:	20+1 / 20+3
Chuck size:	10mm
Drilling capacity:	Ø10mm steel Ø30mm wood Ø8mm concrete



DBDD1002

Cordless Drill

Voltage:	18V
No load speed:	0-500 / 0-1600rpm
Max torque:	50N.m
Torque setting:	20+1
Chuck size:	10mm
Drilling capacity:	Ø10mm steel Ø30mm wood



DBBD1002

Cordless Impact Drill

Voltage:	18V
No load speed:	0-500 / 0-1600rpm
Impact rate:	0-30000bpm
Max torque:	50N.m
Torque setting:	20+3
Chuck size:	10mm
Drilling capacity:	Ø10mm steel Ø30mm wood Ø10mm concrete



Brushless Series

DBDD1003 / DBBD1003
Cordless Drill / Cordless Impact Drill

Voltage: 18V
No load speed: 0-500 / 0-1550rpm
Max torque: 45N.m
Torque setting: 20+1 / 20+3
Chuck size: 10mm
Drilling capacity: Ø10mm steel
Ø30mm wood
Ø10mm concrete



DBBD1301
Cordless Impact Drill

Voltage: 18V
No load speed: 0-500 / 0-2000rpm
Impact rate: 0-7500 / 0-30000bpm
Max torque: 80N.m
Torque setting: 20+3
Chuck size: 13mm
Drilling capacity: Ø13mm steel
Ø35mm wood
Ø13mm concrete



DBBD1302
Cordless Impact Drill

Voltage: 18V
No load speed: 0-500 / 0-2000rpm
Impact rate: 0-7500 / 0-30000bpm
Max torque: 140N.m
Torque setting: 22+3
Chuck size: 13mm
Drilling capacity: Ø13mm steel
Ø40mm wood
Ø13mm concrete



Brushless Series

DBID2301
Cordless Impact Driver

Voltage: 18V
No load speed: 0-1200/1900/2500/3200rpm
Impact rate: 0-1400/2500/3500/4000bpm
Max torque: 230N.m
Collet size: 1/4"(6.35mm)
Drilling capacity: M5-M12



DBID2302
Cordless Impact Driver

Voltage: 18V
No load speed: 0-1200/0-2200/0-2800rpm
Impact Rate: 0-4900bpm
Max torque: 230N.m
Collet size: 1/4"(6.35mm)
Drilling capacity: M5-M12



DBRW1001 / DBRW1002
Cordless Ratchet Wrench

Voltage: 18V
No load speed: 0-650rpm
Max torque: 100N.m
Square drive: 3/8"(9.5mm)
1/2"(12.7mm)



DBAW1201
Cordless Angle Wrench

Voltage: 18V
No load speed: 0-1200rpm
Max torque: 120N.m
Square drive: 3/8"(9.5mm)
1/2"(12.7mm)



Brushless Series

DBIW3501
Cordless Impact Wrench

Voltage: 18V
No load speed: 0-1200 / 0-2200 / 0-2800rpm
Impact rate: 0-4900bpm
Max torque: 350N.m
Square drive: 1/2"(12.7mm)



DBIW3801
Cordless Impact Wrench

Voltage: 18V
No load speed: 0-1600 / 0-2600rpm
Impact rate: 0-3000 / 0-3500bpm
Max torque: 380N.m
Square drive: 1/2"(12.7mm)



DBIW5501
Cordless Impact Wrench

Voltage: 18V
No load speed: 0-1800 / 0-2300 / 0-2800rpm
Impact rate: 0-3000 / 0-3500 / 0-4000bpm
Max torque: 550N.m
Square drive: 1/2"(12.7mm)



DBIW7501
Cordless Impact Wrench

Voltage: 18V
No load speed: 0-1400 / 0-1900 / 0-2400rpm
Impact rate: 0-1500 / 0-2000 / 0-2500bpm
Max torque: 750N.m
Square drive: 1/2"(12.7mm)



Brushless Series

DBIW1000 / DBIW1350
Cordless Impact Wrench

Voltage: 18V
No load speed: 0-1100/0-1400/0-1800rpm
Impact rate: 0-1200/0-1600/0-2200bpm
Max torque: 1000N.m / 1350N.m
Square drive: 1/2"(12.7mm) / 3/4"(19mm)



DBIW1600 / DBIW1800
Cordless Impact Wrench

Voltage: 18V
No load speed: 0-1150/0-1450/0-1850rpm
Impact rate: 0-1300/0-1800/0-2400bpm
Max torque: 1600N.m / 1800N.m
Square drive: 3/4"(19mm) / 1"(25.4mm)



DBIW3000
Cordless Impact Wrench (TWIN PACK)

Voltage: 18V x 2
No load speed: 0-600/0-850/0-1250rpm
Impact rate: 0-800/0-1000/0-1800bpm
Max torque: 3000N.m
Square drive: 1"(25.4mm)



Brushless Series**DBAG2001**
Cordless Angle Grinder

Voltage: 18V
 No load speed: 0-4000 / 0-6500 / 0-8000rpm
 Disc size: 100 / 115 / 125mm
 Spindle size: M10 / M14

**DBRH2201P**
Cordless Rotary Hammer

Voltage: 18V
 No load speed: 0-1400rpm
 Impact rate: 0-4500bpm
 Impact energy: 1.9J
 Tool holder: SDS Plus
 Drilling capacity: Ø22mm concrete
 Ø13mm steel
 Ø35mm wood

**DBRH2601P**
Cordless Rotary Hammer

Voltage: 18V
 No load speed: 0-1100rpm
 Impact rate: 0-5200bpm
 Impact energy: 4J
 Tool holder: SDS Plus
 Drilling capacity: Ø26mm concrete
 Ø13mm steel
 Ø40mm wood

**Brushless Series****DBRS1361**
Cordless Multi-function Saw

Voltage: 18V
 No load speed: 3800 / 5800rpm
 Disc size: 136mm
 Cutting capacity: 28mm @ 45°
 46mm @ 90°

**DBRS1401**
Cordless Circular Saw

Voltage: 18V
 No load speed: 7000rpm
 Disc size: 140mm
 Cutting capacity: 30mm @ 45°
 52mm @ 90°

**DBJS2501**
Cordless Jig Saw

Voltage: 18V
 No load speed: 300-3500rpm
 Stroke length: 25mm
 Max cutting capacity: wood 120mm
 aluminium 20mm
 steel 10mm

**DBWS3201**
Cordless Reciprocating Saw

Voltage: 18V
 No load speed: 0-3000rpm
 Stroke length: 32mm
 Max cutting capacity: wood 255mm
 steel pipe 130mm



Brushless Series

DBOS1251 Cordless Orbital Sander

Voltage: 18V
No load speed: 6000-12000rpm
Pad size: 125mm



DBPL8201 Cordless Planer

Voltage: 18V
No load speed: 0-16000rpm
Planing width: 82mm
Planing depth: 0-2mm
Rabetting depth: 0-8mm



DBBS7645 Cordless Belt Sander

Voltage: 18V
No load speed: 120-380m/min
Belt size: 76x457mm



DBWR0801 Cordless Trimmer

Voltage: 18V
No load speed: 12000-28000rpm
Collet size: 6/6.35mm(1/4"), 8mm



Plunge base is optional

Brushless Series

DBBR2050L Cordless Riveter

Voltage: 18V
Stroke: 25mm Max
Force: 11KN Max
Rivets capacity: 2.4 / 3.2 / 4.0 / 5.0mm
Nose piece: 2.4 / 3.2 / 4.0 / 5.0mm
Auto and manual controlled



DBBR2064L Cordless Riveter

Voltage: 18V
Stroke: 28mm Max
Force: 20KN Max
Rivets capacity: 4.0 / 5.0 / 6.0 / 6.4mm
Nose piece: 4.0 / 5.0 / 6.0 / 6.4mm
Auto and manual controlled

DBBR2050/2050D Cordless Riveter

Voltage: 18V
Stroke: 25mm Max
Force: 16KN Max
Rivets capacity: 2.4 / 3.2 / 4.0 / 5.0mm
Nose piece: 2.4 / 3.2 / 4.0 / 5.0mm
Auto and manual controlled



Digital display
2050D/2064D

DBBR2064/2064D Cordless Riveter

Voltage: 18V
Stroke: 28mm Max
Force: 22KN Max
Rivets capacity: 4.0 / 5.0 / 6.0 / 6.4mm
Nose piece: 4.0 / 5.0 / 6.0 / 6.4mm
Auto and manual controlled

DBRN2012 Cordless Blind Rivet Nuts Gun

Voltage: 18V
Stroke: 10mm Max
Force: 25KN Max
Rivet nuts capacity: M3-M12
Mandrel kit size: M4 / M5 / M6 / M8
Force and stroke controlled



Digital display

DCPW2454 **Brushed Motor**
Cordless Pressure Washer



Voltage: 18V
Pressure setting: 1
Max pressure: 2.4Mpa
Max water flow rate: 5.4L/min
Spray distance: 6-8m
Water suction height: 3m
Impact force: 400-500GF

DBPW2560 **Brushless Motor**
Cordless Pressure Washer



Voltage: 18V
Pressure setting: 2
Max pressure: 1/2.5Mpa
Max water flow rate: 4/6 L/min
Spray distance: 6-8m
Water suction height: 3m
Impact force: 500-600GF

DCCS1101 **Brushed Motor**
Cordless Mini Chain Saw



Voltage: 18V
No load speed: 0-3200rpm
Chain speed: 4.7m/s
Length of bar: 156mm
Max cutting capacity: 110mm
*Extension pole is optional

DBPS2025 / DBPS2030 / DBPS2040
Cordless Pruner **Brushless Motor**

Voltage: 18V
Max cutting diameter: 25mm / 30mm / 40mm
Blade material: SK5
*Digital display
*Extension pole is optional

