

**STEEL**  
**FORCE**<sup>®</sup>  
**INTER-CHINA GROUP**

**AUTO DETAILING SERIES ▶**



***JIANGSU INTER-CHINA GROUP***

**ADD:** 8F, Inter-China Building, No.116 Ding  
Mao Qiao Road, Zhenjiang Jiangsu

**POST:** 212003

**TEL:** +86-511-84406495

**FAX:** +86-511-84406498

**E-mail:** yanwei@interchinatool.com

[HTTP://interchinatool.en.alibaba.com](http://interchinatool.en.alibaba.com)



## DCDA001 Cordless Dual Action Polisher

|                     |                   |
|---------------------|-------------------|
| Voltage:            | 18V Li-ion        |
| No-Load Speed:      | 1000 - 2800 r/min |
| Pad Size:           | 125 mm            |
| Eccentric Distance: | 9 mm              |



## DCDA002 Brushless Dual Action Polisher

|                     |                          |
|---------------------|--------------------------|
| Voltage:            | 18V Li-ion               |
| No-Load Speed:      | 1400 / 1700 / 2100 r/min |
| Pad Size:           | 125 / 150 mm             |
| Eccentric Distance: | 15mm                     |



## DCDA003 Brushless Dual Action Polisher

|                     |                   |
|---------------------|-------------------|
| Voltage:            | 18V Li-ion        |
| No-Load Speed:      | 1500 - 3000 r/min |
| Pad Size:           | 125 / 150 mm      |
| Eccentric Distance: | 15 mm             |



## DCRA001 Cordless Mini Polisher

|                |                |
|----------------|----------------|
| Voltage:       | 10.8V Li-ion   |
| No-Load Speed: | 0 - 2800 r/min |
| Pad Size:      | 75 mm          |



## DCRA002 Cordless Mini Polisher

|                |                |
|----------------|----------------|
| Voltage:       | 10.8V Li-ion   |
| No-Load Speed: | 0 - 2800 r/min |
| Pad Size:      | 75 mm          |



## RA001 Electric Polisher

|                          |                          |
|--------------------------|--------------------------|
| Rated Voltage/Frequency: | 100 - 240 V / 50 - 60 Hz |
| Rated Input Power:       | 1200 W                   |
| No Load Speed:           | 700 - 3000 r/min         |
| Pad Size:                | 150 / 180 mm             |



## RATW001 Dual Wheel Polisher

|                          |                                 |
|--------------------------|---------------------------------|
| Rated Voltage/Frequency: | 100 - 240 V / 50 - 60 Hz        |
| Rated Input Power:       | 1200 W                          |
| No Load Speed:           | 2000 - 3500 r/min               |
| Pad Size:                | 180 / 125 mm<br>(outer / inner) |



## RABL001 Brushless Electric Polisher

|                          |                               |
|--------------------------|-------------------------------|
| Rated Voltage/Frequency: | 100 - 240 V / 50 - 60 Hz      |
| Rated Input Power:       | 1100 W                        |
| No Load Speed:           | 600/1200/1800/2400/3000 r/min |
| Pad Size:                | 125 / 150 mm                  |



## RASC001 Surface Conditioning Tool

|                          |                          |
|--------------------------|--------------------------|
| Rated Voltage/Frequency: | 100 - 240 V / 50 - 60 Hz |
| Rated Input Power:       | 1200 W                   |
| No Load Speed:           | 1000 - 3800 r/min        |
| Max. Wheel Diameter:     | 120 mm                   |



## RA002 Electric Polisher

|                          |                          |
|--------------------------|--------------------------|
| Rated Voltage/Frequency: | 100 - 240 V / 50 - 60 Hz |
| Rated Input Power:       | 1500 W                   |
| No Load Speed:           | 800 - 2800 r/min         |
| Pad Size:                | 180 mm                   |



RA003D  
Digital display  
speed control  
is option

Anti-skid Rubber  
Switch

## RA003 Electric Polisher

|                          |                          |
|--------------------------|--------------------------|
| Rated Voltage/Frequency: | 100 - 240 V / 50 - 60 Hz |
| Rated Input Power:       | 1050 W                   |
| No Load Speed:           | 1000 - 3000 r/min        |
| Pad Size:                | 150 mm                   |



DA001D  
Digital display  
speed control  
is option

Anti-skid Rubber  
Switch

## DA001 Dual Action Polisher

|                          |                          |
|--------------------------|--------------------------|
| Rated Voltage/Frequency: | 100 - 240 V / 50 - 60 Hz |
| Rated Input Power:       | 810 W                    |
| No Load Speed:           | 1650 - 4800 r/min        |
| Pad Size:                | 150 mm                   |
| Eccentric distance:      | 21 mm                    |



DA002D  
Digital display  
speed control  
is option

Anti-skid Rubber  
Switch

## DA002 Dual Action Polisher

|                          |                          |
|--------------------------|--------------------------|
| Rated Voltage/Frequency: | 100 - 240 V / 50 - 60 Hz |
| Rated Input Power:       | 810 W                    |
| No Load Speed:           | 1650 - 4800 r/min        |
| Pad Size:                | 125 mm                   |
| Eccentric distance:      | 15 mm                    |



DA003D  
Digital display  
speed control  
is option

Anti-skid Rubber  
Switch

## DA003 Dual Action Polisher

|                          |                          |
|--------------------------|--------------------------|
| Rated Voltage/Frequency: | 100 - 240 V / 50 - 60 Hz |
| Rated Input Power:       | 810 W                    |
| No Load Speed:           | 1650 - 4800 r/min        |
| Pad Size:                | 150 mm                   |
| Eccentric distance:      | 8 mm                     |



## DA004 Dual Action Polisher

|                          |                          |
|--------------------------|--------------------------|
| Rated Voltage/Frequency: | 100 - 240 V / 50 - 60 Hz |
| Rated Input Power:       | 650 W                    |
| No Load Speed:           | 2600 - 6800 r/min        |
| Pad Size:                | 125 / 150 mm             |
| Eccentric distance:      | 8 / 12 mm                |


**RA004 Electric Polisher**

|                          |                          |
|--------------------------|--------------------------|
| Rated Voltage/Frequency: | 100 - 240 V / 50 - 60 Hz |
| Rated Input Power:       | 1400 W                   |
| No Load Speed:           | 0 - 3100 r/min           |
| Pad Size:                | 180 mm                   |


**DA005 Dual Action Polisher**

|                          |                          |
|--------------------------|--------------------------|
| Rated Voltage/Frequency: | 100 - 240 V / 50 - 60 Hz |
| Rated Input Power:       | 900 W                    |
| No Load Speed:           | 2100 - 5000 r/min        |
| Pad Size:                | 150 mm                   |
| Eccentric Distance:      | 21 mm                    |


**RA005 Electric Polisher**

|                          |                          |
|--------------------------|--------------------------|
| Rated Voltage/Frequency: | 100 - 240 V / 50 - 60 Hz |
| Rated Input Power:       | 1100 W                   |
| No Load Speed:           | 1000 - 3000 r/min        |
| Pad Size:                | 180 mm                   |


**RA007 Electric Vertical Polisher**

|                          |                          |
|--------------------------|--------------------------|
| Rated Voltage/Frequency: | 100 - 240 V / 50 - 60 Hz |
| Rated Input Power:       | 900 W                    |
| No Load Speed:           | 600 - 2000 r/min         |
| Pad Size:                | 180 mm                   |


**RA006 Electric Polisher**

|                          |                          |
|--------------------------|--------------------------|
| Rated Voltage/Frequency: | 100 - 240 V / 50 - 60 Hz |
| Rated Input Power:       | 1200 W                   |
| No Load Speed:           | 0 - 3000 r/min           |
| Pad Size:                | 180 mm                   |


**RA008 Electric Vertical Polisher**

|                          |                          |
|--------------------------|--------------------------|
| Rated Voltage/Frequency: | 100 - 240 V / 50 - 60 Hz |
| Rated Input Power:       | 1200 W                   |
| No Load Speed:           | 600 - 2200 r/min         |
| Pad Size:                | 125 / 150 mm             |



## RA009 Electric Polisher

|                          |                          |
|--------------------------|--------------------------|
| Rated Voltage/Frequency: | 100 - 240 V / 50 - 60 Hz |
| Rated Input Power:       | 600 W                    |
| No Load Speed:           | 700 - 2500 r/min         |
| Pad Size:                | 75 / 125 / 150 mm        |



## DA006 Dual Action Polisher

|                          |                          |
|--------------------------|--------------------------|
| Rated Voltage/Frequency: | 100 - 240 V / 50 - 60 Hz |
| Rated Input Power:       | 500 W                    |
| No Load Speed:           | 2000 - 5500 r/min        |
| Pad Size:                | 125 mm                   |
| Eccentric Distance:      | 12 mm                    |



## RA010 Electric Polisher

|                          |                          |
|--------------------------|--------------------------|
| Rated Voltage/Frequency: | 100 - 240 V / 50 - 60 Hz |
| Rated Input Power:       | 800 W                    |
| No Load Speed:           | 700 - 2500 r/min         |
| Pad Size:                | 125 / 150 mm             |



## DA007 Dual Action Polisher

|                          |                          |
|--------------------------|--------------------------|
| Rated Voltage/Frequency: | 100 - 240 V / 50 - 60 Hz |
| Rated Input Power:       | 500 W                    |
| No Load Speed:           | 2000 - 4500 r/min        |
| Pad Size:                | 125 / 150 mm             |
| Eccentric Distance:      | 15 mm                    |



## RA011 Electric Polisher

|                          |                          |
|--------------------------|--------------------------|
| Rated Voltage/Frequency: | 100 - 240 V / 50 - 60 Hz |
| Rated Input Power:       | 950 W                    |
| No Load Speed:           | 1000 - 3800 r/min        |
| Pad Size:                | 125 / 180 mm             |



## DA008 Dual Action Polisher

|                          |                          |
|--------------------------|--------------------------|
| Rated Voltage/Frequency: | 100 - 240 V / 50 - 60 Hz |
| Rated Input Power:       | 950 W                    |
| No Load Speed:           | 1000 - 3800 r/min        |
| Pad Size:                | 125 / 150 mm             |
| Eccentric Distance:      | 21 mm                    |


**DA009 Dual Action Polisher**

|                          |                          |
|--------------------------|--------------------------|
| Rated Voltage/Frequency: | 100 - 240 V / 50 - 60 Hz |
| Rated Input Power:       | 500 W                    |
| No Load Speed:           | 2500 - 5500 r/min        |
| Pad Size:                | 75 mm                    |
| Eccentric Distance:      | 8 / 12 mm                |


**ROS002 Random Orbital Sander**

|                          |                          |
|--------------------------|--------------------------|
| Rated Voltage/Frequency: | 100 - 240 V / 50 - 60 Hz |
| Rated Input Power:       | 350 W                    |
| No Load Speed:           | 5800 - 10000 r/min       |
| Pad Size:                | 125 / 150 mm             |
| Eccentric Distance:      | 3 mm                     |


**RA012 Electric Polisher**

|                          |                          |
|--------------------------|--------------------------|
| Rated Voltage/Frequency: | 100 - 240 V / 50 - 60 Hz |
| Rated Input Power:       | 980 W                    |
| No Load Speed:           | 700 - 2500 r/min         |
| Pad Size:                | 150 mm                   |


**ROS003 Random Orbital Sander**

|                          |                          |
|--------------------------|--------------------------|
| Rated Voltage/Frequency: | 100 - 240 V / 50 - 60 Hz |
| Rated Input Power:       | 350 W                    |
| No Load Speed:           | 5800 - 10000 r/min       |
| Pad Size:                | 125 / 150 mm             |
| Eccentric Distance:      | 5 mm                     |


**ROS001 Random Orbital Sander**

|                          |                          |
|--------------------------|--------------------------|
| Rated Voltage/Frequency: | 100 - 240 V / 50 - 60 Hz |
| Rated Input Power:       | 750 W                    |
| No Load Speed:           | 1600 - 6800 r/min        |
| Pad Size:                | 150 mm                   |
| Eccentric Distance:      | 3 / 5 mm                 |


**ROS090 Brushless Random Orbital Sander**

|                          |                          |
|--------------------------|--------------------------|
| Rated Voltage/Frequency: | 100 - 240 V / 50 - 60 Hz |
| Rated Input Power:       | 400 W                    |
| No Load Speed:           | 4000 - 10000 r/min       |
| Pad Size:                | 150 mm                   |
| Eccentric Distance:      | 2.5 / 5 mm               |