

COMART

Innovative ODM reliable partner

Mobile Accessories Design Manufacture



www.comart.com.tw

怡業股份有限公司
COMART CORPORATION



About Comart

Comart Corporation was founded in 1994. We design, develop, and manufacture plastic accessories, and also provide distribution services. Our headquarters is located in New Taipei City, Taiwan, and our factories are located in Dongguan, China, and Bac Giang, Vietnam.

We specialize in Original Design Manufacturing of mobile accessories for companies around the world. We are the leading firm in the mount industry, with a professional team capable of handling everything from product design, R&D, and tooling design, to manufacturing, assembly, and logistics.



Factory and equipment



Quality System

ISO 9001:2015

ISO 14001:2015



6 Steps to Create Product

1

Product Design


Take imaginative ideas and transform them into functional product designs.



2

Mechanicals Design

Excellent mechanical design and material selection brings out the supreme product.



3

Tooling Design

Dedicated team and trusty procedures make exceptional tooling.



4

Plastic Injection

Professional technicians and technical data ensure the quality of products.



5

Product Assembly

Complete SOP and automatic equipment to ensure the quality and efficiency.



6

Quality Assurance

Professional QC team and testing equipment established our reliable quality control.



Pupular items

Car Accessory



6MT0600179 & 4MT1400408 & 4MT0400026

Anti-block swing arm air vent mount

- Rotate the knob to tighten the clips
- The rear hooks can hold the blade more securely and make it more stable
- The hollowed U-shape design can cross the vertical blade inside the vent and clamp the blade tightly
- Rotatable swing arm avoids blocking the air vent
- Clamping width: 45-95 mm



6MT0600512 & 6MT0100992

Smartphone windshield mount

- Install firmly on the car windshield or other smooth surfaces
- 360° rotatable phone holder supports portrait or landscape mode
- Different lengths of the flexible arms are available



6MT0600590 & 6MT0100994

Extendable arm dashboard mount with adjustable gravity holder

- Adjustable arms which can avoid blocking smartphone's side buttons
- Simply slide your phone into the cradle to hold it
- 180° adjustable arm and it is extendable for extended viewing
- Sticky suction cup



6MT0600590 & 4MT1400409

Vertical air vent mount with adjustable gravity holder

- Adjustable arms which can avoid blocking smartphone's side buttons
- Simply slide your phone into the cradle to hold it
- Compatible with most of the vertical vents



6MT0600531 & 6MT1400059

TOYOTA Corolla Sport/Cross/Altis smartphone air vent mount with gravity holder

- The mount is designed to perfectly fit the TOYOTA Corolla Cross/Altis air vent adjuster
- Insert the mount into the air vent adjuster, the mount will fit perfectly
- Soft inner and outer silicone pads prevent scratching your blade
- Clamping width: 63-90 mm

※ The Toyota name and model names are trademarks of TMC

Mobile Accessory



6MT0600252 & 6MT1400050

Scooter/Bike Handlebar Mount

- Easily install the mount onto your scooter/motorcycle left handlebar with a screw driver
- Protective rubber cap available to prevent any injury that might be caused by the screw tip
- Swivel ball joint allows 360° angle adjustment
- Suitable for handlebars with diameter between 28-34 mm
- Clamp your smartphone securely with the horizontal and vertical clamping wings
- Security lock prevents the horizontal wings from opening accidentally



6MT1300121 & 6MT1300123

MagSafe magnet ring sticker and MagSafe magnet mount

- MagSafe magnet ring sticker**
- Turn your smartphone or case into MagSafe model
 - Compatible with MagSafe accessories
 - Fine leather texture and strong magnets design

- MagSafe magnet mount**
- Mount your smartphone anywhere using this MagSafe magnet mount
 - Add the COMART MagSafe Magnet Ring Sticker for non-MagSafe smartphone
 - Great accessory for different places

Life Accessory



6MT9900121

TV/PC screen tray mount

- Easy to install by resting the tray on top of the screen and tightening the support piece to the back of the screen
- Adjustable support structure can accommodate different screen thickness
- Silicone pads on the support piece increase the mount's grip and prevent scratches on the back of the screen
- The extra large tray provides more storage space on the tray
- Can be attached to TV/PC screen to provide storage for various things such as cable/streaming box, stationery, small figurines and decorations, etc



6MT0700034 & 6MT9900113

Flexible tablet desk clamp mount

- Clamp steadily on desk or any flat surfaces with thickness ≤68mm
- 385 mm extra long flexible arm
- The holder is designed with extendable arm which can clamp larger tablet steadily
- Suitable for 5.5"-12.9" devices

Health Care Product

6LG9900006

HM3 automatic alcohol dispenser

- Perfect for houses, offices, and public environments
- Nozzle designed with an infrared sensor sprays alcohol automatically
- Designed with four spray volume segments to suit everyone's personal preference
- Can be placed on a platform or mounted on a wall
- Able to be powered through AA-size alkaline batteries or USB-C
- Sophisticated touch panel display



THE CONTENT

Car Mount

Flexible Arm	1	Adhesive Mount	7
Robust Arm	2	Cup Mount	8
Firm Arm	3	Lighter Socket Mount	8
Beanbag Mount & Adapter Plate	4	Other Mounts	9
Dashboard Mount for Tablet/Smartphone	4	Holder for Smartphone	11
Headrest Mount	5	Spring Holder for Smartphone	12
Air Vent Mount	6	Holder for Tablet	13
CD Slot Mount	7	Qi Charging Holder & Charging Pad	13

Bike Accessory

Bike Mount/Motorcycle Mount	14
Bike Holder & Elastic Band	16
Water Resistant Case & Smartphone Bag	17
Water Resistant Dual USB Charger for Bike & Motorcycle	18



Mount for Action Cam/ Car Camcorder

Mount for GoPro

Adapter

Connecting Parts

Health Care Product



Car Mount



Flexible Arm

Features:

- Easily bend to any angle with the aluminum rod
- Different lengths of aluminum rod available
- Stable suction cup
- Mount on the glass or smooth surfaces
- To mount on dashboard or textured surfaces, certain models are available with sticky gel suction cup
- Combine with Comart holders

Specification:

- Storage temperature: -10-60°C
- Operating temperature: 0-70°C



6MT0100996

- Dim.: Ø67 x 124 mm
- Weight: 80 g



6MT0100992

- Dim.: Ø67 x 190 mm
- Weight: 87.5 g



6MT0100995

- Dim.: Ø67 x 267 mm
- Weight: 101 g



6MT0100415

- Dim.: Ø67 x 136.5 mm
- Weight: 69 g



6MT0100404

- Dim.: Ø67 x 199 mm
- Weight: 89.4 g



Sticky
suction
cup

6MT0100420

- Dim.: Ø67 x 193 mm
- Weight: 104 g



6MT0100433

- Dim.: Ø67 x 266 mm
- Weight: 96 g



6MT0100412

- Dim.: Ø67 x 280 mm
- Weight: 91 g



6MT0100416

- Dim.: Ø67 x 145 x 350 mm
- Weight: 212.5 g




6MT0100407

- Dim.: Ø67 x 145 x 273 mm
- Weight: 170 g



6MT0100417

- Dim.: Ø67 x 273.4 mm
- Weight: 155.8 g



Sticky
suction
cup

6MT0100946

- Dim.: 231 x 68 x 25 mm (Ø67)
- Weight: 86 g

Accessory



6MT1400002

Wire organizer

- Cable clip on the flexible arm
- Dim.: 23.5 x 19.5 x 5.5 mm
- Weight: 1 g



6MT0200018

Adhesive stabilizer

- Clip on the flexible arm and stick on the dashboard with 3M sticker
- Minimize the vibration effectively
- Dim.: 29.7 x 17.7 x 20.8 mm
- Weight: 3 g

Car Mount

Robust Arm

Features:

- 180° adjustable arm
- Stable suction cup
- Mount on the glass or smooth surfaces
- To mount on dashboard or textured surfaces, certain models are available with sticky gel suction cup
- Combine with Comart holders

Specification:

- Storage temperature: -10-60°C
- Operating temperature: 0-70°C



6MT0100994

- Dim.: Ø67 x 77 x 160 mm
- Weight: 122 g



6MT0100934

- Dim.: Ø67 x 196 x 44 mm
- Weight: 85 g



6MT0100298

- Dim.: Ø57 x 98 mm
- Weight: 60 g



6MT0100292

- Dimensions: Ø57 x 98 mm
- Weight: 61.4 g



6MT0100193

- Dim.: Ø67 x 127 x 81 mm
- Weight: 84 g



6MT0100247

- Dim.: Ø67 x 79 x 110 mm
- Weight: 90.6 g



6MT0100253

- Dim.: Ø67 x 79 x 145 mm
- Weight: 95.2 g



6MT0100285

- Dim.: Ø67 x 145 x 180 mm
- Weight: 169.6 g



6MT0100196

- Dim.: Ø67 x 78 x 94 mm
- Weight: 86.8 g



6MT0100268

- Dim.: Ø80 x 134 mm
- Weight: 105.4 g



6MT0100303

- Dim.: Ø45 x 56 mm
- Weight: 26.6 g



6MT0100306

- Dim.: Ø45 x 56 mm
- Weight: 28 g



6MT0100423

- Dim.: Ø45 x 34 mm
- Weight: 17.8 g

Car Mount



Firm Arm

Features:

- The firm arm is well designed for driver's viewing angle
- Stable suction cup
- Mount on the glass or smooth surfaces
- To mount on dashboard or textured surfaces, certain models are available with sticky gel suction cup
- Combine with Comart holders

Specification:

- Storage temperature: -10-60°C
- Operating temperature: 0-70°C



6MT0100033

- Dim.: Ø57 x 88 mm
- Weight: 40 g



6MT0100445

- Dim.: Ø57 x 95 mm
- Weight: 42 g



6MT0100308

- Dim.: Ø57 x 67 mm
- Weight: 30.5 g



6MT0100337

- Dim.: 62 x 62 x 90 mm (Ø57)
- Weight: 55 g



6MT0100339

- Dim.: 62 x 62 x 90 mm (Ø57)
- Weight: 55 g



6MT0100006

- Dim.: Ø67 x 123 mm
- Weight: 60 g



6MT0100017

- Dim.: Ø67 x 111 mm
- Weight: 60 g



6MT0100027

- Dim.: Ø67 x 112 mm
- Weight: 74.3 g



6MT0100371

- Dim.: Ø67 x 85.3 x 94.5 mm
- Weight: 76 g



6MT0100372

- Dim.: Ø67 x 85.3 x 94.5 mm
- Weight: 76 g



6MT0100896

- Dim.: Ø67 x 100 x 100 mm
- Weight: 70 g



6MT0100895

- Dim.: Ø67 x 95 mm
- Weight: 70 g



6MT0100941

- Dim.: Ø62 x 91 x 67 mm
- Weight: 38.5 g



6MT0100940

- Dim.: Ø67 x 78 x 95 mm
- Weight: 61.5 g

Car Mount



Beanbag Mount & Adapter Plate

※ 3M is a trademark of 3M Company



6MT1500014

Beanbag mount

- Steel balls inside make it more stable on the dashboard
- Surface of the base is made of anti-slide material to prevent slipperiness

- Dim.: 180 x 180 x 30 mm
- Weight: 730 g



6MT1500020

Adapter plate

- Easily stick on dashboard or other surfaces with 3M sticker
- Suitable for suction cup mount with diameter under Ø68 mm

- Dim.: Ø68 x 6 mm
- Weight: 23 g
- 3M 1600TG



6MT0200013

Adapter plate

- Easily stick on dashboard or other surfaces with 3M sticker
- Suitable for suction cup mount with diameter under Ø84 mm

- Dim.: Ø84 x 6 mm
- Weight: 35 g
- 3M 1600TG



6MT0200016

Adapter plate

- Easily stick on dashboard or other surfaces with 3M sticker
- Suitable for suction cup mount with diameter under Ø100 mm

- Dim.: Ø100 x 6 mm
- Weight: 51 g
- 3M 1600TG



6MT0200002

Adapter plate

- Easily stick on dashboard or other surfaces with 3M sticker
- Suitable for suction cup mount with diameter under Ø68 mm

- Dim.: Ø68 x 11.5 mm
- Weight: 20.5 g
- 3M 1600TG



6MT0200011

Adapter plate

- Easily stick on dashboard or other surfaces with 3M sticker
- Suitable for suction cup mount with diameter under Ø84 mm

- Dim.: Ø84 x 11.5 mm
- Weight: 40 g
- 3M 1600TG



6MT0200014

Adapter plate

- Easily stick on dashboard or other surfaces with 3M sticker
- Suitable for suction cup mount with diameter under Ø100 mm

- Dim.: Ø100 x 11.5 mm
- Weight: 58 g
- 3M 1600TG

Car Mount



Dashboard Mount for Tablet/Smartphone



Sticky suction cup

6MT0100424

- One-handed operation
- Sticky suction cup
- Suitable for 3.5"-7" device
- Clamping width: 42-113 mm

- Dim.: 128 x 61 x 33 mm
- Weight: 85 g



Sticky suction cup



6MT0100381

- Adjustable arm can easily apply to 4"-10" device
- Sticky suction cup
- Compatible height: 53-213 mm

- Dim.: 255 x 101 x 52 mm
- Weight: 204.2 g



Sticky suction cup



6MT0100418

- Adjustable arm can easily apply to 4"-10" device
- Sticky suction cup
- Compatible height: 53-213 mm

- Dim.: 255 x 101 x 52 mm
- Weight: 204.2 g

Car Mount

Headrest Mount

Features:

- Adjustable latches/knobs can fit different widths of headrest posts
- Easy to fix on the headrest and no tools required
- Combine with Comart holders

Specification:

- Storage temperature: -10-60°C
- Operating temperature: 0-70°C

6MT0300055

- Dim.: 218 x 32 x 110 mm
- Weight: 105.8 g



6MT0300053

- Dim.: 218 x 32 x 115 mm
- Weight: 105.8 g



6MT0300052

- Dim.: 218 x 32 x 75 mm
- Weight: 90.2 g



6MT0300054

- Dim.: 218 x 32 x 75 mm
- Weight: 91.5 g



6MT0300022

- Detachable arm design: Press the release button to remove the mounting arm when not in use

- Dim.: 253 x 30 x 100 mm
- Weight: 151 g



6MT0300025

- Extended arm allows the tablet be placed between two headrest for multiple passenger viewing

- Dim.: 146.4 x 165 x 59.8 mm
- Weight: 128 g



6MT0300056

- Extendable arm length allows fixing on most headrest posts
- Post diameter: 10-16 mm
- Distance between the posts: 120-150 mm

- Dim.: 129 x 109 x 45 mm
- Weight: 168 g



6LG9900001

Car coat hanger

- Detachable wings design to save space
- The foam on the wings is non-slip and gently supports delicate garments
- The hanger is detachable from the mount and can be used in office or houses with the extra hook

- Dim.: 464 x 214 x 41 mm
- Weight: 160 g



Car Mount



Air Vent Mount

Features:

- Easy to mount without tools
- Compatible with most of the vents
- Combine with Comart holders

Specification:

- Storage temperature: -10-60°C
- Operating temperature: 0-70°C

※ The Toyota name and model names are trademarks of TMC



6MT1400059

- For TOYOTA Corolla Sport/Cross/Altis
- Perfectly fit the TOYOTA Corolla Cross/Altis air vent adjuster

- Dim.: 58 x 45 x 38 mm
- Weight: 25 g



4MT0400025

- Anti-fall hook clip
- U-Shaped air vent clip design fit the vent with inner horizontal or vertical blades

- Dim.: 66 x 37 x 35 mm
- Weight: 27 g



4MT0400026

- Rotatable swing arm
- The swing arm is detachable and can be combined with other air vent mounts (17 mm ball head)


- Dim.: 40 x 87 x 99 mm
- Weight: 49 g



4MT1400409

- Vertical air vent mount
- Double eagle hooks

- Dim.: 74 x 44 x 45 mm
- Weight: 26 g



6MT0400093

- One-piece design with spring holder
- Clamping width: 55-90 mm

- Dim.: 68 x 50 x 26 mm
- Weight: 26 g



4MT0400024

- Dim.: 70 x 30 x 40 mm
- Weight: 19 g



6MT0400083

- Dim.: 58.3 x 29 x 33.5 mm
- Weight: 19.2 g



6MT0400092

- Dim.: 67 x 29 x 33.5 mm
- Weight: 20 g



6MT0400082

- Dim.: 47 x 29 x 34 mm
- Weight: 20 g



6MT0400034

- Dim.: Ø30 x 34 mm
- Weight: 8.6 g



6MT0400003

- Dim.: 88 x 46 x 41 mm
- Weight: 25 g



6MT0400010

- Dim.: 79 x 47 x 42 mm
- Weight: 23.4 g



6MT0400015

- Dim.: 105.3 x 46 x 41 mm
- Weight: 26 g



6MT0400018

- Dimensions: 104 x 88 x 67 mm
- Weight: 50 g

Car Mount



CD Slot Mount

Features:

- Easily insert into the CD slot and screw the knob, no tools required
- Silicone-wrapped mounting parts for gripping well and protecting your CD slot
- Combine with Comart holders

Specification:

- Storage temperature: -10-60°C
- Operating temperature: 0-70°C



6MT9900041

- Dim.: 111 x 60 x 75 mm
- Weight: 56 g
- Compatible with CD slot size:
CD slot height: 4-15 mm
CD slot width: >112 mm



6MT9900097

- Dim.: 111 x 100 x 45 mm
- Weight: 65.5
- Compatible with CD slot size:
CD slot height: 4-15 mm
CD slot width: >112 mm



6MT9900107

- Dim.: 62 x 61.5 x 40 mm
- Weight: 18.5 g
- Compatible with CD slot size:
CD slot height: 5-10 mm
CD slot width: >63mm

Car Mount



Adhesive Mount

Features:

- Making use of 3M sticker to fix device on the dashboard or flat surfaces
- Two notches on the base can adhere tightly on the curved surface
- Combine with Comart holders

Specification:

- Storage temperature: -10-60°C
- Operating temperature: 0-70°C

※ 3M is a trademark of 3M Company

6MT0200034

- Dim.: 51 x 29.7 x 36 mm
- Weight: 13 g
- 3M 4218P



6MT0200207

- Dim.: 85.2 x 51 x 29.6 mm
- Weight: 26.4 g
- 3M 4218P



6MT0200096

- Water resistant 3M sticker, suitable for outdoor activity
- Combine with Comart holders, water resistant case or smartphone bag

- Dim.: 70 x 40 x 71 mm
- Weight: 50 g
- 3M 4991



6MT0200231

- Hand-cuttable adhesive base
- 180° adjustable arm
- Dim.: Ø65 x 86 mm
- Weight: 25 g
- Acrylic tape #002



6MT0200232

- Hand-cuttable adhesive base
- Dim.: Ø65 x 74 x 56 mm
- Weight: 27 g
- 3M GPH-160GF



6MT0200088

- Water resistant 3M sticker, suitable for outdoor activity
- Combine with Comart holders, water resistant case or smartphone bag

- Dim.: 70 x 70 x 39 mm
- Weight: 32 g
- 3M 4991



Car Mount

Cup Mount

Features:

- Fix in the car cup space by turning the cup mount
- Provide flat surface to mount the suction cup mount
- Combine with Comart mounts and holders

Specification:

- Storage temperature: -10-60°C
- Operating temperature: 0-70°C
- Input: 12-24V

6MT1500003

- Dim.: 88 x 88 x 85 mm
- Weight: 160 g



6MT9900120

- Cup holder with storage
- Option to add flexible arm bracket to extend the function of holding devices

- Dim.: 96 x 96 x 108.5 mm
- Weight: 183.2 g



6CD1000015

- USB car charger cup mount with storage
- Option to add flexible arm bracket to extend the function of holding devices
- USB output: 5V, 2/3.4A ; dual USB ports

- Dim.: 96 x 96 x 116 mm
- Weight: 310 g

6CD1000026

- USB car charger cup mount with storage and smartphone holder
- USB output: 5V, 2/3.4A ; dual USB ports

- Dim.: 96 x 96 x 301 mm
- Weight: 361.5 g



Car Mount

Lighter Socket Mount

Features:

- Easily bend to any angle
- Charge your device simultaneously while mounting
- Combine with Comart holders

Specification:

- Storage temperature: -10-60°C
- Operating temperature: 0-70°C
- Input: 12-24V



6PS1000033

- Dim.: 342 x 78 x 32.5 mm
- Weight: 145 g
- Output: 5V, 2A; dual USB ports



6PS1000034

- Dim.: 349 x 126.7 x 31.2 mm
- Weight: 120 g
- Output: 5V, 1A; dual USB ports



6PS1000069

- Dim.: 310.6 x 51.9 x 23.7 mm
- Weight: 74 g
- Output: 5V, 3.4A; dual USB ports
- CE Certified




6CD1000056

- Dim.: 375 x 64 x 36 mm
- Weight: 122 g
- Output 1(Type-C): 5V, 3A; 9V, 2A; 12V, 1.5A (PD 20W Max)
- Output 2(Type-C): 5V, 3A; 9V, 2A; 12V, 1.5A (PD 20W Max)
- Output 3(QC 3.0): 5V, 3A; 9V, 2A; 12V, 1.5A (QC 18W Max)
- Total output: 58W Max

Car Mount



Other Mounts



6MT0600560

Smartphone holder for car steering wheel

- Four-hole adjustable strap to accommodate different sizes of steering wheel
- Clamping width: 60-90 mm

• Dim.: 40 x 105 x 40 mm
• Weight: 48 g



6MT0600572

A-pillar mount

- Suitable for both left and right-hand driving
- Extra foam is included to accommodate different sizes of A-pillar

• Dim.: 170 x 130 x 110 mm
• Weight: 98 g



6MT9900004

Sun visor/Golf bag clip

- Clip on sun visor or golf bag

• Dim.: 69 x 65 x 25 mm
• Weight: 27 g



6MT0600568

Dashboard/Sun visor clip mount

- Sticky gel on the inner side of the clip makes it more stable
- Clip clamping thickness: 5-24 mm
- Clip clamping depth: >57.5 mm
- Clamping width: 60-90 mm

• Dim.: 78 x 115 x 110 mm
• Weight: 84 g



6MT1400019

Clamp mount

- Suitable for dashboard, desk or cabinet
- Easily adjust the angle with the flexible arm
- Clamping range: 1-34 mm

• Dim.: 240 x 30 x 72 mm
• Weight: 87 g

6MT1400018

Clamp mount

- Suitable for dashboard, desk or cabinet
- Easily adjust the angle with the flexible arm
- Clamping range: 1-34 mm

• Dim.: 240 x 30 x 72 mm
• Weight: 87 g

6MT1400008

Clamp mount

- Suitable for dashboard, desk or cabinet
- Easily adjust the angle with the 180° adjustable arm
- Clamping range: 1-34 mm

• Dim.: 155 x 30 x 75 mm
• Weight: 71 g

6MT1400009

Clamp mount

- Suitable for dashboard, desk or cabinet
- Easily adjust the angle with the 180° adjustable arm
- Clamping range: 1-34 mm

• Dim.: 155 x 30 x 75 mm
• Weight: 71 g

6MT0200071 (4QT9900243)

Dashboard sticky/ 3M adhesive mount

- Suitable for dashboard
- Sticky gel/3M adhesive tape version are both available

• Dim.: 71.5 x 60.5 x 33 mm
• Weight: 59 g



6MT0500011

Rear mirror mount

- Adjustable design to mount different sizes of mirror

• Dim.: 122 x 60 x 80 mm
• Weight: 73 g



6MT1100101

Rear mirror mount

- Two different rubber pads included for different size of pole
- Compatible pole: 14-18 mm dia. (thicker pad); 18-22 mm dia. (thinner pad)

• Dim.: 101 x 45.7 x 30.5 mm
• Weight: 85 g



6MT0200261

Camera sticky mount

- Different tips available
- Suitable for windshield or surface that is flat and smooth
- Sticky gel base
- 180° adjustable arm
- Suitable for Mio dashcam

• Dim.: 80 x 60 x 38 mm
• Weight: 17 g



4MT0900011

Surveillance camera mount

- Mount on wall with 3 screws

• Dim.: Ø68 x 61.5 mm
• Weight: 29 g



6MT1100138

Clamp mount

- Easily bend to any angle
- Suitable to mount on places with pole, e.g. golf cart
- Compatible pole: 16-40 mm dia.

• Dim.: 330 x 115 x 24 mm
• Weight: 128.8 g



6MT9900035

Heavy-duty golf cart mount

- Extra long adjustable arm
- Suitable to mount on places with pole, e.g. golf cart
- Multi-angle rotation for different positions
- Combined with Comart smartphone or tablet holder
- Compatible pole: 17-26 mm dia.

• Dim.: 671 x 72 x 84 mm
• Weight: 530 g



6MT9900036

Heavy-duty car/truck seat rail mount

- Extra long adjustable arm
- Easy to install the mount to the car's seat rail
- Multi-angle rotation for different positions
- 3T-prong
- Combined with Comart smartphone or tablet holder

• Dim.: 649 x 134 x 62 mm
• Weight: 510 g



6MT9900037

Heavy-duty car/truck seat rail mount

- Extra long adjustable arm
- Easy to install the mount to the car's seat rail
- Multi-angle rotation for different positions
- T-prong
- Combined with Comart smartphone or tablet holder


• Dim.: 690 x 134 x 62 mm
• Weight: 515 g



6MT9900044

Camera tripod

• Dim.: 39 x 39 x 292 mm
• Weight: 172.4 g



6MT0100444

Apple watch charging stand

- Sticky suction cup
- Allow you to keep track of the display with a comfortable vertical view while charging

• Dim.: 87 x 61.6 x 62 mm
• Weight: 47 g



6MT0100965

Mouse cord mount

- Sticky suction cup
- The flexible arm provides the user with stability and control while at the same time enables free movement of the mouse
- Suitable for gaming or to be used at home, office, etc.

• Dim.: 104 x 89 x 20 mm
• Weight: 85 g



Car Mount


Holder for Smartphone

Features:

- A variety of design of smartphone holders that can combine with the Car mounts
- Easy to operate
- Adjustable feet support for better mounting steadiness

Specification:

- Storage temperature: -10-60°C
- Operating temperature: 0-70°C



6MT0600590

- Adjustable gravity holder
- Avoid blocking side button
- Dim.: 103 x 114 x 41 mm
- Weight: 65 g
- Clamping width: 72-96 mm



6MT0600512

- Dim.: 125 x 70 x 30 mm
- Weight: 81 g
- Clamping width: 58-90 mm



6MT0600179

- Dim.: 116.7 x 66.7 x 40.5 mm
- Weight: 63 g
- Clamping width: 45-95 mm



6MT0600531

- Gravity holder design
- Dim.: 106.5 x 68 x 32 mm
- Weight: 42 g
- Clamping width: 63-90 mm



6MT0600529

- One touch design can mount and release the device quickly
- Dim.: 83 x 91 x 31 mm
- Weight: 49 g
- Clamping width: 58-91 mm




6MT0600204

- 3 adjustable arms
- Dim.: 175 x 75 x 44 mm
- Weight: 73 g
- Clamping height: 123-163 mm
- Clamping width: 46-80 mm



6MT0600205

- 3 adjustable arms
- Dim.: 175 x 75 x 44 mm
- Weight: 73 g
- Clamping height: 123-163 mm
- Clamping width: 46-80 mm



6MT0600153

- 99 x 64 x 39 mm
- 57.8 g
- Clamping width: 40-105 mm



6MT0600183

- Dim.: 106.5 x 99 x 58.5 mm
- Weight: 73.4 g
- Clamping width: 80-150 mm



6MT0600095

- Dim.: 122 x 60 x 80 mm
- Weight: 68.8 g
- Clamping height: 60-100 mm
- Clamping thickness: 24-50 mm



6MT0600245

- Apple lightning cable base
- Extra silicone pad available for non-charging scenario/ other smartphones
- Dim.: 145.6 x 38 x 38.5 mm
- Weight: 53 g
- Clamping height: 122-162 mm



4MT0600009

- Dim.: 85 x 100 x 68 mm
- Weight: 47 g
- Clamping height: up to 143 mm

Car Mount

Spring Holder for Smartphone

Features:

- Quickly mount and release your device with the spring
- Combine with Comart mounts

Specification:

- Storage temperature: -10-60°C
- Operating temperature: 0-70°C



3T-slot

6MT0600550

- 3T-slot
- Dim.: 138 x 88 x 46 mm
- Weight: 35 g
- Clamping height: 125-175 mm



Ball socket

6MT0600589

- Ø17 mm ball socket
- Dim.: 138 x 88 x 53 mm
- Weight: 68 g
- Clamping height: 125-175 mm



Ball socket

6MT0600527

- Ø15 mm ball socket
- Dim.: 74.2 x 41.8 x 42.5 mm
- Weight: 37.3 g
- Clamping width: 65-92 mm



Ball joint

6MT0600532

- Ø15 mm ball joint
- Dim.: 74.2 x 41.8 x 42.5 mm
- Weight: 35 g
- Clamping width: 65-92 mm



Ball socket

4MT0600055

- Ø15 mm ball socket
- Dim.: 65 x 40 x 39 mm
- Weight: 32 g
- Clamping width: 112-174 mm



Ball socket

6MT0600565

- Ø17 mm ball socket
- Dim.: 35 x 68 x 55 mm
- Weight: 32 g
- Clamping width: 60-100 mm



Ball socket

6MT0700076

- Ø17 mm ball socket
- Dim.: 64 x 132 x 50 mm
- Weight: 80 g
- Clamping width: 112-174 mm



6MT0600112

- Dim.: 83.1 x 83.1 x 40.3 mm
- Weight: 63 g
- Clamping width: 55-93 mm



6MT0600207

- Dim.: 68.5 x 43 x 29 mm
- Weight: 26 g
- Clamping width: 54.5-85 mm

Car Mount



Holder for Tablet

Features:

- Adjustable arm can easily apply to different size of tablet
- Suitable for tablet PC/e-book
- Combine with Comart mounts

Specification:

- Storage temperature: -10-60°C
- Operating temperature: 0-70°C

6MT0600186

- Dim.: 113 x 135 x 45 mm
- Weight: 50 g
- Clamping height: 120-180 mm



6MT0700007

- Dim.: 125 x 38.5 x 100.7 mm
- Weight: 76.6 g
- Clamping height: 125-205 mm



6MT0700004

- Dim.: 149 x 146 x 47 mm
- Weight: 78.8 g
- Clamping height: 125-205 mm



6MT0600069

- Dim.: 161 x 133 x 33 mm
- Weight: 147.1 g
- Clamping width: 205-315 mm



6MT0700002

- Adjustable arm can easily apply to 4"-10" device
- Dim.: 171 x 50.5 x 54.5 mm
- Weight: 96.8 g
- Clamping height: 53-213 mm



6MT0700031

- Adjustable arm can easily apply to 4"-10" device
- Dim.: 171 x 50.5 x 54.5 mm
- Weight: 96.8 g
- Clamping height: 53-213 mm



6MT0700034

- Extendable arm could clamp larger tablet steadily
- Quickly mount and release your device with the spring
- Suitable for 5.5"-12.9" device
- Dim.: 164.4 x 80.1 x 34.8 mm
- Weight: 137 g
- Clamping width: 160-230 mm

Car Mount



Qi Charging Holder & Charging Pad

Features:

- A 10W output supports fast wireless charging
- Charge your device simultaneously while mounting
- Combine with Comart mounts

Specification:

- Storage temperature: 0-60°C
- Operating temperature: 0-25°C

6MT0600524

Qi charging holder

- Smartphone can be stuck directly onto the PU cover of the holder
- Removable PU cover can be rinsed with clean water and be reused
- Adjustable feet to adjust the smartphone to the charging coil
- Input: 5V, 1.7A; 9V, 1.7A
- Output: 5W/10W (Max)
- Dim.: 95 x 68 x 37 mm
- Weight: 86 g



6MT0600582

Qi charging holder

- One-handed operation
- Input: 5V, 1.7A; 9V, 1.7A
- Output: 5W/10W (Max)
- Dim.: 90 x 80 x 45 mm
- Weight: 76 g
- Clamping width: 58-89 mm



6CD0600001

Qi charging gravity holder

- USB Type-C port
- Input: 5V, 1.7A; 9V, 1.7A, supports 9V PD charging
- Output: 5W/7.5W/10W (Max)
- Dim.: 99 x 40 x 114 mm
- Weight: 91 g
- Clamping width: 59-90 mm



6CD9900003

Qi charging pad

- Anti-slip rubber on the bottom side of the pad is suitable for dashboard, desk or any flat surfaces.
- Suitable for devices with size up to 6.5"
- USB Type-C port
- Input: 5V, 1.7A; 9V, 1.7A, supports 9V PD charging
- Output: 5W / 7.5W / 10W (Max)

- Dim.: 183 x 92 x 12 mm
- Weight: 136 g



Bike Accessory

Bike Mount/Motorcycle Mount

Features:

- Made of durable material, strong and anti-vibration
- 3T-prong/3T quick-release tip/ Duolock quick-release tip are available for different mounts
- 360° rotation, easy to adjust to desired angle
- Combine with Comart water resistant cases, smartphone bags or holders

Specification:

- Storage temperature: -10-60°C
- Operating temperature: 0-70°C



6MT1100120

- Screw the knob to tighten the strap on the handlebar
- Anti-slip checked pattern to against sliding
- Compatible handlebar: Ø18-40 mm

- Dim.: 225 x 47 x 46.5 mm
- Weight: 58 g

6MT1100147

- Quick release design
- Screw the knob to tighten the strap on the handlebar
- Anti-slip checked pattern to against sliding
- Compatible handlebar: Ø18-40 mm

- Dim.: 224 x 44 x 44 mm
- Weight: 47 g

6MT1100087

- Easy to fix on the handlebar without tools
- Compatible handlebar: Ø21-28 mm

- Dim.: 60 x 42 x 70 mm
- Weight: 60 g

6MT1100149

- Quick release design
- Easy to fix on the handlebar without tools
- Compatible handlebar: Ø21-28 mm

- Dim.: 56 x 38.3 x 70.5 mm
- Weight: 52 g



6MT1100108

- Use screwdriver to fix the mount on the handlebar
- Compatible handlebar: Ø16-33 mm

- Dim.: 69 x 62 x 42.5 mm
- Weight: 74.1 g

6MT1100122

- Easy to clamp on the handlebar without tools
- Compatible handlebar: Ø18-45 mm

- Dim.: 101 x 65 x 36 mm
- Weight: 95 g

6MT1100113 (4MA9900002)

- Use open wrench to fix the mount on the handlebar
- Compatible handlebar: Ø16-20/Ø25.4-31.75 mm

- Dim.: 60.5 x 42 x 160 mm
- Weight: 142 g

6MT1100141

- Easy to fix on the rear mirror of the motorcycle without tools
- Compatible bolt: M8/M10

- Dim.: 71.4 x 46 x 94 mm
- Weight: 153 g




6MT1100024

- Anti-slip checked pattern to against sliding
- Compatible handlebar: Ø21-40 mm
- Dim.: 230 x 38 x 49 mm
- Weight: 50.8 g



6MT1100118

- Screw the knob to tighten the strap on the handlebar
- Anti-slip checked pattern to against sliding
- Compatible handlebar: Ø18-40 mm
- Dim.: 225 x 32.5 x 63.5 mm
- Weight: 49 g



6MT9900048

- Quick release design
- Use Allen key to fix the mount on the stem
- Can mount both the smartphone case and GoPro at the same time
- Compatible bolt: M5
- Dim.: 124 x 67 x 53 mm
- Weight: 104 g



6MT1100150 (4MA9900001)

- Quick release design
- Use Allen key to fix the mount in the middle of the handlebar
- Can mount both the smartphone case and GoPro at the same time
- Compatible handlebar: ø31.8 mm
- Dim.: 122.5 x 85 x 60 mm
- Weight: 99 g



6MT1100011 (4QT9900240)

- Use Allen key to fix the mount on the handlebar tightly and steadily
- Compatible handlebar: Ø22-32 mm
- Dim.: 119 x 52 x 27 mm
- Weight: 63 g



6MT1100144

- Replace one of the existing handlebar clamp bolts on the motorcycle to mount your devices
- Compatible bolt: M6
- Dim.: M6 x 55/60/65 mm
- Weight: 80 g



6MT1100081

- Replace one of the existing handlebar clamp bolts on the motorcycle to mount your devices
- Compatible bolt: M8
- Dim.: M8 x 55/60/65 mm
- Weight: 110 g



6MT1100145

- Replace one of the existing handlebar clamp bolts on the motorcycle to mount your devices
- Compatible bolt: M10
- Dim.: M10 x 55/60/65 mm
- Weight: 140 g



6QT9900054

- Replace one of the existing handlebar clamp bolts on the motorcycle to mount your devices
- Compatible bolt: Ø10-13.3 mm
- Dim.: 55 x 42.5 x 100 mm
- Weight: 63 g



6MT1100073

- Replace one of the existing handlebar clamp bolts on the motorcycle to mount your devices
- Compatible bolt: Ø13.5-14.7 mm
- Dim.: 55 x 42.5 x 100 mm
- Weight: 78 g



6MT1100074

- Replace one of the existing handlebar clamp bolts on the motorcycle to mount your devices
- Compatible bolt: Ø15-17.2 mm
- Dim.: 55 x 42.5 x 100 mm
- Weight: 79 g



6MT1100075

- Replace one of the existing handlebar clamp bolts on the motorcycle to mount your devices
- Compatible bolt: Ø17.5-20.5 mm
- Dim.: 55 x 42.5 x 100 mm
- Weight: 83 g



6MT1100076

- Replace one of the existing handlebar clamp bolts on the motorcycle to mount your devices
- Compatible bolt: Ø20.3-24.5 mm
- Dim.: 55 x 42.5 x 100 mm
- Weight: 88 g



6MT1100366

- Duolock quick-release tip
- Compatible bolt: M6
- Dim.: 106 x 54.5 x 27.5 (M6)
- Weight: 55.6 g



6MT1100365

- Duolock quick-release tip
- Compatible bolt: M8
- Dim.: 102 x 54.5 x 27.5 mm (M8)
- Weight: 58 g



6MT0500027

- Duolock quick-release tip
- Mirror and crossbar mount
- Suitable for rear mirror arm and Ø9-14 mm frames
- Dim.: 79 x 54 x 29.6 mm
- Weight: 59.5 g



6MT1100367

- Duolock quick-release tip
- Minor mount with flexible arm and hole
- Dim.: 205 x 54.5 x 32.5 mm
- Weight: 73 g



6MT1400048 (4QT9900261)

- Fix on the rear mirror screw
- Suitable for Ø10/12 mm stem
- Aluminum material

• Dim.: 123.5 x 104.5 x 82 mm
• Weight: 51 g



6MT1400050

- Fix on the handlebar
- Suitable for Ø28-34 mm handlebars
- Aluminum material

• Dim.: 127.8 x 103.6 x 41.6 mm
• Weight: 78 g

Accessory



4MT0900008

GoPro/Action cam adapter for duolock quick-release tip

- Optional adapter, makes the duolock quick-release mounts compatible with GoPro and most of the action cam on the market

• Dim.: 60 x 24.7 x 33.6 mm
• Weight: 16.7 g

Bike Accessory



Bike Holder & Elastic Band

Features:

- Quickly mount and release your device with the spring
- Combine with Comart mounts
- Optional to add silicone elastic band for better grip your smartphone

Specification:

- Storage temperature: -10-60°C
- Operating temperature: 0-70°C

6MT0600588

- Duolock quick release tip
- Stainless material spring arm, more suitable for outdoor activities

• Dim.: 138 x 88 x 46 mm
• Weight: 58 g
• Clamping height: 125-175 mm



Duolock



Stainless material

6MT0600252

- Four-sided wings to better grip your smartphone
- Security lock design

• Dim.: 130 x 71 x 35 mm
• Weight: 110 g
• Clamping width: 48-92 mm
Clamping height: 121-165 mm



501BK00451

3-Sides safety silicone elastic band

• Dim.: 138 x 67 x 14 mm
• Weight: 10 g



501BK00423

4-Sides safety silicone elastic band

• Dim.: 119 x 88 x 3 mm
• Weight: 9 g



501BK00407

4-Sides safety silicone elastic band

• Dim.: 117 x 84 x 4 mm
• Weight: 11 g



Bike Accessory

Water Resistant Case & Smartphone Bag

Features:

- Protects your phone from splashing water
- All buttons are reachable (water resistant case only)
- The charging port is reserved for your phone
- Soft inner tray fits your device perfectly and prevents scratches
- Hanging hole for neck strap
- Combine with Comart bike mounts or motorcycle mounts

Specification:

- Storage temperature: 10-60°C
- Operating temperature: 0-70°C

※ The iPhone name and model names are trademarks of Apple Inc.

6PT1200385

For iPhone 12 & 12 Pro

- Dim.: 182.3 x 101.1 x 15 mm
- Weight: 130 g
- IPX5



6PT1200324

For iPhone X, 11 Pro & XS

- Dim.: 177 x 97 x 23.5 mm
- Weight: 136 g
- IPX4



6PT1200349

For iPhone XS Max & 11 Pro Max

- Dim.: 181 x 104 x 24 mm
- Weight: 151 g
- IPX4



6PT1200350

For iPhone XR & 11

- Dim.: 181 x 104 x 24 mm
- Weight: 148 g
- IPX4



6PT1200371 (4QT9900246)

Universal water resistant case

- Four replaceable silicone paddings allow the case to be used interchangeably by a wider range of smartphones
- IPX5 water resistant rate while charging, and IPX6 rate in non-charging scenarios
- Fitting width: up to 77.8 mm
- Fitting height: 144-164.3 mm

- Dim.: 186 x 98 x 29 mm
- Weight: 157 g
- IPX5/IPX6



6PT1200390

Smartphone bag

- The soft supporting cushion inside of the bag is removable to accommodate thicker devices/cases
- Max phone size: 166 x 86 x 8 mm

- Dim.: 109 x 37 x 196 mm
- Weight: 116 g



504NC00010

Neck strap

- Combine with the water resistant case or smartphone bag

- Dim.: 20 x 520 mm
- Weight: 21 g

Bike Accessory



Water Resistant Dual USB Charger for Bike & Motorcycle

Specification:

- Storage temperature: -10-60°C
- Operating temperature: 0-70°C
- Input: 12-24V
- Output 1(USB): 5V, 2.4A
- Output 2(QC3.0): 5V, 2.4A; 9V, 2A; 12V, 1.5A



4MT1400413 (4QT9900245)

- Screw or 3M tape fixing are both available
- 150 cm electrical wiring with fork terminals

- Dim.: 43 x 56 x 35 mm
- Weight: 68.5 g

- IPX6 water resistant rate



6CD1100001 (4QT9900244)

- Suitable for Ø21-32 mm handlebars
- 150 cm electrical wiring with fork terminals

- Dim.: 30 x 56 x 97 mm
- Weight: 102 g

- IPX6 water resistant rate

Mount for Action Cam/Car Camcorder



Features:

- Specific for 1/4" screw hole
- 360° rotation, easy to adjust to desired angle
- Adjustable tip and arm with flexibility in taking sharp shots
- Expand your mounting options for different scenarios

Specification:

- Storage temperature: -10-60°C
- Operating temperature: 0-70°C



6MT0200064

- Water resistant 3M sticker, super sticky and suitable for outdoor activity
- Suitable for flat or slightly curved surface
- Two notches on the base can adhere tightly on the curved surface

- Dim.: 51 x 29.7 x 43 mm
- Weight: 25.5 g
- 3M 4991



6MT0200208

- Water resistant 3M sticker, super sticky and suitable for outdoor activity
- Suitable for flat or curved surface
- Flower-shaped base can attach on curved surface

- Dim.: Ø59.5 x 45.5 mm
- Weight: 30.5 g
- 3M 4991



6MT0200209

- Water resistant 3M sticker, super sticky and suitable for outdoor activity
- Suitable for flat surface
- 180° adjustable arm

- Dim.: 88 x 49 x 58.5 mm
- Weight: 58 g
- 3M 4991



6MT9900099

- Sun visor/Golf bag clip
- Clip on sun visor or golf bag

- Dim.: 67 x 31 x 69 mm
- Weight: 35 g



6MT1100110

- Use screwdriver to fix the mount on the handlebar
- Compatible handlebar: 16-33 mm dia.

- Dim.: 52 x 42.8 x 81.5 mm
- Weight: 82 g



6MT1100123

- Easy to clamp on the handlebar without tools
- Compatible handlebar: 18-45 mm dia.

- Dim.: 109 x 65 x 36 mm
- Weight: 102 g



6MT1100126

- Screw the knob to tighten the strap on the handlebar
- Anti-slip checked pattern to against sliding
- Compatible handlebar: Ø18-40 mm

- Dim.: 225 x 32.5 x 71.5 mm
- Weight: 56 g



6MT1100040

- Anti-slip checked pattern to against sliding
- Compatible handlebar: Ø21-40 mm

- Dim.: 228 x 38 x 61 mm
- Weight: 50.8 g

Mount for GoPro

Features:

- Suitable for GoPro
- Expand your mounting options for different scenarios
- Free your hands while enjoying the outdoor activities

Specification:

- Storage temperature: -10-60°C
- Operating temperature: 0-70°C

※ The GoPro names is trademark of GoPro, Inc

6MT0200229

Adhesive mount

- Suitable for flat or slightly curved surface
- Hand-cuttable adhesive base

- Dim.: Ø72.5 x 65 mm
- Weight: 35 g
- 3M GPH-160GF



6MT1100134

Bike mount

- Suitable for round, triangle, square-shaped or slightly irregular shape of handlebar
- An extra thicker silicone spacer is included for thicker handlebar
- Compatible handlebar: 25.4-31.8 mm dia.

- Dim.: 73 x 77 x 26 mm
- Weight: 82 g



6MT1100136

Bike strap mount

- Screw the knob to tighten the strap on the handlebar
- Anti-slip checked pattern to against sliding
- Compatible handlebar: Ø18-40 mm

- Dim.: 225 x 61.5 x 74.5 mm
- Weight: 58 g



6MT1100137

Bike strap mount

- Screw the knob to tighten the strap on the handlebar
- Anti-slip checked pattern to against sliding
- Compatible handlebar: Ø18-40 mm

- Dim.: 225 x 75.5 x 60.2 mm
- Weight: 64 g



6MT9900043

Wrist/Arm strap band mount

- Soft material ensures wearing comfort
- Two length of straps available for wrist and arm
- Strap length: 280 mm (wrist)/355 mm (arm)

- Dim.: 100 x 30 x 54 mm
- Weight: 54 g



6MT1100135

Helmet strap belt

- Durable nylon strap
- Strong buckle design ensures the stability for extreme sports
- Compatible with most of the helmets

- Dim.: 125 x 50 x 40 mm
- Weight: 56 g



6MT9900042

Head strap mount

- Wavy shaped anti-slip silicone coating
- Fully adjustable to fit all sizes of head

- Dim.: 75 x 75 x 75 mm
- Weight: 80 g



4MT1400154

1/4" threaded screw adapter

- Optional adapter, makes the mounts compatible with most of the action cam on the market

- Dim.: Ø26 x 41 mm
- Weight: 10 g



Adapter



4MT1400102

Camera tripod 1/4" threaded screw to 3T-prong adapter



4MT0200060

Duolock quick release slot w/3M sticker base (3M GPH-160GF)



4MT0900001 (4MT0900010)

25mm dia. ball socket to AMPS 4-hole adapter (4 screws included)

4MT0900008

GoPro/Action cam adapter for duolock quick-release tip



4MT1400154

1/4" threaded screw adapter



007BK00142

4-slot to 3T-prong adapter



007BK00143

2T-slot to 3T-prong adapter



012BK00060

T-slot to 4-prong adapter



4MT1400127

4-prong to 3T-slot



4MT1400327

AMPS 4-hole to 3T-prong adapter (4 screws included)

Connecting Parts



007BK00026

Non-swivel T-prong



006BK00023

Non-swivel 3T-prong



4MT1400110

360° swivel 3T-prong



4MT1400408

T-prong/Ø17 mm ball socket



006BK04276

Mio T-prong/Ø10 mm ball head





006BK00102

T-prong/Ø15 mm ball head



006BK00068

Locking T-prong/Ø15 mm ball head



4MT1400093

1/4" threaded screw adapter/Ø15 mm ball head



4MT1400098

Stainless steel 1/4" threaded screw adapter/Ø15 mm ball head



4MT1400065

Stainless steel 1/4" threaded screw adapter/Ø17 mm ball head



006BK00138

3T-prong/Ø15 mm ball head



006BK00153

Locking 3T-prong/Ø15 mm ball head



006BK00154

Locking 3T-prong/Ø17 mm ball head



4MT1100043

3T-prong quick-release tip/Ø15 mm ball head



4MT1100044

3T-prong quick-release tip/Ø17 mm ball head



4MT1400410

Duolock quick release tip/Ø17 mm ball socket



4MT1400411

Duolock quick release tip/Ø17 mm ball head



4MT1400412

Duolock quick release tip w/Ø25 mm ball socket



012BK03779

Duolock quick release slot



006BK04277

Ø10/Ø17 mm dual ball head



006BK00010

Ø15/Ø15 mm dual ball head



006BK00011

Ø15/Ø17 mm dual ball head



006BK03885

Ø15/Ø17 mm dual ball head arm



006BK03975

Ø17/Ø17 mm dual ball head arm



006BK04134

Ø15/Ø17 mm dual ball head arm



006BK00074

Ø15 mm ball socket/swivel wheel gear part



006BK00075

3T-prong/swivel wheel gear part



006BK00073

D-prong/swivel wheel gear part



002BK00430

T-prong/swivel wheel gear part



006BK00227

Locking T-prong/swivel wheel gear part



006BK00077

Swivel wheel gear connecting arm



4MT1400019

Ø16.3 mm long arm ball head/D-prong



4MT1400149

25 mm aluminum rod



4MT1400144

45 mm aluminum rod



4MT1400143

84.6 mm aluminum rod



4MT1400377

110 mm aluminum rod



4MT1400147

145.5 mm aluminum rod



4MT1400137

185 mm aluminum rod



4MT1400348

217.5 mm aluminum rod



4MT1400341

385 mm aluminum rod

Health Care Product

HM Plus
master your health

HM3 Automatic Alcohol Dispenser

- Perfect for houses, offices, and public environments
- Nozzle designed with an infrared sensor sprays alcohol automatically
- Designed with four spray volume segments to suit everyone's personal preference
- Can be placed on a platform or mounted on a wall
- Able to be powered through AA-size alkaline batteries or USB-C
- Sophisticated touch panel display

Specification:

- Storage temperature: -10-60°C
- Operating temperature: 0-70°C
- Dims: 100 x 130 x 238 mm
- Weight: 400 g (including the container and batteries)
- Container capacity: 1000 ml
- Power supply: AA-size alkaline batteries x 4
- USB-C Specification: 5V1A



HM2 Automatic Alcohol Dispenser

- Perfect for houses, offices, and public environments
- Nozzle designed with an infrared sensor sprays alcohol automatically
- Designed with four spray volume segments to suit everyone's personal preference
- Can be placed on a platform or mounted on a wall
- Powered through AA-size alkaline batteries
- Designed and manufactured in Taiwan

Specification:

- Storage temperature: -10-60°C
- Operating temperature: 0-70°C
- Dims: 140 x 140 x 210 mm
- Weight: 620 g (including batteries)
- Container capacity: 1100 ml
- Power supply: C-size alkaline batteries x 2



Penzo Portable Alcohol Spray

- Store and carry the alcohol spray easily
- Slidable nozzle cover can prevent unwanted wetness from accidental spraying
- Safe to clean the screen of your electronic devices with the soft microfiber cloth
- Designed with replaceable nozzle cover, easily replace the cover when a new microfiber cloth is needed
- Designed with a hanging strap to attach the bottle to your bag or key leash

Specification:

- Storage temperature: -10-60°C
- Operating temperature: 0-70°C
- Dims: 26 x 26 x 112 mm
- Weight: 45 g
- Container capacity: 15 ml




Penzo mini Portable Alcohol Spray

- Store and carry the alcohol spray easily
- Designed with a hanging strap to attach the bottle to your bag or key leash
- The hanging strap comes with a retractable string which can make it more convenient when using the spray bottle

Specification:

- Storage temperature: -10-60°C
- Operating temperature: 0-70°C
- Dims: 50 x 52 x 145 mm
- Weight: 16.8 g
- Container capacity: 15 ml





怡業股份有限公司

地址：231028 台灣新北市新店區寶橋路235弄12號3樓
電話：+886-2-8911-1133
Email: sales@comart.com.tw

COMART CORPORATION

Add: 3F., No.12, Ln. 235, Baoqiao Rd., Xindian Dist.,
New Taipei City, 231028, Taiwan
Tel: +886-2-8911-1133
Email: sales@comart.com.tw

東莞恒群塑膠有限公司

地址：中國廣東省東莞市東城街道溫周路18號
電話：+86-769-23064133
Email: ywb3@heng-qun.com

ETERNAL GAIN PLASTICS CO., LTD.

Add: No.18, Wen Zhou Road, Dong Cheng District, Dong Guan City,
Guang Dong Province, 523118, China
Tel: +86-769-23064133
Email: ywb3@heng-qun.com

越南怡業責任有限公司

地址：越南北江省越安縣雲中工業區CN06-06區
電話：+84-204-3561133
Email: henry_lai@comart.com.tw

COMART VIETNAM CO., LTD.

Add: Lot CN 06-06, Van Trung Industries Zone, Viet Yen
District, Bac Giang Province, 26171, Vietnam
Tel: +84-204-3561133
Email: henry_lai@comart.com.tw

Innovative ODM reliable partner

All registered trademarks belong to their respective owner.