

**SO EASY TO LIFT 30TNS
WILL BECOME ALMOST
A CHILD'S PLAY**

velyen







▶ 4ED0700N



Watch video

Hydraulic 4-Post Lift 8000 Kg / 30000 Kg
No compressed Air Required



▶ 4ED0800



Watch video

TECHNICAL DATA

	4ED1700	4ED0700N	4ED0760	4ED0780	4ED0800	ESP00033
Load capacity	8 Tn	12 Tn	16 Tn	18 Tn	25 Tn	30 Tn
Platform lengths	6220 mm		8000 mm			
Platform widths	710 mm		810 mm			
Width between columns	3265 mm		3500 mm			
Distance between platforms	780-1150 mm		1000 mm			
Minimum height	220 mm		240 mm			
Lifting height	1660 mm		1540 mm			
Lifting time	65"		90"			
Overall length	7150 mm		9576 mm			
Overall width	3735 mm		4269 mm			
Motor	3 Phase 230/400 V 50/60 Hz. 3 KW		3 Phase 230/400 V 50 Hz. 5.5 KW			

· NEW: Play Detector & rear alignment platforms are available for 4ED1700 and 4ED0700N as optional.



▶ 5251600

Oleoneumatic 10/7Tn
jacking beam for
4ED0700N

· Op. Total LED lighting ref. 4301700

▶ 5252000

Oleoneumatic 10/7Tn
jacking beam for
4ED0800



· Op. Total LED lightn ref. 4301800

· Op. platform extension 1,2m for 4ED0800 ref. 4303100