



INTERWAY
INDUSTRIAL CO., LTD

INTERWAY leads you to protection with Tarpaulins and Nets



INTERWAY
INDUSTRIAL CO., LTD

Suite 1901 Masters Tower B/D, 553 Dowha-Dong, Mapo-Gu, Seoul, S. Korea
Tel.+82-2-701-9614(Rep.),9615 Fax.+82 2 701 9616
www.interway-tarp.com
master@interway-tarp.com

2019. 04

Our 20 years of commitment to tarpaulins,
nets and industrial fabrics will cover you
with perfect protection for your requirements



We, Interway Ind. Co.,Ltd, are the leading supplier of PE & PVC tarpaulins, scaffolding covers, nettings, shade cloth, and related accessories with a comprehensive range of specification.

Having been in this business for over 20years operating factories in South Korea, China and Vietnam, we have won a loyal and solid reputation from customers world wide with our service and quality products, which perfectly cover the on site needs for both industrial and agricultural markets.

Please feel free to contact us at any time, and we will happily advise you on the best solution to your requirements.



Tel . +82-2-701-9614(Rep.), 9615
Tax. +82-2-701-9616

www.interway-tarp.com
master@interway-tarp.com

PE Tarpaulin 1



| |
|------------------------|
| Ready Made Tarpaulin |
| Tarpaulin in roll |
| Swimming pool cover |
| Garden Furniture Cover |



Ready Made Tarpaulin

- All four edges to be reinforced by PP rope in hem, aluminum / brass / PC eyelets at regular interval around the sheet.
- A massive range of size, quality and color meeting diverse customers requirements.
- From disposable to high durability qualities for outdoor uses covering gardening, industrial, and agricultural purposes.



Tarpaulin in Roll

- Up to 4M width available without seem, and more bigger widths by heat welding.
- Logo print available on fabric with OPP film & ink. 50M / 100M roll packing. (Changeable)
- Suitable for use as waterproof liner for awning, truck, tent, lumber covers, tempos, etc.

Garden Furniture Cover

- Heavy duty, high UV quality and waterproof tarpaulin for various furniture covers in outdoors.
- Covering chair, table, bag, BBQ, woods, etc. with custom made size including aluminum eyelets.
- Also covers for valuable equipments and garden tools.



Swimming Pool Cover

- Black HDPE scrim, aluminum eyelets around the sheet, square / oval / round type including winch & cable.
- Extensive range of high quality with high UV resistance and durability.
- Covering various size of pools providing nice look by preventing debris from getting into pool.

Tarpaulin Quality

- Denier : From 600D to 3,000D
- Weaving Density : From 6x6/sq.inch to 16x16/sq.inch
- U.V. : Up to 500KLY
- Flame Retardant : CPAI Section Five & Six / NFPA 701
- Weight : From 50gr/sqm to 400gr/sqm



PE Tarpaulin 2



| |
|--|
| Pond Liner |
| Hay & Grain Cover |
| Poultry Cover |
| Vineyard Cover |
| Temporary Tent for Humanitarian Relief |



Pond Liner

- Waterproof custom made pond liners in the garden with various sizes.
- PE Tarpaulin coated on both sides for higher durability with strength.
- Over 200gr/sqm weight with flexible and UV stabilized Tarpaulin.
- Made out of Polyethylene which is perfectly environment friendly to the soil.

Hay & Grain Cover

- High U.V. & heavy duty quality tarpaulin for the good storage of hay and grain.
- Preventing from hay loss and inclement weather conditions.
- Heavy weight tarpaulin and a large range of sizes for superior nutrient retention.
- PE Tarpaulin, safe for grain and hay contacts meeting all agricultural storage needs.

Poultry Cover

- High U.V., double stitch 5cm from the edge on both sides hem in lengthwise.
- Multiple dimensions and colors as per various requirements of the customers.
- Providing optimal protection to the poultry from cold weather, rain and UV rays.
- Waterproof and leakage proof for both poultry curtain and roof cover applications.

Vineyard Cover

- Translucent color with high UV and various & big enough sizes for vineyard cover.
- Protection to the soil from the erosion resulted from raindrops, snow, and diverse conditions.
- Improving soil structure, water holding capacity and soil fertility.
- Regulating vine growth augmenting soil nitrogen from nitrogen-fixing legumes.



Temporary Tent for Humanitarian Relief

- Emergency housing and temporary shelter for the sites of natural disaster and refugees.
- Made of woven HDPE fibers in black & white colors, laminated on both sides with LDPE.
- Stabilized against ultraviolet rays and excessive heat for long outdoor exposure.
- Both ready made size & roll available also with MSF specification including logo print.

PE Tarpaulin Quality

- Denier : From 600D to 3,000D
- Weaving Density : From 6x6/sq.inch to 16x16/sq.inch
- U.V. : Up to 500KLY
- Flame Retardant : CPAI Section Five & Six / NFPA 701
- Weight : From 50gr/sqm to 400gr/sqm



Industrial PVC Tarpaulin

Now all you have to do is taking on the chances to enjoy our best services!!!

Items to show you its variety

Quality to give you perfection to the end

Price to double your satisfaction.




Truck Cover

- PVC Knife coated and Hot melt Coating process, mainly 630g~900g or truck curtain.
- Top Side / Both Side acryl lacquer available. Fire retardant, High U.V. on customer's request.
- Excellent abrasion strength and outstanding UV protection.

Car Parking Shade

- 680gsm 1,000D, 18x18/sq.inch
- 1,100gsm 1,000D, 28x28/sq.inch

PVC Coated & Laminated
PVC Ready made tarpaulin
For Industrial Application



Awning

- Strong Tear and Tensile strength and Coating adhesion for longer life span.
- High durability for chemical and weather resistant.(High UV resistant).
- Under our strict management and inspections, strong and constant physical strength




Inflatable

- PVC Knife coated 750g~1,500g. U.V., Anti-Mildew treatment for high weather resistant.
- Application - Boat body, Double wall fabric, Seam tape, Water playing instruments.
- High durability and flexible substrate for easy handling(Welding and bonding).

Print Tarp

- PVC Laminated and Coated with several patterns of printing graphics.
- Application - Sunscreen, Party tent, Shelter cover with various printing types.
- Various surfaces emboss available, Cold crack, Anti-Mildew, Anti-Static treatment available.



Structure

- PVC Coated with U.V., Fire Retardant, Anti-Mildew and surface treatment for durability.
- Application – Air dome, Exhibitions, Stadiums, Sporting events, Sun protection in park.
- PVDF treatment on both side surface for long life span.

Transparent

- Excellent UV protection and light transparency.
- Application : Green House cover, tent window, warehouse curtain, Promotional shopping bags.
- With or without polyester base fabrics, Various pattern of the Polyester base fabric inside.

PVC Ventilation Duct

- PVC Laminated and Coated / Any roll width on customer's request up to 2.50M.
- High durability and abrasion resistance, Strong adhesion for longer life span.
- Excellent tear and tensile strength against high pressure of the ventilation.



Advertisement PVC Tarpaulin

We will be the best choice to satisfy the variable demands by providing the new values ahead and expanding the range of choice with the continuous investment toward future.

PVC Coated & Laminated

For Advertisement Application



Non PVC Printing Media : (Eco) Solvent, UV, Waterbased, Latex

PP Synthetic Paper

- PP printing media for high resolution.
- Application : Bus shelter, Indoor POP, High resolution graphic media.

PET Banner

- PET Film based printing media for Eco-solvent, Latex, UV printing.
- Non curling effects go well with standing banner for stores.

Textile Media

- Polyester fabric for digital printing.(Solvent, UV, Latex, Waterbased printing).
- Dye-Sublimation, Flags and Self adhesive textile media(Wall cover).

Wall Paper

- 100% paper, Durability and dimensional stability with Fire Retardant.
- Various surfaces emboss patterns for customer's requests.

Frontlit

- PVC Laminated and Coated for digital printing up to 5.00M width.
- General Banners, Billboard, Various Signage application, any outdoor printing application.
- Excellent compatibility with various digital printing machines.

Backlit

- PVC Laminated and Coated for printing & Self adhesive film application.
- (Eco) Solvent, Latex, UV printing application, High resolution and UV protection.
- Color awning available –18 colors, Width up to 2.20M.

Blockout

- PVC Laminated and Coated up to 3.20M width, Excellent light block ability.
- Ultra Smooth blockout mainly for silk screen printing application available.
- High durability for chemical and weather resistant.(High UV resistant).

Mesh

- PVC dipped mesh for printing and industrial application.
- Up to 5.00M width, Various polyester base fabric patterns are available.
- Application : Safety Net, Wind Screen, Various frontlit signage application.



PE Scaffolding Covers



PE Scaffolding Sheet

PE Scaffolding Net (Debris Net)

PE Keder

Wind Reduction Net



PE Scaffolding Sheet

- Leno fabric : 3x3/sq.inch weaved by HDPE in leno scrim, coated by LDPE with U.V. stabilization.
- Webbing bands : PE Tarpaulin, 14x14/sq.inch, one side lamination with pre-punched eyelet holes.
- Weight : From 160gr/sqm to 320gr/sqm including reinforcement bands, both roll & bale packing
- Flame retardant treatment available with CPAI Section Five & Six / NFPA 701 / DIN 4102
- Up to 4M width available without seam in the middle.

PE Scaffolding Net (Debris Net)

- HDPE Monofilament, U.V.-stabilized in yarn, black eyelet band in both ends and in center.
- Weight : From 50gr/sqm to 130gr/sqm (Standard) with any color available (Mainly green & blue)
- Up to 6.6M width available. Each roll in transparent tubular PE polybag of min. 100 micron.
- Can be used both vertically & horizontally to contain and catch large and small debris.
- Can be also used in garden netting, insect netting and allotment netting. F/R treatment available.



PE Keder

- HDPE 3,000D yarn weaved, 8x8/sq.inch, both sides laminated with LDPE, 320gr/sqm(Standard)
- Heavy duty reinforced keder sheeting with various sizes, high U.V. and no welded joints.
- Compared to PVC Keder, PE Keder is much light weighted with higher tearing strength.
- Made of PE material with high flexibility and environment friendly. F/R treat ment available.





Wind Reduction Net

- HDPE Monofilament, 1000Denier, 36x17/sq.inch, 120gr/qm~130gr/sqm (Standard)
- Width : 2.07M / 2.57M / 3.07M.
FR roll has red eyelet loops, Non FR roll has black loops.
- High durability and heavy duty quality for protection from various debris.
- Standard colors : White & Green. (Any color available)



PE Net



- Shade Cloth
- Bird Net
- Hail Net
- Wind Break Net
- Fence Net
- Baler Net



Shade Cloth

- HDPE mono+film weaving construction, shading rate above 90% with high U.V. treatment.
- Standard weight 325gr/sqm to 400gr/sqm. Both Non FR and FR rated quality available.
- Available in up to 4M width x 50M length(standard) center folded rolls.
- Long life and high durability with over 15 different colors.

Bird Net

- HDPE mono+mono weaving construction, high UV treatment with high durability.

| Type | Standard Width | Standard Weight |
|------------|----------------|---------------------|
| Hexagonal | 20M | 30gr/sqm ~ 40gr/sqm |
| Diamond | 30M | 30gr/sqm ~ 50gr/sqm |
| Cross over | 16M | 100gr/sqm |



Hail Net

- HDPE mono+mono weaving construction, high UV stabilized in yarn, with high rip resistance.
- Weight 70gr/sqm ~ 75gr/sqm with strong reinforcement salvage running through length.
- Protections from hail damage and adverse conditions, increasing crop yield.
- About 20% shading rate, offering heat protection for plants and seedlings.



Wind Break Net

- HDPE mono+mono weaving construction, high UV stabilized in yarn, with heavy duty quality.
- Weight 150gr/sqm to 240gr/sqm with higher durability for wind blockage.
- Reducing heat convection properties of cold & dry winds, shielding structures from wind stress.
- Improving sanitary conditions by reducing wind driven dust and dirt.

Fence Net

- HDPE mono+mono weaving construction, high UV stabilized in yarn, with heavy duty quality.
- Ideal for temporary car parking during events, concerts, construction sites and exhibition.
- Wide range of width and length for garden fence or to protect feed storage area.
- Passive restraint to protect shrubs and decorative plants from foraging wildlife.



Baler Net


- HDPE weaving construction, high UV stabilized in yarn, double yarn in pillar+film/mono yarn.
- Side to side coverage for full coverage, warning indicator last 30M or at requested length.
- Left/Right installation indicator, indication label on each roll.
- Longer length for less packaging and inconvenience of handling more rolls.

Packing

- Each roll in transparent tubular P.E Film of Min. 100 Micron Size Sticker inserted visible and protected under film Closed on both ends by P.P strapping Export standard roll packing.



Industrial Fabric 1



Geo Membrane

Gas Membrane

Container Bag

PVC Geo Grid

Grain Cover

Geo Membrane

- PVC Coated Elvaloy Geo Membrane : 28oz(950gsm), 30oz(1,020gsm), 38oz(1,290gsm) available.
- 1.88M and 2.54M standard width.
- Weathering resistance : Test Method Zenon Arc / ASTM D6878 : No severe stiffening or cracking after 7,000 hours.
- Remarkable resistance to Chemicals, High durability, Easy-to-Fabricate materials.




Gas Membrane

- 900 Denier, 12x10/sq.inch, both sides coated with LDPE in blue and white.
- Multiple independent layers including reinforced PE scrim & 20 micron aluminum foil core.
- Developed for installation on contaminated land to prevent gases from entering structure.
- For use in situation of radon gas or where methane, CO2 and other gases are present.

PVC Geo Grid

- Standard quality : 4T/2T, 6T/3T, 8T/3T, 10T/3T, 15T/3T. 2.0M or 2.5M width x 50M length.
- High denier polyester woven, coated by PVC. Excellent installation capacity and soil retention.
- Reinforce soil structures for the construction of roads, embankments, walls and steepened slopes.
- Main application : Landscaping walls, stream channelization, temporary walls, pressure relief wall, etc.



Container Bag

- High denier PP yarn weaved for container bag, bulk bag, jumbo bag, sag bag and FIBC bag.
- Standard models : Cubic bag, circular bag, U-Panel bag, Baffled bag, Tubular bag, etc.
- Any size available, filling spout, top open or duffle spout, discharge spout or flat bottom.
- Loops : Single loops, two loops, three loops or four cross corner loops.

Grain Cover

- **PVC Grain Cover** 650gsm, 1000D, 23x23/sq.inch, strong UV resistance
- **PP Grain Cover** 350gsm, 1000D, 20x20/sq.inch, multi fiber PP yarn, strong UV & chemical resistance.
- **PEGrain Cover** 200gsm ~ 250gsm, 1000D, 14x14/sq.inch, black yarns for blackout effect, double LDPE coated, strong UV resistance



Industrial Fabric 2 Accessories



PE Roof Underlay

Aluminum Laminated PE Tarpaulin

Breathable House Wrap with Non-Woven Fabric

Elastic Tie

Easy Snap Eyelet

Tarpaulin Tape



PE Roof Underlay

- HDPE woven with LDPE coating. Weaving density : 3x3/sq.inch in leno scrim or in 10x10/sq.inch
- Serves as a full coverage-waterproofing layer in architectural roof assemblies.
- Excellent flexibility, light weight, high tensile strength, anti-oxidation and anti corrosion.
- Can be carried out construction in wet screed-coat, saving construction time.

Aluminum Laminated PE Tarpaulin

- Alu. foil & metalized alu. PET film laminated with HDPE woven fabric coated by LDPE
- High UV treatment, tearing strength, light reflectivity, durability and thermal insulation.
- For packaging, roofing insulation, greenhouse cover, heat barrier & retention in buildings.
- An efficient barrier against the heat irradiated by roofs and walls, rejecting abt. 95% of heat.

Tarpaulin Tape

- 10x10/sq.inch PE Tarpaulin tape for making tarpaulin repairs and easy to apply.
- Fixing rips and tears, join two tarps together, reinforce stress points.
- Excellent for tarps, covers, awnings, tents, hay covers, shelters, silage bags, etc



Breathable House Wrap with Non-Woven Fabric

- Aluminum metalized + PET non woven fabric + adhesive bond + breathable PE film.
- Total weight abt. 105gr/sqm (Standard), 1.0M x 50M roll size (Standard)
- Water resistant, vapor permeable roofing membrane and heat insulation functions.
- Used in construction, house wrap, roofing, wall and flooring underlayment, breathable membrane.
- Light weight, flexible, easy to handle and use, light reflectivity & retention for underlay.



Elastic Tie

- Head and hook - nylon, durable rubber string core in UV treated woven textile.
- Standard size : 5.0mm Ø x 28cm cord. Ideal for fixing scaffolding sheet & tarps on frames or structure.



Easy Snap Eyelet

- Polyethylene, 11mm inner diam. & 30mm outer diam., white color.
- For use on general tarpaulins, groundsheets, rack covers, boat covers, awnings & numerous other items.

