




ARTIFICIAL LEATHER

DOLARO



0156 WHITE



0180 D.WHITE



1120 BEIGE



2095 L.GRAY



6119 D.BEIGE



1122 YELLOW



1092 ORANGE



3178 RED



4086 L.GREEN



4075 GREEN



4103 L.BLUE



5111 BLUE



Confidence in coated fabrics.
Tested for harmful
substances.



Flame Retardant



Ecological, Does not
contain DOP, DINP, DIDP
type Phthalate containing
toxic chemicals



Waterproof




Tear Resistance



Easy Clean


The colour shades of online version are simply indicative and colours may be faded due to the device variety.



2123 GRAY



6164 D.BROWN



8000 BLACK



Confidence in coated fabrics.
Tested for harmful
substances.



Flame Retardant



Ecological, Does not
contain DOP, DINP, DIDP
type Phthalate containing
toxic chemicals



Waterproof



Tear Resistance



Easy Clean

The colour shades of online version are simply indicative and colours may be faded due to the device variety.

TEKNİK ÖZELLİKLER Technical Data	ANALİZ DEĞERİ Analysis Value
KOMPOZİSYON / Composition	%18 PES %82 PVC
AĞIRLIK / Weight	400 gr/ m ² (TS ISO 1534 - ZEN 2286-2)
EN / Width	140 cm
YIRTILMA MUKAVEMETİ / Tear Strenght	30/25 N (TS EN ISO 4674-1 METOD-A)
KOPMA MUKAVEMETİ / Tensile Strenght	250/220 N /5 cm (TS 2008 EN ISO 1421 METOD-1)
ABRASYON / Abrasion	>25.00 (ISO 105 B02:2014-METOD 3)
IŞIK HASLIĞI / Light Fastnees	5-6 (ISO 105 B02:2014-METOD 3)
FİNİSAJ / Finishing	OPSİYONEL / Optional
ALEV GECİKTİRİCİ / Flame Retardant	OPSİYONEL / Optional



Head Office

Kaleiçi Mah. Asaf Sok. No:4 Çatalca / İstanbul / Turkey

Telephone: +90 (212) 789 44 50 Pbx

Fax : +90 (212) 789 26 21

E-Mail: hakteks@hakteks.com.tr

www.hakteks.com.tr