

#### Hubei Jinlong will focus on industry development and professional global customer service



www.jinlongxc.com

9 Jinlong Industry Park, No. 2, Yingbin Avenue. Zengdu District, Suizhou, Hubei, China

+189 9556 6881彭先生 +189 9597 9589熊先生 R

2023版





# 

#### 产品应用图册 **PRODUCT CATALOGUE**







## 目录▶▶▶ CATALOG

	01/02
nent	03/06
t	07/08
り材料 Tourism Product Materials	09/18
り材料	19/22
<b>臣养殖材料</b> re and Animal Husbandry Materials	23/30
り材料 Materials	31/46
<b>1</b> 料 ial	47/50
<b>ī系列材料</b> tagingMaterials	51/58
り材料 scue Materials	59/64
】 Materials	65/68



Hubei Jinlong Group is located in Suizhou, Hubei, which is a famous historical and cultural city in China. The magnificent historical culture promotes the development of Jinlong Group. Founded in 1988, the group has been dedicated to making a piece of fabric professionally for more than 30 years. It is the earliest manufacturer of tarpaulin material in China, the designated manufacturer of China Railway Corporation and the strategic reserve enterprise of emergency industrial materials in China. It has become the leader in the industry of industrial fabric.

Hubei Jinlong Group covers an area of 400,000 square meters. The company has more than 1000 employees and an annual output value of over \$1 billion. With advanced production equipment and technology, it is the only enterprise of large-scale new high-end indoor and outdoor advertising consumables and industrial fabric materials in China that integrates textile, calendaring, wide coating and coating production.

The company's domestic market share reaches more than 60%. Our highquality products are exported to Europe and America, Middle East, Southeast Asia, Africa, South America and other countries and regions. Due to the professional and reassuring one-stop procurement service, we have established long-term business cooperation with Amazon, DHL, the United Nations, many governments and other customers to achieve a win-win situation.









COMPANY PROFILE

▲新区鸟瞰图



Production Equipment



▲ 织布车间 Weaving Workshop







▲ 6米超宽幅广告材料生产线 6m Advertising Production Line







Production Equipment



▲ 涂贴表生产车间 High-Tech Production Line



▲ PVC地板生产车间 PVC Flooring Production Line



▲ 6米超宽幅刀刮涂层生产线 6m Widest Coating Production Line



▲ 各类制成品车间 Various Finished Product Workshop























# Type 1

## Cultural Sports and Tourism Product Materials **文体文旅系列材料**

Our series of sports and cultural travel products include outdoor camping inflatable tents, awnings, rescue boats, drifting boats, fishing boats, fishing platforms, gymnastics protective mats, surfboards, paddle boards and other outdoor sports and leisure fields. From the customized production of fabrics to the finished product processing, the quality control of the whole industry chain has been well received by customers in various fields.

















Inflatable materials are mainly used for inflatable boats, such as military boats, lifeboats, motor boats, and large water inflatable toys, rowing boats used in water events, drifting boats, bracket pools, inflatable castles, trampolines, mobile water parks, floating objects, inflatable swimming pools, amusement facilities, etc.It has superior tensile, tear and peel strength, water resistance, stain resistance, UV resistance, weather resistance, high temperature and cold resistance, no lead, UV resistance and flame retardant standards.















Drop stitch fabric is 3D threedimensional hollow structure, which is costeffective, easy to process, and easy to use and carry the finished product. It has the characteristics of light weight, high strength, flame retardant, cold resistance, aging resistance, good softness, bright color, high color fastness, long service life and so on.Mainly used in inflatable boat bottom material, surfboard, water ski, SUP board, car seat, outdoor camping mattress, floating platform, gymnastics mat, yoga mat, SPA bathtub, inflatable tent, life saving materials, etc.



thickness:5/8/10/12/15/20/30/40CM



17





## Logistics And Transportation Materials **物流交通系列材料**

PVC knife coating material, comprehensive coverage of road, railway, waterway three major transportation fields, with fire retardant, antibacterial, anti-mildew, anti-oil, anti-fouling, fast weather performance, superior tear resistance, strong stripping, non-layered performance, suitable for trucks, trains, freighters and other transport vehicles bitter cover."Feitian Jinlong" wide free splicing tarpaulin width of 4 meters, 4.5 meters. 5 meters, 5.5 meters, is the world's unique wide products, it is double-sided knife scraping coating, sunshade waterproof, wearresistant environmental protection.



(19)

Logistics And Transportation Materials **物流交通系列材料** 





Model:Railway fabric			
Tensilestrength (N/5cm)	warp3700	weft3700	
Tearing strength	warp650	weft600	
Peel strength (N/5cm)	7	0	

Product weight, color, width, length, cold resistance, flame retardant, surface treatment can be customized according to customer requirements.







# Type 3

## Modern Agriculture and Animal Husbandry Materials **现代农牧种植养殖材料**

The company's production of agricultural and animal husbandry materials with strong acid and alkali tensile resistance, soft splicing, repairable, long service life, easy installation.Widely used in farming vegetable greenhouses, farming curtains, manure removal belt farm ceiling, etc., widely used in the market, the product weight, width, length can be customized according to requirements.



Modern Agriculture and Animal Husbandry Materials **现代农牧种植养殖材料** 







Modern Agriculture and Animal Husbandry Materials **现代农牧种植养殖材料** 







Modern Agriculture and Animal Husbandry Materials **现代农牧种植养殖材料** 



Feitian Jinlong JLM pool special fabric, its environmental protection formula does not contain harmful substances, widely used in aquaculture industry. Adopt environmentally friendly formula, does not contain harmful substances, aquaculture survival rate is high; High strength fabric tear resistance, wear resistance, light resistance and oxidation resistance, easy to use.



人<del>家這了了</sub>也界软体材料引导者</del>

#### ▲ 天空市 小池专用布



## Type 4 Building Structure Materials

## 建筑建材系列材料

Our building materials series materials involved in the tensil membrane structure, large activity tent, soft parking shed, various types of push pull tent, building protection and anti-inflammatory net, all kinds of fast doors, pvc commercial floor, double fiber industrial floor and other fields, with high quality products and services won the praise of customers in various fields.





人<del>反告了了。</del>世界软体材料引导者

The tent is a new type of temporary building for outdoor activities, which is a new variety of exhibition industry, tourism industry and storage industry. It has the advantages of flexible disassembly, beautiful appearance, convenient transportation and so on. The membrane structure has light dead weight, strong flexibility and good seismic performance. Factory production, on-site assembly. Construction period is greatly shortened, save labor cost; At the same time, the surface of the membrane fabric is weatherresistant and self-cleaning, fire retardant and good light transmission.Widely used in sports venues, exhibition centers, toll stations, sewage treatment and other sports, commercial, cultural, transportation, industrial and other facilities. The company uses full coating knife scraping, surface treatment technology, the production of various types of tent, membrane structural materials, with anti-fouling weather, fire retardant, anti-mildew and purple and other physical properties, design life of up to 10-15 years













The sliding material produced by the company is divided into two kinds from the performance of shading and transparent light, good dustproof, waterproof, shading effect, for temporary storage, awning, parking shed, food and beverage stalls and other shading.Sliding material is bright color, can be customized according to the demand for flame retardant, cold resistance, shading and other performance, the maximum width of up to 5 meters.



(38)





Protective nets can be used in various industrial fields that require safety and protection, such as construction protective nets to prevent high-altitude throwing and tool falls. It is mainly used as building protective net, sports safety net, transportation safety protective net, agricultural net, shade net, etc.







Tensilestrength (N/5cm)	warp5000	weft4800
Tearing strength	warp820	weft770
Peel strength (N/5cm)	10	00
(N) Peel strength	10	00

Running speed of more than 0.6 meters per second, with insulation, insect, wind, dust, and other functions, and widely used in food, chemical, logistics, warehousing and other places. Save energy, highspeed automatic shutdown, improve efficiency, create a better working environment and more.





Why choose PVC flooring? 1, green environmental protection, non-toxic 2, ultra-light and ultra-thin 3, super wear-resistant 4, high elasticity and strong impact resistance 5, super anti-slip 6, fire retardant 7, antibacterial, waterproof, moistureproof, acid and alkali corrosion resistance 8, small seam and seamless welding 9, after the installation is completed, it can be used 24 hours later 10, conduct heat and keep warm 11, easy maintenance just wipe with a mop.



人**与全国在**世界软体材料引导者

#### Application field:

Medical system (hospitals, laboratories, nursing homes, pharmaceutical factories, etc.) Education system (schools, training institutions, kindergartens, etc.) Office system (offices, conference rooms, etc.)Commercial systems (shopping malls, hotels, recreation centers, restaurants, etc.) Sports systems (stadiums, event centers, etc.)Transportation system (cars, airports, highspeed rail stations, bus stations, docks, etc.)Industrial systems (factory buildings, warehouses, etc.)





### Double fiber PVC industrial roll flooring

#### • Product structure diagram



Suitable for a variety of conditions, especially high wear-resistant demand ground, such as chemical plants, machinery plants, equipment workshops and other forklifts, hydraulic vehicles are frequently used, large production workshops with high requirements for ground bearing pressure.

product	specifications		
product	length(m)	width(m)	thickness (mm)
Double fiber PVC industrial roll flooring	20	2.0	1.8/2.0/2.6/3.0
Double glass fiber PVC industrial coil floor	20	2.0	1.4/1.6/1.8/2.0
Single glass fiber PVC industrial coil floor	20	2.0	1.2/1.4/1.6/1.8

Color, length, width (up to 2.0 meters) can be customized





人**只会了FETTANUMONG®**世界软体材料引导者



## 5 5 5 Advertising Material **广告布系列材料**

Advertising material, also known as inkjet fabric, light box fabric, is a kind of inkjet material made of PVC laminated film and composite plasticization of base cloth. It has the advantages of good ink absorption on cloth surface, gorgeous picture coloring, environmental degradation of materials, etc. It is widely used in subway light box, outdoor shop recruitment and anti-aircraft gun advertising, real estate decoration and decoration projects.There are black and white cloth, knife scraping internal light, knife scraping external light, black double spray cloth, ceiling soft film, mesh cloth and other series, the company has 6 meters advertising hot laminated equipment, accept all kinds of needs customized.



#### Advertising Material 广告布系列材料









▲ 刀刮内外光 幅宽2~5米 Knife coating frontlit and backlit width of 2~5 meters



# туре 6

## Industrial Packaging Materials **工业包装用布系列材料**

With the continuous upgrading of the current composite material technology, the application field of new PVC soft materials is more and more wide. With its excellent characteristics of lightweight, environmental protection, high strength and so on, it has gradually replaced many traditional industrial supplies, among which antiseepage fabric, pre-pressed water tank, industrial liquid tank, PVC ventilation duct fabric, inflatable equipment cover and other products are widely used in all walks of life, effectively improving the convenience of construction operations in related links.



Industrial Packaging Materials **工业包装用布系列材料** 









Tensilestrength (N/5cm)	warp4000	weft3800
Tearing strength	warp550	weft500
Peel strength	140	

Feitian Jinlong water tank fabric is waterproof, wear-resistant, environmentally friendly, non-toxic, anti-rot, anti-freeze, anti-oxidation, anti-UV strong strengthening material. The product is not affected by seawater, chemicals, chemicals, oil stains, acid and alkali and aquatic organisms, no pollution, no damage to the environment.The product has been widely used and praised in various fields.

(54

Industrial Packaging Materials **工业包装用布系列材料** 





The anti-seepage fabric has high puncture strength, large friction coefficient, good aging resistance, large temperature range, and excellent anti-drainage performance can be widely used in railway, highway, sports hall, dam, hydraulic construction, tunnel, coastal beach, reclamation, environmental protection and other projects.





#### Model:950ganti-seepage fabric

Tensilestrength (N/5cm)	warp4100	weft3900
Tearing strength	warp600	weft550
Peel strength	110	
Product weight, color, width, length, cold		

resistance, flame retardant, surface treatment can be customized according to customer requirements. Industrial Packaging Materials **工业包装用布系列材料** 

The air duct fabric has high strength, impact resistance, good noise reduction effect, waterproof, moisture-proof performance, fire prevention, anti-static. Suitable for tunnels, culverts, water conservancy and hydropower, coal mines and other places, can be customized according to demand.











# Z Emergency Rescue Materials **应急救援系列材料**

Туре

Emergency rescue material, made of high-strength base fabric, has superior air-tight waterproof performance and impact resistance.

Widely used in:

**Emergency rescue & medical tent** 

Flood control for emergency use

**Emergency rescue water tank** 

Assault boat for rescue

Inflatable plane emergency escape slide

Inflatable tents for haze



Emergency Rescue Materials 应急救援系列材料











Emergency Rescue Materials **应急救援系列材料** 





#### Civil Affairs rescue tent





## Type 8

## TPU Evo-friendly Materials **TPU环保材料系列**

The new polyester and polyether materials are uniformly coated on the high-strength polyester base cloth, which has the advantages of hydrolysis resistance, high permeability, climate resistance, ultraviolet resistance, bio-based, impact resistance, microbial resistance, and resistance to minus 60 degrees low temperature. It is widely used in clothing fabrics, food transportation, luggage materials, sewage treatment, liquid bags, oil bags, drinking water sources and other fields.The mesh material produced by the company has a maximum width of 3.2m and a material thickness of 0.3mm-2.0mm, which can be customized with acceptable specifications.



TPU Evo-friendly Materials **TPU环保材料系列** 

 Turbus





