V4650EV9-UP3 AUTOMATIC BELT LOOP SETTER







AUTOMATIC BELT LOOP SETTER V4650EV9-UP3

Vi.Be.Mac. has developed its own loopsetter unit keeping always the focus on the flexibility, creating a unit able to satisfy many different style requirements. The V4650EV9-UP3 can work on classic, semi classic, inserted, double loop and can perform a fully customizable bartack. In terms of quality, the unit is equipped with latest patented technologies for a perfect aligned loop, a V cut of the loop, a long last of the cutting system and the maximum comfort for the operator.

DOUBLE COMPENSATORY PRESSER FOOT

Increased pressure on multiple layers reduces flexure and lowers the barycenter.

DOP ALIGNMENT SYSTEM

OUALITY

FAST

FASHION STYLES

It ensures perfect loop positioning on fabric, especially for folded tails (Q loop/3D loop), enabling fast work without individual loop centering.

🗱 CLEAN AND PRECISE CUT

New cutting system with single and clean cut with V or Straight shape, efficient running cost saving thanks to the long blade lasting

CCCD REVOLVING SYSTEM FOR DEVICES POSITION

Devices can be set in 4 preset positions with a quick revolving system; downtime greatly reduced

TECHNICAL SPECIFICATIONS

Sewing Head: Vi.Be.Mac. Max Sewing Head Speed: 2800 rpm Max Sewing Machine Speed: 2600 rpm No. of Stitches: 1 to 999 (programmable) Needle Distance: 25 to 80 mm Loop Width: 8 to 30 mm Finished Loop: 32 to 85 mm Sewing Area: 15 x 28 mm Sewing Machine Motor: Juki XCG 554 20Y - 550 W Control Box: XCG MFY 2005 Operating Air Pressure: 4.5 bar Power Supply Voltage: 220 V 50/60 Hz Air Consumption: 6 L/min





FEATURES

- ✓ 7" colored super fast touch screen panel
- ✓ Panasonic X&Y-axis drive motor
- ✓ Customizable bartack: to satisfy every fashion and style request, and adapting the bartack density for every different fabric
- ✓ CPU assures a much better software management, a better seam quality, easier adjustments and patterns, more precision, more customizable and more fashion options
- ✓ Updates through USB or internet (remote control)
- ✓ Preview of new patterns visible on the screen
- ✓ Auto-diagnostic system to avoid errors
- ✓ Software available in 8 different languages: Italian, English, Spanish, Portuguese, Turkish, Russian, Arabic, Chinese
- ✓ Fast adjustment of opening / closing loop guides without use of any tools
- \checkmark New design of the stand







FOLLOW OUR SOCIALS



VI.BE.MAC. S.p.A.

Società soggetta a direzione e coordinamento di Jack Europe S.à.r.l.

Via Monte Pastello, 7/i - 37057 San Giovanni Lupatoto (VR), Italy vibemac@vbm-grp.com - sales@vbm-grp.com - customercare@vbm-grp.com Tel. <u>+39 045 8778151 / 8778152</u>

