

THE *IRON* SERIES



When Pressed to choose...



ENG Naomoto Standard Confort
ITA Impugnatura confortevole ed utilizzo agevole
SPA Manilla confortable y de fácil uso
FRA Poignée confortable et facile d'utilisation



ENG Tuffram finish iron sole
ITA Finitura piastra in Tuffram
SPA Definición placa en Tuffram
FRA Semelle en finition Tuffram



ENG A mechanism which prevents condensation in the iron chamber
ITA Sistema che previene la formazione della condensa all'interno del ferro
SPA Sistema de prevención de la formación de la condensación en el interior de la plancha
FRA Système empêchant la formation de condensation à l'intérieur du fer



ENG Precise Temperature Control
ITA Controllo preciso della temperatura
SPA Control preciso de la temperatura
FRA Contrôle précis de la température



ENG Hard Chrome finish iron sole
ITA Finitura piastra in acciaio cromato
SPA Acabado placa en acero cromado
FRA Semelle en acier chromé

Electric Steam Series

Electric Series

CDP-420

2-in-1 P.T.C. TUFF N.S.C.



Model	CDP-420
Voltage	120V/220V
Wattage	540W/550W
Weight	1.7kg
Sole Finishing	Tuffram

CDL-520/620

2-in-1 P.T.C. TUFF N.S.C. 3-D



Model	CDL-520	CDL-620
Voltage	220V	220V
Wattage	740W	850W
Weight	2.0kg	2.3kg
Sole Finishing	Tuffram	Tuffram

EA-40

P.T.C. TUFF N.S.C. 3-D



Model	EA-40
Voltage	120V/220V
Wattage	540W/550W/930
Weight	1.2kg
Sole Finishing	Tuffram

CNP-410

ITS P.T.C. TUFF N.S.C.



Model	CNP-410
Voltage	220V
Wattage	1000W
Weight	1.6kg
Sole Finishing	Tuffram

ADL-610

2-in-1 P.T.C. TUFF N.S.C. 3-D



Model	ADL-610
Voltage	220V
Wattage	1000W
Weight	2.0kg
Sole Finishing	Tuffram

EA-50

P.T.C. TUFF N.S.C. 3-D



Model	EA-50
Voltage	220V
Wattage	1050W
Weight	1.3kg
Sole Finishing	Tuffram

...Choose the Best!

3-D

ENG Three-dimensional curved iron sole
ITA Curvatura piastra tridimensionale
SPA Curvatura placa tridimensional
FRA Semelle courbée trois dimension

2-in-1

ENG 2-in-1 Hose system
ITA Sistema monotubo
SPA Sistema monotubo
FRA Système mono-tube



All-Steam Series

HSP-320

2-in-1 HARD N.S.C.




Model HSP-320

Wight 1.1kg
Sole Finishing Hard Chrome

HSP-420/520

2-in-1 HARD N.S.C. 3-D



Model HSP-420 HSP-520

Weight 1.3kg 1.6kg
Sole Finishing Hard Chrome Hard Chrome

Steam Brush Series

SWJ-35

N.S.C. TUFF




Model SWJ-35

Voltage 120V/220V
Wattage 1,2kW
Weight 1.7kg
Sole Finishing Tuffram

HSL-610

HARD N.S.C. 3-D




Model HSL-610

Weight 1.9kg
Sole Finishing Hard Chrome

HSL-620

2-in-1 HARD N.S.C. 3-D



Model HSL-620

Weight 1.8kg
Sole Finishing Hard Chrome

SWN-8

P.T.C. TUFF N.S.C. ITS



Model SWN-8

Voltage 110V/220V
Wattage 800W+1.2kW
Base Size 160x56mm
Sole Finishing Tuffram

Ecological iron model AHS-series

AHS-300




P.T.C. TUFF N.S.C.

AHS-400

P.T.C. TUFF N.S.C.

AHS-500

P.T.C. TUFF N.S.C.



Model	AHS-300
Voltage	110/120V
Wattage	840W
Weight	0,9Kg
Sole Finishing	Tuffram

Model	AHS-400
Voltage	110V/220V
Wattage	840W
Weight	1.4kg
Sole Finishing	Tuffram

Model	AHS-500
Voltage	110V/220V
Wattage	840W
Weight	1.6kg
Sole Finishing	Tuffram

Gravity feed or pump feed iron HYS series



Without any steam generator, you can easily start ironing wherever you want if only an electric power supply is available. It is suitable for tailor shop, boutique and also garment factory.

HYS-420

P.T.C. TUFF N.S.C.

HYS-410P - 520P

P.T.C. TUFF N.S.C.



Model	HYS-420
Voltage	110V
Wattage	1000W
Weight	1,8Kg
Sole Finishing	Tuffram

Model	HYS-410P	HYS-520P
Voltage	110V	120V/220V
Wattage	1000W	880/900W
Weight	1.8kg	1.8kg
Sole Finishing	Tuffram	Tuffram

*Specification are subject to change with o without notice.