


ZSK

ZSK STICKMASCHINEN

MADE
IN
GERMANY


ACCESSORIES

FOR ZSK TUBULAR MACHINES



WHERE TO BUY ZSK ACCESSORIES?

Find your closest ZSK Distributor via the QR code on our website or contact the ZSK Spare Part Team via parts@zsk.de



SPRINT CLASSIC / 6 / 7 / 8.....	4
RACER	8
Special Frames & Equipment	12
Cap Embroidery SPRINT & RACER.....	15
Optional Devices.....	16
TGEE Cutter.....	23
Mighty Hoop	24
HoopTech	32
Allied Hoops (PAGL)	34
Wooden Frames - For Tubular Mode	38
Wooden Frames - For Flat Mode	40
Retrofit.....	44
Safety	45
Winder & Unwinder.....	46
Tools.....	48
Consumables	52
ZSK PoolBox, MY.ZSK.....	54
Service	55

SPRINT CLASSIC / 6 / 7 / 8





**LIGHT BARRIER
SPRINT / SPRINT XL**

The light barrier is for the safety of the operator.

Item No.: 360.030.900



**STATUS LIGHT FOR
SPRINT CLASSIC / 6 / 7**

Shows the status of the machine.

Item No.: 396.100.036



**STATUS LIGHT FOR
SPRINT 7L & 7XL**

Shows the status of the machine.

Item No.: 396.100.037



**QUICK CHANGE SYSTEM
SPRINT 5 / 6 / 7**

Allows to change between different modes and frames within seconds.

Item No.: 360.998.901



**QUICK CHANGE SYSTEM
- ONE ADAPTER**

Adapter for Quick Change System SPRINT 5 / 6 / 7

Notice: Two adapters per frame are needed.

Item No.: 360.010.209



PREPARATION SEQUIN DEVICE

The preparation makes a later installation of a sequin device easier. Preparation can be left and/or right of the embroidery head.

Item No.: 270.022.964



**TABLE PLATE
SPRINT CLASSIC / 5**

Item No.: 360.007.801



**TABLE PLATE
SPRINT 6 / 7**

Item No.: 360.007.804



**TABLE PLATE EXTENDED
SPRINT 6/7**

Obligatory for ROLL2BASKET

Item No.: 360.007.806



SPRINT ROLL MOUNTING

Two rolls are attached to the back of the machine, for easier moving in tight spaces like a trunk.

Item No.: 360.001.913



SUPPORT FOR TUBULAR ARM (HEAVY GOODS)

Support to reinforce the tubular frame when embroidering heavy materials.

Item No.: 360.008.923



SPRINT CLASSIC /5 / 6 / 7 BASE FRAME

The stand is height adjustable

Item No.: 360.001.921



SPRINT CLASSIC / 6 / 7 BORDER FRAME

Max. embroidery field
460 mm x 310 mm / 18,1" x 12,2"

Item No.: 360.008.940



SPRINT 6 L BORDER FRAME L

Max. embroidery field
600mm x 280mm / 23,6" x 11"

Item No.: 360.008.968



SPRINT 6 XL BORDER FRAME XL

Max. embroidery field
1.200mm x 280mm / 47,2" x 11"

Item No.: 360.008.942



SPRINT 7 L BORDER FRAME L

Max. embroidery field
600mm x 400mm / 23,6" x 15,7"

Border Frame SPRINT 7L
Item No.: 360.008.958

Frame Divider (vertical)
Item No.: 360.011.901



SPRINT 7 XL BORDER FRAME XL

Max. embroidery field
1.400mm x 400mm / 47,2" x 11"

Border Frame SPRINT 7XL
Item No.: 360.008.951

Frame Divider (vertical)
Item No.: 360.011.901



INTERMEDIATE TENSIONER

For SPRINT CLASSIC / 6 / 7
To vertically divide the Border Frame.

Item No.: 360.011.901



STITCH PLATE - UPGRADE
RACER & SPRINT CLASSIC

A CLASSIC can be upgraded to benefit from the variety of inserts of the Racer. Therefore the standard stitch plate can be switched to the threaded version.

Item No.: 361.002.205



STITCH PLATE INSERT
RACER & SLIM TUBULAR ARM

Application: standard (default)

Insert \varnothing : 12,0 mm
Tap hole \varnothing : 2,0 mm
Insert height: 1,3 mm
Flat sink: 0,3 mm

Item No.: 360.002.253



BASE FRAME
SPRINT 8

Item No.: 360.001.932




TABLE PLATE
SPRINT 8

Item No.: 360.007.811



STATUS LIGHT
SPRINT 8

Item No.: 360.009.925



LIGHT BARRIER
SPRINT 8

Item No.: 360.030.906



LIFTING DEVICE
SPRINT 8

Item No.: 360.001.934



SPRINT 8
BORDER FRAME

Max. embroidery field
460 mm x 310 mm / 18,1" x 12,2"

Item No.: 360.008.978

RACER





**LIGHT BARRIER
RACER**

Standard Lightbarrier
Item No.: 361.030.900

Barrier for installed Sequin Device
Item No.: On Request



**STATUS LIGHT FOR
RACER**

Shows the status of the machine.

Item No.: 396.100.036



**ERGONOMIC MOUNT FOR
T8 AND LAPTOP**

The T8 mount with 2 arms allows parallel working on T8 and laptop. Swivellable and adjustable to desired position and height.

Item No.: 361.998.904



**MACHINE HEIGHTENING
RACER 4 PCS**

Heightening 115mm / 4,5"
Item No.: 368.999.905

Heightening 215mm / 8,5"
Item No.: 368.999.904



MACHINE PEDESTAL

Item No.: 368.001.902



**SUPPORT FOR TUBULAR ARM
(HEAVY GOODS)**

Support to reinforce the tubular frame when embroidering heavy materials.


Item No.: 360.008.923



PREPARATION SEQUIN DEVICE

The preparation makes a later installation of a sequin device easier.

Item No.: 270.022.964



STRONGER SPRINGS

Stronger Springs Standard
Item No.: 502.450 / per pc.

Stronger Springs Leather
Item No.: 502.516 / per pc.

Stronger Spring Puffy
Item No.: 502.526 / per pc.



PROTECTIVE COVER

Protective Cover 18 Needles
Head 1 - Item No.: 285.003.920
Head 2 - Item No.: 285.003.917

Protective Cover 24 Needles
Head 1 - Item No.: 281.998.901
Head 2 - Item No.: 281.998.900



**STITCH PLATE - UPGRADE
RACER & SPRINT CLASSIC**

A CLASSIC can be upgraded to benefit from the variety of inserts of the RACER. Therefore the standard stitch plate can be switched to the threaded version.

Item No.: 361.002.205



**STITCH PLATE INSERT
RACER & SLIM TUBULAR ARM**

Application: cap embroidery (option)

Insert Ø: 12,0 mm
Tap hole Ø: 2,0 mm
Insert height: 3,0mm

Item No.: 990.112.202



**STITCH PLATE INSERT
RACER & SLIM TUBULAR ARM**

Application: standard (default)

Insert Ø: 12,0 mm
Tap hole Ø: 2,0 mm
Insert height: 1,3 mm
Flat sink: 0,3 mm

Item No.: 360.002.253



BORDERFRAME

Different models, depending on machine type

Border frame 93 - standard includes silver coloured standard clips along the border frame (which require less strength) and bronze coloured standard clips on the sides of the border frame (which require more strength)

Border frame 96 - uses only bronze coloured standard clips (require more strength)

Type	Border Frame 93	Border Frame 96
RACER 1W	361.108.702	361.108.703
RACER 2W	362.208.702	362.208.703
RACER 4S	364.408.702	364.408.703
RACER 4W	366.408.702	366.408.703
RACER 6S	366.608.702	366.608.703
RACER 6W	368.608.702	368.608.703
RACER 8S	368.808.702	368.808.703



CLIPS FOR BORDERFRAME

Different models, depending on machine type

CLIPS FOR BORDER FRAME

Type	Item no.
Clip (Silver) - 200mm	990.156.900
Clip (Silver) - 300mm	990.156.901
Clip (Silver) - 1.000mm	280.025.904
Clip (bronze-F) - 200mm	990.156.902
Clip (bronze-F) - 300mm	990.156.903
Clip interlock - 200mm	990.158.900
Clip interlock - 250mm	990.158.901



INTERMEDIATE TENSIONER

For RACER / RACER II

To vertically divide the Border Frame.
Width: 125mm

RACER S / RACER W: 500mm / 19,7"

Item No.: 208.999.983

RACER SL / RACER WL: 700mm / 27,5"

Item No.: 280.999.984



ADJUSTING RAIL

For RACER / RACER II

To reduce the embroidery field depth, as well as to connect different frames to it. The smallest reduction of the embroidery field is 110mm

ADJUSTING RAIL

Type	Item no.
RACER 1W	361.010.908
RACER 1WL, RACER 2W	362.210.903
RACER 2WL, RACER 4S	364.410.907
RACER 4W	366.410.910
RACER 4WL, RACER 6S	366.480.900
RACER 6W,	368.610.910
RACER 6SL, RACER 8S	368.810.910



FASTENING SET

For RACER / RACER II

Holder to attach to pantograph rail. With this set, single frames can be used in border frame mode.

The fastening set includes one adapter for each head.

FASTENING SET Z 200

Type	Item no.
RACER 1W, RACER 1WL	272.010.900
RACER 2W, RACER 2WL	272.210.901
RACER 4S, RACER 4W, RACER 4WL	366.410.902
RACER 6S, RACER 6SL, RACER 6W	368.610.900
RACER 8S	272.710.900

FASTENING SET Z 360

Type	Item no.
RACER 1W, RACER 1WL	361.010.903
RACER 2W, RACER 2WL	202.010.902
RACER 4S	263.410.901
RACER 4W, RACER 4WL	366.410.904
RACER 6S, RACER 6SL	366.610.904
RACER 6W	368.610.905
RACER 8S	174.810.905


SPECIAL FRAMES & EQUIPMENT



**WÜRKER SHIRT COLLAR
FRAME**

For left and right side!
Max. embroidery field
160 x 70 mm / 6,3" x 2,8"

Item No.: 360.010.910



**SPRINT CLASSIC / 5 / 6 / 7
SERVICE TABLE**

Item No.: 360.010.913



WÜRKER SHOE FRAME

Embroidery field max.
175 x 124 mm / 6.88" x 4.88"
It is recommended to use stronger
springs to embroider leather.

Item No.: 360.010.907



**WÜRKER MAGNETIC BELT
AND RIBBON FRAME**

Max. embroidery field
200mm x 90mm / 7,87" x 3,55"

Item No.: 270.010.723



WÜRKER QUICK CLAMP

Clamping arms are adjustable in height
to the thickness of the material. The
distance between the arms can be
adjusted to the product and the required
embroidery field width (85-190mm).

Item No.: 910.002.711



SOCKS FRAME

Embroidery field max.
80 x 60 mm / 3.14" x 2.36"
For tabel mode.
Available for ZSK embroidery machines
with head distance 400 and 495 mm.

Item No.: 360.010.901



**FRAMING JIG FOR SOCKS
FRAME**

Framing jig for item No.: 360.010.901
Metal work with drillings to fix the jig
at a working table.

Item No.: 570.271



STENCIL FRAME

Stencil frame with Destaco clamps, 10
production panels.
Panel size 110 x 25 mm / 4.33" x 0.98"

Item No.: 70069



STENCIL FRAME
 With 24 production panels.
 Panel size 113 x 28 mm / 4.44" x 1.1"

Item No.: 360.010.902




STENCIL FRAME
 With 24 production panels.
 Panel size 122 x 28 mm / 4.8" x 1.1"

Item No.: 360.010.904




CUSTOM STENCIL FRAME
 On request



**SPECIAL FASTENING SET
 Z360 SPRINT**
 Only for SPRINT CLASSIC / 5 / 6 / 7

Item No.: 360.010.900



**FASTENING SET Z360 SPRINT
 WOODEN FRAME OVAL**
 310 x 460 mm / 12.20" x 18.11"
 Largest Wooden Frame for SPRINT.
 Only for SPRINT Special Fastening Set

Item No.: 270.010.979



WÜRKER POCKET FRAME SET
 Particularly favourable en bloc.
 Pocket frames set 50, 70 and 130.
 To run this device ZSK cap drive must be installed.

Item No.: 376.028.918




WÜRKER POCKET FRAME 50
 Max. embroidery field
 40 x 85 mm / 1.57" x 3.34"
 To run this device ZSK cap drive must be installed.

Item No.: 376.028.928



WÜRKER POCKET FRAME 55
 Max. embroidery field
 65 x 45 mm / 2.55" x 1.77"
 To run this device ZSK cap drive must be installed.

Item No.: 376.028.916



WÜRKER POCKET FRAME 70
 Max. embroidery field
 85 x 60 mm / 3.34" x 2.36"
 To run this device ZSK cap drive must be installed.

Item No.: 376.028.914



WÜRKER POCKET FRAME 80

Max. embroidery field
70 x 60 mm / 2.75" x 2.36"

To run this device ZSK cap drive must be installed.

Item No.: 376.028.929



WÜRKER POCKET FRAME 130

Max. embroidery field
85 x 120 mm / 3.34" x 4.72"

To run this device ZSK cap drive must be installed.

Item No.: 376.028.917



POCKET FRAME

To run this device ZSK cap drive must be installed.

Item No.: 570.275



FRAMES SET PLASTIC

Contains: One single base frame, 2 single frames each in the sizes 90 -120 -150-180 and 210 mm, adapter and fastening material.

For flat system machines and RACER with Borderframe

Item No.: 270.010.715



FRAMES SET PLASTIC

Contains: One double base frame, 4 single frames each in the sizes 90 -120 -150-180 and 210 mm, adapter and fastening material.

NOTE: Only for flat system machines from 700mm depth.

Item No.: 270.010.716



FRAMES SET TUBULAR

Contains:
3 frames sizes
2x single plastic frame 145x145 mm / 190x190 mm and 295x295 mm each.

For RACER / SPRINT / CLASSIC

Item No.: 376.010.720

CAP EMBROIDERY SPRINT & RACER



CAP DRIVE FOR CAP & SHIRT POCKET
 The Cap Drive is obligatory for using ZSK Cap Frame and and Shirt Pocket Frame

Item No.: 361.028.931



CAP FRAME 360
 Embroidery field max:
 360 x 70 mm / 14.17" x 2.75", ca. 260°. With downholder for caps peak.
 Required: ZSK Cap Drive

Item No.: 361.028.928



CAP FRAME 150/135
 Cap Frame with downholder.
 Embroidery field max:
 135 x 55 mm / 5.31" x 2.16", ca. 150°
 Cap Frame with flap panel for easier clamping. Required: ZSK Cap Drive

Item No.: 361.028.917



PROTECTOR FOR CAPS
 Protects the Brim, if longer as usual.

Protector for 12 Needle Heads
 Item No.: 360.020.907

Protector for 18 Needle Heads
 Item No.: 360.020.908



FRAMING JIG
 Cap & Pocket Frame
 Framing Jig for Cap Frame 360 and Pocket Frames. For Pocket Frames the wings of the Jig must be removed.


Item No.: 361.028.903



CAP AND SHIRT POCKET FRAMING STATION
 The new cap and shirt pocket framing station makes it easier to hoop caps and shirtpockets.

Item No.: 361.028.935

OPTIONAL DEVICES





SEQUIN DEVICE V9


Stitch one kind of sequins with size: 3mm up to 19mm

Device left side

Item No.: 271.022.911

Device right side

Item No.:271.022.910



SEQUIN DEVICE V6.1

Stitch one kind of sequins with size: 3mm up to 9mm

Device left side

Item No.: 270.022.991

Device right side

Item No.: 270.022.990



SEQUIN DEVICE T7 (TWIN)

For two different sequins sizes from 2mm up to 9mm

Device left side

Item No.: 271.022.931

Device right side

Item No.: 271.022.930

**END OF SEQUIN RECOGNITION
FOR T7 SEQUIN DEVICE**

Stops the machine when a sequin roll is empty.

Type


Item no.

Left side

271.022.985

Right Side

271.022.986



SEQUIN DEVICE - LED

Note: The device can not be used for standard sequins.

Device left side

Item No.: 271.022.978

Device right side

Item No.: 271.022.977



SEQUIN DEVICE - RHINESTONE

Note: The device can not be used for standard sequins.

Device left side

Item No.: 271.022.980

Device right side

Item No.: 271.022.979



PREPARATION SEQUIN DEVICE

The preparation makes a later installation of a sequin device easier.

Device left or right

Item No.: 270.022.964

Device left and right


Item No.: 270.022.964 LuR



BORING DEVICE

This device is a stitch tool with four sharp edges that bores a hole in the fabric. Installed on needle no. 3

Item No.: 270.003.904



CORD/ LOOP DEVICE

Includes two cord feet sizes (1,3 and 1,5 mm).
2 needles taken per head

Device left side

Item No.: 270.012.911

Device right side

Item No.: 270.012.912

ADDITIONAL FEET FOR CORD/ LOOP DEVICE

The additional feet allows to easily switch to a different cord size.

Type	Item no.
Hole size 0.9 mm	990.058.205
Hole size 1.1 mm	990.058.206
Hole size 1.3 mm	990.058.200
Hole size 1.5 mm	990.058.201
Hole size 1.7 mm	990.058.202
Hole size 2.0 mm	990.058.203
Hole size 2.5 mm	990.058.204



BEAD DEVICE TWIN

Device left side

Item No.: 570.795

Device right side

Item No.: 570.796



ROLL2BASKET
Embroidery of ribbons/belts with width 10 - 150 mm.

ROLL2BASKET - Unit/Head **Priming / per machine**
Item No.: 570.734 Item No.: 570.733




ROLL2BASKET
TABLE PLATE EXTENDED FOR SPRINT 6 / 7
Obligatory for ROLL2BASKET on SPRINT 6 / 7

Item No.: 360.007.806



ROLL2BASKET
UP WINDING UNIT FOR ROLL2BASKET
The embroidered ribbon is wound onto a roll for further processing. For rolls with up to 400mm diameter and materials of up to 5mm thickness.

Item No.: 570.816



ROLL2BASKET
SENSOR FOR TAPES FOR ROLL2BASKET
Potential applications are ribbons with textile printing or weaving that have a defined area where embroidery needs to be placed on point.

Item No.: 585.114



POB E30 PLACEMENT DEVICE

On request



HAC - HOT AIR CUTTING

This device cut out textile materials by a given contour.

HAC / per Head
Item No.: 570.717

Priming / per machine
Item No.: 570.722



CORDING DEVICE EP 1.2

This device allows cord sizes from 0.8 mm - 4 mm.

Priming / per machine left
Item No.: xxx

Priming / per machine right
Item No.: xxx

Device left side
Item No.: 570.749

Device right side
Item No.: 570.716

EASY POSITIONING SYSTEMS

EPS HoopStation & EPS BOW


THE VIRTUAL POSITIONING SYSTEM
FOR EMBROIDERY AND
TRANSFER / HEAT PRESS PRINTING



EPS HOOPSTATION

EPS for Embroidery - Supports all machine makes that work with the HoopMaster and MightyHoop.
(without HoopMaster and Mighty Hoop)

Item	Item No.
EPS HoopStation Table Mount	571.301
EPS HoopStation Control System	571.302
EPS HoopStation Projector	571.303



EPS BOW

EPS for Transferprinting - Compatible with all heat presses that allow linear projection onto the plate.
(without Heat Press)

Item	Item No.
EPS BOW Table Mount	571.301
EPS BOW Control System	571.302
EPS BOW Projector	571.303

TGEE CUTTER



TGEE CUTTING MACHINE 1900 3.0

Cut the same time 3 rolls with Vliseline embroidery backing material of each 1500mm. By using 8 cutting knives, you can get 27 embroidery backings per cycle!

On Request



TGEE CUTTING MACHINE 2300 3.0

Cut at the same time 6 rolls with Vliseline embroidery backing material of each 900mm. By using 10 cutting knives, you can get 36 embroidery backings per cycle!

On Request

EMBROIDERY ACCESSORIES

MIGHTY HOOP

QUEST FOR HAPPINESS - HOOPING AID AND MAGNETIC HOOPS

HoopMaster and the Mighty Hoop are today's easiest to use hooping aid available for the professional embroidery industry worldwide.

This helpful system will save time, increase productivity and rise quality of work at any company in the industry.

The many patented features of HoopMaster make clamping of textiles and other materials easier, faster and top consistent.

The positioning of design elements like a company logo will be realized by the help of a coordinate system. Keeping this individual coordinate documented guarantees the straight reproduction of this positioning at any time.

With HoopMaster hooping aid and Mighty Hoop magnetic hoops even untrained teamer will learn quickly to clamp textiles in top-quality.



MIGHTY HOOP SET



BASIC MAGNETICS

ZSK's starter kit „Basic Magnetics“

- HoopMaster Station, T-Square
- 1 x Mighty Hoop 5.5“
- 1 x Fixture for Mighty Hoop
- 1 Set Brackets

Item No.: 570.220



EXTENDED MAGNETICS

ZSK's kit „Extended Magnetics“ for large Mighty Hoops.

- 10“ x 10“ Mighty Hoop
- 1 x Adjustable Fixture
- 1 Set Brackets

Item No.: 570.217

HOOP MASTER



HOOPMASTER - INFANT

The station „Infant“ is about 215 mm or 8.5“ wide. It works great for baby and toddler sizes.

Item No.: 570.201



HOOPMASTER - MEDIUM

The station „Medium“ is about 330 mm or 13“ wide. The station is about 76 mm or 3“ narrower than the standard station. It works great down to children garment sizes.

Item No.: 570.248



HOOPMASTER - STANDARD

The station „Standard“ is 405 mm or 16“ wide and good for standard garment sizes. This station can be extended with the „Extender“ for large clothing sizes

Item No.: 570.234



HOOPMASTER EXTENDER

This plate will broaden the HoopMaster station „Standard“. This part allows the easier alignment of clothing sizes XL and larger.

Item No.: 570.215

MIGHTY HOOP FIXTURES



FIXTURE MIGHTY HOOP 4.25"
 Fixture for Mighty Hoop 4.25" for the HoopMaster System!

Item No.: 570.232



FIXTURE MIGHTY HOOP 4.375"
 Fixture for Mighty Hoop 4.375" for the HoopMaster System!

Item No.: 570.267



FIXTURE MIGHTY HOOP 5.5"
 Fixture for Mighty Hoop 5.5" for the HoopMaster System!

Item No.: 570.222



FIXTURE MIGHTY HOOP 6.5"
 Fixture for Mighty Hoop 6.5" for the HoopMaster System!

Item No.: 570.266



FIXTURE MIGHTY HOOP 7.25"
 Fixture for Mighty Hoop 7.25" for the HoopMaster System!

Item No.: 570.226



UNIVERSAL-FIXTURE
 Universal fixture for Mighty Hoop sizes from 10"x10" to 13"x16"

Item No.: 570.224



FIXTURE MIGHTY HOOP 13" X 4.25"
 Fixture for Mighty Hoop 13" x 4.25" for the HoopMaster System!

Item No.: 570.230



FIXTURE MIGHTY HOOP 16" X 4.25"
 Fixture for Mighty Hoop 16" x 4.25" for the HoopMaster System!

Item No.: 570.268

MIGHTY HOOP



MIGHTY HOOP 4.25"
 Dimension: 4.25" / 108 mm.
 Available for ZSK embroidery machines with head distance 400 and 495 mm.

Item No.: 570.231



MIGHTY HOOP 4.375" ROUND
 Dimension: 4.375" / 111.1 mm round.
 Available for ZSK embroidery machines with head distance 400 and 495 mm.

Item No.: 570.259



MIGHTY HOOP 5.5"
 Dimension: 5.5" / 135 mm.
 Available for ZSK embroidery machines with head distance 400 and 495 mm.

Item No.: 570.221



MIGHTY HOOP 6.5"
 Dimension: 6.5" / 165 mm
 Available for ZSK embroidery machines with head distance 400 and 495 mm.

Item No.: 570.257



MIGHTY HOOP 7.25"
 Dimension: 7.25" / 184 mm.
 Available for ZSK embroidery machines with head distance 400 and 495 mm.

Item No.: 570.225



MIGHTY HOOP 10"
 Dimension: 10" / 254 mm.
 Available for ZSK embroidery machines with head distance 400 and 495 mm.

Item No.: 570.223



MIGHTY HOOP 4.25" X 13"
 Dimension: 4.25" x 13" / 108 x 330 mm
 For ZSK embroidery machines with head distance 495 mm.

Item No.: 570.258



MIGHTY HOOP 6.25" X 8.25"
 Dimension:
 6.25" x 8.25" / 159 x 210 mm.
 For ZSK embroidery machines with head distance 495 mm

Item No.: 570.245



MIGHTY HOOP 8" X 9"
 Dimension: 8" x 9" / 203 x 229 mm
 For ZSK embroidery machines with head distance 400 and 495 mm.

Item No.: 570.255



MIGHTY HOOP 8" X 13"
 Dimension: 8" x 13" / 203 x 330 mm.
 For ZSK embroidery machines with head distance 495 mm.

Item No.: 570.233



MIGHTY HOOP 9" X 5"
 Dimension: 9" x 5" / 229 x 127 mm
 Available for ZSK embroidery machines with head distance 400 and 495 mm.

Item No.: 570.256



MIGHTY HOOP 11" X 13"
 Dimension: 11" x 13" / 280 x 330 mm.
 For ZSK embroidery machines with head distance 495 mm.

Item No.: 570.227



MIGHTY HOOP 12" X 11"
 Dimension: 12" x 11" / 305 x 280 mm
 Largest Mighty Hoop available for ZSK embroidery machines with head distance 400 mm.

Item No.: 570.276



MIGHTY HOOP 12" X 15"
 Dimension: 12" x 15" / 305 x 381 mm.
 For ZSK embroidery machines with head distance 495 mm.

Item No.: 570.235



MIGHTY HOOP 13" X 16"
 Dimension: 13" x 16" / 330 x 406 mm.
 For ZSK embroidery machines with head distance 495 mm.

Item No.: 570.237



MIGHTY HOOP 13" X 4.25"
 Dimension: 13" x 4.25" / 330 x 108 mm.
 Available for ZSK embroidery machines with head distance 400 and 495 mm.

Item No.: 570.229



MIGHTY HOOP 16" X 4.25"
 Dimension: 16" x 4.25" / 406 x 108 mm.
 Available for ZSK embroidery machines with head distance 400 and 495 mm.

Item No.: 570.439

SPRINT - WHICH MIGHTY HOOP FITS?


	CLASSIC	SPRINT 6	SPRINT 6L	SPRINT 6XL	SPRINT 7	SPRINT 7L	SPRINT 7XL	SPRINT 8
4,25"	✓	✓	✓	✓	✓	✓	✓	✓
4,375"	✓	✓	✓	✓	✓	✓	✓	✓
5,5"	✓	✓	✓	✓	✓	✓	✓	✓
6,5"	✓	✓	✓	✓	✓	✓	✓	✓
7,25"	✓	✓	✓	✓	✓	✓	✓	✓
10"	✓	✓	✓	✓	✓	✓	✓	✓
4,25" x 13"	✓	✓	✓	✓	✓	✓	✓	✓
6,25" x 8,25"	✓	✓	✓	✓	✓	✓	✓	✓
8" x 9"	✓	✓	✓	✓	✓	✓	✓	✓
8" x 13"	✓	✓	✓	✓	✓	✓	✓	✓
9" x 15"	✓	✓	✓	✓	✓	✓	✓	✓
11" x 13"	✓	✓	✓	✓	✓	✓	✓	✓
12" x 11"	✓*	✓*	✓*	✓*	✓*	✓*	✓*	✓*
12" x 15"	✓	✓	✓	✓	✓	✓	✓	✓
13" x 16"	X	X	X	X	X	X	X	X
13" x 4,25	✓*	✓*	✓*	✓*	✓*	✓*	✓*	✓*
16" x 4,25"	X	X	X	X	X	X	X	X

* When ordering, please indicate the use for SPRINT

RACER - WHICH MIGHTY HOOP FITS?

	Head Distance 400 mm	Head Distance 495 mm
4,25"	✓	✓
4,375"	✓	✓
5,5"	✓	✓
6,5"	✓	✓
7,25"	✓	✓
10"	✓	✓
4,25" x 13"	✓	✓
6,25" x 8,25"	✓	✓
8" x 9"	✓	✓
8" x 13"	✓	✓
9" x 15"	✓	✓
11" x 13"	✓	✓
12" x 11"	✓	✓
12" x 15"	X	Limited
13" x 16" - Only for special use	X	X
13" x 4,25	✓	✓
16" x 4,25"	✓	✓

MIGHTY HOOP SUPPLIES



POCKET GUIDE
Pocket Guide for 5.5" Mighty Hoop.

Item No.: 570.244



FREE STYLE BASE
Portable Base for Mighty Hoop fixtures.

Item No.: 570.216



FOLD & BAG
Fold & Bag helps to fold shirts at the preadjusted width and length and to bag them.

Item No.: 570.214



EXTRA BOTTOM RING M 5.5"
This bottom ring is supplied with weaker magnets as the standard bottom rings. That works well if you mainly use the Mighty Hoops for shirts and light fabrics.

Item No.: 570.249

MIGHTY HOOP FIXTURES FOR ALLIED AGL/PAGL



FIXTURE FOR
AGL/PAGL Hoop 80 mm
Dimension: 80 mm / 3.15"
For the HoopMaster System!
(without hoop)

Item No.: 570.238



FIXTURE FOR
AGL/PAGL HOOP 120 MM
Dimension: 120 mm / 4.72"
For the HoopMaster System!
(without hoop)

Item No.: 570.239



FIXTURE FOR
AGL/PAGL HOOP 150 MM
Dimension: 150 mm / 5.9"
For the HoopMaster System!
(without hoop)

Item No.: 570.240



FIXTURE FOR
AGL/PAGL HOOP 180 MM
Dimension: 180 mm / 7"
For the HoopMaster System!
(without hoop)

Item No.: 570.241



FIXTURE FOR
AGL/PAGL HOOP 210 MM
Dimension: 210 mm / 8.26"
For the HoopMaster System!
(without hoop)

Item No.: 570.242



FIXTURE FOR
AGL/PAGL HOOP 300 MM
Dimension: 300 mm / 11.81"
For the HoopMaster System!
(without hoop)

Item No.: 570.243

EMBROIDERY ACCESSORIES

HOOPTECH




**ICTCS 1 - CLAMPING SYSTEM
BASIC CHASSIS**

Item No.: 571.213



**ICTCS 1 - CLAMPING SYSTEM
WINDOWS / FRAMES**

ICTCS 1 - 2.5" x 4"
Item No.: 571.214


ICTCS 1 - 3.5" x 4"
Item No.: 571.215

ICTCS 1 - 4.5" x 4.5"
Item No.: 571.216



ICTS 3
HoopTech Clamping Frame
Inner dimension:
315 x 215 mm / 13" x 9"
Available for ZSK embroidery machines
with head distance 400 and 495 mm.

Item No.: 570.449



**SLIMLINE 1
BASIC CHASSIS**

Item No.: 571.217



**SLIMLINE 1
WINDOW / FRAME**

Dimensions: 6.5"x 5.5" rectangle

Item No.: 571.218



POCKET FRAMES SET „8 IN 1“

50 x 114 mm, 75 x 144 mm, 62 x 114 mm, 114 x 114 mm, 134 x 82 mm, 165 x 114 mm, 200 x 150 mm, 100 x 279 mm. For ZSK embroidery machines with head distance 400 and 495 mm.

Item No.: 570.277



GEN 2 CAP FRAME

Note: You will need a T-BAR FRAMING GAGE if this is your first GEN 2 purchase.

Item No.: 570.417



BACK OF CAP CLAMP

Note: You will need a T-BAR FRAMING GAGE if this is your first Back of Cap Clamp purchase

Item No.: 570.418



T-BAR FRAMING GAGE

Item No.: 570.287



SLIMLINE II

Basic chassis + window 12"x 5" + window 8"x 5"

Item No.: 570.447



GLOVE CLAMP

Item No.: H0000006

EMBROIDERY ACCESSORIES

ALLIED HOOPS (PAGL)

WHAT DIFFER PREMIUM ALLIED GRID-LOCK (PAGL)TM HOOPS FROM OTHER BRANDS?


PAGLTM hoops offer unique patented features for a fast and easy hooping of apparel that has to be embroidered.

Centimeter scale grid lines, dot markings and lines at the inner hoop enable a fast visual verification of the correct position of the hooped textile and embroidery design.

All over the world embroidery companies of all sizes appreciate the sophisticated and helpful characteristics of Premium Allied Grid-LockTM plastic hoops to clamp garments fast, clean and consistent.















THE GRID-LINES AND MARKER OF PREMIUM ALLIED GRID-LOCK™ HOOPS











- Vertical and horizontal grid-lines spaced in one centimeter distance and differentiated with numbers and alphabet letters to align at button tab or other design elements of the specific garment.
- Radial positioned marker at the top of the frame grant additional support to align precisely.
- Reference marker at the inner frame facilitate the adjustment related to any pattern of the apparel to be embroidered.
- Extra-long knurled screws enable the hooping of even thicker textiles and allow controlling easily the tension by hand or screwing driver.
- A spring positioned at the knurled screw keeps the outer hoop open for better adjusting of the inner hoop.















ALLIED PLASTIC FRAMES - ROUND

Item	Dimension	Item No.	Buy online
 PAGL HOOP 70 2.8"	Inside: 60mm / 2.4"	376.010.993	
 PAGL HOOP 90 3.5"	Inside: 80mm / 3.1"	376.010.984	
 PAGL HOOP 120 4.7"	Inside: 110mm / 4.3"	376.010.985	
 PAGL HOOP 150 5.9"	Inside: 140mm / 5.5"	376.010.986	
 PAGL HOOP 180 7"	Inside: 170mm / 6.7"	376.010.987	
 PAGL HOOP 210 8.3"	Inside: 200mm / 7.9"	376.010.988	







ALLIED PLASTIC FRAMES - DUAL ORIENTATION

Item	Dimension	Item No.	Buy online
 PAGL HOOP 100 x 300 / 4.2" x 12"	Inside: 100 x 300 mm / 4.2" x 11.5" or 300 x 100 mm / 11.5" x 4.2"	376.010.722	
 or  PAGL HOOP 280 x 370 / 11" x 14"	Inside: 278 x 370mm / 11" x 14.5" or 370 x 278mm / 14.5" x 11"	376.010.978	
 or  PAGL HOOP 300 x 400 / 12" x 16"	Inside: 305 x 400mm / 12" x 15.75" or 400 x 305mm / 15.75" x 12"	376.010.999	

ALLIED PLASTIC FRAMES - RECTANGULAR

Item	Dimension	Item No.	Buy online
 PAGL HOOP 110 x 120 4.5" x 5"	Inside: 110 x 120mm / 4.5" x 5"	376.010.998	
 PAGL HOOP 140 x 150 5.5" x 6"	Inside: 140 x 150mm / 5.5" x 6"	376.010.996	
 PAGL HOOP 160 x 170 6.5" x 7"	Inside: 160 x 170mm / 6.5" x 7"	376.010.995	
 PAGL HOOP 190 x 200 7.5" x 8"	Inside: 190 x 200mm / 7.5" x 8"	376.010.994	
 PAGL HOOP 240 x 240 9" x 9"	Inside: 240 x 240mm / 9.2" x 8.8"	376.010.989	
 PAGL HOOP 240 x 300 9" x 12"	Inside: 240 x 300mm / 8.8" x 11.5"	376.010.990	
 PAGL HOOP 300 x 300 12" x 12"	Inside: 300 x 300mm / 11.5" x 11.5"	376.010.991	

ALLIED SPARE PARTS

Item	Description	Item No.	Buy online
 Adjusting Screw with Barrel Nut	For all Premium Allied Grid-Lock Hoops. Screw set includes threaded barrel nut	570.671	
 Adjusting Screw with Barrel Nut	For all Premium Allied Grid-Lock Hoops. Screw set includes threaded barrel nut.	570.672	
 Compression spring with guide		570.667	

WOODEN FRAMES - FOR TUBULAR MODE

MORE THAN STANDARD!

Today the majority of embroiderer prefer to use plastic frames for their productions. However it should be noted, that, compared to the huge volume of jobs, only a very small number of standard plastic frames really matches the needs of the different embroidery tasks.

Opposed to this wooden hoops are available in several not standardized dimensions. It is a standing rule that the more the dimension of a hoop fits to the embroidery design the merrier is the quality of the embroidery result.

MORE ADVANTAGES OF WOODEN EMBROIDERY FRAMES

- Wooden frames offer a superior grip for thin and thick textiles and even slippery fabrics like satins or silks.
- Wooden frames with double height provide additional surface to hold fabrics tautly.
- Typically, wooden frames have longer adjusting screws. By that, the opening width of the outer wooden frame is much bigger than the opening width of a plastic frame. This characteristic simplify the hooping of thick garments like winter coats and so on.
- Wooden frames offer a great variety regarding to the different aspects of embroidery like e.g. form and dimension of the embroidery design or the specific area, dimension and fabric of the apparel to be embroidered to.





WOODEN FRAMES ROUND

Available for ZSK embroidery machines in tubular mode with head distance 400 and 495 mm.

Item	Item No.
150 mm / 5.9"	990.005.800
200 mm / 7.87"	990.005.801
240 mm / 9.44"	990.005.802
300 mm / 11.81"	990.005.803



WOODEN FRAMES SQUARE

Available for ZSK embroidery machines in tubular mode with head distance 400 and 495 mm.

Item	Item No.
240 x 180 mm / 9.44" x 7.08"	990.005.804
290 x 200 mm / 11.41" x 7.87"	990.005.805
200 x 290 mm / 7.87" x 11.41"	990.005.806
335 x 215 mm / 13.18" x 8.46"	990.005.807
360 x 290 mm / 14.17" x 11.41"	990.005.808
420 x 300 mm / 16.53" x 11.81"	990.005.809
280 x 345 mm / 11.02" x 13.58"	990.005.810
215 x 355 mm / 8.46" x 13.97"	990.005.811



SLEEVE FRAME

Sleeve frame 100 mm x 300 mm
Available for ZSK embroidery machines in tubular mode with head distance 400 and 495 mm.

Item	Item No.
100 x 300 mm / 3.93" x 11.81"	570.274

WOODEN FRAMES - FOR FLAT MODE


FASTENING SETS Z200 AND Z360

With the fastening sets Z200 and Z360 single frames can be efficiently used to embroider on flat system embroidery machines. The single frames are easily clipped to an adapter to the pantograph below any embroidery head. Prepared frames can be changed fast and changeover time will be minimized.

The changeover from a production with border frame to a single frame production needs comparatively less amount of work.

Larger single frames own a stabilising third point, which will be connected via an additional adapter to the pantograph. Pantographs deeper than 500 mm needs to be equipped with adjusting rails and stabilisation plates.

Depending on dimension, head distance and embroidery design the fastening sets Z200 and Z360 offer a great variety of combinations to reduce changeover time to a minimum.



ZSK STICKMASCHINEN ACCESSORIES



FASTENING SET Z200

Wooden Frames Round

Available for ZSK embroidery machines in border frame mode with head distance 400 and 495 mm.

Item	Item No.
80 mm / 3.15"	172.010.914
100 mm / 3.93"	172.010.916
120 mm / 4.72"	172.010.918
135 mm / 5.31"	172.010.920
150 mm / 5.9"	172.010.922
170 mm / 6.69"	172.010.924
180 mm / 7.08"	172.010.926
200 mm / 7.87"	172.010.928
240 mm / 9.44"	172.010.930
265 mm / 10.43	172.010.932
300 mm / 11.81" (with 3. point adapter)	270.010.900
340 mm / 13.38" (with 3. point adapter)	270.010.905



FASTENING SET Z360

Wooden Frames Round

Available for ZSK embroidery machines in border frame mode with head distance 400 and 495 mm.

Item	Item No.
80 mm / 3.15"	172.010.915
100 mm / 3.93"	172.010.917
120 mm / 4.72"	172.010.919
135 mm / 5.31"	172.010.921
150 mm / 5.9"	172.010.923
170 mm / 6.69"	172.010.925
180 mm / 7.08"	172.010.927
200 mm / 7.87"	172.010.929
240 mm / 9.44"	172.010.931
265 mm / 10.43	172.010.933



FASTENING SET Z200

Wooden Frames Oval

Available for ZSK embroidery machines in flat mode with head distance 400 and 495 mm.

Item	Item No.
110 x 80 mm / 4.33" x 3.15"	172.010.950
200 x 120 mm / 7.87" x 4.72"	172.010.952
230 x 170 mm / 9.05" x 6.69"	172.010.954
240 x 120 mm / 9.44" x 4.72"	172.010.956
240 x 180 mm / 9.44" x 7.08"	172.010.958
260 x 210 mm / 10.23" x 8.26"	172.010.960
285 x 190 mm / 11.22" x 7.48"	172.010.962
335 x 215 mm / 13.18" x 8.46" (with 3. point adapter)	270.010.910
345 x 280 mm / 13.58" x 11.02" (with 3. point adapter)	270.010.911
370 x 165 mm / 14.56" x 6.49" (with 3. point adapter)	270.010.914
420 x 300 mm / 16.53" x 11.81" (with 3. point adapter)	270.010.928
440 x 235 mm / 17.32" x 9.25" (with 3. point adapter)	270.010.913
460 x 190 mm / 18.11" x 7.48" (with 3. point adapter)	270.010.945
490 x 275 mm / 19.29" x 10.82" (with 3. point adapter)	270.010.917
490 x 350 mm / 19.29" x 13.77" (with 3. point adapter)	270.010.919
490 x 430 mm / 19.29" x 16.92" (with 3. point adapter)	270.010.924
690 x 190 mm / 27.16" x 7.48" (with 3. point adapter)	270.010.939
690 x 270 mm / 27.16" x 10.62" (with 3. point adapter)	270.010.946
690 x 350 mm / 27.16" x 13.77" (with 3. point adapter)	270.010.949



FASTENING SET Z360

Wooden Frames Oval

Available for ZSK embroidery machines in flat mode with head distance 400 and 495 mm.

Item	Item No.
110 x 80 mm / 4.33" x 3.14"	172.010.951
200 x 120 mm / 7.87" x 4.72"	172.010.953
230 x 170 mm / 9.05" x 6.69"	172.010.955
240 x 120 mm / 9.44" x 4.72"	172.010.957
240 x 180 mm / 9.44" x 7.08"	172.010.959
260 x 210 mm / 10.23" x 8.26"	172.010.961
285 x 190 mm / 11.22" x 7.48"	172.010.963



**FASTENING SET Z360 SPRINT
WOODEN FRAME OVAL**
310 x 460 mm / 12.20" x 18.11"
Largest Wooden Frame for SPRINT.
Only for SPRINT Special Fastening Set

Item No.: 270.010.979

SUPPLIES

FASTENING SETS

Z200 / Z360 /

Z360 SPRINT



**SPECIAL FASTENING SET
Z360 SPRINT**
Only for SPRINT

Item No.: 360.010.900



ADAPTER FOR Z200
Adapter for the fastening set Z200.
The adapter will be fixed at the
pantograph, for faster exchange of
hoops with fastening set Z200. One
adapter per embroidery head.

Item No.: 172.010.700



ADAPTER FOR Z 360
Adapter for the fastening set Z360.
The adapter will be fixed at the
pantograph, for faster exchange of
hoops with fastening set Z200. One
adapter per embroidery head.

Item No.: 172.010.701



**HOLDER FOR 3. POINT ADAP-
TER**
Frames of fastening sets Z200 / 360
with larger depth offer a 3rd fixing
point for stabilisation.

Item No.: 270.010.930

RETROFIT



POSITION LASER RETROFIT KIT
for SPRINT / RACER

Item No.: 270.998.983



USB DRIVE FOR MSCD AND MSCA MACHINES

Item No.: 396.041.019



UPGRADE FOR POWER DRIVE
With this power module it is possible to change a single circuit board. In case of a damage it is not longer necessary to change the whole unit.

Item No.: 396.041.015



UPGRADE MSCA MONITORS
MSCA monitors can be upgraded with a TFT upgrade kit. The monitor gets replaced by a cable and a cover.

Item No.: 396.120.013



UPGRADE TFT AND LCD
TFT and LCD monitors can be upgraded to T8-2 monitors.

Item No.: 396.041.015



ERGONOMIC MOUNT FOR T8 AND LAPTOP
The T8 mount with 2 arms allows parallel working on T8 and laptop. Swivellable and adjustable to desired position and height.

Item No.: 361.998.904



UPGRADE MCP 35
The conversion kit to MCP 35 is the electrotechnical basis for upgrading older machines.

Item No.: 396.105.018



LED LIGHT UPGRADE
SPRINT 6 - When upgrading to LED lights, not only the light becomes brighter for the operator, but also the energy consumption is reduced.


Item No.: 396.100.034



**JAJA / RACER
NOISE REDUCTION®**

Reduces the noise by switching off the cooler, when not needed.

Item No.: 396.105.014



**JAJA - HOOK PROTECTION
COVER FOR TUBULAR ARM**

When loading the machine without care that lining can be pulled by the picker into the hook. Installing this cover avoids this risk.

Item No.: 360.002.944

SAFETY



PROTECTIVE COVER

Protective Cover 18 Needles

Head 1 - Item No.: 285.003.920

Head 2 - Item No.: 285.003.917

Protective Cover 24 Needles

Head 1 - Item No.: 281.998.901

Head 2 - Item No.: 281.998.900



KEY LOCK SYSTEM

Key switch - connected between machine control and T8 control unit. To prevent the operation of the machine when working on the machine.

Item No.: 396.200.052



OVERVOLTAGE PROTECTION

A cheap solution to avoid damages to expensive boards due overvoltage issues.

Item No.: 396.105.013

WINDER & UNWINDER



AUTOMATIC BOBBIN WINDER

This unique and ideal bobbin winder will be a great help to economize under threads and save man power.

Benefits: Quality product made for long term use Easy to use, Works fine with bobbins of other company, CE Certified

Item No.: 574.180



TGEE SPOOLER 3.0

The Bobbin Winder is winding in one cycle up to 15 Bobbins; this will be up to 70 bobbins in one hour!


Item No.: 571.289



SPOOLER EP-20

Semi-automatic bobbin winder EP-20 is supplied already configured for winding ZSK bobbin (Ø 22 mm and height 8.8 mm).

Item No.: 570.982



EFFECT YARN REEL WINDER

The reel winder is used to fill empty effect yarn reels for the ZSK W-head and the cord device EP 1.2 with appropriate materials for zig-zag, coiling and taping.

Item No.: 310.035.900



BOBBIN WINDER

EBW 100

The bobbin winder EBW 100 is the ideal partner for being mobile with our single-head embroidery machine SPRINT CE Certified.

Item No.: 270.035.901




BOBBIN UNWINDER

Genimat

The bobbin unwinder GENIMAT is used to decoil bobbins. adapter per embroidery head.

Item No.: 310.035.912

TOOLS





OPERATOR TOOL SET

Item No.: On Request



WEAVER SCISSORS

Item No.: 670.206



SEPARATE STAND T8

Item No.: 270.001.940



TENSION METER SCHMIDT
Sewing Threads

Item No.: 656.282



TOWA TENSION METER
DIGITAL

Item No.: 580.800



TOWA TENSION METER

Item No.: 570.632



PANTOGRAPH CONTROL
On cable

Item No.: 396.221.002



EXTENSION CABEL T8
For greater flexibility with the separate
stand T8

Item No.: 396.312.153



T8 REMOTE CONTROL
Additional Start/Stop push-button box
simplifies, for example, adjustment
work on the sequin and beads
equipment via the long cable

Item No.: 396.221.005



SPARE PART BOX FOR SPRINT 5/6, Jafa AND RACER
CONTENT

Item No.: 360.016.905

Item No.	Quantity	Unit	Item
358002	10	ST	THREADED PIN M4 X 8 DIN 915
502450	5	ST	PRESSURE SPRING
510084	10	ST	O-RING 6,75-1,78 70 NBR
560032	10	ST	PORCELAIN EYE 7002
570631	10	ST	THREAD TAKE-UP SPRING
572041	2,34	M	TECHNICAL FELT (3.1 MM THICK)
573203	1	ST	HOOK KR 134 ZICC
574052	10	ST	BOBIN
570649	3	ST	BOBBIN CASE SC 39-34NS
586029	1	ST	DC HIGH POWER SOLENOID
172003273	1	ST	EYELET
172003552	10	ST	RUBBER RING
270998967	1	ST	HOLDER WITH CATCH
270003555	3	ST	CATCH
270003830	1	ST	SLIDE
376002006	1	ST	KNIFE
376999244	1	ST	HOOK KNIFE
376020802	2	ST	CATCH HOOK WITH PIN
270998900	3	ST	REPAIR KIT ,CONNECTING ROD FOR HEAD
270999237	10	ST	DISC



RIG PIN 136° (128°)

Item No.: 601.005.914



LOCKING DEVICE 70°

Item No.: 601.005.952



NEEDLE HEIGHT TAKER

Item No.: 601.001.844



ADJUSTING DEVICE NEEDLE HEIGHT

Item No.: 601.003.206



ADJUSTING PIN NEEDLE HEIGHT

Item No.: 601.001.614



BRACKET AND TEST GAUGE FOR NEEDLE RISE

Item No.: 601.001.839



BELT TENSION MEASURING DEVICE

Item No.: 656.291



NEEDLE EASE TOOL

The Needle Ease tool enables quick and effortless installation of needles into the machine with the correct orientation.

Item No.: 570.933



MAGNETS FOR NEEDLE DIRECTION

Item No.: 586.029

CON-SUMABLES



EXCLUSIVE NEEDLES FOR ZSK

Groz-Beckert exclusively manufactures needles that are specially adapted to the requirements of leather embroidery.

Needles Leather

NM 110 System DBXK5 SD (784702)

Item No.: 574.733

NM 120 System DBXK5 SD (784712)

Item No.: 574.734

NM 130 System DBXK5 SD (784722)

Item No.: 574.735

NM 120 System DBXK5 DH (784672)

Item No.: 574.731

NM 130 System DBXK5 DH (784682)

Item No.: 574.732



NEEDLES RECOMMENDED FOR ZSK

Needles

NM 65 System DB x K5

Item No.: 574.335

NM 75 System DB x K5 KK SUK

Item No.: 574.644

NM 70 System DB x K5 SES/J/FFG

Item No.: 574.663

NM 80 System DB x K5 SES/J/FFG

Item No.: 574.665

NM 90 System DB x K5 SES/J/FFG

Item No.: 574.667

NM 70 System DB x K5 SUK/B/FG

Item No.: 574.664

Needles

NM 75 System DB x K5 SUK/B/FG

Item No.: 574.682

NM 80 System DB x K5 SUK/B/FG

Item No.: 574.666

NM 90 System DB x K5 SUK/B/FG

Item No.: 574.668

NM 100 System DB x K5 SUKW

Item No.: 574.674



LUBRICANT - JCW 35 For ZSK Embroidery Machines

Item No.: 750.081



SEWING MACHINE OIL Atlantic sewing machine oil

Item No.: 750.066



GLEITMO GREASE 585 M

Item No.: 667.055



GUIDE HOSE

Hoses guide the thread from the thread stand to the embroidery head, protecting your threads from tangling or snagging.

Hoses are offered in machine related length as spiral or smooth hoses

SMOOTH HOSE, ONE PIECE

Length	Item No.
120mm	990.179.555
210mm	990.179.550
220mm	990.179.551
240mm	990.179.552
260mm	990.179.558
290mm	990.179.557
300mm	990.179.553
315mm	990.179.554
370mm	990.179.556

SPIRAL HOSE, ONE PIECE

Length	Item No.
170mm	990.235.800
200mm	990.235.801
220mm	990.235.802
230mm	990.235.804
250mm	990.235.803
300mm	990.235.805
325mm	990.235.806
400mm	990.235.807



THREADING WIRE

Item No.: 570.552



YARN - STARTER KIT CHENILLE

AMANN Sabatex 60

Soft, voluminous, skin-friendly. Sabatex 60 is perfectly suited for chenille embroidery

Item No.: 950.606

ZSK POOLBOX, MY.ZSK



ZSK POOLBOX SET Item No.: 396.140.029

The ZSK Poolbox set contains the ZSK poolBox Hardware for using the functions secure gateway, network storage and Ringbuffer support. Also with pre-installed but locked MY.ZSK DataCollector.

The poolBox Set contains:

- 1 x ZSK poolBox Mini PC
- 1 x Ethernet Switch
- 1 x S/FTP Patch Cable

MY.ZSK 4.0 INCL. DATACOLLECTOR & ZSK POOLBOX SET & INCL. INITIAL 1-YEAR LICENCE

MY.ZSK is a tool for collecting, archiving, processing and visualizing of all relevant data of the embroidery process in your company.

For more info open ZSK's company website at www.zsk.de/myzsk

SERVICE



Hotline

Sales and service partner in over 75 countries worldwide will help you when you need it.



Training Courses

Training courses for customers and partners on location or at ZSK Embroidery Academy, Krefeld or at the Research and Training Centre, Seattle, WA, USA.



Spare Parts

Guaranteed fast and global delivery and installation for over 10.000 available spare parts.



Technical Support

Trained experts and technicians that speak your language in more than 75 countries.

Email: service@zsk.de




Any product shown in this brochure can be ordered at ZSK Stickmaschinen GmbH, Germany or at any of ZSK's distributors worldwide. A list of our distributors can be found at the ZSK company website at: www.zsk.de/agents



ZSK STICKMASCHINEN GMBH

Magdeburger Str. 38 - 40
47800 Krefeld
Germany

Online: www.zsk.de
Onlineshop: parts.zsk.de
email: zsk@zsk.de

-  ZSK.Stickmaschinen
-  zskfilm
-  zsk_stickmaschinen



parts.zsk.de

ZSK - DIE STICKMASCHINE.