

FOOD
TECHNOLOGY
THIELEMAN

POULTRY PROCESSING EQUIPMENT




www.tfoodtechnology.com



CONTENT


CBS 1	4
CBS 2 & CBS 3	5
Automatic Feeding	6
Automatic Packaging	7
Slicing and Packaging	8-9
Semi-Automatic Pressing	10
Automatic Flattening	11
Multiblade Slicers	12-13
Pulled Meat Shredder	14-15
Wrapping Machine	16-17
String Tying/Trussing	18
Pop-up Timers	19



POULTRY BREAST FILLETS IN SUPERIOR SLICING QUALITY !

Convincing attributes of the CBS line are highest process reliability, outstanding performance and consisting slicing quality. Whether blade life, flexibility, hygiene or handling, let yourself be inspired by our CBS line of single, double and triple lane poultry slicing.

HORIZONTAL SLICING MACHINE CBS-1



CBS-1 Single track slicer | >50 fillets/min



HORIZONTAL SLICING MACHINE CBS-2



CBS-2 Two-track slicer | >100 fillets/min



HORIZONTAL SLICING MACHINE CBS-3



CBS-3 Three-track slicer | >150 fillets/min



AUTOMATIC FEEDING OF CBS SLICERS

AUTOMATION - DIVIDER



AUTOMATIC PACKAGING SYSTEM



AUTOMATION - PACKAGING





SLICING AND PACKAGING OF HIGH END COOKED PRODUCTS

MBS - MULTIBLADE SLICER





SEMI-AUTOMATIC PRESSING AND EQUALISING OF CHICKEN FILLETS/SLICES

ALP – MEATPRESS



AUTOMATIC FLATTENING AND EQUALISING OF CHICKEN FILLETS/SLICES

FLATTENER SPR 320/420/620





MULTIBLADE SLICER FOR SLICES, STRIPS AND CUBES

F-19S SLICER



OPTIONAL FEEDING PAN

F-19S-2 DOUBLE SLICER





PULLED POULTRY FOR CATERING AND FOOD SERVICE


SH-1 MEAT SHREDDER







WRAPPING MACHINE

ROLL MASTER - RM-1



STRING TYING | TRUSSING



Whether you prefer it rare, medium or well done, a POP-UP-TIMER is available for all tastes and for various temperature levels between 52°C and 85°C.



FOOD
TECHNOLOGY
THIELEMANN

FOOD TECHNOLOGY
THIELEMANN GMBH & CO. KG
Blumenstr. 4
69239 Neckarsteinach
Tel. +49 (0) 6229 - 93378 11
Fax +49 (0) 6229 - 93378 13
info@tfoodtechnology.com
www.tfoodtechnology.com