

# Stridhs

Casing Equipment Since 1926

# Stridhs

Casing Equipment  
Since 1926

[www.stridhs.com](http://www.stridhs.com)  
[stridhs@stridhs.com](mailto:stridhs@stridhs.com)

## Workshop & Services

Complete Lines For  
Slaughterhouses, Cutting  
Rooms And Casing Rooms

[www.mecgarrotxa.com](http://www.mecgarrotxa.com)

[info@mecgarrotxa.com](mailto:info@mecgarrotxa.com)

T: +34 972 26 07 24

Carrer Terrassa, 15/25  
17800 Olot  
Girona - Spain



**MECÁNICAS GARROTXA**

## CALIBRATING TABLE



### HIGHLIGHTS

Designed to calibrate and check casings.  
Includes selecting tap for hog/beef or sheep.  
Available to work with salt.  
All in high-grade stainless steel.  
Easy to use.  
Easy to clean.

Recommended to be used with our:

- Calibre blocks.
- Casings cutters.

### TECHNICAL DATA

Model	Workers	Width (mm)	Length (mm)	Hight (mm)
Simple	1	650	1300	900
Double	2	1300	1300	900

# Stridhs

Casing Equipment  
Since 1926

[www.stridhs.com](http://www.stridhs.com)  
[stridhs@stridhs.com](mailto:stridhs@stridhs.com)

## Workshop & Services

Complete Lines For  
Slaughterhouses, Cutting  
Rooms And Casing Rooms

[www.mecgarrotxa.com](http://www.mecgarrotxa.com)

[info@mecgarrotxa.com](mailto:info@mecgarrotxa.com)

T: +34 972 26 07 24

Carrer Terrassa, 15/25  
17800 Olot  
Girona - Spain



**MECÁNICAS GARROTXA**

## HOG CHITTERLING CLEANING TUBE



## HIGHLIGHTS

Designed to clean chitterlings with water pressure through a special design of the double-wall tube.

Special design in order to avoid fecal contamination.

Equipped with a pedal. Hands-free system.

Noiseless operation.

All in high-grade stainless steel.

Easy to clean.

Maintenance free.

Capacity: 80 chitterlings/hour.

# Stridhs

Casing Equipment  
Since 1926

[www.stridhs.com](http://www.stridhs.com)  
[stridhs@stridhs.com](mailto:stridhs@stridhs.com)

## Workshop & Services

Complete Lines For  
Slaughterhouses, Cutting  
Rooms And Casing Rooms

[www.mecgarrotxa.com](http://www.mecgarrotxa.com)

[info@mecgarrotxa.com](mailto:info@mecgarrotxa.com)

T: +34 972 26 07 24

Carrer Terrassa, 15/25  
17800 Olot  
Girona - Spain



**MECÁNICAS GARROTXA**

## CALIBRATING PULLING WHEEL



## HIGHLIGHTS

Designed to calibrate and check casings with automatic pulling system.

Ergonomic design to avoid injuries of workers.

Inverter installed to adjust the wheel speed.

Available to work with salt.

All in high-grade stainless steel.

Easy to use.

Easy to clean.

Recommended to be used with our:

-Calibrating table.

-Calibre blocks.

-Casings cutters.

# HOG CASING CLEANING LINES



# Stridhs

Casing Equipment Since 1926

**Sales Office:**

**T: +46 31 84 44 44**

**[www.stridhs.com](http://www.stridhs.com)**

**[stridhs@stridhs.com](mailto:stridhs@stridhs.com)**

## Workshop & Services

Complete Lines For Slaughterhouses, Cutting Rooms  
And Casing Rooms

**[www.mecgarrotxa.com](http://www.mecgarrotxa.com)**

**[info@mecgarrotxa.com](mailto:info@mecgarrotxa.com)**

**T: +34 972 26 07 24**

Carrer Terrassa,  
15/25 17800 Olot  
Girona - Spain



**MG**

**MECÁNICAS  
GARROTXA**



# HOG CASING CLEANING LINES

## HIGHLIGHTS

Equipped with automatic feeding conveyors or hand feeding system.  
Different surfaces of rollers for emptying, crushing, finishing...

Equipped with magnetic Security switches.  
All in high-grade stainless steel.  
Noiseless operation.  
Foodsafe material.  
Easy to clean.  
Maintenance free.

Recommended to be used with our:

- Pulling wheel type CPH
- Warm water recycling unit
- Cold water recycling unit
- Stridhs knives

## TECHNICAL DATA

Line	Number of Machines	Width Rollers(mm)	Capacity (Casings/hour)	*Hot Water Consumption	*Cold Water Consumption	Kw	Lenght
H-800-2	2	800	70	1400	700	2.75	2760
H-800-3	3	800	150	2100	700	4	7550
H-800-4	4	800	300	2800	700	5.6	8800
H-1200-4	4	1200	450	3700	700	5.9	8800
H-1200-5	5	1200	600	5000	1000	7.2	10280
H-1500-4	4	1500	700	4600	1000	9	8800
H-1500-5	5	1500	800	5800	1000	11.5	10280
H-1500-6	6	1500	900	7000	1000	14	14900

\*Save up to 75% using the water recycling unit

**Stridhs**  
Casing Equipment Since 1926

# Stridhs

Casing Equipment  
Since 1926

## Sales Office:

T: +46 31 84 44 44

[www.stridhs.com](http://www.stridhs.com)

[stridhs@stridhs.com](mailto:stridhs@stridhs.com)

## Workshop & Services

Complete Lines For  
Slaughterhouses, Cutting  
Rooms And Casing Rooms

[www.mecgarrotxa.com](http://www.mecgarrotxa.com)

[info@mecgarrotxa.com](mailto:info@mecgarrotxa.com)


T: +34 972 26 07 24

Carrer Terrassa, 15/25  
17800 Olot  
Girona - Spain



**MECÁNICAS GARROTXA**

## CALIBRE BLOCKS FOR HOG, SHEEP AND BEEF CASINGS



## HIGHLIGHTS

Simple to use.

Gets the exact measurement of calibre.

Made of stainless steel and foodsafe plastic.

Easy to clean.

### Any size available:

Beef 32-50 mm

Hog 28-44 mm

Sheep 14-28 mm

# Stridhs

Casing Equipment  
Since 1926

## Sales Office:

T: +46 31 84 44 44

[www.stridhs.com](http://www.stridhs.com)

[stridhs@stridhs.com](mailto:stridhs@stridhs.com)

## Workshop & Services

Complete Lines For  
Slaughterhouses, Cutting  
Rooms And Casing Rooms

[www.mecgarrotxa.com](http://www.mecgarrotxa.com)

[info@mecgarrotxa.com](mailto:info@mecgarrotxa.com)

T: +34 972 26 07 24

Carrer Terrassa, 15/25  
17800 Olot  
Girona - Spain



**MECÁNICAS GARROTXA**

## SELECTING TAPS FOR HOG, SHEEP CASINGS AND BEEF ROUNDS



## HIGHLIGHTS

Selects different kinds of Casings.  
All in high-grade stainless steel.  
Easy to clean.  
Easy to use.  
Foodsafe Material.

Recommended to be used with our:

- Calibre blocks
- Casing Cutters
- Working tables



# Stridhs

Casing Equipment  
Since 1926

## Sales Office:

T: +46 31 84 44 44

[www.stridhs.com](http://www.stridhs.com)

[stridhs@stridhs.com](mailto:stridhs@stridhs.com)

## Workshop & Services

Complete Lines For  
Slaughterhouses, Cutting  
Rooms And Casing Rooms

[www.mecgarrotxa.com](http://www.mecgarrotxa.com)

[info@mecgarrotxa.com](mailto:info@mecgarrotxa.com)

T: +34 972 26 07 24

Carrer Terrassa, 15/25  
17800 Olot  
Girona - Spain



**MECÁNICAS GARROTXA**

## CASING KNIFE



## HIGHLIGHTS

- Long Stainless-Steel blade .
- Easy replacement of the blade.
- Ergonomic design.
- High-grade Stainless Steel.
- Hygienic, non-slip material.

# Stridhs

Casing Equipment  
Since 1926

## Sales Office:

T: +46 31 84 44 44

[www.stridhs.com](http://www.stridhs.com)

[stridhs@stridhs.com](mailto:stridhs@stridhs.com)

## Workshop & Services

Complete Lines For  
Slaughterhouses, Cutting  
Rooms And Casing Rooms

[www.mecgarrotxa.com](http://www.mecgarrotxa.com)

[info@mecgarrotxa.com](mailto:info@mecgarrotxa.com)

T: +34 972 26 07 24

Carrer Terrassa, 15/25  
17800 Olot  
Girona - Spain



**MECÁNICAS GARROTXA**

## PNEUMATIC KNIFE FOR CASINGS



## HIGHLIGHTS

- Enables the operator to remove the gut more easily.
- Special device for cutting the gut free from the mesenteric.
- Fatfree uniform.
- Reduced risk of holes and whiskers.
- High-quality Casings results.
- Easy training of unskilled people.
- All in high-grade stainless steel.
- Easy to clean.

# Stridhs

Casing Equipment  
Since 1926

## Sales Office:

T: +46 31 84 44 44

[www.stridhs.com](http://www.stridhs.com)

[stridhs@stridhs.com](mailto:stridhs@stridhs.com)

## Workshop & Services

Complete Lines For  
Slaughterhouses, Cutting  
Rooms And Casing Rooms

[www.mecgarrotxa.com](http://www.mecgarrotxa.com)

[info@mecgarrotxa.com](mailto:info@mecgarrotxa.com)

T: +34 972 26 07 24

Carrer Terrassa, 15/25  
17800 Olot  
Girona - Spain



**MECÁNICAS GARROTXA**

## MEASURING MACHINE TYPE STR 805



### HIGHLIGHTS

All information directly into your computer:

- Meters
- Bundles
- Ends

High performance (100KHS/h).

Precise measurement.

Easy to use.

Noiseless operation.

Frequency Inverter equipped to adjust speed.

Spray protection.

All in high-grade stainless steel.



Foodsafe material.

Easy to clean

### ELECTRIC POWER

Motor 0,37 Kw, 230/400 V, 50 Hz

# BEEF CASING CLEANING LINES



# Stridhs

Casing Equipment Since 1926

**Sales Office:**

**T: +46 31 84 44 44**

**[www.stridhs.com](http://www.stridhs.com)**

**[stridhs@stridhs.com](mailto:stridhs@stridhs.com)**

## Workshop & Services

Complete Lines For Slaughterhouses, Cutting Rooms  
And Casing Rooms

[www.mecgarrotxa.com](http://www.mecgarrotxa.com)

[info@mecgarrotxa.com](mailto:info@mecgarrotxa.com)

**T: +34 972 26 07 24**

Carrer Terrassa,  
15/25 17800 Olot  
Girona - Spain



**MECÁNICAS  
GARROTXA**

# BEEF CASING CLEANING LINES

## HIGHLIGHTS

Can be used as a separate Machine or installed in an automatic Line.  
Equipped with automatic feeding conveyors or hand feeding system.  
Two rubber rollers for emptying manure/slime and two Stainless Steel rollers for defatting/desliming.

Equipped with magnetic Security switches.  
All in high-grade stainless steel.  
Foodsafe material.  
Easy to clean.  
Maintenance free.

**Recommended to be used with our:**  
-Pulling wheel type CPB  
-Warm water recycling units  
-Stridhs knives

## TECHNICAL DATA

Line	Number of Machines	Width Rollers(mm)	Capacity (Casings/hour)	*Hot Water Consumption	Kw	Lenght
B-800-1	1	800	10	700	2.75	1420
B-800-2	2	800	30	1400	5.5	4400
B-800-3	3	800	75	2100	8.25	5230
B-800-4 (3+1)	4	800	100	2800	11	7027
B-800-4 (2+2)	4	800	100	2800	11.18	7027

\*Save up to 75% using the water recycling unit

**Stridhs**  
Casing Equipment Since 1926

# SHEEP CASING CLEANING LINES

## HIGHLIGHTS

Equipped with automatic feeding conveyors or hand feeding system.  
Diferent surfaces of rollers for emptying, crushing, finishing...

Equipped with magnetic Security switches.  
Noiseless operation.  
All in high-grade stainless steel.  
Foodsafe material.  
Easy to clean.  
Maintenance free.

Recommended to be used with our:  
-Sheep Casing Puller Type SP-400  
-Warm water recycling unit  
-Cold water recycling unit

## TECHNICAL DATA

Line	Number of Machines	Width Rollers(mm)	Capacity (Casings/hour)	*Hot Water Consumption	*Cold Water Consumption	Kw	Lenght
H-800-2	2	800	70	1400	700	2.75	2760
H-800-3	3	800	150	2100	700	4	7550
H-800-4	4	800	300	2800	700	5,6	8800
H-1200-4	4	1200	450	3700	700	5,9	8800
H-1200-5	5	1200	600	5000	1000	7,2	10280
H-1500-4	4	1500	700	4600	1000	9	8800
H-1500-5	5	1500	800	5800	1000	11,5	10280
H-1500-6	6	1500	900	7000	1000	14	14900

\*Save up to 75% using the water recycling unit



# SHEEP CASING CLEANING LINES



# Stridhs

Casing Equipment Since 1926

## Sales Office:

T: +46 31 84 44 44

[www.stridhs.com](http://www.stridhs.com)

[stridhs@stridhs.com](mailto:stridhs@stridhs.com)

## Workshop & Services

Complete Lines For Slaughterhouses, Cutting Rooms  
And Casing Rooms

[www.mecgarrotxa.com](http://www.mecgarrotxa.com)

[info@mecgarrotxa.com](mailto:info@mecgarrotxa.com)

T: +34 972 26 07 24

Carrer Terrassa,  
15/25 17800 Olot  
Girona - Spain



**MG**

**MECÁNICAS  
GARROTXA**

# Stridhs

Casing Equipment  
Since 1926

## Sales Office:

T: +46 31 84 44 44

[www.stridhs.com](http://www.stridhs.com)

[stridhs@stridhs.com](mailto:stridhs@stridhs.com)

## Workshop & Services

Complete Lines For  
Slaughterhouses, Cutting  
Rooms And Casing Rooms

[www.mecgarrotxa.com](http://www.mecgarrotxa.com)

[info@mecgarrotxa.com](mailto:info@mecgarrotxa.com)

T: +34 972 26 07 24

Carrer Terrassa, 15/25  
17800 Olot  
Girona - Spain



**MECÁNICAS GARROTXA**

## BEEF PULLING WHEEL FOR ROUNDS, TYPE CPB



## HIGHLIGHTS

Wheel profile ensures the casings quality.  
Ergonomic design - you only need to guide the Casings.  
All in high-grade stainless steel.  
Easy to clean.  
Maintenance free.  
Foodsafe Plastic Material.  
Warm flush water (+45 C°) is required on the slide plate.

Recommended to be used with our:

- Casing knife
- Pneumatic Knife

## ELECTRIC POWER

Motor - 0,37 KW, 230/400 V, 50 Hz

# Stridhs

Casing Equipment  
Since 1926

## Sales Office:

T: +46 31 84 44 44

[www.stridhs.com](http://www.stridhs.com)

[stridhs@stridhs.com](mailto:stridhs@stridhs.com)

## Workshop & Services

Complete Lines For  
Slaughterhouses, Cutting  
Rooms And Casing Rooms

[www.mecgarrotxa.com](http://www.mecgarrotxa.com)

[info@mecgarrotxa.com](mailto:info@mecgarrotxa.com)

T: +34 972 26 07 24

Carrer Terrassa, 15/25  
17800 Olot  
Girona - Spain



**MECÁNICAS GARROTXA**

## HOG CASING PULLING WHEEL, TYPE CPH



### HIGHLIGHTS

Ergonomic design – you only need to guide the Casings.

Can be automated with pneumatic system chute.

Wheel profile ensures the casings quality.

All in high-grade stainless steel.

Foodsafe Plastic Material.

Easy to clean.

Spray Protection.

**Capacity:** 350 Hog Casings/h.

Recommended to be used with our:

-Casing knife

-Pneumatic Knife

### ELECTRIC POWER

Motor 0,37 Kw, 230/400 V, 50 Hz

# Stridhs

Casing Equipment  
Since 1926

## Sales Office:

T: +46 31 84 44 44

[www.stridhs.com](http://www.stridhs.com)

[stridhs@stridhs.com](mailto:stridhs@stridhs.com)

## Workshop & Services

Complete Lines For  
Slaughterhouses, Cutting  
Rooms And Casing Rooms

[www.mecgarrotxa.com](http://www.mecgarrotxa.com)

[info@mecgarrotxa.com](mailto:info@mecgarrotxa.com)

T: +34 972 26 07 24

Carrer Terrassa, 15/25  
17800 Olot  
Girona - Spain



**MECÁNICAS GARROTXA**

## SHEEP CASING PULLER, TYPE SP-400



### HIGHLIGHTS

The machine pulls the sheep Casings smoothly.  
Three rubber rollers to get maximum yield and minimum damages.  
Frequency inverter equipped to adjust speed.  
All in high-grade Stainless Steel.  
Easy to clean.

Recommended to be used with our:

- Casing knife
- Pneumatic Knife

### ELECTRIC POWER

Motor 0,75 Kw, 230/400 V, 50 Hz

# Stridhs

Casing Equipment  
Since 1926

## Sales Office:

T: +46 31 84 44 44

[www.stridhs.com](http://www.stridhs.com)

[stridhs@stridhs.com](mailto:stridhs@stridhs.com)

## Workshop & Services

Complete Lines For  
Slaughterhouses, Cutting  
Rooms And Casing Rooms

[www.mecgarrotxa.com](http://www.mecgarrotxa.com)

[info@mecgarrotxa.com](mailto:info@mecgarrotxa.com)

T: +34 972 26 07 24

Carrer Terrassa, 15/25  
17800 Olot  
Girona - Spain



**MECÁNICAS GARROTXA**

## WARM WATER RECYCLING UNIT, TYPE WWR



## HIGHLIGHTS

Saves up to 75% during an 8-hour working shift.

The recycling tank is installed alongside the Casing Cleaning Line.

The overflow water from the Casing Cleaning Line is canalized into the recycler.

The fat on the surface is scraped out of the tank by rubber scrapers.

The water flows through two filters before it is heated up by steam or electricity to reach the set temperature.

A heavy duty pump is pumping back the water to the Casing Cleaning Line.

Can be used with all our Casing Cleaning Lines for Hog, Beef and Sheep.

All in high-grade stainless steel.

Noiseless operation.

Easy to clean.

Maintenance free.

Foodsafe material.

## ELECTRIC POWER

Motor 0,12 Kw, 230/400 V, 50 Hz

Heaters 9 Kw

Pump 4Kw

# Stridhs

Casing Equipment  
Since 1926

## Sales Office:

T: +46 31 84 44 44

[www.stridhs.com](http://www.stridhs.com)

[stridhs@stridhs.com](mailto:stridhs@stridhs.com)

## Workshop & Services

Complete Lines For  
Slaughterhouses, Cutting  
Rooms And Casing Rooms

[www.mecgarrotxa.com](http://www.mecgarrotxa.com)

[info@mecgarrotxa.com](mailto:info@mecgarrotxa.com)

T: +34 972 26 07 24

Carrer Terrassa, 15/25  
17800 Olot  
Girona - Spain



**MECÁNICAS GARROTXA**

## WARM WATER RECYCLING UNIT, TYPE VWR



### HIGHLIGHTS

Saves up to 75% during an 8-hour working shift.  
The recycling unit can be installed away from the Casing Cleaning Line.  
The overflow water from the casing cleaning line is canalized into a small collector.  
The collector pumps the water to the recycling unit.  
The water flows through the filter before it is heated up by steam or electricity to reach the set temperature.  
A heavy duty pump is pumping back the water to the Casing Cleaning Line.  
Can be used with all our Casing Cleaning Lines for Hog, Beef and Sheep.  
High Capacity.  
Non-Clogging.  
No Moving Parts.  
Noiseless operation.  
All in high-grade stainless steel.  
Easy to clean.  
Maintenance free.  
Foodsafe material.

### ELECTRIC POWER

Motor 0,75 Kw, 230/400 V, 50 Hz  
Heaters 9Kw  
Pump 3Kw



# Stridhs

Casing Equipment  
Since 1926

## Sales Office:

T: +46 31 84 44 44

[www.stridhs.com](http://www.stridhs.com)

[stridhs@stridhs.com](mailto:stridhs@stridhs.com)

## Workshop & Services

Complete Lines For  
Slaughterhouses, Cutting  
Rooms And Casing Rooms

[www.mecgarrotxa.com](http://www.mecgarrotxa.com)

[info@mecgarrotxa.com](mailto:info@mecgarrotxa.com)

T: +34 972 26 07 24

Carrer Terrassa, 15/25  
17800 Olot  
Girona - Spain



**MECÁNICAS GARROTXA**

## HOG STOMACH OPENER, TYPE HSO



## HIGHLIGHTS

- Capacity: 500+ (as many as you can feed).
- Equipped with magnetic Security switches.
- All in high-grade stainless steel.
- Noiseless operation.
- Easy to clean.
- Maintenance free.
- Foodsafe material.

## ELECTRIC POWER

- Saw motor 1,5 Kw, 240/400 V, 50 Hz
- Feeding motor 0,55 Kw, 240/400 V, 50 Hz

# Stridhs

Casing Equipment  
Since 1926

## Sales Office:

T: +46 31 84 44 44

[www.stridhs.com](http://www.stridhs.com)

[stridhs@stridhs.com](mailto:stridhs@stridhs.com)

## Workshop & Services

Complete Lines For  
Slaughterhouses, Cutting  
Rooms And Casing Rooms

[www.mecgarrotxa.com](http://www.mecgarrotxa.com)

[info@mecgarrotxa.com](mailto:info@mecgarrotxa.com)


T: +34 972 26 07 24

Carrer Terrassa, 15/25  
17800 Olot  
Girona - Spain



**MECÁNICAS GARROTXA**

## TWO WHEELED TUBING MACHINE FOR SPOOLING NATURAL CASINGS



## HIGHLIGHTS

- Two machines in one.
- Double Pulling Wheels.
- Easy replacement of pipes and pulling wheels.
- Adjustable for long tubes up to 550 mm.
- Adjustable water flow.
- Moving Slide - no over going of Casings .
- Suitable for large tubes.
- All in high-grade stainless steel.
- Easy to clean.

## ELECTRIC POWER

Motor 0,36 Kw, 230V, 50 Hz

# Stridhs

Casing Equipment  
Since 1926

## Sales Office:

T: +46 31 84 44 44

[www.stridhs.com](http://www.stridhs.com)

[stridhs@stridhs.com](mailto:stridhs@stridhs.com)

## Workshop & Services

Complete Lines For  
Slaughterhouses, Cutting  
Rooms And Casing Rooms

[www.mecgarrotxa.com](http://www.mecgarrotxa.com)

[info@mecgarrotxa.com](mailto:info@mecgarrotxa.com)


T: +34 972 26 07 24

Carrer Terrassa, 15/25  
17800 Olot  
Girona - Spain



**MECÁNICAS GARROTXA**

## ONE WHEELED TUBING MACHINE FOR SPOOLING NATURAL CASINGS



### HIGHLIGHTS

- Easy replacement of pipes and Pulling wheel.
- Adjustable for long tubes up to 550 mm.
- Suitable for large tubes.
- Adjustable water flow.
- Noiseless operation.
- All in high-grade stainless steel.
- Easy to clean.

### ELECTRIC POWER

Motor 0,11 Kw, 230V, 50 Hz