



SKV 300 C3

- Hygienic design
- Flexible to integrate
- Safe to handle

C3 – the next level

Column lifts have been used to lift and tip raw material into a production line for many years. However this is the first time this type of handling equipment has been systematically developed in order to fit the needs and expectations of its users. The SKV 300 C3 has a modern and efficient design. A reliable unit for feeding the production line with material without spillage or safety issues. It's also easy to clean and low on maintenance. The C3 is available as standard in many versions:

- Bolted or mobile
- Left or right handed
- Fixed or variable tipping point
- Straight or side tipped
- Always in stainless steel execution



- The variable tipping height feature makes it easy and quick to use. The tipping height can be changed in steps of 50mm.
- The controls and power inlet is integrated in the column which makes them protected from being damaged.
- The modern design of the C3 is focused on hygiene. The open column solution makes it easy to see and clean all parts of the machine.
- The front legs are designed to easily slide underneath any process equipment.



Main features

- The power inlet is well protected and integrated in the motor cover. Easy to connect regardless if the cable comes from above or below.
- The variable tipping height feature is of a robust design. To change the tipping height, 3 screws are loosened and tightened again, and the switch will automatically follow.
- The chain is easily checked, adjusted and greased from the opening in the column.
- The column is open all the way through making all dirt fall on the floor while washing it. The 60 mm clearance to the floor will also help to keep the working place in a hygienic condition.
- The control buttons are safely integrated in the column. The cabinet is manufactured in stainless steel and all cables run inside the column.
- When installing the bolted version column it's very easy to make it level due to the adjustable machine feet.
- The safety features are well tested to protect in the event of chain brake and to prevent trolleys from falling out.

For more than fifty years

We have focused on different challenges of product handling for the food industry for over half a century. All the experience and know-how we have gathered puts us a step ahead of our competitors. This is apparent in our innovations, the width of our range and in our quality.

Today, we can guarantee a production capacity that goes beyond the norm, regarding the supply of machines and spares. The latter often leaving our warehouse the same day as ordered. In addition, we adapt every machine to your wishes and offer complete solutions made exactly to your situation.

We create safety and stability in your production systems and add further weight to your customer promise. The domain of our activity ranges beyond Europe and continues to grow. Our focus is a combination of fast service and high quality and will be more than just a promise in the future too.



NIMO-KG AB
P.O.B 124, Bygatan 9
SE-26023 KÄGERÖD
+ 46 (0)418-44 64 40
+ 46 (0)418-44 64 44
www.nimo-kg.se
info@nimo-kg.se