



Column


Column is a very versatile model that comes in two sizes. It can be grouped to create a playful look, especially in combination with its acoustic version. Column has an integrated LED tube light with excellent properties. A true statement addition to your space!




Column light (c) 1600



Column light (c) 2000




Column acoustic (c) 1600



Column acoustic (c) 2000



Column light ceiling 1600



Column light (c) 1600

Material:
PET Felt (polyethylene terephthalate)
Fireclass: EN13501-1 Class B-s1-d0
Produced in The Netherlands

Fixture:
2m black textile cable
2 black metal wires with adjustable griplock
Black ceiling cap

Lighting properties:

Integrated LED
30W | 2350lm

Dimmable
Trailing edge (RC) | Dali

CCT 2700 | 3000K | 4000K

IP20


Acoustic properties:

High absorption
value

Diffusion

Measurements:

Total weight: 2,5kg



see it

Colours:

13_Black

03_Charcoal

36_Dim Grey

11_Fog Grey

07_Ghost White

19_Midnight

26_Ocean

42_Rock Blue

30_Cool Grey

12_Turquoise

17_Forest

40_Faded Jade

41_Mint Pastel

39_Warm Grey

04_Bisque

35_Ochre

05_Lemon

09_Lavender

31_Rosé

45_Chilli

Light source specifications:

LED power:	30W
Connection voltage:	220-240V AC
Luminous Flux:	2350lm
Frequency:	47-63Hz
Driver:	Included/Integrated
Control Dimmable:	Trailing Edge Dali
Power factor:	78lm/W
Optics Beam of light:	Acrylic difusor 270°
CCT Colour temperature:	2700K 3000K 4000K
CRI:	Ra95
Operating temperature:	-20 ~ +45

Acoustic specifications:

Our models are currently being tested for their improved acoustic value


Order code:

é 09		é 09.... /.... /.... /....	
Model		Version	PET Felt colour		LED colour		Dimming technology			
é 09	1600 ceiling	01	colour	#	2700K 3000K 4000K	1 2 3	dimnable RC (trailing edge) Dali	B D		

For example: é 0901/05/2/B
Column light 1600 ceiling / Turquoise / 3000K / dimmable RC (trailing edge)

see it

Column light ceiling 2000



Material:
PET Felt (polyethylene terephthalate)
Fireclass: EN13501-1 Class B-s1-d0
Produced in The Netherlands

Fixture:
2m black textile cable
2 black metal wires with adjustable griplock
Black ceiling cap

Lighting properties:

Integrated LED
38W | 2940lm

Dimmable
Trailing edge (RC) | Dali

CCT 2700 | 3000K | 4000K

IP20


Acoustic properties:

High absorption
value

Diffusion

Measurements:

Total weight: 3,8kg



Colours:

13_Black

03_Charcoal

36_Dim Grey

11_Fog Grey

07_Ghost White

19_Midnight

26_Ocean

42_Rock Blue

30_Cool Grey

12_Turquoise

17_Forest

40_Faded Jade

41_Mint Pastel

39_Warm Grey

04_Bisque

35_Ochre

05_Lemon

09_Lavender

31_Rosé

45_Chilli

Light source specifications:

LED power:	30W
Connection voltage:	220-240V AC
Luminous Flux:	2350lm
Frequency:	47-63Hz
Driver:	Included/Integrated
Control Dimmable:	Trailing Edge Dali
Power factor:	78lm/W
Optics Beam of light:	Acrylic difusor 270°
CCT Colour temperature:	2700K 3000K 4000K
CRI:	Ra95
Operating temperature:	-20 ~ +45

Acoustic specifications:

Our models are currently being tested for their improved acoustic value

Order code:

é 09		é 09.... /.... /.... /....	
Model		Version	PET Felt colour		LED colour		Dimming technology			
é 09		2000 ceiling	02	colour #	2700K 3000K 4000K	1 2 3	dimnable RC (trailing edge) Dali	B D		

For example: é0902/12/2/B
Column light 2000 ceiling / Turquoise / 3000K / dimmable RC (trailing edge)



Column acoustic ceiling




Material:
PET Felt (polyethylene terephthalate)
Fireclass: EN13501-1 Class B-s1-d0
Produced in The Netherlands

Fixture:
2 black metal wires with adjustable griplock

Acoustic properties:

-  High absorption value
-  Diffusion

Measurements: **Total weight:** 1,5kg / 2,8kg



Colours:



Acoustic specifications:
Our models are currently being tested for their improved acoustic value

Order code:

é 10		é 10.... /.....
Model		Version	PET Felt colour		
é 10	1600 ceiling 2000 ceiling	01 02	colour	#	

For example: é1001/09
Column acoustic 1600 ceiling / Lavender