

TONONE



TONONE

TONONE

"Hereby we proudly present our brand-new catalogue. During the pandemic we kept going. We've added new product lines, such as the ONE. This luminous, magnetic little powerhouse is something special. We cannot wait for you to get to know this little pal. And then there's Bella, our three-legged elegant beauty. Furthermore, Ice Blue was added to the Tonone color palette, a color you will never stop looking at as it looks different every time. We have updated the photos to make our lamps shine brighter than ever before. Get ready for some sparkly eyes!

2023 is a celebratory year for us as we will be celebrating our ten-year anniversary. After ten years we're still based in the Netherlands and working together with local craftsmen. Today the design team's vision is still committed to apply traditional craft tools and mechanics in innovative light design. Looking back at the past ten years we're thrilled to see our lamps travel all over the world to their new enthusiastic owners."

With love,




Anton




Anton de Groof




TABLE OF CONTENTS

BRIDGE		9
ONE		15
BELLA		29
BOLT		37
BEADS		65
MR. TUBES LED		83
ATLAS		97
ELLA		103
SPECIFICATIONS		109



BRIDGE

A linear LED lamp that allows for a graphic interplay of lines and with which you can experiment with composition. Just like a real bridge, Bridge has different supports, so that the load-bearing capacity is evenly distributed along its length. Bridge doesn't have a power cable that catches the eye. That's because the power is conducted by steel cables, which are also used to hang the lamp. The lamp is available in different lengths. The available lengths are 110, 150, 180 and 220 cm. Bridge is made from recycled plexiglass and is available in the color Fog White and in two striking neon color variations: Lava Orange (fluorescent orange) and Toxic Green (fluorescent green).





BRIDGE

Design by Anton de Groof 2023


Material Aluminum, acrylic and steel
Description A linear LED lamp that allows for a graphic interplay of lines and with which you can experiment with composition. The design is functional, but also contains the typical layering of Tonone.

Volt 220–240 V
Max Watt 31,5 Watt
IP 20


Colors

More specifications on pages 109 – 130



lava orange



toxic green



fog white



Bridge 110 = 1100
Bridge 150 = 1495
Bridge 180 = 1800
Bridge 220 = 2200



ONE



The portable and rechargeable design lamp is a true all-rounder. You can take the lamp anywhere you want and it fits in every room of your house. Thanks to its magnetic attachment, you're able to snap the ONE on its fixture with just one simple movement. With its fully charged built-in battery, it lights up your life up to 30 hours. The ONE is easy to charge with the included cable. The ONE is available in 3 colors. Combine the ONE with one of the fixtures and make a floor, desk, ceiling or wall lamp.



ONE + KNOB

Design by Anton de Groof 2022

Material	Aluminum & steel
Description	The lamp is made out of powder coated aluminum and steel. The ONE is portable and has a built-in battery. The magnetic attachment allows you to snap ONE onto different fixtures. Charging cable included.
Volt	220–240 V Max 2 Watt
Light source	Integrated dimmable led
Led color	2700K
CRI	90




Colors 

More specifications on pages 109 – 130

knob



one + knob






DESK

Design by Anton de Groof 2022


Material	Aluminum & steel
Description	ONE + desk is made out of powder coated aluminum and steel. The ONE is portable and has a built-in battery. The magnetic attachment allows you to snap ONE onto different fixtures. Charging cable included.
Volt	220-240 V Max 2 Watt
Light source	Integrated dimmable led
Led color	2700K
CRI	90
Colors	

More specifications on pages 109 – 130

desk



one + desk





FLOOR


Design by Anton de Groof 2022

Material	Steel & aluminum
Description	ONE + floor is made out of powder coated aluminum and steel. The ONE is portable and has a built-in battery. The magnetic attachment allows you to snap ONE onto different fixtures. Charging cable included.
Volt	220–240 V Max 2 Watt
Light source	Integrated dimmable led
Led color	2700K
CRI	90


Colors 

More specifications on pages 109 – 130

floor



one + floor





FLOOR STRAIGHT


Design by Anton de Groof 2023

Material	Steel & aluminum
Description	ONE + floor is made out of powder coated aluminum and steel. The ONE is portable and has a built-in battery. The magnetic attachment allows you to snap ONE onto different fixtures. Charging cable included.
Volt	220–240 V Max 2 Watt
Light source	Integrated dimmable led
Led color	2700K
CRI	90



Colors 

More specifications on pages 109 – 130

floor



one + floor





WALL

Design by Anton de Groof 2022


Material Steel & aluminum
Description ONE + wall is made out of powder coated aluminum and steel. The ONE is portable and has a built-in battery. The magnetic attachment allows you to snap ONE onto different fixtures. Charging cable included.

Volt 220–240 V | Max 2 Watt
Light source Integrated dimmable led
Led color 2700K
CRI 90


Colors 

More specifications on pages 109 – 130

wall fixture



one + wall





BELLA

The Tonone Bella truly lives up to her name: she's a real Bella. Because of the three legs, a closed lampshade and the use of only one screw, this lamp has a functional design. The choice of powder-coated steel makes the Bella strong, both in her appearance and her construction.

Bella is available in 2 different models, as a pendant and table lamp, and 11 colors. To customize the design even further, you can choose the color of the fitting: black or brass.





TABLE

Design by Anton de Groof 2022

Material	Aluminum & steel
Description	The three legs are made of powder coated steel, the lampshade of coated aluminum. The Bella is almost completely screwless, the fitting is the only part that is secured with a screw.
Volt	220-240 V
Max Watt	60 Watt
Socket	E27


Colors 

More specifications on pages 109 – 130

black aluminum fitting



brass fitting





PENDANT

Design by Anton de Groof 2022


Material	Aluminum & steel
Description	The lampshade is made of powder coated aluminum. The Bella is almost completely screwless, the fitting is the only part that is secured with a screw.
Volt	220-240 V
Max Watt	60 Watt
Socket	E27

Colors




More specifications on pages 109 – 130

black aluminum fitting



brass fitting






BOLT

The starting point for the products of Tonone is the passion for traditional mechanics. The first product line that resulted from this fascination is the lamp series 'Bolt'.

The key element in this industrial series is the joint construction that can be adjusted with a wingnut-shaped tool. Besides being a functional tool, this wingnut is integrated in the design of the lamp itself as a distinctive visual element.



DESK

Design by Anton de Groof 2013

Material	Steel & aluminum
Description	Base and body in powder coated steel, shade in powder coated aluminum. The shade and arms are adjustable with the wingnut.
Volt	220-240 V
Max Watt	60 Watt
Socket	E27

Colors

More specifications on pages 109 – 130

2 arm foot







2 arm clamp



1 arm foot



1 arm clamp







DESK SMALL

Design by Anton de Groof 2013

Material	Steel & aluminum
Description	Base and body in powder coated steel, shade in powder coated aluminum. The shade and arms are adjustable with the wingnut.
Volt	220-240 V
Max Watt	60 Watt
Socket	E27

Colors 

More specifications on pages 109 – 130




2 arm small



1 arm small



1 arm small clamp





TABLE

Design by Anton de Groof 2013

Material	Steel & aluminum
Description	Base and body in powder coated steel, shade in powder coated aluminum. The shade and arms are adjustable with the wingnut.
Volt	220–240 V
Max Watt	60 Watt
Socket	E27



Colors

More specifications on pages 109 – 130

standard



small





FLOOR

Design by Anton de Groof 2013

Material	Steel & aluminum
Description	Base and body in powder coated steel, shade in powder coated aluminum. The shade and arms are adjustable with the wingnut.
Volt	220-240 V
Max Watt	60 Watt
Socket	E27



Colors 

More specifications on pages 109 – 130

2 arm sidefit



1 arm sidefit





FLOOR LONG


Design by Anton de Groof 2013

Material	Steel & aluminum
Description	Base and body in powder coated steel, shade in powder coated aluminum. The shade and arms are adjustable with the wingnut.
Volt	220-240 V
Max Watt	60 Watt
Socket	E27
Dimmer	2 arm upperfit includes a LED dimmer


Colors 

More specifications on pages 109 – 130

long 2 arm upperfit




long 1 arm sidefit



WALL

Installation



Design by Anton de Groof 2013

Material	Steel & aluminum
Description	Body in powder coated steel, shade in powder coated aluminum. The shade and arms are adjustable with the wingnut.
Volt	220–240 V Max 60 Watt
Socket	E27
Installation- options	1. powercord including switch and europlug 2. terminal block to install directly on a junction box 3. option 2 + optional wall ring

Colors

More specifications on pages 109 – 130

sidefit








sidefit small



sidefit mini



underfit





BED

Design by Anton de Groof 2013

Material	Steel & aluminum
Description	Body in powder coated steel, shade in powder coated aluminum. The shade and arms are adjustable with the wingnut.
Volt	220-240 V Max 60 Watt
Socket	E27
Installation- options	1. powercord including europlug 2. terminal block to install directly on a junction box 3. option 2 + optional wall ring

Colors 

More specifications on pages 109 – 130





sidefit



underfit



Installation





CEILING


Design by Anton de Groof 2016

Material	Steel & aluminum
Description	Body in powder coated steel, shade in powder coated aluminum. The shade and arms are adjustable with the wingnut.
Volt	220-240 V Max 60 Watt
Socket	E27


Colors

More specifications on pages 109 – 130


1 arm upperfit





2 arm upperfit



1 arm sidefit



2 arm sidefit



CHANDELIER

Design by Anton de Groof 2013

Material	Steel & aluminum
Description	Body in powder coated steel, shades in powder coated aluminum. The shades and arms are adjustable with the wingnut.
Volt	220–240 V
Max Watt	60 Watt
Socket	E27

Colors





More specifications on pages 109 – 130

6 arm



18 arm





PACK PENDANT

Design by Anton de Groof 2013

Material	steel & aluminum
Description	Body in powder coated steel, shades in powder coated aluminum. The shades and arms are adjustable with the wingnut.
Volt	220-240 V
Max Watt	60 Watt
Socket	E27



Colors


More specifications on pages 109 – 130

pack pendant



12 pack = 2190
10 pack = 1790
8 pack = 1390
6 pack = 990





BEADS

The Beads collection is a series of lamps designed to fit in every environment. The modest look of the armature starts shining when it comes to functionality. With its 360 degrees dimmable Led range, the Beads is a solution for every situation.

On top of that the Beads is available as a pendant, a ceiling-, wall-, floor- or table lamp. With the Beads Tonone illustrates a next step in innovating lighting concepts, but also sticks to the basic design signature of this brand.






PENDANT



Design by Anton de Groof 2018

Material	Aluminum
Description	The lightweight Beads is made out of aluminum materials.
Volt	220–240 V
Watt	13 Watt
Light source	Phase cut dimmable led
LED color	Dim to warm (2100K to 3000K)
CRI	90
Color	



More specifications on pages 109 – 130





pendant box 50



pendant box 108



pendant





DIRECT

Design by Anton de Groof 2018

Material	Aluminum
Description	The lightweight Beads is made out of aluminum materials.
Volt	220–240 V
Watt	13 Watt
Light source	Phase cut dimmable led
LED color	Dim to warm (2100K to 3000K)
CRI	90



Color 

More specifications on pages 109 – 130

direct outside



direct inside



Beads pendant



BEADS IN LINE


Design by Anton de Groof 2018

Material	Aluminum
Description	The lightweight Beads is made out of aluminum materials.
Volt	220–240 V
Watt	13 Watt
Light source	Phase cut dimmable led
LED color	Dim to warm (2100K to 3000K)
CRI	90



Color 

More specifications on pages 109 – 130

five beads in line



three beads in line





BEADS IN CIRCLE




Design by Anton de Groof 2018

Material	Aluminum
Description	The lightweight Beads is made out of aluminum materials.
Volt	220–240 V
Watt	13 Watt
Light source	Phase cut dimmable led
LED color	Dim to warm (2100K to 3000K)
CRI	90

Color 



More specifications on pages 109 – 130

three beads in circle





WALL

Installation wall 120



Installation wall 35



Design by Anton de Groof 2018

Material	Aluminum & steel
Description	The lightweight Beads is made out of aluminum materials. Wall mounts in powder coated steel.
Volt	220-240 V 13 Watt
Light source	Dimmable led
LED color	Dim to warm (2100K to 3000K)
CRI	90
Installation- options	1. & 3. with powercord including europlug, dimmer on fixture 2. & 4. with terminal block to install directly on a junction box, phase cut dimmable
Color	●

More specifications on pages 109 – 130




wall 120



wall 35 down



wall 35 up






FLOOR & TABLE

Design by Anton de Groof 2018


Material	Aluminum & steel
Description	The lightweight Beads is made out of aluminum materials. Base and tube in coated steel.
Tech specs	220–240 V
Watt	13 Watt
Light source	Dimmable LED, Beads Floor includes a LED dimmer on cord Beads Table is dimmable on fixture
LED color	Dim to warm (2100K to 3000K)
CRI	90
Color	●

More specifications on pages 109 – 130

floor



table





MR. TUBES LED




Mr. Tubes is a sturdy lamp design that combines pure functionality with graphical aesthetics. The black- or white coated steel construction holds the led tubes and gives the lamp an industrial look; a straightforward design suitable for various locations. The lamp is dimmable and the adjustable steel cables make it possible to hang the lamp at any height.

Mr. Tubes is available as a pendant single, double, floor, wall and chandelier. Or build your own with the Mr. Tubes Led Connect.

PENDANT

Installation





vertical 1000

driver separate

vertical 700

driver separate



Design by Anton de Groof 2019

Material	Aluminum & steel
Description	Body in powder coated steel & aluminum, carried by black steel cables. The Mr. Tubes is phase cut dimmable.
Volt	220-240 V 1000 mm tube 11,2 Watt 700 mm 7,6 Watt
Installation	1. driver on fixture 2. & 3. driver separate
Light color	2700K or 4000K
CRI	80



Colors  

More specifications on pages 109 – 130

single driver separate



single driver on fixture





DOUBLE

Design by Anton de Groof 2019

Material	Aluminum & steel
Description	Body in powder coated steel & aluminum, carried by 2 black steel cables. The Mr. Tubes is phase cut dimmable.
Volt	220-240 V
Watt	11,2 Watt
Light color	2700K or 4000K
CRI	80



Colors  

More specifications on pages 109 – 130

double black



double white





WALL

Design by Anton de Groof 2019

Material	Aluminum & steel
Description	Body in powder coated steel & aluminum. The Mr. Tubes is phase cut dimmable.
Volt	220–240 V 7,6 Watt
Light color	2700K or 4000K CRI: 80
Installation	1. with 3 meter powercord including europlug 2. with terminal block to install directly on a junction box 3. with optional wall ring



Colors  

More specifications on pages 109 – 130

wall driver separate



wall driver on fixture



Drawings of the installation options of the Mr. Tubes LED driver separate: available on request or check tonone.com.



CHANDELIER

Design by Anton de Groof 2019



Material	Aluminum & steel
Description	Body in powder coated steel & aluminum, carried by a black steel cable. The Mr. Tubes is phase cut dimmable.
Volt	220–240 V
Watt	7,6 Watt
Light color	2700K or 4000K
CRI	80
Colors	


More specifications on pages 109 – 130

chandelier black



chandelier white





CONNECT



Design by Anton de Groof 2019

Material	Aluminum & steel
Description	Body in powder coated steel & aluminum, carried by black steel cables. The Mr. Tubes is phase cut dimmable.
Volt	220-240 V 1000 mm tube 11,2 Watt 700 mm tube 7,6 Watt
Light color	2700K or 4000K
CRI	80

Colors  

Plan your Mr. Tubes led Connect with us.
info@tonone.com

connect





ATLAS



The combination of an aluminium or brass hinge mechanism with a transparent hand-blown glass shade creates a constructive lamp with a poetic character. By unfolding the hinge mechanism to an upright position, the glass shade is held up while it rests on the construction.

Atlas comes in two sizes; a big shade of 450 mm wide and a smaller shade of 350 mm wide.



ATLAS


Design by Anton de Groof 2015

Material	Brass & hand blown glass
Description	A hand blown glass shade held by an ingenious brass hinge mechanism.
Volt	220–240 V
Max Watt	60 Watt
Socket	E27
Glass colors	Transparent & neutral grey


Color  

More specifications on pages 109 – 130

D350



D450





ELLA



A hand-blown glass shade is supported by a sturdy steel tripod stand, underlining its strong, graphic yet elegant and light character. Both the transparent and the neutral grey shades provide a soft glow, and work harmoniously with the black or white stand colors and brass details.



ELLA

Design by Anton de Groof 2016

Material	Steel & hand blown glass
Description	The tripod stand is made of powder coated steel and holds a hand blown-glass shade.
Volt	220–240 V
Max Watt	60 Watt
Socket	E27
Glass colors	Transparent or neutral grey


Body colors

More specifications on pages 109 – 130

ella black



ella white





specifications




BOLT Desk 2 arm foot
Anton de Groof, 2013

Material: steel & aluminum
Weight: 7,8 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2900 mm

Wingnut solid brass included

p. 40



Technical drawing showing dimensions: 150, 97, 450, 90, 68, 38, 500, 200.

- smokey black
- flux green
- pure white
- midnight grey
- ash grey
- striking orange
- lightning white
- thunder blue
- daybreak rose
- sunny yellow
- ice blue

1001
1003
1005
1252
1008
1006
1004
1007
1457
1415
1600




BOLT Desk 2 arm clamp
Anton de Groof, 2013

Material: steel & aluminum
Weight: 2,5 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2900 mm

Wingnut solid brass included

p. 40



Technical drawing showing dimensions: 150, 97, 450, 90, 87, 142, max 75, 69, 500.

- smokey black
- flux green
- pure white
- midnight grey
- ash grey
- striking orange
- lightning white
- thunder blue
- daybreak rose
- sunny yellow
- ice blue

1009
1011
1013
1253
1016
1014
1012
1015
1458
1416
1601




BOLT Desk 1 arm foot
Anton de Groof, 2013

Material: steel & aluminum
Weight: 7,2 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2400 mm

Wingnut solid brass included

p. 41



Technical drawing showing dimensions: 150, 97, 90, 105, 68, 38, 200.

- smokey black
- flux green
- pure white
- midnight grey
- ash grey
- striking orange
- lightning white
- thunder blue
- daybreak rose
- sunny yellow
- ice blue

1017
1019
1021
1254
1024
1022
1020
1023
1460
1418
1602




BOLT Desk 1 arm clamp
Anton de Groof, 2013

Material: steel & aluminum
Weight: 1,9 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2400 mm

Wingnut solid brass included

p. 41



Technical drawing showing dimensions: 150, 97, 90, 500, 87, 142, max 75, 69.

- smokey black
- flux green
- pure white
- midnight grey
- ash grey
- striking orange
- lightning white
- thunder blue
- daybreak rose
- sunny yellow
- ice blue

1025
1027
1029
1255
1032
1030
1028
1031
1461
1419
1603




BOLT Desk small 2 arm foot
Anton de Groof, 2013 / 2018

Material: steel & aluminum
Weight: 5,3 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2300 mm

Wingnut solid brass included

p. 45



Technical drawing showing dimensions: 80, 280, 150, 97, 80, 102, 290, 178.

- smokey black
- flux green
- pure white
- midnight grey
- ash grey
- striking orange
- lightning white
- thunder blue
- daybreak rose
- sunny yellow
- ice blue

1352
1353
1355
1359
1358
1356
1354
1357
1459
1417
1606




BOLT Desk small 1 arm foot
Anton de Groof, 2013 / 2018

Material: steel & aluminum
Weight: 4,8 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2500 mm

Wingnut solid brass included

p. 45



Technical drawing showing dimensions: 150, 97, 280, 90, 68, 20, 178.

- smokey black
- flux green
- pure white
- midnight grey
- ash grey
- striking orange
- lightning white
- thunder blue
- daybreak rose
- sunny yellow
- ice blue

1033
1035
1037
1256
1040
1038
1036
1039
1462
1420
1604




BOLT Desk small 1 arm clamp
Anton de Groof, 2013 / 2018

Material: steel & aluminum
Weight: 1,7 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2500 mm

Wingnut solid brass included

p. 45



Technical drawing showing dimensions: 150, 97, 90, 280, 87, 142, max 75, 69.

- smokey black
- flux green
- pure white
- midnight grey
- ash grey
- striking orange
- lightning white
- thunder blue
- daybreak rose
- sunny yellow
- ice blue

1041
1042
1044
1257
1048
1045
1043
1046
1463
1421
1605




BOLT Table standard
Anton de Groof, 2013

Material: steel & aluminum
Weight: 7,3 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2300 mm

Wingnut solid brass included

p. 47



Technical drawing showing dimensions: 220, 100, 107, 500, 80, 160, 200.

- smokey black
- flux green
- pure white
- midnight grey
- ash grey
- striking orange
- lightning white
- thunder blue
- daybreak rose
- sunny yellow
- ice blue

1049
1051
1053
1258
1056
1054
1052
1055
1464
1422
1607




BOLT Table small
Anton de Groof, 2013

Material: steel & aluminum
Weight: 7,2 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2500 mm

Wingnut solid brass included

p. 47



Technical drawing showing dimensions: 220, 100, 107, 290, 80, 160, 200.

- smokey black
- flux green
- pure white
- midnight grey
- ash grey
- striking orange
- lightning white
- thunder blue
- daybreak rose
- sunny yellow
- ice blue

1057
1059
1061
1259
1064
1062
1060
1063
1465
1423
1608



BOLT Mount for table / desk


Material: steel & aluminum

Bolt Desk and Bolt Table available with mount instead of a foot or clamp.

Please contact Tonone for more information.

info@tonone.com

p. 47



Technical drawing showing dimensions: 38, 50.

- smokey black
- flux green
- pure white
- midnight grey
- ash grey
- striking orange
- lightning white
- thunder blue
- daybreak rose
- sunny yellow
- ice blue

1547
1548
1549
1550
1551
1552
1553
1554
1555
1556
1652




BOLT Floor 2 arm sidefit
Anton de Groof, 2013

Material: steel & aluminum
Weight: 8,8 kg
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 3000 mm

Wingnut solid brass included

p. 49



150 97 460 505 740 300 101

- smokey black 1065
- flux green 1067
- pure white 1069
- midnight grey 1260
- ash grey 1072
- striking orange 1070
- lightning white 1068
- thunder blue 1071
- daybreak rose 1466
- sunny yellow 1424
- ice blue 1609




BOLT Floor 1 arm sidefit
Anton de Groof, 2013

Material: steel & aluminum
Weight: 8,4 kg
IP 20
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2400 mm

Wingnut solid brass included

p. 49



150 97 500 740 300 101

- smokey black 1073
- flux green 1075
- pure white 1077
- midnight grey 1261
- ash grey 1080
- striking orange 1078
- lightning white 1076
- thunder blue 1079
- daybreak rose 1467
- sunny yellow 1425
- ice blue 1610




BOLT Floor long 2 arm upperfit
Anton de Groof, 2013

Material: steel & aluminum
Weight: 10,1 kg
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2900 mm
Includes a LED floordimmer on cord

Wingnut solid brass included

p. 51



460 90 100 220 500 1137 300 101

- smokey black 1360
- flux green 1361
- pure white 1363
- midnight grey 1367
- ash grey 1366
- striking orange 1364
- lightning white 1362
- thunder blue 1365
- daybreak rose 1469
- sunny yellow 1427
- ice blue 1612




BOLT Floor long 1 arm sidefit
Anton de Groof, 2013

Material: steel & aluminum
Weight: 9,3 kg
IP 20
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2200 mm

Wingnut solid brass included

p. 51



150 97 500 1137 300 101

- smokey black 1279
- flux green 1280
- pure white 1282
- midnight grey 1286
- ash grey 1285
- striking orange 1283
- lightning white 1281
- thunder blue 1284
- daybreak rose 1468
- sunny yellow 1426
- ice blue 1611




BOLT Wall sidefit with cord
Anton de Groof, 2013

Material: steel & aluminum
Weight: 1,0 kg
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2600 mm

Wingnut solid brass included

p. 52



150 81 90 290 74,5 39 85

- smokey black 1081
- flux green 1083
- pure white 1085
- midnight grey 1262
- ash grey 1088
- striking orange 1086
- lightning white 1084
- thunder blue 1087
- daybreak rose 1470
- sunny yellow 1428
- ice blue 1613




BOLT Wall sidefit install
Anton de Groof, 2013

Material: steel & aluminum
Weight: 1,0 kg
IP 20
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27
Optional: wallring

Wingnut solid brass included

p. 52



150 81 90 290 74,5 39 85

- smokey black 1089
- flux green 1091
- pure white 1093
- midnight grey 1265
- ash grey 1096
- striking orange 1094
- lightning white 1092
- thunder blue 1095
- daybreak rose 1473
- sunny yellow 1431
- ice blue 1614




BOLT Wall sidefit small with cord
Anton de Groof, 2013

Material: steel & aluminum
Weight: 1,0 kg
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2750 mm

Wingnut solid brass included

p. 52



150 81 90 160 74,5 33 85

- smokey black 1220
- flux green 1222
- pure white 1224
- midnight grey 1263
- ash grey 1227
- striking orange 1225
- lightning white 1223
- thunder blue 1226
- daybreak rose 1471
- sunny yellow 1429
- ice blue 1617




BOLT Wall sidefit small install
Anton de Groof, 2013

Material: steel & aluminum
Weight: 1,0 kg
IP 20
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27
Optional: wallring

Wingnut solid brass included

p. 52



150 81 90 160 74,5 33 85

- smokey black 1236
- flux green 1238
- pure white 1240
- midnight grey 1266
- ash grey 1243
- striking orange 1241
- lightning white 1239
- thunder blue 1242
- daybreak rose 1474
- sunny yellow 1432
- ice blue 1618




BOLT Wall sidefit mini with cord
Anton de Groof, 2013

Material: steel & aluminum
Weight: 0,9 kg
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2850 mm

Wingnut solid brass included

p. 53



150 81 90 160 74,5 39 85

- smokey black 1228
- flux green 1230
- pure white 1232
- midnight grey 1264
- ash grey 1235
- striking orange 1233
- lightning white 1231
- thunder blue 1234
- daybreak rose 1472
- sunny yellow 1430
- ice blue 1619




BOLT Wall sidefit mini install
Anton de Groof, 2013

Material: steel & aluminum
Weight: 0,9 kg
IP 20
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27
Optional: wallring

Wingnut solid brass included

p. 53



150 81 90 160 74,5 39 85


- smokey black 1244
- flux green 1246
- pure white 1248
- midnight grey 1267
- ash grey 1251
- striking orange 1249
- lightning white 1247
- thunder blue 1250
- daybreak rose 1475
- sunny yellow 1433
- ice blue 1620



BOLT Wall underfit with cord
Anton de Groof, 2013

Material: steel & aluminum
Weight: 1,2 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2600 mm

Wingnut solid brass included



220
100
90
290
33
74,5
ø85

- smokey black
- flux green
- pure white
- midnight grey
- ash grey
- striking orange
- lightning white
- thunder blue
- daybreak rose
- sunny yellow
- ice blue

1105
1107
1109
1268
1112
1110
1108
1111
1476
1434
1615

p. 53






BOLT Wall underfit install
Anton de Groof, 2013

Material: steel & aluminum
Weight: 1,2 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Optional: wallring

Wingnut solid brass included



220
100
90
290
33
74,5
ø85

- smokey black
- flux green
- pure white
- midnight grey
- ash grey
- striking orange
- lightning white
- thunder blue
- daybreak rose
- sunny yellow
- ice blue

1113
1114
1116
1269
1120
1117
1115
1118
1477
1435
1616

p. 53






BOLT Bed sidefit with cord
Anton de Groof, 2013

Material: steel & aluminum
Weight: 1,2 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2500 mm

Wingnut solid brass included



150
97
290
90
74,5
ø85
64

- smokey black
- flux green
- pure white
- midnight grey
- ash grey
- striking orange
- lightning white
- thunder blue
- daybreak rose
- sunny yellow
- ice blue

1129
1131
1133
1270
1136
1134
1132
1135
1478
1436
1623

p. 52






BOLT Bed sidefit with cord MIRROR
Anton de Groof, 2013

Material: steel & aluminum
Weight: 1,2 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2500 mm

Wingnut solid brass included



150
97
290
90
74,5
ø85
64

- smokey black
- flux green
- pure white
- midnight grey
- ash grey
- striking orange
- lightning white
- thunder blue
- daybreak rose
- sunny yellow
- ice blue

1529
1530
1531
1532
1533
1534
1535
1536
1537
1538
1624

p. 52






BOLT Bed sidefit install
Anton de Groof, 2013

Material: steel & aluminum
Weight: 1,2 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Optional: wallring

Wingnut solid brass included



150
97
290
90
74,5
ø85
64

- smokey black
- flux green
- pure white
- midnight grey
- ash grey
- striking orange
- lightning white
- thunder blue
- daybreak rose
- sunny yellow
- ice blue

1137
1139
1141
1271
1144
1142
1140
1143
1479
1437
1626

p. 52






BOLT Bed sidefit install MIRROR
Anton de Groof, 2013

Material: steel & aluminum
Weight: 1,2 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Optional: wallring

Wingnut solid brass included



150
97
290
90
74,5
ø85
64

- smokey black
- flux green
- pure white
- midnight grey
- ash grey
- striking orange
- lightning white
- thunder blue
- daybreak rose
- sunny yellow
- ice blue

1368
1369
1371
1375
1374
1372
1370
1373
1480
1438
1627

p. 52






BOLT Bed sidefit set
Anton de Groof, 2013

Material: steel & aluminum
Weight: 2,4 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: max 2500 mm

Wingnut solid brass included



150
97
290
150
97
290
64
64

- smokey black
- flux green
- pure white
- midnight grey
- ash grey
- striking orange
- lightning white
- thunder blue
- daybreak rose
- sunny yellow
- ice blue

1560
1561
1562
1563
1564
1565
1566
1567
1568
1569
1625

p. 52






BOLT Bed sidefit set install
Anton de Groof, 2013

Material: steel & aluminum
Weight: 2,4 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Optional: wallring

Wingnut solid brass included



150
97
290
150
97
290
64
64

- smokey black
- flux green
- pure white
- midnight grey
- ash grey
- striking orange
- lightning white
- thunder blue
- daybreak rose
- sunny yellow
- ice blue

1570
1571
1572
1573
1574
1575
1576
1577
1578
1579
1628

p. 52






BOLT Bed underfit with cord
Anton de Groof, 2013

Material: steel & aluminum
Weight: 1,4 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2500 mm

Wingnut solid brass included



220
100
107
290
64
74,5
ø85

- smokey black
- flux green
- pure white
- midnight grey
- ash grey
- striking orange
- lightning white
- thunder blue
- daybreak rose
- sunny yellow
- ice blue

1145
1147
1149
1272
1152
1150
1148
1151
1481
1439
1629

p. 55






BOLT Bed underfit with cord MIRROR
Anton de Groof, 2013

Material: steel & aluminum
Weight: 1,4 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2500 mm

Wingnut solid brass included



220
100
107
290
64
74,5
ø85

- smokey black
- flux green
- pure white
- midnight grey
- ash grey
- striking orange
- lightning white
- thunder blue
- daybreak rose
- sunny yellow
- ice blue

1519
1520
1521
1522
1523
1524
1525
1526
1527
1528
1630

p. 55






BOLT Bed underfit install
Anton de Groof, 2013

Material: steel & aluminum
Weight: 1,4 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Optional: wallring

Wingnut solid brass included



220
74,5
58
107
290
64

- smokey black
- flux green
- pure white
- midnight grey
- ash grey
- striking orange
- lightning white
- thunder blue
- daybreak rose
- sunny yellow
- ice blue

1153
1155
1157
1273
1160
1158
1156
1159
1482
1440
1632

p. 55






BOLT Bed underfit install MIRROR
Anton de Groof, 2013

Material: steel & aluminum
Weight: 1,4 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Optional: wallring

Wingnut solid brass included



220
74,5
58
107
290
64

- smokey black
- flux green
- pure white
- midnight grey
- ash grey
- striking orange
- lightning white
- thunder blue
- daybreak rose
- sunny yellow
- ice blue

1376
1377
1379
1383
1382
1380
1378
1381
1483
1441
1633

p. 55






BOLT Bed underfit set
Anton de Groof, 2013

Material: steel & aluminum
Weight: 2,8 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: max 2500 mm

Wingnut solid brass included



220
100
107
64
290
290
64

- smokey black
- flux green
- pure white
- midnight grey
- ash grey
- striking orange
- lightning white
- thunder blue
- daybreak rose
- sunny yellow
- ice blue

1580
1581
1582
1583
1584
1585
1586
1587
1588
1589
1631

p. 55






BOLT Bed underfit set install
Anton de Groof, 2013

Material: steel & aluminum
Weight: 2,8 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Optional: wallring

Wingnut solid brass included



220
100
107
64
290
290
64

- smokey black
- flux green
- pure white
- midnight grey
- ash grey
- striking orange
- lightning white
- thunder blue
- daybreak rose
- sunny yellow
- ice blue

1590
1591
1592
1593
1594
1595
1596
1597
1598
1599
1634

p. 55






BOLT Ceiling 1 arm sidefit
Anton de Groof, 2016

Material: steel & aluminum
Weight: 1,5 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27

Wingnut solid brass included



ø 112
38
90
150
81
500
72

- smokey black
- flux green
- pure white
- midnight grey
- ash grey
- striking orange
- lightning white
- thunder blue
- daybreak rose
- sunny yellow
- ice blue

1304
1305
1307
1311
1310
1308
1306
1309
1486
1444
1636

p. 59






BOLT Ceiling 2 arm sidefit
Anton de Groof, 2016

Material: steel & aluminum
Weight: 1,9 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27

Wingnut solid brass included



ø 112
38
90
150
81
500
460
72

- smokey black
- flux green
- pure white
- midnight grey
- ash grey
- striking orange
- lightning white
- thunder blue
- daybreak rose
- sunny yellow
- ice blue

1320
1321
1323
1327
1326
1324
1322
1325
1487
1445
1638

p. 59






BOLT Ceiling 1 arm upperfit
Anton de Groof, 2016

Material: steel & aluminum
Weight: 1,7 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27

Wingnut solid brass included



ø 112
38
90
100
90
500
72
220

- smokey black
- flux green
- pure white
- midnight grey
- ash grey
- striking orange
- lightning white
- thunder blue
- daybreak rose
- sunny yellow
- ice blue

1312
1313
1315
1319
1318
1316
1314
1317
1490
1448
1640

p. 58






BOLT Ceiling 2 arm upperfit
Anton de Groof, 2016

Material: steel & aluminum
Weight: 2,1 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27

Wingnut solid brass included



ø 112
38
90
100
90
500
460
72
220

- smokey black
- flux green
- pure white
- midnight grey
- ash grey
- striking orange
- lightning white
- thunder blue
- daybreak rose
- sunny yellow
- ice blue

1328
1329
1331
1335
1334
1332
1330
1333
1491
1449
1642

p. 58






BOLT Chandelier 6 arm
Anton de Groof, 2013

Material: steel & aluminum
Weight: 6,5 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: max 3000 mm

Wingnut solid brass included



ø 125
64
max 2700
361
150
min ø 625
max ø 1200
90

- smokey black
- flux green
- pure white
- midnight grey
- ash grey
- striking orange
- lightning white
- thunder blue
- daybreak rose
- sunny yellow
- ice blue

1161
1163
1165
1278
1168
1166
1164
1167
1494
1452
1643

p. 61






BOLT Chandelier 18 arm
Anton de Groof, 2013

Material: steel & aluminum
Weight: 15 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: max 3000 mm

Wingnut solid brass included



ø 125
64
max 3000
min 100
431
1608
ø 150
90

- smokey black
- flux green
- pure white
- midnight grey
- ash grey
- striking orange
- lightning white
- thunder blue
- daybreak rose
- sunny yellow
- ice blue

1298
1500
1501
1502
1503
1504
1505
1506
1507
1508
1645

p. 61






BOLT 6-pack pendant
Anton de Groof, 2013

Material: steel & aluminum
Weight: 7 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: max 5000 mm

Wingnut solid brass included



- smokey black 1170
- flux green 1097
- pure white 1098
- midnight grey 1103
- ash grey 1102
- striking orange 1100
- lightning white 1099
- thunder blue 1101
- daybreak rose 1495
- sunny yellow 1453
- ice blue 1646


p. 63



BOLT 8-pack pendant
Anton de Groof, 2013

Material: steel & aluminum
Weight: 8,7 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: max 5000 mm

Wingnut solid brass included



- smokey black 1171
- flux green 1104
- pure white 1121
- midnight grey 1126
- ash grey 1125
- striking orange 1123
- lightning white 1122
- thunder blue 1124
- daybreak rose 1496
- sunny yellow 1454
- ice blue 1647


p. 63



BOLT 10-pack pendant
Anton de Groof, 2013

Material: steel & aluminum
Weight: 10,6 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: max 5000 mm

Wingnut solid brass included



- smokey black 1172
- flux green 1127
- pure white 1128
- midnight grey 1193
- ash grey 1191
- striking orange 1175
- lightning white 1174
- thunder blue 1190
- daybreak rose 1497
- sunny yellow 1455
- ice blue 1648


p. 63



BOLT 12-pack pendant
Anton de Groof, 2013

Material: steel & aluminum
Weight: 12,6 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: max 5000 mm

Wingnut solid brass included



- smokey black 1173
- flux green 1208
- pure white 1209
- midnight grey 1214
- ash grey 1213
- striking orange 1211
- lightning white 1210
- thunder blue 1212
- daybreak rose 1498
- sunny yellow 1456
- ice blue 1649


p. 63



BEADS Pendant box 50
Anton de Groof, 2018

Material: aluminum
Weight: 0,8 kg
IP 20
Volt: 220–240 V | 13 Watt
Dim to warm 2100K to 3000K
1350 lumen | CRI: 90
Phase cut dimmable
Cord length: max 3000 mm

led



- smokey black 2000


p. 69



BEADS Pendant box 108
Anton de Groof, 2018

Material: aluminum
Weight: 0,9 kg
IP 20
Volt: 220–240 V | 13 Watt
Dim to warm 2100K to 3000K
1350 lumen | CRI: 90
Phase cut dimmable
Cord length: max 3000 mm

led



- smokey black 2010


p. 69



BEADS Pendant
Anton de Groof, 2018

Material: aluminum
Weight: 0,8 kg
IP 20
Volt: 220–240 V | 13 Watt
Dim to warm 2100K to 3000K
1350 lumen | CRI: 90
Phase cut dimmable
Cord length: max 3000 mm

led



- smokey black 2020


p. 69



BEADS Direct inside
Anton de Groof, 2018

Material: aluminum
Weight: 0,8 kg
IP 20
Volt: 220–240 V | 13 Watt
Dim to warm 2100K to 3000K
1350 lumen | CRI: 90
Phase cut dimmable

led



- smokey black 2030


p. 71



BEADS Direct outside
Anton de Groof, 2018

Material: aluminum
Weight: 0,8 kg
IP 20
Volt: 220–240 V | 13 Watt
Dim to warm 2100K to 3000K
1350 lumen | CRI: 90
Phase cut dimmable

led



- smokey black 3000


p. 71



BEADS Wall 120 with cord
Anton de Groof, 2018

Material: aluminum & steel
Weight: 1,9 kg
IP 20
Volt: 220–240 V | 13 Watt
Dim to warm 2100K to 3000K
1350 lumen | CRI: 90
Dimmable on fixture
Cord length: 2700 mm

led




- smokey black 2040

p. 78

BEADS Wall 120 install
Anton de Groof, 2018

Material: aluminum & steel
Weight: 1,9 kg
IP 20
Volt: 220-240 V | 13 Watt
Dim to warm 2100K to 3000K
1350 lumen | CRI: 90
Phase cut dimmable



● smokey black


2050

p. 78

led

BEADS Wall 35 downlight with cord
Anton de Groof, 2018

Material: aluminum & steel
Weight: 1,3 kg
IP 20
Volt: 220-240 V | 13 Watt
Dim to warm 2100K to 3000K
1350 lumen | CRI: 90
Dimmable on fixture
Cord length: 2600 mm



● smokey black


2060

p. 79

led

BEADS Wall 35 downlight install
Anton de Groof, 2018

Material: aluminum & steel
Weight: 1,3 kg
IP 20
Volt: 220-240 V | 13 Watt
Dim to warm 2100K to 3000K
1350 lumen | CRI: 90
Phase cut dimmable



● smokey black


2070

p. 79

led

BEADS Wall 35 uplight with cord
Anton de Groof, 2018

Material: aluminum & steel
Weight: 1,3 kg
IP 20
Volt: 220-240 V | 13 Watt
Dim to warm 2100K to 3000K
1350 lumen | CRI: 90
Dimmable on fixture
Cord length: 2600 mm



● smokey black


2080

p. 79

led

BEADS Wall 35 uplight install
Anton de Groof, 2018

Material: aluminum & steel
Weight: 1,3 kg
IP 20
Volt: 220-240 V | 13 Watt
Dim to warm 2100K to 3000K
1350 lumen | CRI: 90
Phase cut dimmable



● smokey black


2090

p. 79

led

BEADS Five beads in line
Anton de Groof, 2018

Material: aluminum
Weight: 5 kg
IP 20
Volt: 220-240 V | 13 Watt
Dim to warm 2100K to 3000K
5 x 1350 lumen | CRI: 90
Phase cut dimmable



● smokey black


3010

p. 74

led

BEADS Three beads in line
Anton de Groof, 2018

Material: aluminum
Weight: 3 kg
IP 20
Volt: 220-240 V | 13 Watt
Dim to warm 2100K to 3000K
3 x 1350 lumen | CRI: 90
Phase cut dimmable



● smokey black


3020

p. 75

led

BEADS Three beads in circle
Anton de Groof, 2018

Material: aluminum
Weight: 3,1 kg
IP 20
Volt: 220-240 V | 13 Watt
Dim to warm 2100K to 3000K
3 x 1350 lumen | CRI: 90
Phase cut dimmable



● smokey black


3030

p. 77

led

BEADS Table uplight
Anton de Groof, 2018

Material: aluminum & steel
Weight: 4 kg
IP 20
Volt: 220-240 V | 13 Watt
Dim to warm 2100K to 3000K
1350 lumen | CRI: 90
Dimmable on fixture
Cord length: 2400 mm



● smokey black


3060

p. 81

led

BEADS Table downlight
Anton de Groof, 2018

Material: aluminum & steel
Weight: 4 kg
IP 20
Volt: 220-240 V | 13 Watt
Dim to warm 2100K to 3000K
1350 lumen | CRI: 90
Dimmable on fixture
Cord length: 2400 mm



● smokey black

3070

p. 81

led



BEADS Floor uplight
Anton de Groof, 2018

Material: aluminum & steel
Weight: 7,6 kg
IP 20
Volt: 220–240 V | 13 Watt
Dim to warm 2100K to 3000K
1350 lumen | CRI: 90
Dimmer on cord
Cord length: 2100 mm

1818
270
14

● smokey black

3040

led

p. 81



BEADS Floor downlight
Anton de Groof, 2018

Material: aluminum & steel
Weight: 7,6 kg
IP 20
Volt: 220–240 V | 13 Watt
Dim to warm 2100K to 3000K
1350 lumen | CRI: 90
Cord length: 2100 mm
Dimmer on cord

1818
270
14

● smokey black

3050

led

p. 81



MR. TUBES LED Pendant horizontal | 2700K | driver separate
Anton de Groof, 2019

Material: aluminum & steel
Weight: 0,8 kg
IP 20
Volt: 220–240 V | 11,2 Watt
1300 lumen | 2700K | CRI: 80
Phase cut dimmable

1006
35
max 5000
ø40

● smokey black with black cords

4000

○ pure white with orange cords

4002

led

p. 87



MR. TUBES LED Pendant horizontal | 4000K | driver separate
Anton de Groof, 2019

Material: aluminum & steel
Weight: 0,8 kg
IP 20
Volt: 220–240 V | 11,2 Watt
1430 lumen | 4000K | CRI: 80
Phase cut dimmable

1006
35
max 5000
ø40

● smokey black with black cords

4001

○ pure white with orange cords

4003

led

p. 87



MR. TUBES LED Pendant horizontal | 2700K | driver on fixture
Anton de Groof, 2019

Material: aluminum & steel
Weight: 1,3 kg
IP 20
Volt: 220–240 V | 11,2 Watt
1300 lumen | 2700K | CRI: 80
Phase cut dimmable

1049
35
max 5000
ø40
130
ø50

● smokey black with black cords

4005

○ pure white with orange cords

4007

Wingnut solid brass included

led

p. 87



MR. TUBES LED Pendant horizontal | 4000K | driver on fixture
Anton de Groof, 2019

Material: aluminum & steel
Weight: 1,3 kg
IP 20
Volt: 220–240 V | 11,2 Watt
1430 lumen | 4000K | CRI: 80
Phase cut dimmable

1049
35
max 5000
ø40
130
ø50

● smokey black with black cords

4006

○ pure white with orange cords

4008

Wingnut solid brass included

led

p. 87



MR. TUBES LED Pendant vertical 700 | 2700K
Anton de Groof, 2019

Material: aluminum & steel
Weight: 0,7 kg
IP 20
Volt: 220–240 V | 7,6 Watt
890 lumen | 2700K | CRI: 80
Phase cut dimmable

711
35
max 5000
ø45

● smokey black with black cords

4010

○ pure white with orange cords

4011

led

p. 86



MR. TUBES LED Pendant vertical 700 | 4000K
Anton de Groof, 2019

Material: aluminum & steel
Weight: 0,7 kg
IP 20
Volt: 220–240 V | 7,6 Watt
980 lumen | 4000K | CRI: 80
Phase cut dimmable

711
35
max 5000
ø45

● smokey black with black cords

4012

○ pure white with orange cords

4013

led

p. 86



MR. TUBES LED Pendant vertical 1000 | 2700K
Anton de Groof, 2019

Material: aluminum & steel
Weight: 0,8 kg
IP 20
Volt: 220–240 V | 11,2 Watt
1300 lumen | 2700K | CRI: 80
Phase cut dimmable

1011
35
max 5000
ø45

● smokey black with black cords

4014

○ pure white with orange cords

4017

led

p. 86



MR. TUBES LED Pendant vertical 1000 | 4000K
Anton de Groof, 2019

Material: aluminum & steel
Weight: 0,8 kg
IP 20
Volt: 220–240 V | 11,2 Watt
1430 lumen | 4000K | CRI: 80
Phase cut dimmable

1011
35
max 5000
ø45

● smokey black with black cords

4018

○ pure white with orange cords

4019

led


p. 86

MR. TUBES LED Connect
Anton de Groof, 2019

Material: aluminum & steel
IP 20
Volt: 220-240 V
1300 or 1430 lumen
2700K or 4000K
CRI: 80
Phase cut dimmable

Wingnut solid brass included


led



Plan your
Mr. Tubes LED
Connect with us


info@tonone.com

p. 95



ATLAS D350
Anton de Groof, 2015

Material: brass & hand blown glass
Weight: 4 kg
IP 20
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27
Cord length: max 3000 mm




- transparent 1400
- neutral grey 1401

p. 101



ATLAS D450
Anton de Groof, 2015

Material: brass & hand blown glass
Weight: 7,6 kg
IP 20
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27
Cord length: max 3000 mm




- transparent 1403
- neutral grey 1404

p. 101



ELLA Black
Anton de Groof, 2016

Material: steel & hand blown glass
Weight: 5,1 kg
IP 20
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2800 mm
Dimmer on cord




- transparent 1407
- neutral grey 1406

p. 107



ELLA White
Anton de Groof, 2016

Material: steel & hand blown glass
Weight: 5,1 kg
IP 20
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2800 mm
Dimmer on cord



- transparent 1409
- neutral grey 1408

p. 107



light source(s) not included


led

integrated LED



BELLA Table
black anodized aluminum fitting
Anton de Groof, 2022

Material: aluminum & steel
Weight: 2,3 kg
IP 20
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2900 mm
Dimmer on cord




- smokey black 1664
- flux green 1665
- pure white 1666
- midnight grey 1667
- ash grey 1668
- striking orange 1669
- lightning white 1670
- thunder blue 1671
- daybreak rose 1672
- sunny yellow 1673
- ice blue 1674

p. 33



BELLA Table
brass fitting
Anton de Groof, 2022

Material: aluminum, steel & brass
Weight: 2,3 kg
IP 20
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2900 mm
Dimmer on cord




- smokey black 1653
- flux green 1654
- pure white 1655
- midnight grey 1656
- ash grey 1657
- striking orange 1658
- lightning white 1659
- thunder blue 1660
- daybreak rose 1661
- sunny yellow 1662
- ice blue 1663

p. 33



BELLA Pendant
black anodized aluminum fitting
Anton de Groof, 2022

Material: aluminum & steel
Weight: 1 kg
IP 20
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2400 mm




- smokey black 1686
- flux green 1687
- pure white 1688
- midnight grey 1689
- ash grey 1690
- striking orange 1691
- lightning white 1692
- thunder blue 1693
- daybreak rose 1694
- sunny yellow 1695
- ice blue 1696

p. 35



BELLA Pendant
brass fitting
Anton de Groof, 2022

Material: aluminum, steel & brass
Weight: 1 kg
IP 20
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2400 mm



- smokey black 1675
- flux green 1676
- pure white 1677
- midnight grey 1678
- ash grey 1679
- striking orange 1680
- lightning white 1681
- thunder blue 1682
- daybreak rose 1683
- sunny yellow 1684
- ice blue 1685


p. 35



ONE + Knob
Anton de Groof, 2022

Material: aluminum & steel
Weight: 0,3 kg
IP 20
Volt: 220-240 V | 2 Watt
2700 K | 245 lumen | CRI: 90
Dimmable on fixture
Battery: 5-30 hours
USB-C charging cable included
Cable length: 500 mm

led



- smokey black 5045
- fuzzy white 5046
- heavy metal 5047
- fuzzy white with hell orange 5048
- Heavy metal with bright yellow 5049

p. 19



light source(s) not included


led

integrated LED



ONE + Desk
Anton de Groof, 2022

Material: aluminum & steel
Weight: 1,2 kg
IP 20
Volt: 220–240 V | 2 Watt
2700 K | 245 lumen | CRI: 90
Dimmable on fixture
Battery: 5–30 hours
USB-C charging cable + plug included
Cable length: 500 mm & 1500 mm



380
577
Ø150

● smokey black 5035
○ fuzzy white 5036
● heavy metal 5037


p. 21



ONE Desk fixture
Anton de Groof, 2022

Material: aluminum & steel
Weight: 1 kg

USB-C charging cable + plug included
Cable length: 1500 mm



380
577
Ø150


● smokey black 5015
○ fuzzy white 5016
● heavy metal 5017

p. 21



ONE + Wall
Anton de Groof, 2022

Material: aluminum & steel
Weight: 0,5 kg
IP 20
Volt: 220–240 V | 2 Watt
2700 K | 245 lumen | CRI: 90
Dimmable on fixture
Battery: 5–30 hours
USB-C charging cable included
Cable length: 500 mm



360
130
50
Ø70

● smokey black 5040
○ fuzzy white 5041
● heavy metal 5042


p. 27



ONE Wall fixture
Anton de Groof, 2022

Material: aluminum & steel
Weight: 0,25 kg

USB-C charging cable included



360
130
50
Ø70


● smokey black 5020
○ fuzzy white 5021
● heavy metal 5022

p. 27



ONE + Floor
Anton de Groof, 2022

Material: aluminum & steel
Weight: 1,4 kg
IP 20
Volt: 220–240 V | 2 Watt
2700 K | 245 lumen | CRI: 90
Dimmable on fixture
Battery: 5–30 hours
USB-C charging cable + plug included
Cable length: 500 mm & 2500 mm



460
1084

● smokey black 5030
○ fuzzy white 5031
● heavy metal 5032

led


p. 23



ONE Floor fixture
Anton de Groof, 2022

Material: aluminum & steel
Weight: 1,2 kg

USB-C charging cable + plug included
Cable length: 2500 mm



460
1084
Ø170


● smokey black 5010
○ fuzzy white 5011
● heavy metal 5012

p. 23



ONE + Floor straight
Anton de Groof, 2022

Material: aluminum & steel
Weight: 1,4 kg
IP 20
Volt: 220–240 V | 2 Watt
2700 K | 245 lumen | CRI: 90
Dimmable on fixture
Battery: 5–30 hours
USB-C charging cable + plug included
Cable length: 500 mm & 2500 mm



266
1125
200
140

led


p. 25



ONE Floor straight fixture
Anton de Groof, 2022

Material: aluminum & steel
Weight: 1,2 kg

USB-C charging cable + plug included
Cable length: 2500 mm



266
1125
200
140


● smokey black 5055
○ fuzzy white 5056
● heavy metal 5057

p. 25



ONE Knob
Anton de Groof, 2022

Material: steel
Weight: 0,08 kg



40
Ø22,5

● smokey black 5025
○ fuzzy white 5026
● heavy metal 5027



ONE 3 Knob
Anton de Groof, 2022

Material: steel
Weight: 3 × 0,08 kg



Ø25


● smokey black 5058
○ fuzzy white 5059
● heavy metal 5060

p. 19



Bridge 110
Anton de Groof, 2023

Material: aluminum, acrylic & steel
Weight: 1,9 kg
IP 20
Volt: 220–240 V | 15 Watt
2700 K | 1492 lumen | CRI: >90
Mains dimmable
Cable length: 3000 mm









192
1100
51

● lava orange 6000
● toxic green 6001
○ fog white 6002

led

p. 13

	Bridge 150 Anton de Groof, 2023	Material: aluminum, acrylic & steel Weight: 2,3 kg IP 20 Volt: 220–240 V 21 Watt 2700 K 2058 lumen CRI: >90 Mains dimmable Cable length: 3000 mm		lava orange toxic green fog white	6005 6006 6007
	p. 13	led			
	Bridge 180 Anton de Groof, 2023	Material: aluminum, acrylic & steel Weight: 2,6 kg IP 20 Volt: 220–240 V 27 Watt 2700 K 2495 lumen CRI: >90 Mains dimmable Cable length: 3000 mm		lava orange toxic green fog white	6010 6011 6012
	p. 13	led			
	Bridge 220 Anton de Groof, 2023	Material: aluminum, acrylic & steel Weight: 3 kg IP 20 Volt: 220–240 V 31,5 Watt 2700 K 3068 lumen CRI: >90 Mains dimmable Cable length: 3000 mm		lava orange toxic green fog white	6015 6016 6017
	p. 13	led			
	Wingnut 	Material: solid brass, copper, stainless steel or black aluminum 		solid brass copper stainless steel black aluminium	1300 1302 1303 1301
		Wingnut Solid Brass included with the Bolt Collection and Mr. Tubes LED Pendant horizontal, Wall driver on fixture and Chandelier. 			
		Sold per 10 pieces			
	Wall ring 	Material: steel Optional ring for installation of:		smokey black flux green pure white midnight grey ash grey striking orange lightning white thunder blue daybreak rose sunny yellow ice blue	1385 1386 1387 1388 1389 1390 1391 1392 1393 1394 1650
		- Bolt Wall install - Bolt Wall small install - Bolt Wall mini install - Bolt Wall underfit install - Bolt Bed sidefit install - Bolt Bed underfit install - Mr. Tubes led wall driver separate install - Mr. Tubes led wall driver on fixture install			

Special thanks to:

Frank van Delft Photography
Hans Schoenmakers – Spring Design
Wonderwood Fotografie – Laura Westendorp

Bibelotte
Janniene Brouwer – NNN___studio
JM van Delft & ZN
Karton Studio
Kirsti Bertrums
LEXSON Fashion Brands
Studio Bovitec
Studio Byfrank
The Unbound
Visserette Polpo

Tonone

Veemarktkade 8 – 6117
5222 AE Den Bosch
The Netherlands
info@tonone.com
www.tonone.com
+31 (0) 85 782 13 33
BTW / VAT NL 8532 13 215 B01
KVK / CH.O.C. 58 86 26 92



tonone_official

copyright © Tonone 2024
All rights reserved



Relax
'It's just a
Camp!

