KNX Push Button with Dynamic Labeling

Merten System D

se.com/KNX

Life Is On | Schneider Electric

KNX Push Button dynamic labeling

The new KNX Push Button with dynamic labeling available in the System D switch range offers maximum flexibility through a modular brick concept and the paper-free dynamic labeling.

You won't have to worry about changes in project planning and you'll be ready for changes in your customers' lifestyle and habits over time.

Advantages at a glance

The expectations of modern, flexible, and smart buildings are constantly growing. Many builders and homeowners want a flexible system that also allows adjustments aligned with their changing needs.

As a system integrator or electrician, you rely on solutions that are flexible, yet easy to install and configure. The new KNX Push Button with dynamic labeling meets all your requirements and those of homeowners and investors — in homes and buildings and for new and existing KNX installations.

Lotos white

Stainless steel

Anthracite

Mocca metallic

Nickel metallic

Flexibility

Available in 1-, 2-, and 3-gang, and as a universal (4-gang) device, the new smart brick concept and digital labeling allow maximum flexibility in meeting dynamic and changing customer requests.

Time saving

The colored display with digital icons and individual text allow paper-free labeling which reduces preparation time. The labeling takes place in the ETS or eConfigure when programming the device. This also avoids errors in the assignment of device and label.

Design

The KNX Push Button with dynamic labeling comes in five appealing and modern colors of the Merten System D switch range matching the interior trends and styles of investors, and homeowners.

Flexibility to the core

The new KNX Push Button with dynamic labeling brings the highest flexibility and ease of use:

- Available as 1-, 2-, 3-, and universal (4-gang) display module
- Rockers are provided separately, reducing storage space and costs
- Fast reaction on changes or late customer decisions
- Configuration in ETS and eConfigure
- Front programming mode allows to put the already installed device into programming mode without dismounting
- Integrated temperature sensor with set point shift

1-gang module   2-gang module   3-gang module

The new smart brick concept

Thanks to the smart brick concept of the universal module, you no longer need to worry about changes during project planning or over time when the device is already installed at your customers home or building. The brick concept allows users to be flexible and react fast. 16 different combinations are possible and you can change them easily anytime.

Universal (4-gang) module


Up to 16 combinations are possible

Large

Medium

Small

Dynamic labeling

Thanks to the dynamic display and digital labeling, no paper is needed,
reducing preparation time and offering more flexibility.

- Dynamic, paper-free labeling changeable at
  any time
- Labeling in ETS or eConfigure
- Clear and intuitive icons
- More than 50 icons for a variety of functions
  in homes, hotels and offices
- Text customizable
- Free combinations of text and icons: only
  text, only icons, text and icons
- 5 colors can be combined within one device

Reference	Product description
MTN6191-6010	KNX Push Button System D 1-gang module
MTN6192-6010	KNX Push Button System D 2-gang module
MTN6193-6010	KNX Push Button System D 3-gang module
MTN6194-6010	KNX Push Button System D universal module
MTN6191-6035	KNX Push Button System D 1g rockers LWE
MTN6191-6034	KNX Push Button System D 1g rockers ANT
MTN6191-6036	KNX Push Button System D 1g rockers SSL
MTN6191-6050	KNX Push Button System D 1g rockers NIM
MTN6191-6052	KNX Push Button System D 1g rockers MOM
MTN6192-6035	KNX Push Button System D 2g rockers LWE
MTN6192-6034	KNX Push Button System D 2g rockers ANT
MTN6192-6036	KNX Push Button System D 2g rockers SSL
MTN6192-6050	KNX Push Button System D 2g rockers NIM
MTN6192-6052	KNX Push Button System D 2g rockers MOM
MTN6193-6035	KNX Push Button System D 3g rockers LWE
MTN6193-6034	KNX Push Button System D 3g rockers ANT
MTN6193-6036	KNX Push Button System D 3g rockers SSL
MTN6193-6050	KNX Push Button System D 3g rockers NIM
MTN6193-6052	KNX Push Button System D 3g rockers MOM
MTN6194-6035	KNX Push Button System D 4g rockers LWE
MTN6194-6034	KNX Push Button System D 4g rockers ANT
MTN6194-6036	KNX Push Button System D 4g rockers SSL
MTN6194-6050	KNX Push Button System D 4g rockers NIM
MTN6194-6052	KNX Push Button System D 4g rockers MOM

Intuitive light and
shutter control in
an office

Ideal in hotels

More comfort in
homes thanks to
scenes

Customer benefits

The new KNX Push Button with dynamic labeling also offers many advantages to consumers in their homes, offices, and hotels. Satisfy your customers with numerous functions and the modern design of the switch range Merten System D:

- Intuitive operation thanks to clear icons and customized labeling
- Proximity sensor: activates the display when a motion is detected
- Temperature display with set-point shift directly at the Push Button
- Orientation light: always on, always off, or aligned to a scene e.g. orientation light during the night mode
- Cleaning mode – rockers are locked to prevent from triggering by mistake, countdown shows remaining time
- Screensaver with time, date, and temperature can be free combined and activated optionally
- Deactivation of the display after a certain time – saves energy, increases lifetime of the display, and provides seamless elegance
- High-class Merten System D switch range available in 5 modern colors

Sustainability

Aligned with the Schneider Electric Sustainability Impact program, products are packed in paper boxes made of recycled material. All products fulfill the environmental directives and requirements according to the ROHS directive, Reach and Green Premium.

Schneider Sustainability Impact

2021–2025 program

Climate · Resources · Trust · Equal · Generations · Local

Life Is On | Schneider Electric

se.com/KNX

Schneider Electric
35 rue Joseph Monier
92500 Rueil-Malmaison, France
Tel: +33 (0)1 41 29 70 00