

**LED STRIP LIGHT
MANUFACTURER**

SHENZHEN LEDODM LIGHTING CO., LTD

Add: 7th Floor, Building 2, Seventh Industrial Zone, Yulv Community,
Yutang Street, Guangming District, Shenzhen, Guangdong, China

Tel: +86-755-27610878

Fax: +86-755-27610978

Web: www.ledodm.com

Email: info@ledodm.com

ABOUT LEDODM

COMPANY INTRODUCTION

Founded in 2013, Shenzhen Ledodm Lighting is a highly professional manufacturer of LED strip light. We can offer any led strip you need, customized led strip are warmly welcomed and best solution will be provided within 12hrs. We concern every development in LED industry and pay close attention to every innovation, committing ourselves to being the pioneer of LED strip Light.



During past years, we have adopted advanced manufacturing equipments, built experienced R&D team and sound management system to meet our mission "to make the best LED in China". All Ledodm's products are distinguished by high brightness and long lifetime, which are all approved by CE, ROHS, ETL and other certificates.



Our professional marketing team provides customers both overseas and domestic with quality products and services. They have been insisting on creating value for related customers and support these partner's growth and development.




CONTENTS

P01	Company Introduction
P02	Catalog Contents
P03	How to Choose LED Strip
P04	Single Color LED Strip Light
P09	Colorful LED Strip Light
P13	CCT Adjustable LED Strip Light
P15	Constant Current LED Strip Light
P17	High Efficiency LED Strip Light
P19	Special LED Strip Light
P21	Digital LED Strip Light
P27	COB LED Strip Light
P35	Flex LED Neon Light
P55	Flex LED Sheet

LED STRIP LIGHT


Color Temperature

For lighting building interiors, it is often important to take into account the color temperature of illumination. A warmer (i.e., a lower color temperature) light is often used in public areas to promote relaxation, while a cooler (higher color temperature) light is used to enhance concentration, for example in schools and offices.




IP Grade

International Protection Marking classifies and rates the degree of protection provided against intrusion, dust, accidental contact, and water by led strip light.



Color Temperature

Color Rendering Index is a quantitative measure of the ability of a light source to reveal the colors of various objects faithfully in comparison with an ideal or natural light source. Light sources with a high CRI are desirable in color-critical applications such as neonatal care and art restoration.




Single Color



Color: 2700K/3000K/4000K/6500K Red Green Blue

Model No.	LED Type	QTY/M	Voltage	Power	Size
SL-2835-30D	SMD2835	30LEDs/m	12V	≤6W/m	5000*8mm
SL-2835-60D	SMD2835	60LEDs/m	12V/24V	≤10W/m	5000*8mm
SL-2835-60D	SMD2835	60LEDs/m	12V/24V	≤12W/m	5000*10mm
SL-2835-96D	SMD2835	96LEDs/m	24V	≤12W/m	5000*10mm
SL-2835-120D4	SMD2835	120LEDs/m	12V/24V	≤8W/m	5000*4mm
SL-2835-120D5	SMD2835	120LEDs/m	12V/24V	≤9W/m	5000*5mm
SL-2835-120D6	SMD2835	120LEDs/m	12V/24V	≤9W/m	5000*6mm
SL-2835-120D7	SMD2835	120LEDs/m	12V	≤9W/m	5000*7mm
SL-2835-120D	SMD2835	120LEDs/m	12V/24V	≤12W/m	5000*8mm
SL-2835-120D	SMD2835	120LEDs/m	12V/24V	≤14W/m	5000*10mm
SL-2835-120D	SMD2835	120LEDs/m	24V	≤14W/m	5000*12mm
SL-2835-144D	SMD2835	144LEDs/m	24V	≤16W/m	5000*10mm
SL-2835-168D	SMD2835	168LEDs/m	12V	≤14W/m	5000*8mm
SL-2835-168D	SMD2835	168LEDs/m	12V/24V	≤14W/m	5000*10mm
SL-3528-60D	SMD3528	60LEDs/m	12V/24V	≤4.8W/m	5000*8mm
SL-3528-120D	SMD3528	120LEDs/m	12V/24V	≤9.6W/m	5000*8mm
SL-5050-30D	SMD5050	30LEDs/m	12V/24V	≤7.2W/m	5000*10mm
SL-5050-60D	SMD5050	60LEDs/m	12V/24V	≤14.4W/m	5000*10mm

LED STRIP LIGHT



SL-2835-280D
Double Row



SL-3528-240D
Double Row



SL-5050-120D
Double Row



SL-2835-240D
Single Row



SL-3528-240D
Single Row



SMD3014

SMD5630

Color:2700K/3000K/4000K/6500K


Color:2700K/3000K/4000K/6500K Red Green Blue

Model No.	Led Type	Qty/m	Voltage	Power	Size
SL-2835-240D Single Row	SMD2835	240LEDs/m	12V/24V	≤16W/m	5000*10mm
SL-2835-280D Double Row	SMD2835	280LEDs/m	12V/24V	≤18W/m	5000*20mm
SL-3528-240D Single Row	SMD3528	240LEDs/m	12V/24V	≤18W/m	5000*10mm
SL-3528-240D Double Row	SMD3528	240LEDs/m	24V	≤18W/m	5000*15mm
SL-5050-120D Double Row	SMD5050	120LEDs/m	12V/24V	≤16W/m	5000*15mm


Model No.	Led Type	Qty/m	Voltage	Power	Size
SL-3014-60D	SMD3014	60LEDs/m	12V	≤6W/m	5000*8mm
SL-3014-120D	SMD3014	120LEDs/m	12V/24V	≤10W/m	5000*8mm
SL-3014-204D	SMD3014	204LEDs/m	24V	≤14W/m	5000*10mm
SL-3014-240D	SMD3014	240LEDs/m	12V/24V	≤16W/m	5000*10mm
SL-5630-30D	SMD5630	30LEDs/m	12V	≤7.5W/m	5000*10mm
SL-5630-60D	SMD5630	60LEDs/m	12V/24V	≤15W/m	5000*10mm

LED STRIP LIGHT

SMD2110 300led/m 24V 8mm



SMD2110 300led/m 24V 5mm



SMD2110 180led/m 24V 8mm




SMD2110 180led/m 24V 4mm



Color:2700K/3000K/4000K/6500K

Model No.	Led Type	Qty/m	Voltage	Power	Size	CRI
SL-2110-700D	SMD2110	700LEDs/m	24V	≤18W/m	3oz 8mm	Ra>90
SL-2110-360D	SMD2110	360LEDs/m	24V	≤18W/m	3oz 8mm	Ra>90
SL-2110-300D	SMD2110	300LEDs/m	24V	≤16W/m	3oz 8mm	Ra>90
SL-2110-300D5	SMD2110	300LEDs/m	24V	≤14W/m	3oz 5mm	Ra>90
SL-2110-280D	SMD2110	280LEDs/m	24V	≤12W/m	3oz 4mm	Ra>90
SL-2110-240D	SMD2110	240LEDs/m	12V/24V	≤14.4W/m	2oz 8mm	Ra>90
SL-2110-180D	SMD2110	180LEDs/m	12V/24V	≤12W/m	2oz 8mm	Ra>90
SL-2110-180D4	SMD2110	180LEDs/m	12V/24V	≤12W/m	3oz 4mm	Ra>90
SL-2110-120D	SMD2110	120LEDs/m	12V/24V	≤9.6W/m	2oz 8mm	Ra>90
SL-2110-60D	SMD2110	60LEDs/m	12V/24V	≤4.8W/m	2oz 8mm	Ra>90

SMD2110 700 led/m 24V 8mm




SMD2110 360 led/m 24V 8mm




SMD2110 280 led/m 24V 4mm




SMD2110 240led/m 24V 8mm



SMD2110 120 led/m 24V 8mm



SMD2110 60 led/m 24V 8mm



LED STRIP LIGHT

Colorful



SMD5050 RGB



SMD5050 RGB+5050W



SMD5050 RGBW 4in1



SMD5050 RGB+CCT 5in1

SMD 5050 RGB

Model No.	Led Type	Qty/m	Voltage	Power	Size
SL-5050-30D	SMD5050	30LEDs/m	12V/24V	≤7.2W/m	5000*10mm
SL-5050-60D	SMD5050	60LEDs/m	12V/24V	≤14.4W/m	5000*10mm
SL-5050-96D	SMD5050	96LEDs/m	24V	≤16W/m	5000*10mm
SL-5050-120D Single Row	SMD5050	120LEDs/m	24V	≤16W/m	5000*12mm

SMD 5050 RGB+5050W

Model No.	Led Type	Qty/m	Voltage	Power	Size
SL-5050-60RGB+W	SMD5050	60LEDs/m	24V	≤14W/m	5000*10mm

SMD 5050 RGBW 4in1

Model No.	Led Type	Qty/m	Voltage	Power	Size
SL-5050-30RGBW	SMD5050	30LEDs/m	12V/24V	≤9W/m	5000*10mm
SL-5050-60RGBW	SMD5050	60LEDs/m	12V/24V	≤16W/m	5000*12mm
SL-5050-72RGBW	SMD5050	72LEDs/m	12V/24V	≤18W/m	5000*12mm
SL-5050-96RGBW	SMD5050	96LEDs/m	12V/24V	≤23W/m	5000*12mm

SMD 5050 RGB+CCT 5in1


Model No.	Led Type	Qty/m	Voltage	Power	Size
SL-5050-30WRGBW	SMD5050	30LEDs/m	12V/24V	≤12W/m	5000*12mm
SL-5050-60WRGBW	SMD5050	60LEDs/m	12V/24V	≤18W/m	5000*12mm

LED STRIP LIGHT

SL-3838-60D8



SL-3838-96D8




SL-3838-120D8



SL-3838-240D



SL-3838-96RGB+W Single Row



SL-3838-240RGB+W10 Double Row



SL-3838-288RGB+W+WW Double Row



Model No.	Led Type	Qty/m	Voltage	Power	Size	Color
SL-3838-60D5	SMD3838	60LEDs/m	24V	≤7W/m	5mm	RGB
SL-3838-60D8	SMD3838	60LEDs/m	24V	≤7W/m	8mm	RGB
SL-3838-96D5	SMD3838	96LEDs/m	12V	≤12W/m	5mm	RGB
SL-3838-96D8	SMD3838	96LEDs/m	24V	≤14W/m	8mm	RGB
SL-3838-120D5	SMD3838	120LEDs/m	12V/24V	≤12W/m	5mm	RGB
SL-3838-120D6	SMD3838	120LEDs/m	12V	≤12W/m	6mm	RGB
SL-3838-120D8	SMD3838	120LEDs/m	12V/24V	≤14W/m	8mm	RGB
SL-3838-120D	SMD3838	120LEDs/m	12V/24V	≤16W/m	10mm	RGB
SL-3838-240D	SMD3838	240LEDs/m	24V	≤16W/m	12mm	RGB

Model No.	Led Type	Qty/m	Voltage	Power	Size	Color
SL-3838-96RGB+W Single Row	3838RGB +2835W	96LEDs/m	DC24V	≤14W/m	8mm	RGB+W
SL-3838-240RGB+W10 Single Row	3838RGB +2835W	240LEDs/m	DC24V	≤14W/m	10mm	RGB+W
SL-3838-240RGB+W12 Single Row	3838RGB +2835W	240LEDs/m	DC24V	≤16W/m	12mm	RGB+W
SL-3838-240RGB+W10 Double Row	3838RGB +2835W	240LEDs/m	DC24V	≤14W/m	10mm	RGB+W
SL-3838-240RGB+W12 Double Row	3838RGB +2835W	240LEDs/m	DC24V	≤16W/m	12mm	RGB+W
SL-3838-288RGB+W +WW Double Row	3838RGB+2835W +2835WW	288LEDs/m	DC24V	≤18W/m	12mm	RGB+W +WW

LED STRIP LIGHT


CCT Adjustable

Model No.	Led Type	Qty/m	Voltage	Power	Size	Color
SL-2835-60W+WW	SMD2835	60LEDs/m	12V/24V	≤12W/m	5000*8mm	CW+WW
SL-2835-120W+WW	SMD2835	120LEDs/m	12V/24V	≤14.4W/m	5000*10mm	CW+WW
SL-2835-192W+WW	SMD2835	192LEDs/m	12V/24V	≤14W/m	5000*10mm	CW+WW
SL-2835-240W+WW	SMD2835	240LEDs/m	12V/24V	≤14W/m	5000*8mm	CW+WW
SL-2835-240W+WW	SMD2835	240LEDs/m	12V/24V	≤16W/m	5000*10mm	CW+WW
SL-2835-240W+WW	SMD2835	240LEDs/m	12V/24V	≤18W/m	5000*12mm	CW+WW
SL-2835-280W+WW	SMD2835	280LEDs/m	12V/24V	≤22W/m	5000*20mm	CW+WW

Model No.	Led Type	Qty/m	Voltage	Power	Size	Color
SL-3528-60W+WW	SMD3528	60LEDs/m	12V/24V	≤4.8W/m	5000*8mm	CW+WW
SL-3528-120W+WW	SMD3528	120LEDs/m	12V/24V	≤9.6W/m	5000*10mm	CW+WW
SL-3528-240W+WW	SMD3528	240LEDs/m	24V	≤19.2W/m	5000*15mm	CW+WW

Model No.	Led Type	Qty/m	Voltage	Power	Size	Color
SL-5050-60W+WW	SMD5050	60LEDs/m	12V/24V	≤14.4W/m	5000*10mm	CW+WW
SL-5050-120W+WW	SMD5050	120LEDs/m	24V	≤18W/m	5000*20mm	CW+WW
SL-5050-60CCT	SMD5050	60LEDs/m	12V/24V	≤14.4W/m	5000*10mm	CW+WW 2in1

Model No.	LED Type	QTY/M	Voltage	Power	Size	Color
SL-2216-240W+WW	SMD2216	240LEDs/m	24V	≤12W/m	5000*5mm	CW+WW
SL-2216-240W+WW	SMD2216	240LEDs/m	24V	≤14W/m	5000*8mm	CW+WW
SL-2216-240W+WW	SMD2216	240LEDs/m	24V	≤16W/m	5000*10mm	CW+WW
SL-2216-300W+WW	SMD2216	300LEDs/m	24V	≤12W/m	5000*5mm	CW+WW
SL-2216-300W+WW	SMD2216	300LEDs/m	24V	≤14W/m	5000*8mm	CW+WW
SL-2110-476W+WW	SMD2110	476LEDs/m	24V	≤16W/m	5000*10mm	CW+WW




SL-2835-CW+WW



SL-3528-CW+WW



SL-5050-CCT



SL-2216-CW+WW

LED STRIP LIGHT

Constant Current



SL-2835



SL-3528

Color:2700K/3000K/4000K/6500K

Model No.	Led Type	Qty/m	Voltage	Power	Size
SL-2835-60C20	SMD2835	60LEDs/m	24V	≤6W/m	3oz 20000*10mm
SL-2835-60C25	SMD2835	60LEDs/m	24V	≤6W/m	3oz 25000*15mm
SL-2835-78C50	SMD2835	78LEDs/m	48V	≤4W/m	4oz 50000*10mm
SL-2835-120C15	SMD2835	120LEDs/m	24V	≤9.6W/m	2oz 15000*15mm
SL-2835-120C10	SMD2835	120LEDs/m	24V	≤9.6W/m	2oz 10000*10mm

Color:2700K/3000K/4000K/6500K

Model No.	LED Type	QTY/M	Voltage	Power	Size
SL-3528-60C20	SMD3528	60LEDs/m	24V	≤4.8W/m	3oz 20000*10mm
SL-3528-60C25	SMD3528	60LEDs/m	24V	≤4.8W/m	3oz 25000*15mm
SL-3528-120C10	SMD3528	120LEDs/m	24V	≤9.6W/m	2oz 10000*10mm

Model No.	SL-5050-60RGBC15
LED Type	SMD5050
QTY/M	60LEDs/m
Voltage	DC 24V
Power	≤9.6W/m
Size	2oz 15000*12mm
Color	RGB



SL-5050-60RGBC15



SL-5050-60RGBWC15

Model No.	SL-5050-60RGBWC15
LED Type	SMD5050
QTY/M	60LEDs/m
Voltage	DC 24V
Power	≤10.8W/m
Size	3oz 15000*12mm
Color	RGBW

Model No.	SL-5630-60C20
LED Type	SMD5630
QTY/M	60LEDs/m
Voltage	DC 24V
Power	≤6W/m
Size	3oz 20000*10mm
Color	2700K/3000K/4000K/6500K




SL-5630-60C20

LED STRIP LIGHT

High Efficiency



SL-2835-64H10



SL-2835-128H10



SL-2835-160H10



SL-2835-240H10

160LM/W

Color:2700K/3000K/4000K/6500K

Model No.	Led Type	Qty/m	Voltage	Power	Size	CRI
SL-2835-128H8	SMD2835	128LEDs/m	DC 24V	≤12W/m	5000*8mm	80
SL-2835-128H10	SMD2835	128LEDs/m	DC 24V	≤14W/m	5000*10mm	80
SL-2835-160H5	SMD2835	160LEDs/m	DC 24V	≤6W/m	5000*5mm	80
SL-2835-160H10	SMD2835	160LEDs/m	DC 24V	≤16W/m	5000*10mm	80
SL-2835-160H12	SMD2835	160LEDs/m	DC 24V	≤16W/m	5000*12mm Double Row	80
SL-2835-160H15	SMD2835	160LEDs/m	DC 24V	≤18W/m	5000*15mm Double Row	80
SL-2835-192H10	SMD2835	192LEDs/m	DC 24V	≤16W/m	5000*10mm	80
SL-2835-192H15	SMD2835	192LEDs/m	DC 24V	≤18W/m	5000*15mm Double Row	80
SL-2835-240H10	SMD2835	240LEDs/m	DC 24V	≤18W/m	5000*10mm	80

140LM/W

Color:2700K/3000K/4000K/6500K

Model No.	Led Type	Qty/m	Voltage	Power	Size	CRI
SL-2835-64H	SMD2835	64LEDs/m	24V	≤9.6W/m	5000*10mm	80
SL-2835-128H	SMD2835	128LEDs/m	24V	≤14.4W/m	5000*10mm	80

200LM/W

Color:2700K/3000K/4000K/6500K

Model No.	Led Type	Qty/m	Voltage	Power	Size	CRI
SL-2835-126H12	SMD2835	126LEDs/m	24V	≤9.6W/m	5000*12mm	80

LED STRIP LIGHT

Special


SMD2835 S Shape LED Strip Light

Model No.	SL-2835-60S	SL-2835-72S
Led Type	SMD2835	SMD2835
Qty/m	60LEDs/m	72LEDs/m
Voltage	12V/24V	12V/24V
Power	≤8W/m	≤10W/m
Size	5000*6mm	5000*6mm
CRI	80	80
Color	2700K/3000K 4000K/6500K	2700K/3000K 4000K/6500K




UV LED Strip Light

SL-5050-60UV



SL-3528-60UV



Model No.	Led Type	Qty/m	Voltage	Power	Size	Wavelength
SL-5050-60UV	SMD5050	60LEDs/m	12V/24V	≤14.4W/m	5000*10mm	390-400nm
SL-3528-60UV	SMD3528	60LEDs/m	12V/24V	≤4.8W/m	5000*8mm	390-400nm

Side-Emitting LED Strip Light

Model No.	SL-3014-60SE	SL-3014-120SE
Led Type	SMD3014	SMD3014
Qty/m	60LEDs/m	120LEDs/m
Voltage	12V	12V/24V
Power	≤6W/m	≤10W/m
Size	5000*6mm	5000*8mm
CRI	80	80
Color	2700K/3000K 4000K/6500K	2700K/3000K 4000K/6500K



Dim to Warm LED Strip Light

SL-2216-224DTW



SL-2835-120DTW



Color: 1800-3000K/4000K/5000K 2400-4000K/5000K 2700-4000K/5000K


Model No.	Led Type	Qty/m	Voltage	Power	Size	CRI
SL-2216-224DTW	SMD2216	112W+112WWLEDs/m	24V	≤18W/m	5000*10mm	90
SL-2835-120DTW	SMD2835	60W+60WWLEDs/m	24V	≤15W/m	5000*10mm	80

DIGITAL LED STRIP

Digital





WS2812B

Non Breakpoint transmission/Single signal line transmission a led broken the whole strip no work.




WS2813B

Breakpoint transmission/Dual signal line transmission support breakpoint resume.




DIGITAL LED STRIP




RGBW

SL-5050-60WS2814




RGBW

SL-5050-60UCS2904




RGB

SL-5050-60WS2818




RGB

SL-5050-30WS2811



RGBW

SL-5050-60WS2814A



RGB

SL-5050-60DMX24

Model NO.	Breakpoint transmission	Size	Color	Voltage	Power	Features
SL-5050-30WS2811	No WS2811/UCS1903 TM1903/SM16703	5000*10mm	RGB	12V/24V	7.2W/m	3leds with 1IC 6leds with 1IC
SL-5050-60WS2811	No WS2811/UCS1903 TM1903/SM16703	5000*10mm	RGB	12V/24V	14.4W/m	3leds with 1IC 6leds with 1IC
SL-5050-60WS2814A	No WS2814A/SM16704	5000*12mm	RGBW	12V/24V	16W/m	3leds with 1IC 6leds with 1IC
SL-5050-60UCS2904	No UCS2904	5000*12mm	RGBW	12V/24V	16W/m	3leds with 1IC 6leds with 1IC
SL-5050-60WS2818	Yes WS2818/TM1934	5000*10mm	RGB	12V/24V	14.4W/m	3leds with 1IC 6leds with 1IC
SL-5050-60WS2814	Yes WS2814	5000*12mm	RGBW	12V/24V	18W/m	3leds with 1IC 6leds with 1IC
SL-5050-60DMX24	Yes UCS512	5000*12mm	RGB	24V	14.4W/m	6leds with 1IC
SL-5050-60DMX24W	Yes UCS512	5000*12mm	RGBW	24V	18W/m	6leds with 1IC



Model No.	Breakpoint transmission	Size	Color	Voltage	Power	Features
SL-3535-30SK6812	No SK6812	5000*8mm	RGB	5V	≤6W/m	1leds with 1IC
SL-3535-60SK6812	No SK6812	5000*8mm	RGB	5V	≤12W/m	1leds with 1IC
SL-3535-72SK6812	No SK6812	5000*8mm	RGB	5V	≤14.4W/m	1leds with 1IC
SL-3535-96SK6812	No SK6812	5000*8mm	RGB	5V	≤19.2W/m	1leds with 1IC
SL-3535-144SK6812	No SK6812	5000*10mm	RGB	5V	≤28.8W/m	1leds with 1IC



Model No.	Breakpoint transmission	Size	Color	Voltage	Power	Features
SL-3535-30SK6812RGBW	No SK6812	5000*8mm	RGBW	5V	7.5W/m	1leds with 1IC
SL-3535-60SK6812RGBW	No SK6812	5000*8mm	RGBW	5V	15W/m	1leds with 1IC
SL-3535-72SK6812RGBW	No SK6812	5000*8mm	RGBW	5V	18W/m	1leds with 1IC
SL-3535-96SK6812RGBW	No SK6812	5000*8mm	RGBW	5V	24W/m	1leds with 1IC
SL-3535-144SK6812RGBW	No SK6812	5000*10mm	RGBW	5V	36W/m	1leds with 1IC

DIGITAL LED STRIP



RGB

SL-5050-60-WS2812B/SK6812



RGBW

SL-5050-60-SK6812RGBW



RGB

SL-5050-60-WS2813B



RGB

SL-5050-60-WS2815B


Model No.	Breakpoint transmission	Size	Color	Voltage	Power	Features
SL-5050-30WS2812B	No WS2812B/SK6812	5000*10mm	RGB	5V	≤6W/m	1leds with 1IC
SL-5050-60WS2812B	No WS2812B/SK6812	5000*10mm	RGB	5V	≤12W/m	1leds with 1IC
SL-5050-72WS2812B	No WS2812B/SK6812	5000*10mm	RGB	5V	≤14.4W/m	1leds with 1IC
SL-5050-96WS2812B	No WS2812B/SK6812	5000*10mm	RGB	5V	≤19.2W/m	1leds with 1IC
SL-5050-144WS2812B	No WS2812B/SK6812	5000*12mm	RGB	5V	≤28.8W/m	1leds with 1IC

Model No.	Breakpoint transmission	Size	Color	Voltage	Power	Features
SL-5050-30SK6812RGBW	No SK6812	5000*10mm	RGBW	5V	≤7.5W/m	1leds with 1IC
SL-5050-60SK6812RGBW	No SK6812	5000*10mm	RGBW	5V	≤15W/m	1leds with 1IC
SL-5050-72SK6812RGBW	No SK6812	5000*10mm	RGBW	5V	≤18W/m	1leds with 1IC
SL-5050-96SK6812RGBW	No SK6812	5000*10mm	RGBW	5V	≤24W/m	1leds with 1IC
SL-5050-144SK6812RGBW	No SK6812	5000*12mm	RGBW	5V	≤36W/m	1leds with 1IC

Model No.	Breakpoint transmission	Size	Color	Voltage	Power	Features
SL-5050-30WS2813	Yes WS2813B	5000*10mm	RGB	5V	6W/m	1leds with 1IC
SL-5050-60WS2813	Yes WS2813B	5000*10mm	RGB	5V	12W/m	1leds with 1IC
SL-5050-72WS2813	Yes WS2813B	5000*10mm	RGB	5V	14.4W/m	1leds with 1IC
SL-5050-96WS2813	Yes WS2813B	5000*10mm	RGB	5V	19.2W/m	1leds with 1IC
SL-5050-144WS2813	Yes WS2813B	5000*12mm	RGB	5V	28.8W/m	1leds with 1IC

Model No.	Breakpoint transmission	Size	Color	Voltage	Power	Features
SL-5050-30WS2815B	Yes WS2815B	5000*10mm	RGB	12V	7.2W/m	1leds with 1IC
SL-5050-60WS2815B	Yes WS2815B	5000*10mm	RGB	12V	14.4W/m	1leds with 1IC
SL-5050-96WS2815B	Yes WS2815B	5000*10mm	RGB	12V	18W/m	1leds with 1IC
SL-5050-144WS2815B	Yes WS2815B	5000*12mm	RGB	12V	28.8W/m	1leds with 1IC


COB LED STRIP LIGHT




2700K



3000K



4000K



6500K




Model No.	Color	Power	Lumen	CRI	LED QTY	Voltage	Pitch	FPCB
SL-COB-320W8	2700K/3000K 4000K/6500K	9W	100LM/W	90	320Chips/m	12V/24V	25mm/50mm	8mm
SL-COB5-480W8	2700K/3000K 4000K/6500K	9.6W	100LM/W	90	480Chips/m	12V/24V	25mm/50mm	8mm
SL-COB-480E4	2700K/3000K 4000K/6500K	6W	80LM/W	90	480Chips/m	12V/24V	25mm/50mm	4mm
SL-COB-480E5	2700K/3000K 4000K/6500K	7W	80LM/W	90	480Chips/m	12V/24V	25mm/50mm	5mm
SL-COB-480E8	2700K/3000K 4000K/6500K	9W	100LM/W	90	480Chips/m	12V/24V	25mm/50mm	8mm
SL-COB-480E10	2700K/3000K 4000K/6500K	12W	100LM/W	90	480Chips/m	12V/24V	25mm/50mm	10mm
SL-COB-512E8	2700K/3000K 4000K/6500K	10W	100LM/W	90	512Chips/m	24V	62.5mm	8mm
SL-COB-512E10	2700K/3000K 4000K/6500K	14W	100LM/W	90	512Chips/m	24V	62.5mm	10mm

COB LED STRIP CCT ADJUSTABLE

Model No.	SL-COB-608CCT
Color	2700-6500K
Power	22W
Lumen	80LM/W
LED QTY	608Chips/m
CRI	90
Voltage	12V/24V
Pitch	13mm/26.3mm
FPCB	10mm



COB LED STRIP LIGHT



Model No.	Color	Power	LED QTY	Voltage	Pitch	FPCB
SL-COB-450RGB	RGB	15W	450chips/m	12V	20mm	10mm
SL-COB-480RGB	RGB	15W	480chips/m	24V	50mm	10mm
SL-COB-810RGB	RGB	15W	810chips/m	12V	11.11mm	10mm
SL-COB-840RGB	RGB	15W	840chips/m	24V	25mm	10mm
SL-COB-896RGBW	RGBW	20W	896Chips/m	24V	31.25mm	12mm
SL-COB-840RGBWW	RGB CCT	25W	840Chips/m	24V	41.6mm	12mm
SL-COB-630SM16703	RGB	10W/14W	630Chips/m	24V	71.42mm/100mm	12mm

COB LED STRIP CONSTANT CURRENT

Model No.	SL-COB-360C15	SL-COB-480C30
Color	2700K/3000K 4000K/6500K	2700K/3000K 4000K/6500K
Power	10W	10W
Lumen	85LM/W	85LM/W
CRI	90	90
LED QTY	360Chips/m	480Chips/m
Voltage	24V	48V
Pitch	50mm	50mm
FPCB	10mm	10mm







COB LED STRIP HIGH EFFICIENCY









Model No.	SL-COB-480H8	SL-COB-480H10
Color	2700K/3000K 4000K/6500K	2700K/3000K 4000K/6500K
Power	9W	12W
Lumen	130LM/W	130LM/W
CRI	95	95
LED QTY	480Chips/m	480Chips/m
Voltage	24V	24V
Pitch	50mm	50mm
FPCB	8mm	10mm



COB LED STRIP LIGHT

COB Solderless Connector


Applicable lamp belt type, width, color	2pin Suitable for IP20 5mm / 8mm /10mm wide single color cob led strip
PCB to wire connector	
PCB to PCB connector	
PCB to PCB connection	
PCB to PCB connection	

3pin Suitable for ip20 10mm wide two color temperature cob led strip	4pin Suitable for ip20 10mm wide RGB cob led strip
	
	
	
	

FLEX LED NEON LIGHT

PROJECT CASE SHOOTING

Neon application scene display



FLEX LED NEON LIGHT

Top View Vertical Bendable LED Neon Flex

Model No. NL-2835-120D0511


LED Type SMD2835 120 LEDs/m 8mm

Voltage DC24V/DC12V

Power ≤10W/m

Size 11mm*5mm

Color 2700K/3000K/4000K
6500K/Red/Green/Blue



End cap



Clip

Model No. NL-2835-120D0513


LED Type SMD 2835 120 LEDs/m 10mm

Voltage DC24V/DC12V

Power ≤10W/m

Size 13mm*5mm

Color 2700K/3000K/4000K
6500K/Red/Green/Blue



End cap



Clip

Model No. NL-2110-180D0606



LED Type SMD2110 180 LEDs/m 4mm

Voltage DC24V

Power ≤10W/m

Size 6mm*6mm

Color 2700K/3000K/4000K
6500K/Red/Green/Blue



End cap



Model No. NL-2835-120D1010A



LED Type SMD2835 120 LEDs/m 6mm

Voltage DC24V/DC/12V



Power ≤10W/m

Size 10mm*10mm

Color 2700K/3000K/4000K
6500K/Red/Green/Blue



End cap



Clip





Aluminum profile




Flexible Aluminum profile

FLEX LED NEON LIGHT


Model No. NL-2835-120D1010B
LED Type SMD2835 120 LEDs/m 6mm
Voltage DC24V/DC12V
Power ≤10W/m
Size 10mm*10mm
Color 2700K/3000K/4000K
 6500K/Red/Green/Blue



Model No. NL-2835-120D1010H
LED Type SMD2835 120 LEDs/m 6mm
Voltage DC24V/DC12V
Power ≤10W/m
Size 10mm*10mm
Color 2700K/3000K/4000K
 6500K/Red/Green/Blue



Model No. NL-2835-240D3020
LED Type SMD2835 240 LEDs/m 15mm
Voltage DC24V/DC12V
Power ≤16W/m
Size 30mm*20mm
Color 2700K/3000K/4000K
 6500K/Red/Green/Blue



Model No. NL-2835-336D4025
LED Type SMD2835 336 LEDs/m 20mm
Voltage DC24V
Power ≤20W/m
Size 40mm*25mm
Color 2700K/3000K/4000K
 6500K/Red/Green/Blue





FLEX LED NEON LIGHT



Model No. NL-2835-336D5025
LED Type SMD2835 336 LEDs/m 20mm
Voltage DC24V
Power ≤20W/m
Size 50mm*25mm
Color 2700K/3000K/4000K
 6500K/Red/Green/Blue




Model No.	NL-2835-120D1212	NL-3838-120D1212RGB
LED Type	SMD2835 120 LEDs/m 8mm	SMD3838 120 LEDs/m
Voltage	DC 24V/DC12V	DC24V/DC12V
Power	≤12W/m	≤12W/m
Size	12*12mm	12*12mm
Color	2700K/3000K/4000K 6500K/Red/Green/Blue	RGB



Model No.	NL-2835-120D1414B	NL-3838-120D1414RGB
LED Type	SMD2835 120 LEDs/m 10mm	SMD3838 120 LEDs/m
Voltage	DC24V/DC12V	DC24V/DC12V
Power	≤12W/m	≤12W/m
Size	14*14mm	14*14mm
Color	2700K/3000K/4000K 6500K/Red/Green/Blue	RGB




Model No.	NL-2835-120D1313Y	NL-3838-120D1313RGB
LED Type	SMD2835 120 LEDs/m 8mm	SMD3838 120 LEDs/m
Voltage	DC24V/DC12V	DC24V/DC12V
Power	≤12W/m	≤12W/m
Size	13*13mm	13*13mm
Color	2700K/3000K/4000K 6500K/Red/Green/Blue	RGB




FLEX LED NEON LIGHT

Model No.	NL-2835-120D1525Y	L-3838-120D1525RGB	NL-240D1525RGB+W
LED Type	SMD2835 120 LEDs/m 8mm	SMD3838 120 LEDs/m	SMD3838+2835 240 LEDs/m
Voltage	DC24V/DC12V	DC24V/DC12V	DC24V
Power	≤12W/m	≤12W/m	≤14W/m
Size	15mm*25mm	15mm*25mm	15mm*25mm
Color	2700K/3000K/4000K 6500K/Red/Green/Blue	RGB	RGBW





Model No.	NL-2835-168D2020T	NL-3838-120D2020RGB	NL-240D2020RGB+W
LED Type	SMD2835 168 LEDs/m 10mm	SMD3838 120 LEDs/m	SMD3838+2835 240 LEDs/m
Voltage	DC24V/DC12V	DC24V/DC12V	DC24V
Power	≤14W/m	≤14W/m	≤14W/m
Size	20*20mm	20*20mm	20 *20mm
Color	2700K/3000K/4000K 6500K/Red/Green/Blue	RGB	RGBW



Model No.	NL-2835-120D1414A	NL-3838-120D1414RGB	NL-240D1414RGB+W
LED Type	SMD2835 120 LEDs/m 10mm	SMD3838 120 LEDs/m	SMD3838+2835 240 LEDs/m
Voltage	DC24V/DC12V	DC24V/DC12V	DC24V
Power	≤12W/m	≤12W/m	≤14W/m
Size	14*14mm	14*14mm	14*14mm
Color	2700K/3000K/4000K 6500K/Red/Green/Blue	RGB	RGBW




Model No.	NL-2835-120D1616T	NL-3838-120D1616RGB	NL-240D1616RGB+W
LED Type	SMD2835 120 LEDs/m 12mm	SMD3838 120 LEDs/m	SMD3838+2835 240 LEDs/m
Voltage	DC24V/DC12V	DC24V/DC12V	DC24V
Power	≤12W/m	≤12W/m	≤14W/m
Size	16*16mm	16*16mm	16*16mm
Color	2700K/3000K/4000K 6500K/Red/Green/Blue	RGB	RGBW




FLEX LED NEON LIGHT


Model No.	NL-2835-120D2014T	NL-3838-120D2014RGB	NL-240D2014RGB+W
LED Type	SMD2835 120 LEDs/m 12mm	SMD2835 120 LEDs/m 12mm	SMD3838+2835 240 LEDs/m
Voltage	DC24V/DC12V	DC24V/DC12V	DC24V
Power	≤12W/m	≤12W/m	≤14W/m
Size	20*14mm	20*14mm	20*14mm
Color	2700K/3000K/4000K 6500K/Red/Green/Blue	RGB	RGBW



Model No.	NL-2835-120D1616H	NNL-3838-120D1616HRGB	NL-240D1616HRGB+W
LED Type	SMD2835 120 LEDs/m 12mm	SMD3838 120 LEDs/m	SMD3838+2835 240 LEDs/m
Voltage	DC24V/12V	DC24V/DC12V	DC24V
Power	≤12W/m	≤12W/m	≤14W/m
Size	16*16mm	16*16mm	16*16mm
Color	2700K/3000K/4000K 6500K/Red/Green/Blue	RGB	RGBW






Model No.	NL-2835-168D2020H	NL-3838-120D2020HRGB	NL-240D2020HRGB+W
LED Type	SMD2835 168 LEDs/m 10mm	SMD3838 120 LEDs/m	SMD3838+2835 240 LEDs/m
Voltage	DC24V/DC12V	DC24V/DC12V	DC24V
Power	≤14W/m	≤14W/m	≤14W/m
Size	20*20mm	20*20mm	20*20mm
Color	2700K/3000K/4000K 6500K/Red/Green/Blue	RGB	RGBW




FLEX LED NEON LIGHT

Side View Horizontal Bendable LED Neon Flex


Model No. NL-2835-120D1212S
LED Type SMD2835 120 LEDs/m 5mm
Voltage DC24V/DC12V
Power ≤12W/m
Size 12mm*12mm
Color 2700K/3000K/4000K
 6500K/Red/Green/Blue





Model No. NL-2835-240D3032
LED Type SMD2835 240 LEDs/m 15mm
Voltage DC24V/DC12V
Power ≤16W/m
Size 30mm*32mm
Color 2700K/3000K/4000K
 6500K/Red/Green/Blue



Model No. NL-2835-120D0308
LED Type SMD2835 120 LEDs/m 5mm
Voltage DC24V/DC12V
Power ≤10W/m
Size 3mm*8mm
Color 2700K/3000K/4000K
 6500K/Red/Green/Blue



Model No. NL-2835-120D0410 NL-3838-120D0410RGB
LED Type SMD2835 120 LEDs/m 5mm SMD3838 120 LEDs/m
Voltage DC24V/DC12V DC24V/DC12V
Power ≤12W/m ≤12W/m
Size 4mm*10mm 4mm*10mm
Color 2700K/3000K/4000K RGB
 6500K/Red/Green/Blue



FLEX LED NEON LIGHT

Model No.	NL-2835-168D2020S	NL-240D2020RGB+W
LED Type	SSMD2835 168 LEDs/m 10mm	SMD3838+2835 240 LEDs/m
Voltage	DC24V/DC12V	DC24V
Power	≤14W/m	≤14W/m
Size	20*20mm	20*20mm
Color	2700K/3000K/4000K 6500K/Red/Green/Blue	RGB









End cap
Clip
Aluminum profile
Flexible Aluminum profile

Model No.	NL-2835-120D0815Y	NL-3838-120D0815RGB
LED Type	SMD2835 120 LEDs/m 5mm	SMD3838 120 LEDs/m
Voltage	DC24V/DC12V	DC24V
Power	≤12W/m	≤12W/m
Size	8mm*15mm	8mm*15mm
Color	2700K/3000K/4000K 6500K/Red/Green/Blue	RGB









End cap
Clip
Aluminum profile
Flexible Aluminum profile

Model No.	NL-2835-120D0816Y	NL-3838-120D0816RGB
LED Type	SMD2835 120 LEDs/m 8mm	SMD3838 120 LEDs/m
Voltage	DC24V/DC12V	DC24V
Power	≤12W/m	≤12W/m
Size	8mm*16mm	8mm*16mm
Color	2700K/3000K/4000K 6500K/Red/Green/Blue	RGB









End cap
Clip
Aluminum profile
Flexible Aluminum profile

Model No.	NL-2835-120D0817Y	NL-3838-120D0817RGB
LED Type	SMD2835 120 LEDs/m 8mm	SMD3838 120 LEDs/m
Voltage	DC24V/DC12V	DC24V
Power	≤12W/m	≤12W/m
Size	8*17mm	8*17mm
Color	2700K/3000K/4000K 6500K/Red/Green/Blue	RGB










End cap
Clip
Aluminum profile
Flexible Aluminum profile

FLEX LED NEON LIGHT

Model No.	NL-2835-120D1023Y	NL-3838-120D1023RGB	NL-240D1023RGB+W
LED Type	SMD2835 120 LEDs/m 10mm	SMD3838 120 LEDs/m	SMD3838+2835 240 LEDs/m
Voltage	DC24V/DC12V	DC24V/DC12V	DC24V
Power	≤12W/m	≤12W/m	≤14W/m
Size	10mm*23mm	10mm*23mm	10mm*23mm
Color	2700K/3000K/4000K 6500K/Red/Green/Blue	RGB	RGBW



End cap

Clip

Aluminum profile

Flexible Aluminum profile

Model No.	NL-2835-120D1225Y	NL-3838-120D1225RGB	NL-240D1225RGB+W
LED Type	SMD2835 120 LEDs/m 12mm	SMD3838 120 LEDs/m	SMD3838+2835 240 LEDs/m
Voltage	DC24V/DC12V	DC24V/DC12V	DC24V
Power	≤12W/m	≤12W/m	≤14W/m
Size	12mm*25mm	12mm*25mm	12mm*25mm
Color	2700K/3000K/4000K 6500K/Red/Green/Blue	RGB	RGBW




End cap

Clip

Aluminum profile

Flexible Aluminum profile

Model No.	NL-2835-120D1616S	NL-3838-120D1616RGB	NL-240D1616RGB+W
LED Type	SMD2835 120 LEDs/m 10mm	SMD3838 120 LEDs/m	SMD3838+2835 240 LEDs/m
Voltage	DC24V/DC12V	DC24V/DC12V	DC24V/DC12V
Power	≤12W/m	≤12W/m	≤12W/m
Size	16mm*16mm	16mm*16mm	16mm*16mm
Color	2700K/3000K/4000K 6500K/Red/Green/Blue	RGB	RGBW



End cap

Clip

Aluminum profile

Flexible Aluminum profile

Model No.	NL-2835-120D1220	NL-3838-120D1220RGB	NL-240D1220RGB+W
LED Type	SMD2835 120 LEDs/m 10mm	SMD3838 120 LEDs/m	SMD3838+2835 240 LEDs/m
Voltage	DC24V/DC12V	DC24V/DC12V	DC24V
Power	≤12W/m	≤12W/m	≤14W/m
Size	12mm*20mm	12mm*20mm	12mm*20mm
Color	2700K/3000K/4000K 6500K/Red/Green/Blue	RGB	RGBW



End cap

Clip


Aluminum profile

Flexible Aluminum profile


FLEX LED NEON LIGHT

Round LED Neon Flex



Model No.	NL-2835-120φ20	NL-3838-120φ20RGB
LED Type	SMD2835 120 LEDs/m 10mm	SMD3838 120 LEDs/m
Voltage	DC24V/DC12V	DC24V/DC12V
Power	≤12W/m	≤12W/m
Size	20mm	20mm
Color	2700K/3000K/4000K 6500K/Red/Green/Blue	RGB




Model No.	NL-2835-120φ22H	NL-3838-120φ22HRGB
LED Type	2pcs SMD2835 120 LEDs/m 8mm	2pcs SMD3838 120 LEDs/m
Voltage	DC24V/DC12V	DC24V/DC12V
Power	≤12W/m*2	≤12W/m*2
Size	22mm	22mm
Color	2700K/3000K/4000K 6500K/Red/Green/Blue	RGB



Model No.	NL-2835-120φ40
LED Type	2pcs SMD2835 120 LEDs/m 10mm
Voltage	DC24V/DC12V
Power	≤14W/m*2
Size	40mm
Color	2700K/3000K/4000K 6500K/Red/Green/Blue



Model No.	NL-2835-120φ13
LED Type	SMD2835 120 LEDs/m 5mm
Voltage	DC24V/DC12V
Power	≤10W
Size	13mm
Color	2700K/3000K/4000K 6500K/Red/Green/Blue




FLEX LED SHEET LIGHT

INTRODUCTION

This item in light sheet appearance, thin and lightweight. Each led with a cutting mark, can be DIY bendable and cut from any part of paper into any shape, such as linear, square, rectangle, L, TT, S, + etc. Excellent for flat, curvy, requiring the thinnest of lighting solutions and space-sensitive back-lighting solutions etc.




FLEXIBLE LED SHEET FEATURE



1LED Cuttable



Foldable for any Shape



Easy Connection



BACKLIGHTING SOLUTIONS

With high density LED, Light Sheets are specifically engineered to be a dimmable, field customizable solution for backlighting translucent materials.



FLEX LED SHEET LIGHT


Model No. SL-2835-105F
Voltage 24V
QTY/M 105LEDs/pcs
Power 12W
Size 500*233mm
Cuttable Unit 33.33*33.33mm
Color 6000K/4000K/3000K/2700K
Lumen 100LM/W
CRI 80



Model No. SL-2835-840FCCT
Voltage 24V
QTY/M 420+420LEDs/pcs
Power 24W
Size 500*233mm
Cuttable Unit 16.67*16.67mm
Color 2700-6500K
Lumen 110LM/W
CRI 80



Model No. SL-2835-105F
Voltage 24V
QTY/M 105LEDs/pcs with Lens
Power 24W
Size 500*233mm
Cuttable Unit 33.33*33.33mm
Color 6000K/4000K/3000K/2700K
Lumen 90LM/W
CRI 80



Model No. SL-5050-420FRGB
Voltage 24V
QTY/M 420LEDs/pcs
Power 36W
Size 500*233mm
Cuttable Unit 33.33*33.33mm
Color RGB



Model No. SL-2835-420F
Voltage 24V
QTY/M 420LEDs/pcs
Power 12W
Size 500*233mm
Cuttable Unit 16.67*16.67mm
Color 6000K/4000K/3000K/2700K
Lumen 120LM/W
CRI 80



Model No. SL-5050-420FRGBW
Voltage 24V
QTY/M 420LEDs/pcs
Power 48W
Size 500*233mm
Cuttable Unit 33.33*33.33mm
Color RGBW

