



Glob-el

Reliable partner in development and manufacturing



Corrugated pipes & accessories

Halogen Free



Intertek

In-house fully automated corrugated pipe extrusion line. It allows to keep stable quality and competitive price.



APPLICATIONS

- _ Outdoor (UV protected) _____ **Yes**
- _ Indoor _____ **Yes**
- _ Exposed Installation (UV protected) _____ **Yes**
- _ Liquid screed and concrete _____ **Yes**
- _ Chased wall - Plasterboard _____ **Yes**
- _ Chased floor _____ **Yes**
- _ False ceiling - Movable wall _____ **Yes**
- _ Prefab - Wood panels _____ **Yes**

Self-recovering pliable conduit with/without wire for diameter 16, 20, 25, 32, 40, 50 mm.

It can be used with cement and concrete. Self-protected: it doesn't need concrete cover.

Conduit designed for cable protection in building and industrial applications. Ideal for use in locations where there is an increased risk of fire hazard. It is particularly suited for internal installations including cavity walls, ceilings and under raised floors. It can also be buried under concrete.


PRODUCT DIMENSIONS

- _ ø16 mm / 25 - 100 m
- _ ø20 mm / 25 - 100 m
- _ ø25 mm / 50 - 100 m
- _ ø32 mm / 25 - 50 m
- _ ø40 mm / 25 - 50 m
- _ ø50 mm / 25 - 50 m
- _ any diameter can be packed to customers request

TECHNICAL INFORMATION

- _ EN 61386-1
- _ EN 61386-22
- _ Intertek Semko in Kista - Stockholm
- _ Colour: different colors available (grey, black, red, blue etc.)
- _ Eco-friendly: LSF0H (Low Smoke Flame retardant Zero Halogen)
- _ The product is made using 100% green energy
- _ Compression strength up to 1000 N
- _ Operating temperature -5°C - +90°C
- _ Diameter up to 50 mm
- _ Material: polypropylene (PP)
- _ Co-extrusion of inner layer

Corrugated pipes





All our produced corrugated pipes are halogen free.

Product code	Description	Wire	Packaging
GL100	empty pipe ø16 mm	-	100 m
GL100LF	empty pipe ø16 mm, low friction	-	100 m
GL100W	pipe with wire puller ø16 mm	steel wire puller	100 m
GL100UV	empty pipe ø16 mm, UV protected	-	100 m
GL101	empty pipe ø16 mm	-	50 m
GL101W	pipe with wire puller ø16 mm	steel wire puller	50 m
GL102	empty pipe ø16 mm	-	25 m
GL111HF	prewired pipe ø16 mm	3xH07Z1-R 1,5mm ² , halogen free	100 m
GL111HFG25	prewired pipe ø16 mm	3xH07Z1-R 1,5mm ² , halogen free	25 m
GL111HFG50	prewired pipe ø16 mm	3xH07Z1-R 1,5mm ² , halogen free	50 m
GL111HFTW	prewired pipe ø16 mm	3xH07Z1-R 1,5mm ² , halogen free, twin	100 m
GL111P	prewired pipe ø16 mm	3xH07V-R 1,5mm ² , PVC	100 m
GL111PTW	prewired pipe ø16 mm	3xH07V-R 1,5mm ² , PVC, twin	100 m
GL112HF	prewired pipe ø16 mm	4xH07Z1-R 1,5mm ² , halogen free	100 m
GL112HFTW	prewired pipe ø16 mm	4xH07Z1-R 1,5mm ² , halogen free, twin	100 m
GL112P	prewired pipe ø16 mm	4xH07V-R 1,5mm ² , PVC	100 m
GL112PTW	prewired pipe ø16 mm	4xH07V-R 1,5mm ² , PVC, twin	100 m
GL113HF	prewired pipe ø16 mm	5xH07Z1-R 1,5mm ² , halogen free	100 m
GL113HFTW	prewired pipe ø16 mm	5xH07Z1-R 1,5mm ² , halogen free, twin	100 m
GL113P	prewired pipe ø16 mm	5xH07V-R 1,5mm ² , PVC	100 m
GL113PTW	prewired pipe ø16 mm	5xH07V-R 1,5mm ² , PVC, twin	100 m
GL114HF	prewired pipe ø16 mm	3xH07Z1-R 2,5mm ² , halogen free	100 m
GL114P	prewired pipe ø16 mm	3xH07V-R 2,5mm ² , PVC	100 m
GL115P	prewired pipe ø16 mm	4xH07V-R 2,5mm ² , PVC	100 m

Product code	Description	Wire	Packaging
GL116P	prewired pipe ø16 mm	1xH07V-R 6mm ² , PVC	100 m
GL121HF	prewired pipe ø16 mm	3xH07Z1-U 1,5mm ² , halogen free	100 m
GL121HFG25	prewired pipe ø16 mm	3xH07Z1-R 2,5mm ² , halogen free	25 m
GL121HFG50	prewired pipe ø16 mm	3xH07Z1-R 2,5mm ² , halogen free	50 m
GL121HFTW	prewired pipe ø16 mm	3xH07Z1-U 1,5mm ² , halogen free, twin	100 m
GL121P	prewired pipe ø16 mm	3xH07V-U 1,5mm ² , PVC	100 m
GL122HF	prewired pipe ø16 mm	5xH07Z1-U 1,5mm ² , halogen free	100 m
GL122HFTW	prewired pipe ø16 mm	5xH07Z1-U 1,5mm ² , halogen free, twin	100 m
GL122P	prewired pipe ø16 mm	5xH07V-U 1,5mm ² , PVC	100 m
GL123P	prewired pipe ø16 mm	3xH07V-U 2,5mm ² , PVC	100 m
GL131TP	prewired pipe ø16 mm	TP90	100 m
GL132PR	prewired pipe ø16 mm	PR 2x1,5mm ²	100 m
GL133PR	prewired pipe ø16 mm	PR 2x2,5mm ²	100 m
GL134HF	prewired pipe ø16 mm	CAT6 U/UTP, halogen free	100 m
GL134P	prewired pipe ø16 mm	CAT6 U/UTP	100 m
GL135HF	prewired pipe ø16 mm	LS 2x2,5 mm ² , halogen free	100 m
GL136HF	prewired pipe ø16 mm	ELQYB 2x1, halogen free	100 m
GL137HF	prewired pipe ø16 mm	KNX/EIB 2x2x0,8, halogen free	100 m
GL138HF	prewired pipe ø16 mm	LQXB 2x2x0,5, halogen free	100 m
GL139HF	prewired pipe ø16 mm	ELQXB 4x2x0,5, halogen free	100 m
GL140HF	prewired pipe ø16 mm	RQUB 2x0,75, halogen free	100 m
GL140HF-PVUV100	prewired pipe ø16 mm, UV protected	1xH1Z2Z2-K 4mm ² , halogen free	100 m
GL160HF-PVUV100	prewired pipe ø16 mm, UV protected	1xH1Z2Z2-K 6mm ² , halogen free	100 m



Corrugated pipes

Corrugated pipes

Ø 20
mm

Product code	Description	Wire	Packaging
GL200	empty pipe ø20 mm	-	100 m
GL200LF	empty pipe ø20 mm, low friction	-	100 m
GL200UV	empty pipe ø20 mm, UV protected	-	100 m
GL200W	pipe with wire puller ø20 mm	steel wire puller	100 m
GL201	empty pipe ø20 mm	-	50 m
GL201W	pipe with wire puller ø20 mm	steel wire puller	50 m
GL202	empty pipe ø20 mm		25 m
GL211P	prewired pipe ø20 mm	7xH07V-R 1,5mm ² , PVC	100 m
GL212HF	prewired pipe ø20 mm	7xH07Z1-R 1,5mm ² , halogen free	100 m
GL212HFTW	prewired pipe ø20 mm	5xH07Z1-R 2,5mm ² , halogen free, twin	100 m
GL212P	prewired pipe ø20 mm	3xH07V-R 2,5mm ² , PVC	100 m
GL213P	prewired pipe ø20 mm	3xH07V-R 4mm ² , PVC	100 m
GL214P	prewired pipe ø20 mm	3xH07V-R 6mm ² , PVC	100 m
GL221P	prewired pipe ø20 mm	3xH07V-U 1,5mm ² , PVC	100 m
GL222P	prewired pipe ø20 mm	5xH07V-U 1,5mm ² , PVC	100 m
GL223P	prewired pipe ø20 mm	3xH07V-U 2,5mm ² , PVC	100 m
GL224HF	prewired pipe ø20 mm	5xH07Z1-R 2,5mm ² , halogen free	100 m
GL224P	prewired pipe ø20 mm	5xH07V-U 2,5mm ² , PVC	100 m
GL231P	prewired pipe ø20 mm	2xCAT6 U/UTP	100 m
GL232HF	prewired pipe ø20 mm	2xCAT6 U/UTP, halogen free	100 m
GL233P	prewired pipe ø20 mm	2xCAT6 U/UTP+ COAX	100 m
GL241HF-PVUV100	prewired pipe ø20 mm, UV protected	2xH1Z2Z2-K 4mm ² , halogen free	100 m
GL261HF-PVUV100	prewired pipe ø20 mm, UV protected	2xH1Z2Z2-K 6mm ² , halogen free	100 m

Corugated pipes

Product code	Description	Wire	Packaging
GL300W	pipe with wire puller ø25 mm	steel wire puller	100 m
GL301	empty pipe ø25 mm	-	50 m
GL301W	pipe with wire puller ø25 mm	steel wire puller	50 m
GL302	empty pipe ø25 mm	-	100 m

Product code	Description	Wire	Packaging
GL401	empty pipe ø32 mm	-	50 m
GL401W	pipe with wire puller ø32 mm	steel wire puller	50 m
GL402W	pipe with wire puller ø32 mm	steel wire puller	25 m

Product code	Description	Wire	Packaging
GL501	empty pipe ø40 mm	-	25 m
GL501W	pipe with wire puller ø40 mm	steel wire puller	25 m
GL502	empty pipe ø40 mm	-	50 m
GL502W	pipe with wire puller ø40 mm	steel wire puller	50 m

Product code	Description	Wire	Packaging
GL601	empty pipe ø50 mm	-	25 m
GL601W	pipe with wire puller ø50 mm	steel wire puller	25 m
GL602W	pipe with wire puller ø50 mm	steel wire puller	50 m

Ø 25
mm

Ø 32
mm

Ø 40
mm

Ø 50
mm

Accessories

Product code	Description	Parameters	Packaging
Flex tube connectors with locking clip			
1200122	Flex tube connector, white	Ø 16 mm	3 / polybag
1200399	Flex tube connector, white	Ø 20 mm	3 / polybag
1230043	Flex tube connector, white	Ø 16 mm	1 / 50 & 600
1230044	Flex tube connector, white	Ø 20 mm	1 / 50 & 500
1230054	Flex tube connector, white	Ø 25 mm	200
1230055	Flex tube connector, white	Ø 32 mm	150
1230056	Flex tube connector, white	Ø 40 mm	100
1230057	Flex tube connector, white	Ø 50 mm	80

Flex tube connectors for transition from pipe / hose to fuse boxes etc., with locking clip.

1200397	Flex tube connector to box, white	Ø 16 mm	3/polybag
1200398	Flex tube connector to box, white	Ø 20 mm	3/polybag
1230041	Flex tube connector to box, white	Ø 16 mm	1/50 & 750
1230042	Flex tube connector to box, white	Ø 20 mm	1/50 & 500
1230045	Flex tube connector to box, white	Ø 25 mm	500
1230046	Flex tube connector to box, white	Ø 32 mm	200
1230047	Flex tube connector to box, white	Ø 40 mm	120
1230048	Flex tube connector to box, white	Ø 50 mm	100
1201376	Fitting for 50mm holes in cabinets and with 2x16mm+3x16/20mm inlets		210



Product code	Description	Parameters	Packaging
Clamps, clips and puller for corrugated pipes			
1300717	Double bent, stainless steel	Ø 16 mm	100/box
1300718	Double bent, stainless steel	Ø 20 mm	100/box
1300719	Single bent, stainless steel	Ø 16 mm	100/box
1200479	cable puller, nylon	length 10 m, Ø 3 mm	1/polybag



Corrugated pipes

Corrugated pipes