


YOU PLUS (EUROPE) LTD.





SKIN LED



NEW

REVOLUTIONARY GENERATION OF MICRO LED EMBEDDED IN A VERY THIN
CABLE!

WHEN IT'S ON THE WIRE IS INVISIBLE AND THE LED IS VERY BRIGHT.
WATERPROOF AND SUITABLE FOR ANY USE.
IT CAN BE CUT ANYWHERE!



24 V

Roll. 1000 mt

total weight: 6 kg

Efficiency: 0.13w per mt

Copperwires: $2 \times 0.1 \text{ mm}^2$


Led: $2 \times 2.5 \text{ mm}$

available in any color





CLIP LIGHT




NEW

Removable and adjustable clips.

High brightness LED light, high quality, easy to operate, long life thanks to the possibility to remove the single LED. It uses safe 24V voltage. It is the best common indoor decorations, add infinite daydream atmosphere to your living environment.




RECTANGLE ICICLE CURTAIN 200L 2X1 MT FLASH



230V rectangle icicle curtain light 200LED
2x1MT, 10L x 20strings 4+1Flash. White Rubber
cable (H03RN-F 0.5mm²) . IP44



CURTAIN 300L 2X1.5MT FLASH




230V LED CURTAIN LIGHT, 2MT MAIN CABLE 2*1.0mm², WHITE
COLOR RUBBER CABLE (0.5mm²), 20STRINGS, 15LEDS/STRING
240LED +60FLASH CONNECTABLE



ITEM NO.	DESCRIPTION	COLOR	FLASH TYPE
RECTANGLE ICICLE CURTAIN 200L 2X1 MT FLASH	230V rectangle icicle curtain light 200LED 2x1MT, 10L x 20strings 4+1Flash. White Rubber cable (H03RN-F 0.5mm ²) , NO POWER CORD. IP44	WARM WHITE	WHITE
		WHITE	
		BLUE	
		RED	
CURTAIN 300L 2X1.5MT FLASH	230V LED CURTAIN LIGHT, 2MT MAIN CABLE 2*1.0mm ² , WHITE COLOR RUBBER CABLE (0.5mm ²), 20STRINGS, 15LEDS/STRING 240LED +60FLASH CONNECTABLE, NO POWER CORD. IP44	WARM WHITE	WHITE
		WHITE	




LED ICICLE LIGHT



230V LED ICICLE LIGHT,1.5*1.4MT 100LEDS,WHITE RUBBER CABLE(H03RN-F 0.5mm²) LED,6/8/10/12/14/14/12/10/8/6*5Set,LED DISTANCE 10CM,EACH STRING DISTANCE 15CM,NO POWER CABLE.IP44

LED ICICLE 100 LED 1.5MT FLASHING

ITEM NO.	DESCRIPTION	COLOR	FLASH TYPE
LED ICICLE 100 LED 1.5MT FLASHING	230V LED ICICLE LIGHT,100LEDS,WHITE RUBBER CABLE(H03RN-F 0.5mm ²) LED,6/8/10/12/14/14/12/10/8/6*5Set,LED DISTANCE 10CM,EACH STRING DISTANCE 15CM,NO POWER CABLE .IP44	WARM WHITE	WHITE



230V ICICLE LIGHT 1.5X1MT 80LED,EACH SEGMENT * 3, RUBBER CABLE 0.5MM2,STRUCTURE 7/10/3/7/10/3/7/10/3/7/10/3,LED DISTANCE 10CM, STRING DISTANCE 12.5CM, CONNECTABLE,NO POWER CORD,IP44

ICICLE LIGHT 240LED (80x 3)

ITEM NO.	DESCRIPTION	COLOR	FLASH TYPE
ICICLE LIGHT 240LED (80x 3), CONNECTABLE 4+1FLASH	230V ICICLE LIGHT 1.5X1MT 80LED,EACH SEGMENT * 3, RUBBER CABLE 0.5MM2,STRUCTURE 7/10/3/7/10/3/7/10/3/7/10/3,LED DISTANCE 10CM, STRING DISTANCE 12.5CM, CONNECTABLE,NO POWER CORD,IP44	WARM WHITE	WHITE


NEW

BICOLOR



STRING LIGHTS





230V BICOLOR LED STRING LIGHT 10MT
100LEDS,(4+1 flashing) RUBBER
CABLE(H03RN-F0.5mm²) .IP44

230V LED STRING 100L 10M BICOLOR

ITEM NO.	DESCRIPTION	COLOR	FLASH TYPE
230V LED STRING 100L 10M BICOLOR	230V BICOLOR LED STRING LIGHT 10MT 100LEDS,(4+1 flashing) RUBBER CABLE(H03RN-F 0.5mm ²) ,OUTDOOR - Connectable - CE ROHS.IP44	WARM WHITE	WHITE
		WHITE	

STRING LIGHTS




24V LED STRING LIGHT 10MT 98LED, ROUND
CAP, DARK GREEN CABLE
0.5MM2,CONNECTABLE. NO POWER
CORD.IP44

STRING 24V 98LED 10MT

ITEM NO.	DESCRIPTION	COLOR
STRING 24V 98LED 10MT	24V LED STRING LIGHT 10MT 98LED, ROUND CAP, DARK GREEN CABLE 0.5MM2,CONNECTABLE. NO POWER CORD.IP44	WARM WHITE

STRING LIGHTS



230V LED STRING LIGHT 5MT 60LED
3+1FLASH WHITE RUBBER CABLE
0.5MM2 CONNECTABLE.

STRING 60LED 5MT 3+1FLASH

ITEM NO.	DESCRIPTION	COLOR	FLASH TYPE
STRING 60LED 5MT 3+1FLASH	230V LED STRING LIGHT 5MT 60LED 3+1FLASH WHITE RUBBER CABLE 0.5MM2 CONNECTABLE. NO POWER CORD.IP44	WARM WHITE	WHITE




LED BELT






LED BELT






ITEM NO.	DESCRIPTION	COLOR
FLEXI NEON 120L	230V DOUBLE SIDE FLEXIBLE NION LIGHT , 120LEDS PER METER, 50MT PER ROLL, CUTTING ON EVERY 1 METER, DIAMETER 17MM*8MM. WITH 1.5MT POWER CORD. IP44, CE,RoSH	WARM WHITE
		WHITE
		BLUE
		RED
		GREEN




E14 LAMP





ACCESSORIES






E27 CONNECTOR

ITEM NO.	DESCRIPTION	COLOR
E27 CONNECTOR	15CM E27 LAMP HOLDER WITH SL MALE CONNECTOR	WHITE

CONNECTORS



CURTAIN LIGHT MAIN CABLE 2METER LONG WITH 10 T CONNECTORS. 20CM DISTANCE BETWEEN EACH T. 2*0.75MM² WHITE RUBBER CABLE. SL CONNECTOR IP44

CURTAIN LIGHT CABLE 2MT 10T CONNECTOR SL

ITEM NO.	DESCRIPTION	COLOR
CURTAIN LIGHT CABLE 2MT 10T CONNECTOR SL	CURTAIN LIGHT MAIN CABLE 2METER LONG WITH 10 T CONNECTORS. 20CM DISTANCE BETWEEN EACH T. 2*0.75MM ² WHITE RUBBER CABLE. SL CONNECTOR IP44	WHITE

EXCHANGE CABLE



10CM EXCHANGE CABLE WITH SL MALE CONNECTOR AND DK FEMALE CONNECTOR. 10CM WHITE RUBBER CABLE 0.5MM2.IP44

EXCHANGE CABLE SL-DK

ITEM NO.	DESCRIPTION	COLOR
EXCHANGE CABLE SL-DK	10CM EXCHANGE CABLE WITH SL MALE CONNECTOR AND DK FEMALE CONNECTOR. 10CM WHITE RUBBER CABLE 0.5MM2.IP44	WHITE



As seen at the Messe Frankfurt



All our product are customizable on
request.

Please feel free to contact us for a
tailor-made quotation.



TRANSWORLD'S
**CHRISTMAS
SHOW**

MARCH 7-10, 2024
CO-LOCATED WITH TRANSWORLD'S HALLOWEEN & ATTRACTIONS SHOW IN ST. LOUIS, MO

AMERICA'S CENTER



FLOOD LIGHT

NEW







Price List

String light 230v -100 led -10 mt **€15.00**

- IP44, CABLE H03NN-F 0,5MM². 4+1 FLASH WITHOUT POWER CORD. CONNECTIBLE. OUTDOOR USE. CE, ROhs. POLYBAG

String light 24v - 100 led - 10 mt **€16.60**

- 4+1 FLASH.

String light 24v - 100 led - 10 mt **€13.50**

- NO FLASH

String light Bicolor 230v - 40 led - 3mt **€6.70**

- IP44, CABLE H03NN-F 0,5MM². 4+1 FLASH WITHOUT POWER CORD. CONNECTIBLE. OUTDOOR USE. CE, ROhs. POLYBAG

String light Bicolor 230v - 120 led - 10mt **€20.70**

- IP44, CABLE H03NN-F 0,5MM². 4+1 FLASH WITHOUT POWER CORD. CONNECTIBLE. OUTDOOR USE. CE, ROhs. POLYBAG

String light Bicolor 24v - 50 led - 5mt **€11.00**

- IP44, CABLE H03NN-F 0,5MM². 4+1 FLASH WITHOUT POWER CORD. CONNECTIBLE. OUTDOOR USE. CE, ROhs. POLYBAG

Icicle light 230v - 228 led - 3mt*1mt **€32.00**

- WARM WHITE + WHITE FLASH ((6/8/10/8/6)*2) FOR 3 SECTIONS.

Curtain light 230v - 300 led - 2mt*1.5mt **€42.00**

- IP44, CABLE 0.5MM², 20 STRINGS - 15 LEDS PER STRING. NO MAIN CABLE

•

Curtain light 230v - 300 led - 2mt*1.5mt **€52.00**

- IP44, CABLE 0.5MM², 20 STRINGS - 15 LEDS PER STRING. WITH MAIN CABLE

Curtain light bicolor 230v - 1200 led - **€182.00**
2mt*7mt

- IP44, 2mt MAIN CABLE , 20 STRINGS - 60 LEDS PER STRING.
1.5mt LEAD CABLE. CONNECTABLE.

Curtain light bicolor 230v - 1000 led - **€158.00**
2mt*5mt

- IP44, 2mt MAIN CABLE , 20 STRINGS - 50 LEDS PER STRING.
1.5mt LEAD CABLE. CONNECTABLE.

Flexi neon 230v - 120 led - 50mt per roll **€115.00**

- FLEXI NEON 17*8MM 120LED 230V DOUBLE FACE
50M/ROLL -1MT SEGMENT CUT, copper 0.5mm². CE/ROHS
CERTIFICATED, WITH 1PCS OF 0.5M 0.75MM² FRONT
WIRES +8A RECTIFIER WITHOUT HOLE+5A FUSE EACH ROLL

Power cord flexi neon **€2.50**

- 0.5M 0.75MM² FRONT WIRES +8A RECTIFIER. WITH POWER
CONNECTOR BUT WITHOUT END CAP AND WITHOUT
CONNECTOR.

Flexi neon pin **€0.20**

- FRONT PIN, MIDDLE PIN

Flexi neon cap **€0.20**

Skin led **€550.00**

- 1 ROLL SKIN LED 24V 1000 MT IP 65, 10 CM DISTANCE
BETWEEN LED

Skin led **€900.00**

- 1 ROLL SKIN LED 24V 1000 MT IP 65, 5 CM DISTANCE
BETWEEN LED

Flood light **€200.00**

- 230V FLOOD LIGHT RGB LED

Power cord with plug **€3.50**

- SL Standard POWER CORD 1.5MT, (3A Fuse +6A Rectifier),
TWO SECTIONS

Power cord no plug **€3.00**

- SL Standard POWER CORD 1.5MT, (3A Fuse +6A Rectifier)

36W Transformer **€7.00**

- 36W TRANSFORMER WITH 1.5 MT with POWER CORD

36W Transformer **€5.00**

- 36W TRANSFORMER NO POWER CORD

60W Transformer **€12.00**

- 60W TRANSFORMER WITH 1.5 MT POWER CORD

100W Transformer **€19.00**

- 100W TRANSFORMER WITH 1.5 MT POWER CORD

Main cable 2mt 10T **€9.00**

- WITH 10 DROPS
-

24V Clip light

- 20 cm distance **€ 1.60 / mt**
- 15 cm distance **€ 2.10/ mt**
- 10 cm distance **€ 2.60 / mt**

**** for orders of 10.000 € or more we apply a discount of 8% ****

LEDs AND WIREs ARE AVAILABLE IN ANY COLOR.



YOU PLUS (Europe) Limited
Central Office Building Block A, Level 0, Hal Mann Vella,
Mosta Road Lija LJA 9016 -MALTA

Tel: 356 79378738

Email:youplus.eu@gmail.com

www.youpluseurope.com

Vat Reg no:: MT23299330



CENTRAL OFFICE BUILDING BLOCK A,
LEVEL 0 HAL MANN VELLA
MOSTA ROAD, LIJA, LJA 9016,
MALTA
VAT: MT23299330