


CEEREE[®]

ILLUMINATION



TIANTAI CEEREE LIGHTING CO.,LTD

Add:Guantang xia Village,Keshan Industrial Zone,Tiantai
County,Taizhou City,Zhejiang Province,China,317200.

Tel:86-576-83778388 Fax:86-576-83778389

E-mail:ceeree@ceeree.com

Web:www.ceeree.com

www.ceeree.com

CEEREE®

ILLUMINATION



NOTHING BUT PROFESSIONAL

COMPANY PROFILE

CEEREE is a professional manufacturer and have been 10 years experience in Christmas light of outdoor and indoor , our key market is European , depends on the excellent quality and creative design , our products are warmly welcomed by our customer , who sell it to project and family use .

Our company is a competent, innovative and reliable partner with a wealth of in-depth knowledge in this specialized area of business , we provide a comprehensive service in OEM and ODM , because we have strong engineer team and production , quality control dept.

Nothing or best , our target is to become one of the most famous brand in worldwide , we know it is a long road , but we believe if we dare to dream it and take action , things can be true.

2018 New catalogue can provide you more details and easier looking , new products , you will like and keep it .

GRAPHIC ILLUSTRATION



220-240V
High Voltage product



24V
Low Voltage product



Can be Extended by
universal connectors



Protection class IP44



Protection class IP20



Double isolation cable



Flame resistant materials



CE certified by Authorized
European laboratory



Conform to the new amending
Directive RoHS of Europe



New product for this season



EMC Test passed by Authorized
European laboratory



Energy saving product



Production under supervision
of ISO9001 System



Product is allowed to be
installed in outdoor environmet



Product is only allowed to be
installed in indoor environmet



Cable colors available



Bulb type and colors available


How can I recognise an CEEREE product?

1.Labelling of the EXT connectors

On new production for 2013:


- blue insulation ring
- silver label with all relevant date and safety warnings
- CEEREE logo
- may now be connected up in one direction only (as indicated by the arrow)-polartiy

The Outdoor 230V,low-voltage 24V and Indoor 230V System has been tested by a European institute and approved for the European market. The special production methods for the EXT connectors make our light chains the safest in Europe. For safety reasons,230Vproducts cannot be conncted up to 24V ones.



2.Cable markings

All CEEREE cables produced with effect from 2015 carry the new “CEEREE Printing” mark as a sign of quality and to document their originality.These cables are quality-certified only by the German institute VDE,making them always readily identifiable as a quality product.



3.New environment-friendly packaging

CEEREE is committed to a sustainable environmental policy! We do not print on bleached paper and we do not use environmentally-damaging dyes.

As for packaging,we ensure that each CEEREE product is packaged in the best-possible package size.This helps to optimise our distribution and, moreover,reduce CO2 emissi



4.Advantages of CEEREE LED products:

- Clear colours without UV radiation
- Minimal loss of Luminosity
- Longer operational life
- 80-90% energy savings
- Reduced Co2 emissions
- Shatterproof casing in clear or matt polycarbonate
- High-impact durability,vibration-proof



PRODUCTS INDEX

Outdoor 230V Professional Light

- 02-03 LED Light String
- 04 LED Twinkle String
- 05-06 LED All Flashing String
- 08-10 LED Curtain Light
- 11 LED Curtain Light-Flashing
- 12 LED Curtain Light-Twin color Flashing
- 14-16 LED Curtain Light
- 18-19 LED Lcicle Light
- 21-22 LED Net Light
- 23-24 Fitting Accessories

Outdoor 24V Professional Light

- 26 LED Light String 24V
- 27 LED Curtain Light 24V
- 28 LED Lcicle Light 24V
- 29 LED Net Light 24V
- 30 Accessories of 24V EXT-System

Indoor 230V Professional Light

- 33 LED Light String
- 34 LED Twinkle String
- 35-36 LED Curtain Light
- 37 LED Lcicle Light
- 38 Fitting Accessories

Outdoor Professional Light

- 41 LED Burning String Light
- LED String Light
- 42 Belt Light
- LED String Light- Heavy-duty
- 43 LED Candle light
- LED Candle light
- 44 LED Candle light
- E14 String Light
- 45 LED Rope Light- Heavy-duty

NEW

OUTDOOR Professional

THE RICHEST... FOR THE MOST DEMANDING ONES



OUTDOOR LED Light String

- High Luminosity
- High Brightness
- Shock Resistant
- Low Heat Emission
- Low Power Consumption
- Waterproof design
- Rubber cable





LEDPLR-5M-50-230V

Length: 5m
Bulb No.: 50LEDs
Segments: 1
Watt.: 3.5W
Max.Extend: 80sets
Inner Box: 20x15x7cm
Master CTN: 47x44x42cm
Pcs/CTN: 36
N.W.: 25.5kgs
G.W.: 26.7kgs



LEDPLR-10M-100-230V

Length: 10m
Bulb No.: 100LEDs
Segments: 1
Watt.: 7W
Max.Extend: 40sets
Inner Box: 26x16x10cm
Master CTN: 54x42x34cm
Pcs/CTN: 16
N.W.: 17.5kgs
G.W.: 18.7kgs



The most simple and versatile product allows you to create countless lighting designs.
Ideal for all types of decoration, they can be used for trees, hedges, large open spaces and to create a canopy of stars in streets squares.
Also useful for general Christmas decorations like garlands and pine branches.





THE RICHEST... FOR THE MOST DEMAND ING ONES

OUTDOOR LED Light String

- High Luminosity
- High Brightness
- Shock Resistant
- Low Heat Emission
- Low Power Consumption
- Waterproof design
- Rubber cable



LEDPLR-12M-120-230V

Length: 12m
Bulb No.: 120LEDs
Segments: 2
Watt.: 7W
Max.Extend: 30sets
Inner Box: 26x16x10cm
Master CTN: 54x42x34cm
Pcs/CTN: 16
N.W.: 18.5kgs
G.W.: 19.7kgs



LEDPLR-20M-120-230V

Length: 20m
Bulb No.: 120LEDs
Segments: 2
Watt.: 7W
Max.Extend: 40sets
Inner Box: 34x20x10cm
Master CTN: 52x42x36cm
Pcs/CTN: 10
N.W.: 16.5kgs
G.W.: 17.7kgs





OUTDOOR LED Twinkle String

- High Luminosity
- High Brightness
- Shock Resistant
- Low Heat Emission
- Low Power Consumption
- Waterproof design
- Rubber cable



LEDTSR-6M-144C-230V

Length: 6m
Bulb No.: 144LEDs
Segments:1
Watt.: 7W
Max.Extend: 10sets
Inner Box: 26x16x10cm
Master CTN: 54x42x34cm
Pcs/CTN: 16
N.W.: 20kgs
G.W.: 21kgs



LEDTSR-10M-180C-230V

Length: 10m
Bulb No.: 180LEDs
Segments:1
Watt.: 14W
Max.Extend: 10sets
Inner Box: 34x20x10cm
Master CTN: 54x42x36cm
Pcs/CTN: 16
N.W.: 17.5kgs
G.W.: 18.5kgs






OUTDOOR LED All Flashing String

- High Luminosity
- High Brightness
- Shock Resistant
- Low Heat Emission
- Low Power Consumption
- Waterproof design
- Rubber cable



LEDPLR-10M-100F-230V

Length: 10m
Bulb No.: 100LEDs
Segments: 2
Watt.: 7W
Max.Extend: 30sets
Inner Box: 26x16x10cm
Master CTN: 54x42x34cm
Pcs/CTN: 16
N.W.: 18.5kgs
G.W.: 19.7kgs






OUTDOOR LED Twin-color Flashing String

- High Luminosity
- High Brightness
- Shock Resistant
- Low Heat Emission
- Low Power Consumption
- Waterproof design
- Rubber cable

LEDPLR-10M-100TF-230V

Length: 10m
Bulb No.: 100LEDs
Segments: 2
Watt.: 7W
Max.Extend: 30sets
Inner Box: 26x16x10cm
Master CTN: 54x42x34cm
Pcs/CTN: 16
N.W.: 18.5kgs
G.W.: 19.7kgs



One LED with twin-color Flashing

NEW DESIGN

NEW DESIGN



OUTDOOR Professional



Suitable for decorating large surfaces like main streets and avenues, they are also ideal for shopping centres and building facades.

CEEREE® light Curtains create a highly visible and effective impact, especially on medium-large surfaces. The large number of light bulbs produces a brilliant output. The Quick Connector system allows fast maintenance of single light strings.

THE RICHEST... FOR THE MOST DEMANDING ONES



OUTDOOR LED Curtain Light

- High Luminosity
- High Brightness
- Shock Resistant
- Low Heat Emission
- Low Power Consumption
- Waterproof design
- Rubber cable





LEDCLR-2x1.5M-300-230V

Size: 2x1.5m
Bulb No.: 300LEDs
Strings: 20
Watt.: 70W
Max.Extend: 5sets
Inner Box: 38x28x12cm
Master CTN: 62x40x30cm
Pcs/CTN: 5
N.W.: 19.5kgs
G.W.: 20.7kgs



LEDCLR-2x3M-600-230V

Size: 2x3m
Bulb No.: 600LEDs
Strings: 20
Watt.: 70W
Max.Extend: 5sets
Inner Box: 38x28x17cm
Master CTN: 53x40x30cm
Pcs/CTN: 3
N.W.: 15kgs
G.W.: 16kgs



THE RICHEST... FOR THE MOST DEMANDING ONES



THE RICHEST... FOR THE MOST DEMANDING ONES



OUTDOOR LED Curtain Light

- High Luminosity
- High Brightness
- Shock Resistant
- Low Heat Emission
- Low Power Consumption
- Waterproof design
- Rubber cable





LEDCLR-2x5M-1000-230V

Size: 2x5m
Bulb No.: 1000LEDs
Segments:20
Watt.: 70W
Max.Extend: 5sets
Inner Box: 38x28x34cm
Master CTN: 51x40x30cm
Pcs/CTN: 2
N.W.: 15.5kgs
G.W.: 16.7kgs



LEDCLR-2x7M-1400-230V

Size: 2x7m
Bulb No.: 1400LEDs
Segments: 20
Watt.: 70W
Max.Extend: 5sets
Inner Box: 38x28x24cm
Master CTN: 51x40x30cm
Pcs/CTN: 2
N.W.: 16.5kgs
G.W.: 17.7kgs





THE RICHEST... FOR THE MOST DEMANDING ONES

OUTDOOR LED Curtain light

- High Luminosity
- High Brightness
- Shock Resistant
- Low Heat Emission
- Low Power Consumption
- Waterproof design
- Rubber cable

LEDCLR-2x9M-1500-230V

Size: 2x9m
Bulb No.: 1500LEDs
Segments: 20
Watt.: 70W
Max.Extend: 5sets
Inner Box: 38x28x26cm
Master CTN: 54x40x30cm
Pcs/CTN: 2
N.W.: 18.5kgs
G.W.: 19.7kgs







OUTDOOR LED Curtain Light-Flashing

- High Luminosity
- High Brightness
- Shock Resistant
- Low Heat Emission
- Low Power Consumption
- Waterproof design
- Rubber cable



LEDCLR-2x5M-1000F-230V



Size: 2x5m
Bulb No.: 1000LEDs
Segments:20
Watt.: 70W
Max.Extend: 5sets
Inner Box: 38x28x34cm
Master CTN: 51x40x30cm
Pcs/CTN: 2
N.W.: 15.5kgs
G.W.: 16.7kgs



FLASHING
LED

LEDCLR-2x5M-1000AF-230V

Size: 2x5m
Bulb No.: 1000LEDs
Segments:20
Watt.: 70W
Max.Extend: 5sets
Inner Box: 38x28x34cm
Master CTN: 51x40x30cm
Pcs/CTN: 2
N.W.: 15.5kgs
G.W.: 16.7kgs





OUTDOOR LED Curtain light-Twin color Flashing

- High Luminosity
- High Brightness
- Shock Resistant
- Low Heat Emission
- Low Power Consumption
- Waterproof design
- Rubber cable

LEDCLR-2x5M-1000TF-230V


Size: 2x5m
Bulb No.: 1000LEDs
Segments:20
Watt.: 70W
Max.Extend: 5sets
Inner Box: 38x28x34cm
Master CTN: 51x40x30cm
Pcs/CTN: 2
N.W.: 15.5kgs
G.W.: 16.7kgs



TWIN COLOR
LED



OUTDOOR Professional





Curtains if left open stalactites with a small gesture.
Light curtains with tapered shape.
Gathering the strings at their bottom
create fabulous stalactites.

THE RICHEST... FOR THE MOST DEMANDING ONES

OUTDOOR LED Curtain Light

LEDCLR-0.8x1.5M-120-230V

Size: 0.8x1.5m
Bulb No.: 120LEDs
Strings: 8
Watt.: 28W
Max.Extend: 10sets
Inner Box: 38x28x12cm
Master CTN: 53x34x28cm
Pcs/CTN: 10
N.W.: 14.8kgs
G.W.: 15.8kgs






- High Luminosity
- High Brightness
- Shock Resistant
- Low Heat Emission
- Low Power Consumption
- Waterproof design
- Rubber cable



LEDCLR-1x3M-120-230V

Size: 1x3m
Bulb No.: 300LEDs
Strings: 10
Watt.: 35W
Max.Extend: 8sets
Inner Box: 38x28x12cm
Master CTN: 53x36x22cm
Pcs/CTN: 5
N.W.: 14.8kgs
G.W.: 15.8kgs






OUTDOOR LED Curtain Light

- High Luminosity
- High Brightness
- Shock Resistant
- Low Heat Emission
- Low Power Consumption
- Waterproof design
- Rubber cable

LEDCLR-1x5M-500-230V

Size: 1x5m
Bulb No.: 500LEDs
Strings: 10
Watt.: 35W
Max.Extend: 8sets
Inner Box: 38x28x12cm
Master CTN: 39x40x30cm
Pcs/CTN: 3
N.W.: 13kgs
G.W.: 14kgs







OUTDOOR LED Curtain Light

- High Luminosity
- High Brightness
- Shock Resistant
- Low Heat Emission
- Low Power Consumption
- Waterproof design
- Rubber cable

LEDCLR-1x7M-750-230V

Size: 1x7m
Bulb No.: 750LEDs
Strings: 10
Watt.: 35W
Max.Extend: 8sets
Inner Box: 38x28x12cm
Master CTN: 39x40x30cm
Pcs/CTN: 3
N.W.: 15kgs
G.W.: 16kgs



OUTDOOR

Professional



CEEREE® Icicle Light decoration in a classic stalactiteshape, Ideal for decorating low spaces and street crossings, but also as an attractive detail in large decorations.


Icicle Lights are one of ceeree most flexible products made available to its customers. The various sizes adapt perfectly as decorations for terraces, fences, hedges, arcades, lofts and galleries as well as to decorating avenues and streets in general.

THE RICHEST... FOR THE MOST DEMANDING ONES





LED Icicle Light

- High Luminosity
- High Brightness
- Shock Resistant
- Low Heat Emission
- Low Power Consumption
- Waterproof design
- Rubber cable





LEDILR-2M-152-230V

Size: 2x1m
Bulb No.: 152LEDs
Segments: 2
Watt.: 7W
Max.Extend: 40sets
Inner Box: 34x20x10cm
Master CTN: 53x42x36cm
Pcs/CTN: 10
N.W.: 12.5kgs
G.W.: 13.7kgs





LEDILR-4x1.5M-304-230V

Size: 4x1.5m
Bulb No.: 304LEDs
Segments: 4
Watt.: 14W
Max.Extend: 15sets
Inner Box: 38x28x12cm
Master CTN: 62x40x30cm
Pcs/CTN: 5
N.W.: 16.5kgs
G.W.: 17.5kgs



LEDILR-3M-114-230V



Size: 3x0.5m
Bulb No.: 114LEDs
Segments: 2
Watt.: 7W
Max.Extend: 40sets
Inner Box: 26x16x10cm
Master CTN: 52x34x28cm
Pcs/CTN: 10
N.W.: 12.5kgs
G.W.: 13.5kgs



OUTDOOR LED Lcicle Light -Flashing

LEDILR-2M-152F-230V

Size: 2x1m
Bulb No.: 152LEDs
Segments: 2
Watt.: 7W
Max.Extend: 40sets
Inner Box: 34x20x10cm
Master CTN: 53x42x36cm
Pcs/CTN: 10
N.W.: 12.5kgs
G.W.: 13.7kgs





- High Luminosity
- High Brightness
- Shock Resistant
- Low Heat Emission
- Low Power Consumption
- Waterproof design
- Rubber cable



FLASHING LED

LEDILR-3M-228F-230V

Size: 3x1m
Bulb No.: 228LEDs
Segments: 3
Watt.: 10.5W
Max.Extend: 30sets
Inner Box: 34x20x10cm
Master CTN: 53x42x36cm
Pcs/CTN: 10
N.W.: 12.5kgs
G.W.: 13.7kgs



CEEREE® Led Net Light are manufactured with a twin-bulb system

Two LED bulbs mounted one against other share the protection capsule. This system guarantees products with more powerful output than single model LEDs.





OUTDOOR LED Net Light

- High Luminosity
- High Brightness
- Shock Resistant
- Low Heat Emission
- Low Power Consumption
- Waterproof design
- Rubber cable



LEDNLR-288-230V

Size: 2x1.5m
Bulb No.: 288LEDs
Segments:1
Watt.: 14W
Max.Extend: 30sets
Inner Box: 34x20x10cm
Master CTN: 42x36x32cm
Pcs/CTN: 6
N.W.: 13kgs
G.W.: 14kgs





Power Cord
NOT INCLUDED



Single-Bulb structure

LEDNLR-432-230V

Size: 3x1.5m
Bulb No.: 432LEDs
Segments:1
Watt.: 21W
Max.Extend: 20sets
Inner Box: 38x28x12cm
Master CTN: 62x40x30cm
Pcs/CTN: 5
N.W.: 16.5kgs
G.W.: 17.5kgs



Power Cord
NOT INCLUDED





OUTDOOR LED Net Light

- High Luminosity
- High Brightness
- Shock Resistant
- Low Heat Emission
- Low Power Consumption
- Waterproof design
- Rubber cable

LEDNLR-406-230V

Size: 2.5x1.2m
Bulb No.: 406LEDs
Segments:1
Watt.: 21W
Max.Extend: 20sets
Inner Box: 34x20x10cm
Master CTN: 52x42x36cm
Pcs/CTN: 10
N.W.: 22kgs
G.W.: 23kgs





Power Cord
NOT INCLUDED




Twin-Bulb structure

LEDNLR-648-230V

Size: 4x2m
Bulb No.: 648LEDs
Segments:1
Watt.: 42W
Max.Extend: 10sets
Inner Box: 38x28x12cm
Master CTN: 62x40x30cm
Pcs/CTN: 5
N.W.: 20kgs
G.W.: 21kgs



Power Cord
NOT INCLUDED






Accessories of EXT-System




LEDPK-1.5M-EU

Power cord KIT for LED Outdoor Lights
1.5M power cable 2×1.0sqmm IP44 Plug
AC/DC adapter




LEDPK-1.5M-UK

Power cord KIT for LED Outdoor Lights
1.5M power cable 2×1.0sqmm
IP44 BS Plug
AC/DC adapter




FA-1M

Extension cable for Outdoor Lights
1M rubber cable 2×1.0sqmm
Male / Female connectors




FA-5M

Extension cable for Outdoor Lights
1M rubber cable 2×1.0sqmm
Male / Female connectors




FA-10M

Extension cable for Outdoor Lights
1M rubber cable 2×1.0sqmm
Male / Female connectors




PK-1.5M-EU

Power cord KIT for incandescent Outdoor Lights
1.5M power cable 2×1.0sqmm IP44 Plug



PK-1.5M-UK

Power cord KIT for incandescent Outdoor Lights
1.5M power cable 2×1.0sqmm
IP44 BS Plug




AC/DC Power Adapter-RL

AC/DC Adapter for Outdoor Lights
To connect Rope Light and transformer
0.25M cable 2×1.0sqmm on each end
With Rope Light 1C connector on one end
And Male connector on the other end



EXT-RL-0.25M

Extension cable for Outdoor Lights
To connect Rope Light and other 230V items
0.25M rubber cable 2×1.0sqmm
With Rope Light 1C connector on one end
And Male connector on the other end



Divider-3-AC/DC
Max watt:1800W




CEEREE®

Accessories of EXT-System


FA-1T

Main Cable 1T for Outdoor Lights
0.4M rubber cable 2×1.0sqmm
1×Male and 2×Female connectors




FA-6T

Main Cable 6T for Outdoor Lights
0.8M length rubber cable 2×1.0sqmm
1×Male and 7×Female connectors




FA-10T

Main Cable 10T for Outdoor Lights
1.3M length rubber cable 2×1.0sqmm
1×Male and 11×Female connectors



FA-20T

Main Cable 20T for Outdoor Lights
2.3M length rubber cable 2×1.0sqmm
1×Male and 21×Female connectors



OUTDOOR Professional 24V

LOW VOLTAGE

Low Voltage 24V-elegant,transparent and,at the same time, the same time,the most professional low-voltage light chain on the market,with low-voltage transformer IP44 for outdoor and indoor usage.This guarantees 100% electrical contact at all times and reliable protection against moisture. In combination with the safety twist connector, this construction provides not only quick, simple and safe installation, but also an IP44 rating. All Low Voltage 24V light chains can be connected together and are ideally suited for decorations that are situated within reach of the public, or, otherwise, where low voltage is stipulated.





CEEREE®

OUTDOOR LED Light String 24V

LEDPLR-4.8M-48-24V

24V Power Supplier is not included

NEW	24V	Length: 4.8m
EMC		Bulb No.: 48LEDs
EXT	CE	Segments: 1
IP44	F	Watt.: 2.16W
RoHS		Inner Box: 20x15x7cm
		Master CTN: 47x44x42cm
		Pcs/CTN: 35
		N.W.: 19.5kgs
		G.W.: 20.5kgs






24V Safe Voltage
Low power consumption
Extendible by connectors
Suitable for professional projects and events
Replaceable segments
Rubber cable, waterproof design



LEDPLR-9.6M-96-24V

24V Power Supplier is not included

NEW	24V	Length: 9.6m
EMC		Bulb No.: 96LEDs
EXT	CE	Segments: 1
IP44	F	Watt.: 4.32W
RoHS		Inner Box: 26x16x10cm
		Master CTN: 54x42x34cm
		Pcs/CTN: 16
		N.W.: 12kgs
		G.W.: 13kgs







LED Curtain Light 24V

24V Safe Voltage
Low power consumption
Extendible by connectors
Suitable for professional projects and events
Replaceable segments
Rubber cable, waterproof design

LEDCLR-2x0.8M-160-24V

24V Power Supplier is not included



- NEW 24V
- Size: 2x0.8m
- Bulb No.: 160LEDs
- Segments: 20
- Watt.: 7.2W
- Inner Box: 38x28x12cm
- Master CTN: 58x40x30cm
- Pcs/CTN: 6
- N.W.: 18.5kgs
- G.W.: 19.7kgs
- EMC
- EXT
- CE
- IP44
- F
- RoHS



LEDCLR-2x1.6M-320-24V

24V Power Supplier is not included

- NEW 24V
- Size: 2x1.6m
- Bulb No.: 320LEDs
- Segments: 20
- Watt.: 14.4W
- Inner Box: 38x28x17cm
- Master CTN: 53x40x30cm
- Pcs/CTN: 3
- N.W.: 15kgs
- G.W.: 16kgs
- EMC
- EXT
- CE
- IP44
- F
- RoHS





LED Icicle Light 24V

24V Safe Voltage
Low power consumption
Extendible by connectors
Suitable for professional projects and events
Replaceable segments
Rubber cable, waterproof design

LEDILR-1.5M-56-24V

24V Power Supplier is not included



- NEW 24V
- Size: 1.5x0.5m
- Bulb No.: 56LEDs
- Segments: 1
- Watt.: 2.52W
- Inner Box: 20x15x7cm
- Master CTN: 47x44x42cm
- Pcs/CTN: 36
- N.W.: 22.5kgs
- G.W.: 23.7kgs
- EMC
- EXT
- CE
- IP44
- F
- RoHS



LEDILR-3M-100-24V

24V Power Supplier is not included

- NEW 24V
- Size: 3x0.8m
- Bulb No.: 195LEDs
- Segments: 1
- Watt.: 10.8W
- Inner Box: 26x16x10cm
- Master CTN: 54x42x34cm
- Pcs/CTN: 16
- N.W.: 15.5kgs
- G.W.: 16.5kgs
- EMC
- EXT
- CE
- IP44
- F
- RoHS



OUTDOOR LED Net Light 24V


- High Luminosity
- High Brightness
- Shock Resistant
- Low Heat Emission
- Low Power Consumption
- Waterproof design
- Rubber cable

LEDILR-2x1M-120-24V

24V Power Supplier is not included

NEW	24V
EMC	
EXT	CE
IP44	F
RoHS	

Size: 2x1m
Bulb No.: 120LEDs
Segments: 1
Watt.: 2.2W
Inner Box: 26x16x10cm
Master CTN: 54x42x34cm
Pcs/CTN: 16
N.W.: 16kgs
G.W.: 17kgs




LEDILR-2x2M-240-24V

24V Power Supplier is not included

NEW	24V
EMC	
EXT	CE
IP44	F
RoHS	

Size: 2x2m
Bulb No.: 240LEDs
Segments: 1
Watt.: 4.5W
Inner Box: 34x20x10cm
Master CTN: 54x42x36cm
Pcs/CTN: 10
N.W.: 16.5kgs
G.W.: 17.5kgs




OUTDOOR Accessories of 24V EXT-System

AC/DC Power Adapter 24V


AC/DC Adapter for 24VAC Transformer
Max. 3A 108W

0.25M cable 2×0.75sqmm on each end
With Male/Female connectors




EXT-5M-24V

Extension cable for 24V EXT-System
5M clear PVC cable 2×0.75sqmm
With Male / Female connectors




EXT-1T-24V

Main Cable 1T for 24V EXT-System
0.5M clear PVC cable 2×0.75sqmm
With 1×Male and 2×Female connectors




EXT-10T-24V

Main Cable 10T for 24V EXT-System
1.3M clear PVC cable 2×0.75sqmm
With 1×Male and 11×Female connectors




TR-108W-24VAC-EU

24V Transformer 108W AC output
1.5M power cable 2*1sqmm IP44 Plug
0.5M clear PVC lead cable 2*0.75sqmm
IP44 plug




TR-108W-24VAC-UK

24V Transformer 108W AC output
1.5M power cable 2*1sqmm IP44 Plug
0.5M clear PVC lead cable 2*0.75sqmm
IP44 BS plug



Divider-3-24V

Divider 3 for 36V EXT-System
0.5M clear PVC cable 2×0.75sqmm
With 1×Male and 3×Female connectors




INDOOR

Professional



These elegant, transparent **PVC** light chains are the safest indoor chains on the market as the LEDs are glued with epoxy resin into a specifically aligned polycarbonate cap. This means that the cables can no longer be pulled out of the sockets, guaranteeing permanently perfect electrical contact. In combination with the safety twist connector, this construction provides quick, simple and safe installation.



INDOOR

Professional

THE RICHEST... FOR THE MOST DEMANDING ONES



INDOOR LED Light String

- High Luminosity
- High Brightness
- Shock Resistant
- Low Heat Emission
- Low Power Consumption
- PVC cable





LEDPL-5M-50-230V

Length: 5m
Bulb No.: 50LEDs
Segments: 1
Watt.: 3.5W
Max.Extend: 80sets
Inner Box: 20x15x7cm
Master CTN: 42x37x32cm
Pcs/CTN: 20
N.W.: 13.5kgs
G.W.: 14.5kgs





LEDPL-10M-100-230V

Length: 10m
Bulb No.: 100LEDs
Segments: 1
Watt.: 7W
Max.Extend: 40sets
Inner Box: 26x16x10cm
Master CTN: 54x42x34cm
Pcs/CTN: 16
N.W.: 15kgs
G.W.: 16kgs



LEDPL-20M-120-230V

Length: 20m
Bulb No.: 120LEDs
Segments: 2
Watt.: 7W
Max.Extend: 20sets
Inner Box: 26x16x10cm
Master CTN: 54x42x34cm
Pcs/CTN: 16
N.W.: 17kgs
G.W.: 18kgs



THE RICHEST... FOR THE MOST DEMANDING ONES



INDOOR LED Twinkle String



Indoor Twinkle String
Indoor use only
Not extendible
With 8 function controller and IP20 plug




LEDTS-6M-144-230V

Length: 6m
Bulb No.: 144LEDs
Segments: 1
Watt.: 7W
Max.Extend: N/A
Inner Box: 20x15x7cm
Master CTN: 42x37x32cm
Pcs/CTN: 20
N.W.: 19kgs
G.W.: 20kgs



LEDTS-10M-180-230V

Length: 10m
Bulb No.: 180LEDs
Segments: 1
Watt.: 14W
Max.Extend: N/Asets
Inner Box: 26x16x10cm
Master CTN: 54x42x34cm
Pcs/CTN: 16
N.W.: 17kgs
G.W.: 18kgs





INDOOR LED Curtain Light

- High Luminosity
- High Brightness
- Shock Resistant
- Low Heat Emission
- Low Power Consumption
- PVC cable





LEDCL-2x1.5M-300-230V

Size: 2x1.5m
Bulb No.: 300LEDs
Segments: 20
Watt.: 70W
Max.Extend: 4sets
Inner Box: 38x28x12cm
Master CTN: 62x40x30cm
Pcs/CTN: 5
N.W.: 15.5kgs
G.W.: 16.7kgs



LEDCL-2x3M-600-230V

Size: 2x3m
Bulb No.: 600LEDs
Segments: 20
Watt.: 70W
Max.Extend: 4sets
Inner Box: 38x28x12cm
Master CTN: 62x40x30cm
Pcs/CTN: 5
N.W.: 17kgs
G.W.: 18.5kgs





INDOOR LED Curtain Light

- High Luminosity
- High Brightness
- Shock Resistant
- Low Heat Emission
- Low Power Consumption
- PVC cable



LEDCL-2x5M-1000-230V

Size: 2x5m
Bulb No.: 1000LEDs
Segments: 20
Watt.: 70W
Max.Extend: 4sets
Inner Box: 38x28x17cm
Master CTN: 53x40x30cm
Pcs/CTN: 3
N.W.: 14kgs
G.W.: 16kgs



LEDCL-2x7M-1400-230V

Size: 2x7m
Bulb No.: 1400LEDs
Segments: 20
Watt.: 70W
Max.Extend: 4sets
Inner Box: 38x28x17cm
Master CTN: 53x40x30cm
Pcs/CTN: 3
N.W.: 15.5kgs
G.W.: 17.5kgs




INDOOR LED Icicle Light

- High Luminosity
- High Brightness
- Shock Resistant
- Low Heat Emission
- Low Power Consumption
- PVC cable




LEDIL-3M-114-230V

Size: 3x0.5m
Bulb No.: 114LEDs
Segments: 2
Watt.: 7W
Max.Extend: 40sets
Inner Box: 20x15x7cm
Master CTN: 42x38x32cm
Pcs/CTN: 20
N.W.: 15.5kgs
G.W.: 16.5kgs



LEDIL-3M-228-230V


Size: 3x1m
Bulb No.: 228LEDs
Segments: 3
Watt.: 10.5W
Max.Extend: 30sets
Inner Box: 26x16x10cm
Master CTN: 54x42x34cm
Pcs/CTN: 16
N.W.: 15kgs
G.W.: 16kgs



INDOOR fitting accessories


LEDPK-1.5M-EU-IN

Power cord KIT for LED Indoor Lights
1.5M power cable 2x1sqmm
IP20 Plug
AC/DC adapter




LEDPK-1.5M-UK-IN

Power cord KIT for LED Indoor Lights
1.5M power cable 2x1sqmm
IP20 BS Plug
AC/DC adapter




FA-1M-IN

Extension cable for Indoor Lights
1M rubber cable 2x1sqmm
Male / Female connectors




FA-5M-IN

Extension cable for Indoor Lights
5M rubber cable 2x1sqmm
Male / Female connectors




FA-10M-IN

Extension cable for Indoor Lights
10M rubber cable 2x1sqmm
Male / Female connectors




PK-1.5M-EU-IN

Power cord KIT for LED Indoor Lights
1.5M power cable 2x1sqmm
IP20 Plug




PK-1.5M-UK-IN

Power cord KIT for LED Indoor Lights
1.5M power cable 2x1sqmm
IP20 BS Plug



FA-1T-IN

Main Cable 1T for Indoor Lights
0.4M rubber cable 2x1sqmm
1xMale and 2xFemale connectors



OUTDOOR

Professional








LED Burning String Light

CRLS-10M-100-230V

Professional design ,
Supper brightness
Supper long life ,
High luminosity ,
Shock Resistant ,
Low heat Emission ,
Low power consumption ,
Waterproof design IP44 ,
Durable Rubber cable can be worked under -40 °C .

BURNING LED

Length: 10m
Bulb No.: 100LED
Segment: 2
Watt : 7W
Max. Extend: 30 sets
Inner box : 26x16x16cm
Master carton : 56x50x33cm
Pcs/CTN : 12pcs
N.W.: 15kgs
G.W.: 16 kgs






Belt Light

CRB-10M-20L-230V

Professional design ,
Supper long life ,
Shock Resistant ,
Low heat Emission ,
Low power consumption ,
Waterproof design IP44 ,
Durable Rubber cable can be worked under -40 °C .

Length: 10m
Bulb No.: 20 Sockets
Segment: 1/ socket
Max. Extend: 50ets
Master carton : 44x28x33cm
Pcs/CTN : 10pcs
N.W.: 15kgs
G.W.: 16 kgs






LED String Light

CRL-10M-100B-230V

Professional design ,
Supper long life ,
High luminosity ,
Shock Resistant ,
Low heat Emission ,
Low power consumption ,
Waterproof design IP44 ,
Durable Rubber cable can be worked under -40 °C .

Length: 10m
Bulb No.: 100 LED
Segment: 2
Watt : 7W
Max. Extend: 30 sets
Inner box : 26x16x14cm
Master carton : 56x28x33cm
Pcs/CTN : 12pcs
N.W.: 15kgs
G.W.: 16 kgs






LED String Light- Heavy-duty

CRLS-10M-70-230V

Professional design ,
Supper brightness
Supper long life ,
High luminosity ,
Shock Resistant ,
Low heat Emission ,
Low power consumption ,
Waterproof design IP44 ,
Durable Rubber cable can be worked under -40 °C .

Length: 10m
Bulb No.: 70LED
Segment: 1
Watt : 7W
Max. Extend: 30 sets
Inner box : 26x16x16cm
Master carton : 56x50x33cm
Pcs/CTN : 12pcs
N.W.: 15kgs
G.W.: 16 kgs








LED Candle light



CRL-8M-20L-230V

Professional design ,
 Supper long life ,
 High luminosity ,
 Shock Resistant ,
 Low heat Emission ,
 Low power consumption ,
 Waterproof design IP44 ,
 Durable Rubber cable can be worked under -40 °C .



Length: 8m
 Bulb No.: 20 LED
 Segment: 1
 Watt : 3.5W
 Max. Extend: Non-extendable
 Inner box : 20x16x16cm
 Master carton : 42x50x33cm
 Pcs/CTN : 12pcs
 N.W.: 10 kgs
 G.W.: 11kgs





LED Candle light

CR-24L-24V

Professional design ,
 Supper long life ,
 High luminosity ,
 Shock Resistant ,
 Low heat Emission ,
 Low power consumption ,
 Waterproof design IP44 ,



Length: 8m
 Bulb No.: 24LED
 Segment: 1
 Watt : 3.5W
 Max. Extend: Non-extendable
 Inner box : 20x16x16cm
 Master carton : 42x50x33cm
 Pcs/CTN : 12pcs
 N.W.: 10 kgs
 G.W.: 11kgs






E14 String Light



CRL-4M-20L-230V

Professional design ,
 Supper brightness
 Supper long life ,
 High luminosity ,
 Shock Resistant ,
 Low heat Emission ,
 Low power consumption ,
 Waterproof design IP44 ,
 Durable Rubber cable can be worked under -40 °C .

Length: 4m
 Bulb No.: 20LED
 Segment: 1
 Watt : 7W
 Max. Extend: 30 sets
 Inner box : 26x16x16cm
 Master carton : 56x50x33cm
 Pcs/CTN : 12pcs
 N.W.: 15kgs
 G.W.: 16 kgs





LED Rope Light- Heavy-duty



CRRL-13mm-36-230V

Professional design ,
Supper brightness
Supper long life ,
High luminosity ,
Shock Resistant ,
Low heat Emission ,
Low power consumption ,
Waterproof design IP44 ,
UV protection .

Bulb No.: 36LED / M
Voltage : 220-240V
Segment: 1
Watt : 3W
Packing : 100M/ Roll
Master carton : 43x43x33cm
Pcs/CTN : 1 pcs
N.W.: 15kgs
G.W.: 16 kgs



Minutes of the meeting