

181

2023

Product Catalog

Index

➤ About Us	04-05
➤ Facts	06
➤ Project Support	07
➤ Product Info	08-09
➤ DiGi Linears	
DiGi Linear D-Serie	12-13
DiGi Linear E-Serie	14-15
DiGi Linear V-Serie	16-17
DiGi Linear M-Serie	18-19
Linear Flex	20-21
Linear 24W	22-23
Linear 36W	24-25
Linear 54W	26-27
Linear Flex Silicon	28-29
➤ DiGi LED Strips	
DiGi LED Strip 5m RGB 16mm 24V	32- 33
DiGi LED Strip 5m RGB 16mm 12V	34-35
DiGi LED Strip RGB 24mm 12V	36-37
DiGi LED Strip RGB 38mm 12V	38-39
DiGi LED Strip RGB 83mm 24V	40-41
DiGi LED Strip RGBW 100mm 24V	42-43
DiGi LED Strip Amber Drift 16mm 12V	44-45
➤ LED Strips	
LED Strip LO	48-49
LED Strip HE	50-51
LED Strip UHE	52-53
LED Strip IP HE	54-55
LED Strip FS	56-57
LED Strip HO	58-59
LED Strip RGBW 2700K	60-61
LED Strip RGBW 3000K IP65	62-63
LED Strip Tunable White 2700-6500K	64-65
LED Strip COB RGB	66-67
LED Strip COB	68-69
LED Strip CSP RGBW	70-71

Index

➤ DiGi Modules	
DiGi Module XT	74-75
DiGi Module ES	76-77
➤ Neonflex	
LED Neonflex	80-81
DiGi LED Neonflex	82-83
➤ DiGi Backlight	
DiGi Mesh	86-87
DiGi FlexSheet	88-89
DiGi Evenlight Panel	90-91
➤ Beams	
Beam	94-95
Beam 120	96-97
➤ Product List	100-134
➤ Contact	135

About Us

We are OneEightyOne



Nice to meet you!

OneEightyOne is a dynamic LED lighting company. We dare to say that we are one of the most creative, capable and reliable partners in the industry.

It is our mission to push the boundaries of what lighting can do. With our creative customizations, plug & play solutions and our extensive range of smart LED products, we always offer a unique light experience



Stefan Verhoef

Founder, Chief of Innovation

Our CIO Stefan Verhoef was 11 years old when he started to boost festivities with his 'disco set'. As a teenager, Stefan pumped up parties with more advanced sound and light systems.

Around 2005, when LED lighting became popular, he started his own company lifting LED lighting to a new level. Now OneEightyOne has offices in Amsterdam, Dubai, and HongKong.

Our name honors the light colour 181 which Stefan used at parties when he was a kid. Ironically, this blue-purple is one of the hardest colors to create using LED light.



Facts



Established

✓ 2005

Offices

- ✓ Amsterdam
- ✓ Dubai
- ✓ Hong Kong

Employees

- ✓ 40+ Highly passionate light minded people.
- ✓ Experienced sales engineers, developers, assembly and staff members

Value Added Services

Pre Order	After Confirmation	After Delivery
✓ Renders ✓ Solution design ✓ Detailed product info ✓ Dialux calculations	✓ Site inspection ✓ Engineering ✓ Wire plans ✓ Pre assembly ✓ System configuration ✓ Providing mockup ✓ Bi weekly update meeting ✓ Project supervision	✓ Support on site ✓ Programming ✓ Testing & commissioning ✓ Content ✓ Maintenance plans

Project Support

Markets


- ✓ Architectural
- ✓ Entertainment
- ✓ Hospitality
- ✓ Offices
- ✓ Retail

Focus

- ✓ Dynamic Lighting
- ✓ Facade Lighting
- ✓ Controls
- ✓ Custom Projects



More than Supply




Specialist in creative LED lighting

oneeightyone.com


181

Product Info

All our products come with detailed product information. Scan the QR tags you find in this brochure and it will direct you to the product page on our website where you find all data-sheets. After login you can download further documentation like wire plans and more.




For waterproof connection make sure that the last fixture has the end-cap connector fixed to the last output connector




When the fixture is installed and cables are connected between the fixtures the cable guide can be placed to make sure the cable will not make any unnecessary movement




Minimum of 4 mm and maximum of 10 mm spacing between fixtures to allow thermal expansion




1. Mount bracket




2. Place fixture in bracket




3. Place feet under plate



4. Rotate in to bracket



5. Move sideways




6. Tighten the trox screws




With our creative customizations, easily applicable plug & play solutions and our extensive range of selected and self-developed smart LED products, we always offer a unique light experience!

“Pixel controlled **high power**
LED linears for every
in/outdoor solution”

DiGi Linears





181

DiGi Linear D-serie

Key Specs


Length* (mm)	300	600	900	1200	1500
Color Range	RGB	RGB	RGB	RGB	RGB
Luminous Flux (lm/m)	360	360	360	360	360
Power Consumption	3	6	8	12	15
LED Quantity	12	24	36	48	60
Pixels	12	24	36	48	60



Color Range





Beam Angle



Housing Color



Dimensions



Related Items



M16 3-Pin Cables

- Input Cable
- Data Link Cable
- Extension Cable



DiGidot Node

- PxLNet Node



Power Supply

- Meanwell HLG-320-48
- Meanwell HLG-480-48
- Meanwell HLG-600-48



Severs

- Server i5
- Server i7
- Server i9



131

DiGi Linear E-serie

Key Specs


Length* (mm)	300	600	900	1200	1500
Color Range	RGB	RGB	RGB	RGB	RGB
Luminous Flux (lm/m)	185	185	185	185	185
Power Consumption	4	8	12	16	20
LED Quantity	20	40	60	80	100
Pixels	5	8	12	16	20



Color Range





Beam Angle



Housing Color



Dimensions



Related Items



M16 3-Pin Cables

- Input Cable
- Data Link Cable
- Extension Cable



DiGidot Node

- PxLNet Node




Power Supply

- Meanwell HLG-320-48
- Meanwell HLG-480-48
- Meanwell HLG-600-48



Severs

- Server i5
- Server i7
- Server i9



181

DiGi Linear V-serie

Key Specs

Length* (mm)	300	600	900	1200	1500
Color Range	RGB	RGB	RGB	RGB	RGB
Luminous Flux (lm/m)	580	580	580	580	580
Power Consumption	7	14	21	28	35
LED Qantity	36	72	108	144	180
Pixels	18	36	54	72	90



Color Range





Beam Angle



Housing Color



Dimensions



Related Items



M12 3-Pin Cables

- Combi Input Cable
- Extension Cable
- Data Link Cable



DiGidot Node

- PxLNet Node



Power Supply

- Meanwell HLG-320-48
- Meanwell HLG-480-48
- Meanwell HLG-600-48



Severs

- Server i5
- Server i7
- Server i9



181

DiGi Linear M-serie

Key Specs


Length* (mm)	510	1045	1503
Color Range	RGB	RGB	RGB
Luminous Flux (lm/m)	580	580	580
Power Consumption	9	18	27
LED Quantity	36	78	108
Pixels	6	13	18



Color Range





Beam Angle



Housing Color



Dimensions



Related Items



M12 3-Pin Cables

- Combi Input Cable
- Extension Cable
- Data Link Cable



DiGidot Node

- PxLNet Node



Power Supply

- Meanwell HLG-320-48
- Meanwell HLG-480-48
- Meanwell HLG-600-48



Severs

- Server i5
- Server i7
- Server i9



181

Linear Flex

Key Specs


Power Consumption(w)	20	32
Luminous Flux (lm/m)	1470	1950
Color Range	RGB	RGB
Number of pixels	8/m	8/m
Segment Length (mm)	1000	1000



Color Range





Beam Angle



Housing Color



Dimensions



Related Items



M12 3-Pin Cables

- Combi Input Cable
- Extension Cable
- Data Link Cable



DiGidot C4

- DiGidot Live 8 (8x512ch)
- DiGidot Extended 1 (1x512ch)
- DiGidot Extended 8 (8x512ch)



Power Supply

- Meanwell HLG-320-24
- Meanwell HLG-480-24
- Meanwell HLG-600-24



Top Hat

- Linear Flex Top Hat Black



181

Linear 24W

Key Specs


Power Consumption(w)	24	24	24	24
Luminous Flux (lm/m)	1300	1380	1450	1025
Color Range	3000K	4000K	CCT	RGBW
Operating Voltage	24	24	24	24
Segment Length (mm)	1000	1000	1000	1000



Color Range




Beam Angle



Housing Color



Dimensions



Related Items



M12 3-Pin Cables

- Input Cable
- Extension Cable
- Data Link Cable



DiGidot C4

- DiGidot Live 8 (8x512ch)
- DiGidot Extended 1 (1x512ch)
- DiGidot Extended 8 (8x512ch)



Power Supply

- Meanwell HLG-320-24
- Meanwell HLG-480-24
- Meanwell HLG-600-24



MADRIX

- MADRIX Software



181

Linear 36W

Key Specs


Power Consumption(w)	36	36	36	36
Luminous Flux (lm/m)	1920	2350	2600	2200
Color Range	3000K	4000K	CCT	RGBW
Operating Voltage	24	24	24	24
Segment Length (mm)	1000	1000	1000	1000




Color Range




Beam Angle



Housing Color



Dimensions



Related Items



M12 3-Pin Cables

- Input Cable
- Extension Cable
- Data Link Cable



DiGidot C4

- DiGidot Live 8 (8x512ch)
- DiGidot Extended 1 (1x512ch)
- DiGidot Extended 8 (8x512ch)



Power Supply

- Meanwell HLG-320-24
- Meanwell HLG-480-24
- Meanwell HLG-600-24



MADRIX

- MADRIX Software



181

Linear 54W

Key Specs


Power Consumption(w)	24	24	24	24
Luminous Flux (lm/m)	1722	1950	2000	1950
Color Range	3000K	4000K	CCT	RGBW
Numner of Pixels	1/m	1/m	1/m	1/m
Segment Length (mm)	1000	1000	1000	1000




Color Range



Beam Angle




Housing Color



Scan for full info

Dimensions



Related Items



M16 5-Pin Connector

- Input Cable
- Extension Cable
- Data Link Cable



DiGidot C4

- DiGidot Live 8 (8x512ch)
- DiGidot Extended 1 (1x512ch)
- DiGidot Extended 8 (8x512ch)



Power Supply

- Meanwell HLG-240-24
- Meanwell HLG-320-24
- Meanwell HLG-600-24



MADRIX

- MADRIX Software




181

Linear Flex Silicon

Key Specs


Power Consumption(w)	18	18	18	18
LED Quantity /m	1722	1950	2000	1950
Color Range	1800K	2700K	3000K	4000K
Numer of Pixels	1/m	1/m	1/m	1/m
Segment Length (mm)	1000	1000	1000	1000




Color Range




Beam Angle



Housing Color



Dimensions



Related Items



M16 5-Pin Connector

- Input Cable
- Extension Cable
- Data Link Cable



DMX Controller

- 3x6A - LT-853-6A



DALI

- 1x12A - LT-701-12A




MADRIX

- MADRIX Software

“Create amazing effects with
DiGital **pixel controlled**
LED strips”

30



DiGi LED Strips



181

DiGi LED Strip 5m RGB 16mm 24V


Key Specs

Length (m)	5
Pixel pitch (mm)	16,66
Pixels/m	60
LEDs/m	180
Voltage (V)	24
Power Consumption(w)	17,5
Luminous Flux lm/m	450
Channels/m	180

Color Range




Beam Angle




PCB Color



Dimensions



Related Items



Profiles

Aluminum Profile High



DiGidot C4

DiGidot Live 12 (12x512ch)



Power Supply

Meanwell HLG-320-12



LED Cable

Digital LED Cable 2x1 + 2x0.14



181

DiGi LED Strip 5m RGB 16mm 12V


Key Specs

Length (m)	5
Pixel pitch (mm)	16.66
Pixels/m	60
LEDs/m	60
Voltage (V)	12
Power Consumption(w)	14.4
Luminous Flux lm/m	450
Channels/m	180

Color Range





Beam Angle



PCB Color



Dimensions



Related Items



Profiles

Aluminum 3535 Profile



DiGidot C4

DiGidot Live 16 (16x512ch)



Power Supply

Meanwell HLG-320-12



LED Cable

Digital LED Cable 2x1 + 2x0.14



181

DiGi LED Strip RGB 24mm 12V


Key Specs

Length (m)	5
Pixel pitch (mm)	24
Pixels/m	42
LEDs/m	42
Voltage (V)	12
Power Consumption(w)	10
Luminous Flux lm/m	315
Channels/m	126

Color Range





Beam Angle



PCB Color



Dimensions



Related Items



Profiles

Aluminum 3535 Profile



DiGidot C4

DiGidot Live 16 (16x512ch)



Power Supply

Meanwell HLG-320-12



LED Cable

Digital LED Cable 2x1 + 2x0.14





181

DiGi LED Strip RGB 38mm 12V


Key Specs

Length (m)	5
Pixel pitch (mm)	38
Pixels/m	26
LEDs/m	26
Voltage (V)	12
Power Consumption(w)	6.5
Luminous Flux lm/m	170
Channels/m	78/m

Color Range




Beam Angle



PCB Color



Dimensions



Related Items



Profiles

Aluminum 3535 Profile



DiGidot C4

DiGidot Extended 8 (8x512ch)



Power Supply

Meanwell HLG-320-24



Profile Cover

Opal Cover



181

DiGi LED Strip RGB 83mm 24V


Key Specs

Length (m)	5
Pixel pitch (mm)	83
Pixels/m	26
LEDs/m	26
Voltage (V)	24
Power Consumption(w)	16.8
Luminous Flux lm/m	570
Channels/m	36

Color Range



Beam Angle




PCB Color




Scan for full info

Dimensions




Related Items



Profiles

Aluminum 3535 Profile



DiGidot C4

DiGidot Extended 8 (8x512ch)



Power Supply

Meanwell HLG-480H-24



Profil Cover

Opal square Cover



181

DiGi LED Strip RGBW 100mm 24V


Key Specs

Length (m)	5
Pixel pitch (mm)	100
Pixels/m	40
LEDs/m	70
Voltage (V)	24
Power Consumption(w)	19.2
Luminous Flux lm/m	920
Channels/m	40

Color Range




Beam Angle




PCB Color



Dimensions



Related Items



Profiles

Aluminum Profile High



DiGidot C4

DiGidot Live 6 (6x512ch)



Power Supply

Meanwell SP-200-12



Profile Cover

Opal Cover



181

DiGi LED Strip Amber Drift 16mm 12V

Key Specs


Length (m)	5
Pixel pitch (mm)	16.66
Pixels/m	60
LEDs/m	180
Voltage (V)	12
Power Consumption(w)	14.4
Luminous Flux lm/m	930
Channels/m	180



Color Range





Beam Angle




PCB Color



Dimensions



Related Items



Profiles

Aluminium Profil High



MADRIX

Madrix Nebula



Power Supply

Meanwell RSP-200-12



Profil Cover

Opal Cover

**“High efficient,
multifunctional
LED strips”**

LED Strips





181

LED Strip LO


Key Specs

Color range (k)	2700	4000
LED quantity/m	70	70
Input voltage (V DC)	24	24
Power consumption (w/m)	4.8	4.8
Cutting interval in (mm)	100	100
Lumens (lm/w)	480	520

Color Range




Beam Angle



PCB Color



Dimensions



Related Items



Profiles

- Aluminium Profile Black
- Aluminium Profile Half Round
- Aluminium Plaster Profile



PWM Controller

- DMX 75W 24V - LM-75-24-G2M2
- DALI 75W 24V - LM-75-24-G1D2
- TRIAC 75W 24V - LM-75-24-G1T2



Power Supply

- Meanwell HLG-240-24
- Meanwell RSP-200-24
- Meanwell LPV-100-24



LED Cable SpagLEDti

- 7010210 LED Cable Beige
- 7010310 LED Cable Black
- 7010510 LED Cable Black



181

LED Strip HE

Key Specs


Color range (k)	2700K	3000K	4000K	65000K
LED quantity/m	160	160	160	160
Input voltage (V DC)	24	24	24	24
Power consumption (w/m)	9,6	9,6	9,6	9,6
Cutting interval in (mm)	50	50	50	50
Lumens (lm/w)	150	150	160	160



Color Range




Beam Angle



PCB Color



Dimensions



Related Items

Profiles

- Aluminium Profile Black
- Aluminium Profile Half Round
- Aluminium Plaster Profile

PWM Controller

- DMX 75W 24V - LM-75-24-G2M2
- DALI 75W 24V - LM-75-24-G1D2
- TRIAC 75W 24V - LM-75-24-G1T2

Power Supply

- Meanwell HLG-240-24
- Meanwell RSP-200-24
- Meanwell LPV-100-24

LED Cable SpagLEDti

- 7010210 LED Cable Beige
- 7010310 LED Cable Black
- 7010510 LED Cable Black



181

LED Strip UHE


Key Specs

Color range (k)	3000	4000
LED quantity/m	160	160
Input voltage (V DC)	24	24
Power consumption (w/m)	19,2	19,2
Cutting interval in (mm)	50	50
Lumens (lm/w)	150	160

Color Range




Beam Angle



PCB Color



Dimensions



Related Items



Profiles

- Aluminium Profile Black
- Aluminium Profile Half Round
- Aluminium Plaster Profile



PWM Controller

- DMX 75W 24V - LM-75-24-G2M2
- DALI 75W 24V - LM-75-24-G1D2
- TRIAC 75W 24V - LM-75-24-G1T2



Power Supply

- Meanwell HLG-240-24
- Meanwell RSP-200-24
- Meanwell LPV-100-24



LED Cable SpagLEDti

- 7010210 LED Cable Beige
- 7010310 LED Cable Black
- 7010510 LED Cable Black





181

LED Strip IP HE


Key Specs

Color range (k)	3000	4000
LED quantity/m	160	160
Input voltage (V DC)	24	24
Power consumption (w/m)	9,6	9,6
Cutting interval in (mm)	50	50
Lumens (lm/w)	150	160

Color Range




Beam Angle



PCB Color



Dimensions



Related Items



Profiles

- Aluminium Profile Black
- Aluminium Profile Half Round
- Aluminium Plaster Profile



PWM Controller

- DMX 75W 24V - LM-75-24-G2M2
- DALI 75W 24V - LM-75-24-G1D2
- TRIAC 75W 24V - LM-75-24-G1T2



Power Supply

- Meanwell HLG-240-24
- Meanwell RSP-200-24
- Meanwell LPV-100-24



LED Cable SpagLEDti

- 7010210 LED Cable Beige
- 7010310 LED Cabel Black
- 7010510 LED Cable Black





181

LED Strip FS


Key Specs

Color range (k)	4000
LED quantity/m	160
Input voltage (V DC)	24
Power consumption (w/m)	9,6
Cutting interval in (mm)	50
Lumens (lm/w)	110
CRI	95+

Color Range




Beam Angle



PCB Color



Dimensions



Related Items



Profiles

- Aluminium Profile Black
- Aluminium Profile Half Round
- Aluminium Plaster Profile



PWM Controller

- DMX 75W 24V - LM-75-24-G2M2
- DALI 75W 24V - LM-75-24-G1D2
- TRIAC 75W 24V - LM-75-24-G1T2



Power Supply

- Meanwell HLG-240-24
- Meanwell RSP-200-24
- Meanwell LPV-100-24



LED Cable SpagLEDti

- 7010210 LED Cable Beige
- 7010310 LED Cable Black
- 7010510 LED Cable Black





181

LED Strip H0


Key Specs

Color range (k)	3000
LED quantity/m	160
Input voltage (V DC)	24
Power consumption (w/m)	14,4
Cutting interval in (mm)	50
Lumens (lm/w)	138

Color Range




Beam Angle



PCB Color



Dimensions



Related Items



Profiles

- Aluminium Profile Black
- Aluminium Profile Half Round
- Aluminium Plaster Profile



PWM Controller

- DMX 75W 24V - LM-75-24-G2M2
- DALI 75W 24V - LM-75-24-G1D2
- TRIAC 75W 24V - LM-75-24-G1T2



Power Supply

- Meanwell HLG-240-24
- Meanwell RSP-200-24
- Meanwell LPV-100-24



LED Cable SpagLEDti

- 7010210 LED Cable Beige
- 7010310 LED Cable Black
- 7010510 LED Cable Black





181

LED Strip RGBW 2700K


Key Specs

Color range (k)	RGBW (2700)
LED quantity/m	70
Input voltage (V DC)	24
Power consumption (w/m)	19,2
Cutting interval in (mm)	100
Lumens (lm/w)	62

Color Range




Beam Angle



PCB Color



Dimensions



Related Items



Profiles

- Aluminium H-Profile
- Aluminium 3535 Profile
- Aluminium High Profile



Controllers

- DMX 4x6A
- Din DMX
- Dali 4x5A



Power Supply

- Meanwell HLG-320-24
- Meanwell HLG-480-24
- Meanwell HLG-600-24



LED Cable SpagLEDti

- 7010210 LED Cable Beige
- 7010310 LED Cable Black
- 7010510 LED Cable Black



181

LED Strip RGBW 3000K IP65


Key Specs

Color range (k)	RGBW 3000K
LED quantity/m	70
Input voltage (V DC)	24
Power consumption (w/m)	19,2
Cutting interval in (mm)	100
Lumens (lm/w)	60

Color Range




Beam Angle





PCB Color



Dimensions



Related Items





181

LED Strip Tunable White 2700-6500K

Key Specs


Color range (k)	CCT 2700-6500K
LED quantity/m	240
Input voltage (V DC)	24
Power consumption (w/m)	19,2
Cutting interval in (mm)	100
Lumens (lm/w)	84



Color Range




Beam Angle



PCB Color



Dimensions



Related Items



Profiles

- Aluminium Profile Black
- Aluminium 3535 Profile
- Aluminium Plaster Profile



Profile Covers

- Opal cover flat
- Opal cover 3535mm
- Opal cover square



Drivers

- LM-100-24-G2M2
- LM-100-24-G2D2
- LM-100-24-G2A2



Power Supplies

- Meanwell HLG-240-24
- Meanwell HLG-320-24
- Meanwell RSP-200-24



181

LED Strip COB RGB

Key Specs


Color range (k)	RGB
LED quantity/m	840
Input voltage (V DC)	24
Power consumption (w/m)	15
Cutting interval in (mm)	50



Color Range




Beam Angle



PCB Color



Dimensions



Related Items



Profiles

- Aluminium Profile Black
- Aluminium 3535 Profile
- Aluminium Plaster Profile



DMX

- DIN 4x4A - DIN-DMX-4CH



DALI

- Dali 4x5A



Power Supplies

- Meanwell HLG-240-24
- Meanwell HLG-320-24
- Meanwell RSP-200-24



181

LED Strip COB


Key Specs

Color range (k)	4000K
LED quantity/m	520
Input voltage (V DC)	24
Power consumption (w/m)	11
Cutting interval in (mm)	62,5
Lumens (lm/w)	95
CRI	90+

Color Range




Beam Angle



PCB Color



Dimensions



Related Items



Profiles

- Aluminium Profile Black
- Aluminium 3535 Profile
- Aluminium Plaster Profile



DiGidot C4

- DiGidot Live 4 (4x512ch)
- DiGidot Extended 1 (1x512ch)
- DiGidot Extended 4 (4x512ch)



DALI

- LM-240-24-G2D2



Power Supplies

- Meanwell HLG-240-24
- Meanwell HLG-320-24
- Meanwell RSP-200-24



Scan for full info



181

LED Strip CSP RGBW

Key Specs


Color range (k)	RGBW 2700K
LED quantity/m	840
Input voltage (V DC)	24
Power consumption (w/m)	20
Cutting interval in (mm)	33.3



Color Range





Beam Angle



PCB Color



Dimensions



Related Items



Profiles

- Aluminium Profile Black
- Aluminium 3535 Profile
- Aluminium Plaster Profile



DMX Controller

- LT-820-5A



DALI


- Dali 4x5A



Power Supplies

- Meanwell HLG-240-24
- Meanwell HLG-320-24
- Meanwell RSP-200-24

“Create media facades
pixel ceilings or Walls with
high brightness
LED Modules”



DiGi Modules



181

DiGi Module XT


Key Specs	XT3	XT3	XT6	XT6
LED's per Pixel	3	5	6	8
Color Range	RGB	RGBW	RGB	RGBW
Power Consumption	0.75	1	1.5	2
Pixel Pitch	Customizable			




Color Range



Beam Angle



Dimensions



Related Items



M20E Cables

- Combi Input Cable
- Extension Cable
- Data Link Cable



DiGidot C4

- DiGidot Live 4 (4x512ch)
- DiGidot Extended 1 (1x512ch)
- DiGidot Extended 4 (4x512ch)




XT Add-on

- XT Turbo Module
- XT Opal Cover
- XT Blub



Severs

- Server i5
- Server i7
- Server i9



181

DiGi Module ES

Key Specs


LED's per Pixel	3	6	12
Color Range	RGB	RGB	RGB
Power Consumption	0.75	1.5	3
Pixel Pitch	Cutomizable		



Color Range




Beam Angle



Housing Color



Dimensions



Related Items



M16-3 Pin Cables

- Combi Input Cable
- Extension Cable
- Data Link Cable



DiGidot C4

- DiGidot Live 4 (4x512ch)
- DiGidot Extended 1 (1x512ch)
- DiGidot Extended 4 (4x512ch)



DiGidot Node


- PxLNet Node



Power Supplies

- Meanwell HLG-320H-24
- Meanwell HLG-480H-24
- Meanwell HLG-600H-24

“A **flexible solution**
that suits every project



Neonflex



181

LED Neonflex

Key Specs


	Side View Dome	Side View	TopView
Width (mm)	11.5	11.5	16.5
Color Range	3000K	RGBW	RGBW
Luminous Flux (lm/m)	300	517	517
Power Consumption (w)	12	17	17
LED Quantity	60	70	60



Color Range




Beam Angle




Housing Color




Dimensions



LED Neonflex Sideview



LED Neonflex Sideview Dome



LED Neonflex Topview

Related Items



Power Supplies

- Meanwell HLG-320-24
- Meanwell HLG-600-24
- Meanwell RSP-200-24



Controllers

- LTECH DMX OLED
- LTECH Dali 4x5A
- LTECH LM-150-24-G4K3



LED Touch Controllers

- LTECH Touch Controller UX8
- LTECH Touch Controller EDT3
- LTECH Touch Controller EDT4



Profiles

- Neonflex Profile Topview Straight
- Neonflex Profile Sideview Straight
- Neonflex Profile Sideview Curved



181

DiGi LED Neonflex


Key Specs

	Side View Dome	Side View	TopView
Width (mm)	11.5	11.5	16.5
Color Range	3000K	RGBW	RGBW
Luminous Flux (lm/m)	120	275	190
Power Consumption (w)	15	18	15
LED Quantity	60	70	60


Color Range




Beam Angle




Housing Color




Dimensions



LED Neonflex Sideview



LED Neonflex Sideview Dome



LED Neonflex Topview

Related Items

MADRIX

- MADRIX Nebula
- MADRIX Software
- MADRIX Key

DiGidot Node

- PxLNet Node

Power Supplies

- Meanwell HGL-150-24
- Meanwell HGL-320-24
- Meanwell HGL-600-24

Profiles

- Neonflex Profile Topview Straight
- Neonflex Profile Sideview Straight
- Neonflex Profile Sideview Curved
- Neonflex Profile Sideview Curved

“create

flexible pixel controlled

backlight solutions for
walls and ceilings

84



DiGi Backlight




181

DiGi Mesh

Key Specs


Color Range	RGB/RGBW/WHITE
Pitch	50mm/100mm/150mm
LEDs / Pixel	1/2/3/4



Color Range






Beam Angle



Housing Color



Dimensions



Related Items



MADRIX

- MADRIX Nebula
- MADRIX Software
- MADRIX Key



DiGidot Node

- PxLNet Node Extended



DiGidot C4

- DiGidot C4 Live 4 (4x512ch)
- DiGidot C4 Live 8 (8x512ch)
- DiGidot C4 Live 12 (12x512ch)
- DiGidot C4 Live 16 (16x512ch)



181

DiGi FlexSheet


Key Specs

Length (mm)	480 x 320 x 2
Color Range	RGB
Pixel Pitch (mm)	40
LED Quantity	96
Power Consumption (w/m ²)	24
Luminous Flux (lm)	680


Color Range



Beam Angle






PCB Color




Scan for full info

Dimensions




Related Items



DiGi Flexsheet

↳ Leader PCB



DiGidot Node

PxLNet Node Extended



Power supply

↳ Meanwell RSP-200-12



Severs

↳ Server i5
↳ Server i7
↳ Server i9



181

DiGi Evenlight Panel

Key Specs


Height (mm)	50	50
Color Range	RGB	White
LED Type	SMD3535	SMD3535
Colour Rendering	80	n.a.
Luminous Flux (lm)	33	66



Color Range




Beam Angle



PCB Color



Dimensions



Related Items

MADRIX

- MADRIX Nebula
- MADRIX Software
- MADRIX Key

DiGidot C4

- DiGidot C4 Live 4 (4x512ch)
- DiGidot C4 Live 8 (8x512ch)
- DiGidot C4 Live 12 (12x512ch)
- DiGidot C4 Live 16 (16x512ch)

Power Supply

- Meanwell HLG-150-24
- Meanwell HLG-320-24
- Meanwell HLG-600-24

Severs

- Server i5
- Server i7
- Server i9

“Powerfull and elegant,
the right solution for every
architectural element”



Beams



181

Beam


Key Specs	12W	36W	54W
Luminous Flux (lm)	680	1850	3180
Color Range	RGBW	RGBW	RGBW
Power Consumption	12	36	54
LEDs per Spot	6	18	24



Color Range




Beam Angle



Housing Color



Dimensions



Related Items



Beam

- 12W RGBW (24V)
- 36W RGBW (230V)
- 54W RGBW (230V)



DiGidot Node

- PxLNet Node



Power Supply

- Meanwell HLG-150-24
- Meanwell HLG-240-24
- Meanwell HLG-320-24



LED Touch Controllers

- LTECH Touch ControllerSingle color EX5
- LTECH Touch Controller CCT EX6
- LTECH Touch Controller RGB/RGBW EX8S



131

Beam 120


Key Specs	120W	250W
Luminous Flux	7000	14950
Color Range	RGBW	White
LEDs per Spot	60	120



Color Range



Beam Angle




Housing Color






Scan for full info



Dimensions



Beam 120W



Beam 250W



Related Items



Beam 54W

- Warm White
- 3000k - 45°
- 3427402



DiGidot C4

- DiGidot C4 Live 4 (4x512ch)
- DiGidot C4 Live 8 (8x512ch)
- DiGidot C4 Live 12 (12x512ch)
- DiGidot C4 Live 16 (16x512ch)



MADRIX

- MADRIX USB One
- MADRIX Software Start 2x512ch



LED Touch Controllers

- LTECH Touch ControllerSingle color EX5
- LTECH Touch Controller CCT EX6
- LTECH Touch Controller RGB/RGBW EX8S

181

Lighntly
obsessed
with lighnt

oneeighty
one.com



oneeightyone.com

Please vist our website and login to your account to see your personal discount

Product Number#	Product Name
	LED Digital LED strips

3151600	DiGi LED Strip 5m RGB 83mm 24V
3152500	DiGi LED Strip 5m RGB 38mm 12V
3152600	DiGi LED Strip 5m RGB 16mm 12V
3152001	DiGi LED Strip 5m RGBW 100mm 24V White PCB
3152700	DiGi LED strip RGB 24mm 12V
3153000	DiGi LED Strip 5m RGB 16mm 24V

Product Number#	Product Name
	LED Static LED strips

3115102	LED Strip 5m COB 4000K
3115103	LED Strip 5m COB 6500K
3115101	LED Strip 5m COB 3000K
3181601	LED Strip 5m LO 2700K
3181401	LED Strip 5m LO 4000K
3113602	LED Strip 5m SE 2700K
3113501	LED Strip 5m SE 4000K
3113701	LED Strip 5m SE 2200K
3115600	LED Strip 5m SE 3000K
3115700	LED Strip 5m HE 3000K
3115401	LED Strip 5m HE 4000K
3115201	LED Strip 5m HE 6500K
3115802	LED Strip 5m HE 2700K
3119401	LED Strip 5m UHE 4000K
3119601	LED Strip 5m UHE 3000K
3125401	LED Strip 5m IP HE 4000K
3125701	LED Strip 5m IP HE 3000K
3111901	LED Strip 5m Tunable White 2700-6500K
3132401	LED Strip 5m FS 19.2 W
3131401	LED Strip 5m FS 9.6 W
3115108	LED Strip 5m COB RGB
3115109	LED Strip 5m CSP RGBW
3121801	LED Strip 5m RGBW 2700K
3122801	LED Strip 5m RGBW 3000K IP67
3117301	LED Strip HO 3000K
3191801	LED Strip 5m RGB



oneeightyone.com

Please vist our website and login to your account to see your personal discount

Product Number#	Product Name
	LED Wall washers/Grazers

3422102	Linear 24W 24V - 45° - RGBW3000K
3422103	Linear 24W 24V - 45° - Warm White 3000K
3422104	Linear 24W 24V - 45° - Neutral White 4000K
3422105	Linear 24W 24V - 45° - RGBW4000K
3422106	Linear 24W 24V - 45° - Tunable White 3000~6000K
3422107	Linear 24W 15° - 24V - Cold White 5500K
3422108	Linear 24W 15° - 24V - RGBW3000K
3422109	Linear 24W 15° - 24V - Warm White 3000K
3422110	Linear 24W 15° - 24V - Neutral White 4000K
3422111	Linear 24W 15° - 24V - RGBW4000K
3422112	Linear 24W 15° - 24V - Tunable White 3000~6000K
3422113	Linear 24W 24V - 25° - Cold White 5500K
3422114	Linear 24W 24V - 25° - RGBW3000K
3422115	Linear 24W 24V - 25° - Warm White 3000K
3422116	Linear 24W 24V - 25° - Neutral White 4000K
3422117	Linear 24W 24V - 25° - RGBW4000K
3422118	Linear 24W 24V - 25° - Tunable White 3000~6000K
3422119	Linear 24W 10*25° - 24V - Cold White 5500K
3422120	Linear 24W 10*25° - 24V - RGBW3000K
3422121	Linear 24W 10*25° - 24V - Warm White 3000K
3422122	Linear 24W 10*25° - 24V - Neutral White 4000K
3422123	Linear 24W 10*25° - 24V - RGBW4000K
3422124	Linear 24W 10*25° - 24V - Tunable White 3000~6000K
3422125	Linear 24W 12*49° - 24V - Cold White 5500K
3422126	Linear 24W 12*49° - 24V - RGBW3000K
3422127	Linear 24W 12*49° - 24V - Warm White 3000K
3422128	Linear 24W 12*49° - 24V - Neutral White 4000K
3422129	Linear 24W 12*49° - 24V - RGBW4000K
3422130	Linear 24W 12*49° - 24V - Tunable White 3000~6000K
3422101	Linear 24W 24V - 45° - Cold White 5500K
3421502	Linear 54W 24V - 45° - RGBW3000K
3421503	Linear 54W 24V - 45° - Warm White 3000K
3421504	Linear 54W 24V - 45° - Neutral White 4000K
3421505	Linear 54W 24V - 45° - RGBW4000K
3421506	Linear 54W 24V - 45° - Tunable White 3000~6000K



3421507	Linear 54W 15° - 24V - Cold White 5500K
3421508	Linear 54W 15° - 24V - RGBW3000K
3421509	Linear 54W 15° - 24V - Warm White 3000K
3421510	Linear 54W 15° - 24V - Neutral White 4000K
3421511	Linear 54W 15° - 24V - RGBW4000K
3421512	Linear 54W 15° - 24V - Tunable White 3000~6000K
3421513	Linear 54W 24V - 25° - Cold White 5500K
3421514	Linear 54W 24V - 25° - RGBW3000K
3421515	Linear 54W 24V - 25° - Warm White 3000K
3421516	Linear 54W 24V - 25° - Neutral White 4000K
3421517	Linear 54W 24V - 25° - RGBW4000K
3421518	Linear 54W 24V - 25° - Tunable White 3000~6000K
3421519	Linear 54W 10*25° - 24V - Cold White 5500K
3421520	Linear 54W 10*25° - 24V - RGBW3000K
3421521	Linear 54W 10*25° - 24V - Warm White 3000K
3421522	Linear 54W 10*25° - 24V - Neutral White 4000K
3421523	Linear 54W 10*25° - 24V - RGBW4000K
3421524	Linear 54W 10*25° - 24V - Tunable White 3000~6000K
3421525	Linear 54W 12*49° - 24V - Cold White 5500K
3421526	Linear 54W 12*49° - 24V - RGBW3000K
3421527	Linear 54W 12*49° - 24V - Warm White 3000K
3421528	Linear 54W 12*49° - 24V - Neutral White 4000K
3421529	Linear 54W 12*49° - 24V - RGBW4000K
3421530	Linear 54W 12*49° - 24V - Tunable White 3000~6000K
3421531	Linear 54W 230V - 45° - Cold White 5500K
3421532	Linear 54W 230V - 45° - RGBW3000K
3421533	Linear 54W 230V - 45° - Warm White 3000K
3421534	Linear 54W 230V - 45° - Neutral White 4000K
3421535	Linear 54W 230V - 45° - RGBW4000K
3421536	Linear 54W 230V - 45° - Tunable White 3000~6000K
3421537	Linear 54W 15° - 230V - Cold White 5500K
3421538	Linear 54W 15° - 230V - RGBW3000K
3421539	Linear 54W 15° - 230V - Warm White 3000K
3421540	Linear 54W 15° - 230V - Neutral White 4000K
3421541	Linear 54W 15° - 230V - RGBW4000K
3421542	Linear 54W 15° - 230V - Tunable White 3000~6000K
3421543	Linear 54W 230V - 25° - Cold White 5500K
3421544	Linear 54W 230V - 25° - RGBW3000K



3421545	Linear 54W 230V - 25° - Warm White 3000K
3421546	Linear 54W 230V - 25° - Neutral White 4000K
3421547	Linear 54W 230V - 25° - RGBW4000K
3421548	Linear 54W 230V - 25° - Tunable White 3000~6000K
3421549	Linear 54W 10*25° - 230V - Cold White 5500K
3421550	Linear 54W 10*25° - 230V - RGBW3000K
3421551	Linear 54W 10*25° - 230V - Warm White 3000K
3421552	Linear 54W 10*25° - 230V - Neutral White 4000K
3421553	Linear 54W 10*25° - 230V - RGBW4000K
3421554	Linear 54W 10*25° - 230V - Tunable White 3000~6000K
3421555	Linear 54W 12*49° - 230V - Cold White 5500K
3421556	Linear 54W 12*49° - 230V - RGBW3000K
3421557	Linear 54W 12*49° - 230V - Warm White 3000K
3421558	Linear 54W 12*49° - 230V - Neutral White 4000K
3421559	Linear 54W 12*49° - 230V - RGBW4000K
3421560	Linear 54W 12*49° - 230V - Tunable White 3000~6000K
3421561	Linear 54W 15° - 36V - RGBW3000K
3421562	Linear 54W 25° - 36V - RGBW3000K
3421563	Linear 54W 36V - 45° - RGBW3000K
3421564	Linear 54W 10*25° - 36V - RGBW3000K
3421565	Linear 54W 12*49° - 36V - RGBW3000K
3421566	Linear 54W 15° - 36V - RGBW4000K
3421567	Linear 54W 25° - 36V - RGBW4000K
3421568	Linear 54W 36V - 45° - RGBW4000K
3421569	Linear 54W 10*25° - 36V - RGBW4000K
3421570	Linear 54W 12*49° - 36V - RGBW4000K
3421501	Linear 54W 24V - 45° - Cold White 5500K
3423102	Linear Flex 20W - 45° - Grey - Warm White 2700K
3423103	Linear Flex 15° - 20W - Grey - RGB
3423104	Linear Flex 15° - 20W - Grey - Warm White 2700K
3423105	Linear Flex 20W - 25° - Grey - RGB
3423106	Linear Flex 20W - 25° - Grey - Warm White 2700K
3423107	Linear Flex 10*60° - 20W - Grey - RGB
3423108	Linear Flex 10*60° - 20W - Grey - Warm White 2700K
3423109	Linear Flex 20W - 35° - Grey - RGBW3000K
3423110	Linear Flex 20W - 35° - Grey - RGBW4000K
3423111	Linear Flex 20W - 25*45° - Grey - RGBW3000K
3423112	Linear Flex 20W - 25*45° - Grey - RGBW4000K



3423113	Linear Flex 20W - 45° - RGB - White
3423114	Linear Flex 20W - 45° - Warm White 2700K - White
3423115	Linear Flex 15° - 20W - RGB - White
3423116	Linear Flex 15° - 20W - Warm White 2700K - White
3423117	Linear Flex 20W - 25° - RGB - White
3423118	Linear Flex 20W - 25° - Warm White 2700K - White
3423119	Linear Flex 10*60° - 20W - RGB - White
3423120	Linear Flex 10*60° - 20W - Warm White 2700K - White
3423121	Linear Flex 20W - 35° - RGBW3000K - White
3423122	Linear Flex 20W - 35° - RGBW4000K - White
3423123	Linear Flex 20W - 25*45° - RGBW3000K - White
3423124	Linear Flex 20W - 25*45° - RGBW4000K - White
3423125	Linear Flex 15° - 20W - Grey - Neutral White 4000K
3423126	Linear Flex 20W - 25° - Grey - Neutral White 4000K
3423127	Linear Flex 20W - 45° - Grey - Neutral White 4000K
3423128	Linear Flex 10*60° - 20W - Grey - Neutral White 4000K
3423129	Linear Flex 15° - 20W - Neutral White 4000K - White
3423130	Linear Flex 20W - 25° - Neutral White 4000K - White
3423131	Linear Flex 20W - 45° - Neutral White 4000K - White
3423132	Linear Flex 10*60° - 20W - Neutral White 4000K - White
3423133	Linear Flex 32W - 35° - Grey - RGBW3000K
3423134	Linear Flex 25*45° - 32W - Grey - RGBW3000K
3423135	Linear Flex 32W - 35° - Grey - RGBW4000K
3423136	Linear Flex 25*45° - 32W - Grey - RGBW4000K
3423137	Linear Flex 32W - 35° - RGBW3000K - White
3423138	Linear Flex 25*45° - 32W - RGBW3000K - White
3423139	Linear Flex 32W - 35° - RGBW4000K - White
3423140	Linear Flex 25*45° - 32W - RGBW4000K - White
3423141	Linear Flex 25° - 32W - Grey - RGBW3000K
3423142	Linear Flex 25° - 32W - RGBW3000K - White
3423101	Linear Flex 20W - 45° - Grey - RGB
3427402	Beam 120W 45° - Warm White 3000K
3427403	Beam 120W 45° - Neutral White 4000K
3427404	Beam 120W 45° - RGBW3000K
3427405	Beam 120W 45° - RGBW4000K
3427406	Beam 120W 60° - Cold White 5500K
3427407	Beam 120W 60° - Warm White 3000K
3427408	Beam 120W 60° - Neutral White 4000K
3427409	Beam 120W 60° - RGBW3000K



3427410	Beam 120W 60° - RGBW4000K
3427411	Beam 120W 15° - Cold White 5500K
3427412	Beam 120W 15° - Warm White 3000K
3427413	Beam 120W 15° - Neutral White 4000K
3427414	Beam 120W 15° - RGBW3000K
3427415	Beam 120W 15° - RGBW4000K
3427416	Beam 120W 25° - Cold White 5500K
3427417	Beam 120W 25° - Warm White 3000K
3427418	Beam 120W 25° - Neutral White 4000K
3427419	Beam 120W 25° - RGBW3000K
3427420	Beam 120W 25° - RGBW4000K
3427421	Beam 120W 8° - Cold White 5500K
3427422	Beam 120W 8° - Warm White 3000K
3427423	Beam 120W 8° - Neutral White 4000K
3427424	Beam 120W 8° - RGBW3000K
3427425	Beam 120W 8° - RGBW4000K
3427401	Beam 120W 45° - Cold White 5500K
3427102	Beam 12W 45° - RGBW3000K
3427103	Beam 12W 45° - Warm White 3000K
3427104	Beam 12W 45° - Neutral White 4000K
3427105	Beam 12W 45° - RGBW4000K
3427106	Beam 12W 60° - Cold White 5500K
3427107	Beam 12W 60° - RGBW3000K
3427108	Beam 12W 60° - Warm White 3000K
3427109	Beam 12W 60° - Neutral White 4000K
3427110	Beam 12W 60° - RGBW4000K
3427111	Beam 12W 15° - Cold White 5500K
3427112	Beam 12W 15° - RGBW3000K
3427113	Beam 12W 15° - Warm White 3000K
3427114	Beam 12W 15° - Neutral White 4000K
3427115	Beam 12W 15° - RGBW4000K
3427116	Beam 12W 25° - Cold White 5500K
3427117	Beam 12W 25° - RGBW3000K
3427118	Beam 12W 25° - Warm White 3000K
3427119	Beam 12W 25° - Neutral White 4000K
3427120	Beam 12W 25° - RGBW4000K
3427121	Beam 12W 8° - Cold White 5500K
3427122	Beam 12W 8° - Warm White 3000K



3423113	Linear Flex 20W - 45° - RGB - White
3423114	Linear Flex 20W - 45° - Warm White 2700K - White
3423115	Linear Flex 15° - 20W - RGB - White
3423116	Linear Flex 15° - 20W - Warm White 2700K - White
3423117	Linear Flex 20W - 25° - RGB - White
3423118	Linear Flex 20W - 25° - Warm White 2700K - White
3423119	Linear Flex 10*60° - 20W - RGB - White
3423120	Linear Flex 10*60° - 20W - Warm White 2700K - White
3423121	Linear Flex 20W - 35° - RGBW3000K - White
3423122	Linear Flex 20W - 35° - RGBW4000K - White
3423123	Linear Flex 20W - 25*45° - RGBW3000K - White
3423124	Linear Flex 20W - 25*45° - RGBW4000K - White
3423125	Linear Flex 15° - 20W - Grey - Neutral White 4000K
3423126	Linear Flex 20W - 25° - Grey - Neutral White 4000K
3423127	Linear Flex 20W - 45° - Grey - Neutral White 4000K
3423128	Linear Flex 10*60° - 20W - Grey - Neutral White 4000K
3423129	Linear Flex 15° - 20W - Neutral White 4000K - White
3423130	Linear Flex 20W - 25° - Neutral White 4000K - White
3423131	Linear Flex 20W - 45° - Neutral White 4000K - White
3423132	Linear Flex 10*60° - 20W - Neutral White 4000K - White
3423133	Linear Flex 32W - 35° - Grey - RGBW3000K
3423134	Linear Flex 25*45° - 32W - Grey - RGBW3000K
3423135	Linear Flex 32W - 35° - Grey - RGBW4000K
3423136	Linear Flex 25*45° - 32W - Grey - RGBW4000K
3423137	Linear Flex 32W - 35° - RGBW3000K - White
3423138	Linear Flex 25*45° - 32W - RGBW3000K - White
3423139	Linear Flex 32W - 35° - RGBW4000K - White
3423140	Linear Flex 25*45° - 32W - RGBW4000K - White
3423141	Linear Flex 25° - 32W - Grey - RGBW3000K
3423142	Linear Flex 25° - 32W - RGBW3000K - White
3423101	Linear Flex 20W - 45° - Grey - RGB
3427402	Beam 120W 45° - Warm White 3000K
3427403	Beam 120W 45° - Neutral White 4000K
3427404	Beam 120W 45° - RGBW3000K
3427405	Beam 120W 45° - RGBW4000K
3427406	Beam 120W 60° - Cold White 5500K
3427407	Beam 120W 60° - Warm White 3000K
3427408	Beam 120W 60° - Neutral White 4000K
3427409	Beam 120W 60° - RGBW3000K



3427410	Beam 120W 60° - RGBW4000K
3427411	Beam 120W 15° - Cold White 5500K
3427412	Beam 120W 15° - Warm White 3000K
3427413	Beam 120W 15° - Neutral White 4000K
3427414	Beam 120W 15° - RGBW3000K
3427415	Beam 120W 15° - RGBW4000K
3427416	Beam 120W 25° - Cold White 5500K
3427417	Beam 120W 25° - Warm White 3000K
3427418	Beam 120W 25° - Neutral White 4000K
3427419	Beam 120W 25° - RGBW3000K
3427420	Beam 120W 25° - RGBW4000K
3427421	Beam 120W 8° - Cold White 5500K
3427422	Beam 120W 8° - Warm White 3000K
3427423	Beam 120W 8° - Neutral White 4000K
3427424	Beam 120W 8° - RGBW3000K
3427425	Beam 120W 8° - RGBW4000K
3427401	Beam 120W 45° - Cold White 5500K
3427102	Beam 12W 45° - RGBW3000K
3427103	Beam 12W 45° - Warm White 3000K
3427104	Beam 12W 45° - Neutral White 4000K
3427105	Beam 12W 45° - RGBW4000K
3427106	Beam 12W 60° - Cold White 5500K
3427107	Beam 12W 60° - RGBW3000K
3427108	Beam 12W 60° - Warm White 3000K
3427109	Beam 12W 60° - Neutral White 4000K
3427110	Beam 12W 60° - RGBW4000K
3427111	Beam 12W 15° - Cold White 5500K
3427112	Beam 12W 15° - RGBW3000K
3427113	Beam 12W 15° - Warm White 3000K
3427114	Beam 12W 15° - Neutral White 4000K
3427115	Beam 12W 15° - RGBW4000K
3427116	Beam 12W 25° - Cold White 5500K
3427117	Beam 12W 25° - RGBW3000K
3427118	Beam 12W 25° - Warm White 3000K
3427119	Beam 12W 25° - Neutral White 4000K
3427120	Beam 12W 25° - RGBW4000K
3427121	Beam 12W 8° - Cold White 5500K
3427122	Beam 12W 8° - Warm White 3000K



3423113	Linear Flex 20W - 45° - RGB - White
3423114	Linear Flex 20W - 45° - Warm White 2700K - White
3423115	Linear Flex 15° - 20W - RGB - White
3423116	Linear Flex 15° - 20W - Warm White 2700K - White
3423117	Linear Flex 20W - 25° - RGB - White
3423118	Linear Flex 20W - 25° - Warm White 2700K - White
3423119	Linear Flex 10*60° - 20W - RGB - White
3423120	Linear Flex 10*60° - 20W - Warm White 2700K - White
3423121	Linear Flex 20W - 35° - RGBW3000K - White
3423122	Linear Flex 20W - 35° - RGBW4000K - White
3423123	Linear Flex 20W - 25*45° - RGBW3000K - White
3423124	Linear Flex 20W - 25*45° - RGBW4000K - White
3423125	Linear Flex 15° - 20W - Grey - Neutral White 4000K
3423126	Linear Flex 20W - 25° - Grey - Neutral White 4000K
3423127	Linear Flex 20W - 45° - Grey - Neutral White 4000K
3423128	Linear Flex 10*60° - 20W - Grey - Neutral White 4000K
3423129	Linear Flex 15° - 20W - Neutral White 4000K - White
3423130	Linear Flex 20W - 25° - Neutral White 4000K - White
3423131	Linear Flex 20W - 45° - Neutral White 4000K - White
3423132	Linear Flex 10*60° - 20W - Neutral White 4000K - White
3423133	Linear Flex 32W - 35° - Grey - RGBW3000K
3423134	Linear Flex 25*45° - 32W - Grey - RGBW3000K
3423135	Linear Flex 32W - 35° - Grey - RGBW4000K
3423136	Linear Flex 25*45° - 32W - Grey - RGBW4000K
3423137	Linear Flex 32W - 35° - RGBW3000K - White
3423138	Linear Flex 25*45° - 32W - RGBW3000K - White
3423139	Linear Flex 32W - 35° - RGBW4000K - White
3423140	Linear Flex 25*45° - 32W - RGBW4000K - White
3423141	Linear Flex 25° - 32W - Grey - RGBW3000K
3423142	Linear Flex 25° - 32W - RGBW3000K - White
3423101	Linear Flex 20W - 45° - Grey - RGB
3427402	Beam 120W 45° - Warm White 3000K
3427403	Beam 120W 45° - Neutral White 4000K
3427404	Beam 120W 45° - RGBW3000K
3427405	Beam 120W 45° - RGBW4000K
3427406	Beam 120W 60° - Cold White 5500K
3427407	Beam 120W 60° - Warm White 3000K
3427408	Beam 120W 60° - Neutral White 4000K
3427409	Beam 120W 60° - RGBW3000K



3427410	Beam 120W 60° - RGBW4000K
3427411	Beam 120W 15° - Cold White 5500K
3427412	Beam 120W 15° - Warm White 3000K
3427413	Beam 120W 15° - Neutral White 4000K
3427414	Beam 120W 15° - RGBW3000K
3427415	Beam 120W 15° - RGBW4000K
3427416	Beam 120W 25° - Cold White 5500K
3427417	Beam 120W 25° - Warm White 3000K
3427418	Beam 120W 25° - Neutral White 4000K
3427419	Beam 120W 25° - RGBW3000K
3427420	Beam 120W 25° - RGBW4000K
3427421	Beam 120W 8° - Cold White 5500K
3427422	Beam 120W 8° - Warm White 3000K
3427423	Beam 120W 8° - Neutral White 4000K
3427424	Beam 120W 8° - RGBW3000K
3427425	Beam 120W 8° - RGBW4000K
3427401	Beam 120W 45° - Cold White 5500K
3427102	Beam 12W 45° - RGBW3000K
3427103	Beam 12W 45° - Warm White 3000K
3427104	Beam 12W 45° - Neutral White 4000K
3427105	Beam 12W 45° - RGBW4000K
3427106	Beam 12W 60° - Cold White 5500K
3427107	Beam 12W 60° - RGBW3000K
3427108	Beam 12W 60° - Warm White 3000K
3427109	Beam 12W 60° - Neutral White 4000K
3427110	Beam 12W 60° - RGBW4000K
3427111	Beam 12W 15° - Cold White 5500K
3427112	Beam 12W 15° - RGBW3000K
3427113	Beam 12W 15° - Warm White 3000K
3427114	Beam 12W 15° - Neutral White 4000K
3427115	Beam 12W 15° - RGBW4000K
3427116	Beam 12W 25° - Cold White 5500K
3427117	Beam 12W 25° - RGBW3000K
3427118	Beam 12W 25° - Warm White 3000K
3427119	Beam 12W 25° - Neutral White 4000K
3427120	Beam 12W 25° - RGBW4000K
3427121	Beam 12W 8° - Cold White 5500K
3427122	Beam 12W 8° - Warm White 3000K



oneeightyone.com

Please vist our website and login to your account to see your personal discount

3423603	Linear 36W 24V - 45° - Warm White 3000K
3423604	Linear 36W 24V - 45° - Neutral White 4000K
3423605	Linear 36W 24V - 45° - RGBW4000K
3423606	Linear 36W 24V - 45° - Tunable White 3000~6000K
3423607	Linear 36W 15° - 24V - Cold White 5500K
3423608	Linear 36W 15° - 24V - RGBW3000K
3423609	Linear 36W 15° - 24V - Warm White 3000K
3423610	Linear 36W 15° - 24V - Neutral White 4000K
3423611	Linear 36W 15° - 24V - RGBW4000K
3423612	Linear 36W 15° - 24V - Tunable White 3000~6000K
3423613	Linear 36W 24V - 25° - Cold White 5500K
3423614	Linear 36W 24V - 25° - RGBW3000K
3423615	Linear 36W 24V - 25° - Warm White 3000K
3423616	Linear 36W 24V - 25° - Neutral White 4000K
3423617	Linear 36W 24V - 25° - RGBW4000K
3423618	Linear 36W 24V - 25° - Tunable White 3000~6000K
3423619	Linear 36W 10*25° - Cold White 5500K
3423620	Linear 36W 10*25° - 24V - RGBW3000K
3423621	Linear 36W 10*25° - 24V - Warm White 3000K
3423622	Linear 36W 10*25° - 24V - Neutral White 4000K
3423623	Linear 36W 10*25° - 24V - RGBW4000K
3423624	Linear 36W 10*25° - 24V - Tunable White 3000~6000K
3423625	Linear 36W 12*49° - 24V - Cold White 5500K
3423626	Linear 36W 12*49° - 24V - RGBW3000K
3423627	Linear 36W 12*49° - 24V - Warm White 3000K
3423628	Linear 36W 12*49° - 24V - Neutral White 4000K
3423629	Linear 36W 12*49° - 24V - RGBW4000K
3423630	Linear 36W 12*49° - 24V - Tunable White 3000~6000K
3423601	Linear 36W 24V - 45° - Cold White 5500K
3167102	Linear Flex Silicon 15° - 2700K
3167103	Linear Flex Silicon 15° - 3000K
3167104	Linear Flex Silicon 15° - 4000K
3167105	Linear Flex Silicon 15° - 6500K
3167106	Linear Flex Silicon 1800K - 20°
3167107	Linear Flex Silicon 20° - 2700K
3167108	Linear Flex Silicon 20° - 3000K
3167109	Linear Flex Silicon 20° - 4000K
3167110	Linear Flex Silicon 20° - 6500K



oneeightyone.com

Please vist our website and login to your account to see your personal discount

3167111	Linear Flex Silicon 1800K - 25°
3167112	Linear Flex Silicon 25° - 2700K
3167113	Linear Flex Silicon 25° - 3000K
3167114	Linear Flex Silicon 25° - 4000K
3167115	Linear Flex Silicon 25° - 6500K
3167116	Linear Flex Silicon 1800K - 38°
3167117	Linear Flex Silicon 2700K - 38°
3167118	Linear Flex Silicon 3000K - 38°
3167119	Linear Flex Silicon 38° - 4000K
3167120	Linear Flex Silicon 38° - 6500K
3167121	Linear Flex Silicon 1800K - 60°
3167122	Linear Flex Silicon 2700K - 60°
3167123	Linear Flex Silicon 3000K - 60°
3167124	Linear Flex Silicon 4000K - 60°
3167125	Linear Flex Silicon 60° - 6500K
3167126	Linear Flex Silicon 1800K - 20*40°
3167127	Linear Flex Silicon 20*40° - 2700K
3167128	Linear Flex Silicon 20*40° - 3000K
3167129	Linear Flex Silicon 20*40° - 4000K
3167130	Linear Flex Silicon 20*40° - 6500K
3167101	Linear Flex Silicon 15° - 1800K

Product Number#	Product Name
	LED Linear
3555110	DiGi Linear M-serie 18 - 1530 mm
3555100	DiGi Linear M-serie 13 - 1045 mm
3555101	DiGi Linear M-serie 6 - 510 mm
3556502	DiGi Linear D-serie 300 mm - RGBW3000K
3556503	DiGi Linear D-serie 300 mm - RGBW4000K
3556504	DiGi Linear D-serie 600 mm - RGB
3556505	DiGi Linear D-serie 600 mm - RGBW3000K
3556506	DiGi Linear D-serie 600 mm - RGBW4000K
3556507	DiGi Linear D-serie 900 mm - RGB
3556508	DiGi Linear D-serie 900 mm - RGBW3000K
3556509	DiGi Linear D-serie 900 mm - RGBW4000K
3556510	DiGi Linear D-serie 1200 mm - RGB
3556511	DiGi Linear D-serie 1200 mm - RGBW3000K



oneeightyone.com

Please vist our website and login to your account to see your personal discount

3556512	DiGi Linear D-serie 1200 mm – RGBW4000K
3556513	DiGi Linear D-serie 1500 mm – RGB
3556514	DiGi Linear D-serie 1500 mm – RGBW3000K
3556515	DiGi Linear D-serie 1500 mm – RGBW4000K
3556501	DiGi Linear D-serie 300 mm – RGB
3557502	DiGi Linear E-serie 300 mm – RGBW3000K
3557503	DiGi Linear E-serie 300 mm – RGBW4000K
3557504	DiGi Linear E-serie 600 mm – RGB
3557505	DiGi Linear E-serie 600 mm – RGBW3000K
3557506	DiGi Linear E-serie 600 mm – RGBW4000K
3557507	DiGi Linear E-serie 900 mm – RGB
3557508	DiGi Linear E-serie 900 mm – RGBW3000K
3557509	DiGi Linear E-serie 900 mm – RGBW4000K
3557510	DiGi Linear E-serie 1200 mm – RGB
3557511	DiGi Linear E-serie 1200 mm – RGBW3000K
3557512	DiGi Linear E-serie 1200 mm – RGBW4000K
3557513	DiGi Linear E-serie 1500 mm – RGB
3557514	DiGi Linear E-serie 1500 mm – RGBW3000K
3557515	DiGi Linear E-serie 1500 mm – RGBW4000K
3557501	DiGi Linear E-serie 300 mm – RGB
3555502	DiGi Linear V-serie 300 mm – Black – RGBW3000K
3555503	DiGi Linear V-serie 300 mm – Tunable White 2700~5700K – White
3555504	DiGi Linear V-serie 300 mm – Black – Tunable White 2700~5700K
3555505	DiGi Linear V-serie 300 mm – RGBW4000K – White
3555506	DiGi Linear V-serie 300 mm – Black – RGBW4000K
3555507	DiGi Linear V-serie 600 mm – RGBW3000K – White
3555508	DiGi Linear V-serie 600 mm – Black – RGBW3000K
3555509	DiGi Linear V-serie 600 mm – Tunable White 2700~5700K – White
3555510	DiGi Linear V-serie 600 mm – Black – Tunable White 2700~5700K
3555511	DiGi Linear V-serie 600 mm – RGBW4000K – White
3555512	DiGi Linear V-serie 600 mm – Black – RGBW4000K
3555513	DiGi Linear V-serie 900 mm – RGBW3000K – White
3555514	DiGi Linear V-serie 900 mm – Black – RGBW3000K
3555515	DiGi Linear V-serie 900 mm – Tunable White 2700~5700K – White
3555516	DiGi Linear V-serie 900 mm – Black – Tunable White 2700~5700K
3555517	DiGi Linear V-serie 900 mm – RGBW4000K – White
3555518	DiGi Linear V-serie 900 mm – Black – RGBW4000K



oneeightyone.com

Please vist our website and login to your account to see your personal discount

3555519	DiGi Linear V-serie 1200 mm – RGBW3000K – White
3555520	DiGi Linear V-serie 1200 mm – Black – RGBW3000K
3555521	DiGi Linear V-serie 1200 mm – Tunable White 2700~5700K – White
3555522	DiGi Linear V-serie 1200 mm – Black – Tunable White 2700~5700K
3555523	DiGi Linear V-serie 1200 mm – RGBW4000K – White
3555524	DiGi Linear V-serie 1200 mm – Black – RGBW4000K
3555525	DiGi Linear V-serie 1500 mm – RGBW3000K – White
3555526	DiGi Linear V-serie 1500 mm – Black – RGBW3000K
3555527	DiGi Linear V-serie 1500 mm – Tunable White 2700~5700K – White
3555528	DiGi Linear V-serie 1500 mm – Black – Tunable White 2700~5700K
3555529	DiGi Linear V-serie 1500 mm – RGBW4000K – White
3555530	DiGi Linear V-serie 1500 mm – Black – RGBW4000K
3555501	DiGi Linear V-serie 300 mm – RGBW3000K – White

Product Number#	Product Name
	LED Modules
3550900	DiGi Curtain
3551500	DiGi Globe
4300500	LED Downlight 9W Module RGBW
3554200	DiGi Tube 100 cm
3554400	DiGi Tube 200 cm
3554100	DiGi Tube 50 cm
3553110	DiGi Module E6S Black
3553100	DiGi Module E6S Grey
3553010	DiGi Module E3S Black
3553000	DiGi Module E3S Grey
3553210	DiGi Module XT6 Black – Flat Transparant – RGBW2700K
3553211	DiGi Module XT6 Beige – Flat Transparant – RGB
3553212	DiGi Module XT6 Beige – Flat Transparant – RGBW2700K
3553213	DiGi Module XT6 Black – RGB – Turbo
3553214	DiGi Module XT6 Black – RGBW2700K – Turbo
3553215	DiGi Module XT6 Beige – RGB – Turbo
3553216	DiGi Module XT6 Beige – RGBW2700K – Turbo
3553221	DiGi Module XT6 Black – Globe – RGB
3553222	DiGi Module XT6 Black – Globe – RGBW2700K
3553223	DiGi Module XT6 Beige – Globe – RGB
3553224	DiGi Module XT6 Beige – Globe – RGBW2700K



oneeightyone.com

Please vist our website and login to your account to see your personal discount

3553200	DiGi Module XT6 Black – Flat Transparant – RGB
3554510	DiGi Mesh 80 mm
3554520	DiGi Mesh 120 mm
3554500	DiGi Mesh 50 mm
3553310	DiGi Module XT3 Black – Flat Transparant – RGBW2700K
3553311	DiGi Module XT3 Beige – Flat Transparant – RGB
3553312	DiGi Module XT3 Beige – Flat Transparant – RGBW2700K
3553313	DiGi Module XT3 Black – RGB – Turbo
3553314	DiGi Module XT3 Black – RGBW2700K – Turbo
3553315	DiGi Module XT3 Beige – RGB – Turbo
3553316	DiGi Module XT3 Beige – RGBW2700K – Turbo
3553321	DiGi Module XT3 Black – Globe – RGB
3553322	DiGi Module XT3 Black – Globe – RGBW2700K
3553323	DiGi Module XT3 Beige – Globe – RGB
3553324	DiGi Module XT3 Beige – Globe – RGBW2700K
3553300	DiGi Module XT3 Black – Flat Transparant – RGB
3553401	DiGi Module E12S Grey
3553402	DiGi Module E12S Black
3566002	DiGi Evenlight Panel 32P
3566001	DiGi Evenlight Panel 64P
3566004	DiGi Evenlight Panel 8P
3566005	DiGi Evenlight Panel 4P
3566003	DiGi Evenlight Panel 16P
3566201	DiGi FlexSheet

Product Number#	Product Name
	LED Neonflex

3163201	LED Neonflex Sideview 1 m – Ultra Warm White 2200K
3163202	LED Neonflex Sideview 1 m – Warm White 2700K
3163205	LED Neonflex Sideview 1 m – Daylight White 6500K
3163101	LED Neonflex Sideview 1 m – RGBW3000K
3163204	LED Neonflex Sideview 1 m – Neutral White 4000K
3163111	LED Neonflex Sideview 5 m – RGBW3000K
3163213	LED Neonflex Sideview 5 m – Warm White 3000K
3163214	LED Neonflex Sideview 5 m – Neutral White 4000K
3163211	LED Neonflex Sideview 5 m – Ultra Warm White 2200K



oneeightyone.com

Please vist our website and login to your account to see your personal discount

3163212	LED Neonflex Sideview 5 m – Warm White 2700K
3163215	LED Neonflex Sideview 5 m – Daylight White 6500K
3163203	LED Neonflex Sideview 1 m – Warm White 3000K
3164201	LED Neonflex Topview 1 m – Ultra Warm White 2200K
3164202	LED Neonflex Topview 1 m – Warm White 2700K
3164205	LED Neonflex Topview 1 m – Daylight White 6500K
3164101	LED Neonflex Topview 1 m – RGBW3000K
3164204	LED Neonflex Topview 1 m – Neutral White 4000K
3164213	LED Neonflex Topview 5 m – Warm White 3000K
3164111	LED Neonflex Topview 5 m – RGBW3000K
3164211	LED Neonflex Topview 5 m – Ultra Warm White 2200K
3164214	LED Neonflex Topview 5 m – Neutral White 4000K
3164212	LED Neonflex Topview 5 m – Warm White 2700K
3164215	LED Neonflex Topview 5 m – Daylight White 6500K
3164203	LED Neonflex Topview 1 m – Warm White 3000K
3165201	LED Neonflex Sideview Dome 1 m – Ultra Warm White 2200K
3165202	LED Neonflex Sideview Dome 1 m – Warm White 2700K
3165205	LED Neonflex Sideview Dome 1 m – Daylight White 6500K
3165101	LED Neonflex Sideview Dome 1 m – RGBW3000K
3165204	LED Neonflex Sideview Dome 1 m – Neutral White 4000K
3165213	LED Neonflex Sideview Dome 5 m – Warm White 3000K
3165211	LED Neonflex Sideview Dome 5 m – Ultra Warm White 2200K
3165214	LED Neonflex Sideview Dome 5 m – Neutral White 4000K
3165111	LED Neonflex Sideview Dome 5 m – RGBW3000K
3165212	LED Neonflex Sideview Dome 5 m – Warm White 2700K
3165215	LED Neonflex Sideview Dome 5 m – Daylight White 6500K
3165203	LED Neonflex Sideview Dome 1 m – Warm White 3000K
3163303	DiGi LED Neonflex Sideview 1 m – Tunable White 2200~5700K
3163302	DiGi LED Neonflex Sideview 1 m – RGBW3000K
3163311	DiGi LED Neonflex Sideview 5 m – RGB
3163312	DiGi LED Neonflex Sideview 5 m – RGBW3000K
3163313	DiGi LED Neonflex Sideview 5 m – Tunable White 2200~5700K
3163301	DiGi LED Neonflex Sideview 1 m – RGB
3164303	DiGi LED Neonflex Topview 1 m – Tunable White 2200~5700K
3164302	DiGi LED Neonflex Topview 1 m – RGBW3000K
3164311	DiGi LED Neonflex Topview 5 m – RGB
3164313	DiGi LED Neonflex Topview 5 m – Tunable White 2200~5700K
3164312	DiGi LED Neonflex Topview 5 m – RGBW3000K



3164301	DiGi LED Neonflex Topview 1 m – RGB
3165303	DiGi LED Neonflex Sideview Dome 1 m – Tunable White 2200~5700K
3165302	DiGi LED Neonflex Sideview Dome 1 m – RGBW3000K
3165312	DiGi LED Neonflex Sideview Dome 5 m – RGBW3000K
3165311	DiGi LED Neonflex Sideview Dome 5 m – RGB
3165313	DiGi LED Neonflex Sideview Dome 5 m – Tunable White 2200~5700K
3165301	DiGi LED Neonflex Sideview Dome 1 m – RGB
3152400	DiGi LED Strip 5m Amber Drift 16mm 12V
3360403	TubeFlex 360 3 m – Neutral White 4000K
3360305	TubeFlex 360 5 m – Warm White 3000K
3360405	TubeFlex 360 5 m – Neutral White 4000K
3360303	TubeFlex 360 3 m – Warm White 3000K
3166504	DiGi LED Neonflex Sideview Silicon 1 m – Tunable White 2200~5700K
3166502	DiGi LED Neonflex Sideview Silicon 1 m – RGBW3000K
3166503	DiGi LED Neonflex Sideview Silicon 1 m – Warm White 3000K
3166501	DiGi LED Neonflex Sideview Silicon 1 m – RGB
3166604	DiGi LED Neonflex Sideview Dome Silicon 1 m – Tunable White 2200~5700K
3166602	DiGi LED Neonflex Sideview Dome Silicon 1 m – RGBW3000K
3166603	DiGi LED Neonflex Sideview Dome Silicon 1 m – Warm White 3000K
3166601	DiGi LED Neonflex Sideview Dome Silicon 1 m – RGB
3166701	LED Neonflex Topview Silicon 1 m – RGB
3166702	LED Neonflex Topview Silicon 1 m – RGBW3000K
3166703	LED Neonflex Topview Silicon 1 m – Warm White 3000K
3166704	LED Neonflex Topview Silicon 1 m – Tunable White 2700~5700K
3166801	LED Neonflex Sideview Silicon 1 m – RGB
3166802	LED Neonflex Sideview Silicon 1 m – RGBW3000K
3166803	LED Neonflex Sideview Silicon 1 m – Warm White 3000K
3166804	LED Neonflex Sideview Silicon 1 m – Tunable White 2700~5700K
3166901	LED Neonflex Sideview Dome Silicon 1 m – RGB
3166902	LED Neonflex Sideview Dome Silicon 1 m – RGBW3000K
3166903	LED Neonflex Sideview Dome Silicon 1 m – Warm White 3000K
3166904	LED Neonflex Sideview Dome Silicon 1 m – Tunable White 2700~5700K



Product Number#	Product Name
	Solutions
1810200	Amsterdam
1810100	Hexagon
1810400	Add
1810300	Pyramid
1810500	Arrow
1810600	Rectangle
1810700	Rhombus
1818102	Dynamic Light Surface 2000x2000mm – Without Packaging
1818103	Dynamic Light Surface 2400x1000mm – Without Packaging
1818111	Dynamic Light Surface 1200x600mm – With packaging
1818112	Dynamic Light Surface 2000x2000mm – With packaging
1818113	Dynamic Light Surface 2400x1000mm – With packaging
1818101	Dynamic Light Surface 1200x600mm – Without Packaging
1816101	DiGi Chandelier Round 100 – Without Packaging
1816211	DiGi Chandelier Square 100 – With packaging
1816201	DiGi Chandelier Square 100 – Without Packaging
1816212	DiGi Chandelier Square 200 – With packaging
1816202	DiGi Chandelier Square 200 – Without Packaging
1816311	DiGi Chandelier Rectangular 600 x 200 – With packaging
1816301	DiGi Chandelier Rectangular 600 x 200 – Without Packaging
1816111	DiGi Chandelier Round 100 – With packaging



Product Number#	Product Name
	LED Video Linear

3558102	DiGi Linear IMW 2 m - 25 mm
3558105	DiGi Linear IMW 0.5 m - 25 mm
3558101	DiGi Linear IMW 1 m - 25 mm

Product Number#	Product Name
	LED Profiles

3163011	Mounting Profile Neonflex Sideview
3164011	Mounting Profile Neonflex Topview
3163003	Mounting Clip Neonflex 35mm Sideview - standard
3163004	Mounting Clip Neonflex 35mm standard - Topview
3163006	Mounting Clip Neonflex 35mm anti drop - Topview
3163005	Mounting Clip Neonflex 35mm anti drop - Sideview
3360021	Mounting Clip Tubeflex 360
3360011	Tubeflex 360 Mounting Profile
3556599	Mounting bracket D-serie
3557599	Mounting bracket E-serie
3555599	Mounting bracket V-serie
3555199	Mounting bracket M-serie
3553399	Mounting clip DiGi Module XT
3163012	Mounting Profile Neonflex Sideview Curve
3164012	Mounting Profile Neonflex Topview Curve
9111310	Aluminium Profile High 300 cm - Black
9111300	Aluminium Profile High 300 cm - Aluminum Grey
9112310	Aluminum Profile Low 300 cm - Black
9112300	Aluminum Profile Low 300 cm - Aluminum Grey
9114300	Profile Cover Flat 300 cm - Clear
9113600	Profile Cover Flat 300 cm - Black (translucent)
9113300	Profile Cover Flat 300 cm - Opal
9115230	Profile Endcap high for 9111X serie incl 2 schroeven Black - Cable entry
9115210	Profile Endcap high for 9111X serie incl 2 schroeven Black - Closed
9115220	Profile Endcap high for 9111X serie incl 2 schroeven Cable entry - Grey
9115200	Profile Endcap high for 9111X serie incl 2 schroeven Closed - Grey
9116310	Aluminum Profile Half Round 300 cm - Black
9116300	Aluminum Profile Half Round 300 cm - Aluminum Grey



9117300	Profile Cover Half Round 300 cm - Frost
9118300	Profile Cover Half Round 300 cm - Clear
9119110	Profile Endcap Half Round Black
9119100	Profile Endcap Half Round Grey
9115120	Profile Endcap low for 9112X serie Cable entry - Grey
9115110	Profile Endcap low for 9112X serie Black - Closed
9115130	Profile Endcap low for 9112X serie Black - Cable entry
9115100	Profile Endcap low for 9112X serie Closed - Grey
9115310	Profile Mounting Clip for 9112X/9111X Black
9115300	Profile Mounting Clip for 9112X/9111X Silver
9119410	Profile Mounting Clip for 9116X serie Black
9119400	Profile Mounting Clip for 9116X serie Grey
9119510	Profile Mounting Clip 45 degree Black
9119500	Profile Mounting Clip 45 degree Grey
9123300	Profile Cover High Square Opal 300 cm
9115400	Profile Endcap low with magnet for 9112X series
9115500	Profile Endcap high with magnet for 9111X series
9119300	Profile Endcap low with magnet halfround
9115610	Profile Endcap Low Square Black
9115600	Profile Endcap Low Square Grey
9115710	Profile Endcap High Square Black
9115700	Profile Endcap High Square Grey
9133300	Profile Cover High Round Opal 300 cm
9115810	Profile Endcap Low Round Black
9115800	Profile Endcap Low Round Grey
9115910	Profile Endcap High Round Black
9115900	Profile Endcap High Round Grey
9116400	Mounting clip Adjustable for 9112X/9111X
9510300	LED Profileless Plaster 300 cm
9411310	LED Profileless H High 300 cm - Black
9411300	LED Profileless H High 300 cm - Silver
9471910	Endcap LED Profileless H High Black
9471900	Endcap LED Profileless H High Silver
9310310	LED Profileless 3535 300 cm - Black
9310300	LED Profileless 3535 300 cm - Silver
9325320	Profile Cover 3535 300 cm - Square - Opal diffused
9324320	Profile Cover 3535 300 cm - Round - Opal diffused
9323310	Profile Cover 3535 300 cm - Flat - Black translucent



oneeightyone.com

Please vist our website and login to your account to see your personal discount

9323350	Profile Cover 3535 300 cm – Flat – Black shut
9323340	Profile Cover 3535 300 cm – Flat – Prisma
9323360	Profile Cover 3535 300 cm – Flat – Silver shut
9323370	Profile Cover 3535 300 cm – Flat – Opal diffused glossy
9323320	Profile Cover 3535 300 cm – Flat – Opal diffused matt
9375910	Endcap LED Profiless 3535 Black – Square
9375900	Endcap LED Profiless 3535 Silver – Square
9374910	Endcap LED Profiless 3535 Black – Round
9374900	Endcap LED Profiless 3535 Round – Silver
9373910	Endcap LED Profiless 3535 Black – Flat
9373900	Endcap LED Profiless 3535 Flat – Silver
9380990	Mounting Clip Profile 3535
9381900	Pendant Steelwire for 3535 and H-Profile Silver
9381910	Pendant Steelwire for 3535 and H-Profile Black
9611300	LED Profiless Tube 300 cm
9621320	Profile Cover Tube 300 cm – Opal diffused
9671900	Endcap LED Profiless Tube
9918102	Shape Corners 2 Way Down – Silver – Square – Opal diffused
9918103	Shape Corners 2 Way Up – Black – Square – Opal diffused
9918104	Shape Corners 2 Way Up – Silver – Square – Opal diffused
9918105	Shape Corners 2 Way Side – Black – Square – Opal diffused
9918106	Shape Corners 2 Way Side – Silver – Square – Opal diffused
9918107	Shape Corners 2 Way 45 – Black – Square – Opal diffused
9918108	Shape Corners 2 Way 45 – Silver – Square – Opal diffused
9918109	Shape Corners 2 Way 120 – Black – Square – Opal diffused
9918110	Shape Corners 2 Way 120 – Silver – Square – Opal diffused
9918111	Shape Corners 2 Way 135 – Black – Square – Opal diffused
9918112	Shape Corners 2 Way 135 – Silver – Square – Opal diffused
9918113	Shape Corners 3 Way Y – Black – Square – Opal diffused
9918114	Shape Corners 3 Way Y – Silver – Square – Opal diffused
9918115	Shape Corners 3 Way T – Black – Square – Opal diffused
9918116	Shape Corners 3 Way T – Silver – Square – Opal diffused
9918117	Shape Corners 4 Way Plus – Black – Square – Opal diffused
9918118	Shape Corners 4 Way Plus – Silver – Square – Opal diffused
9918119	Shape Corners 2 Way Down – Black – Round – Opal diffused
9918120	Shape Corners 2 Way Down – Round – Opal diffused – Silver
9918121	Shape Corners 2 Way Up – Black – Round – Opal diffused
9918122	Shape Corners 2 Way Up – Round – Opal diffused – Silver



oneeightyone.com

Please vist our website and login to your account to see your personal discount

9918123	Shape Corners 2 Way Side – Black – Round – Opal diffused
9918124	Shape Corners 2 Way Side – Round – Opal diffused – Silver
9918125	Shape Corners 2 Way 45 – Black – Round – Opal diffused
9918126	Shape Corners 2 Way 45 – Round – Opal diffused – Silver
9918127	Shape Corners 2 Way 120 – Black – Round – Opal diffused
9918128	Shape Corners 2 Way 120 – Round – Opal diffused – Silver
9918129	Shape Corners 2 Way 135 – Black – Round – Opal diffused
9918130	Shape Corners 2 Way 135 – Round – Opal diffused – Silver
9918131	Shape Corners 3 Way Y – Black – Round – Opal diffused
9918132	Shape Corners 3 Way Y – Round – Opal diffused – Silver
9918133	Shape Corners 3 Way T – Black – Round – Opal diffused
9918134	Shape Corners 3 Way T – Round – Opal diffused – Silver
9918135	Shape Corners 4 Way Plus – Black – Round – Opal diffused
9918136	Shape Corners 4 Way Plus – Round – Opal diffused – Silver
9918137	Shape Corners 2 Way Down – Black – Flat – Opal diffused matt
9918138	Shape Corners 2 Way Down – Flat – Opal diffused matt – Silver
9918139	Shape Corners 2 Way Up – Black – Flat – Opal diffused matt
9918140	Shape Corners 2 Way Up – Flat – Opal diffused matt – Silver
9918141	Shape Corners 2 Way Side – Black – Flat – Opal diffused matt
9918142	Shape Corners 2 Way Side – Flat – Opal diffused matt – Silver
9918143	Shape Corners 2 Way 45 – Black – Flat – Opal diffused matt
9918144	Shape Corners 2 Way 45 – Flat – Opal diffused matt – Silver
9918145	Shape Corners 2 Way 120 – Black – Flat – Opal diffused matt
9918146	Shape Corners 2 Way 120 – Flat – Opal diffused matt – Silver
9918147	Shape Corners 2 Way 135 – Black – Flat – Opal diffused matt
9918148	Shape Corners 2 Way 135 – Flat – Opal diffused matt – Silver
9918149	Shape Corners 3 Way Y – Black – Flat – Opal diffused matt
9918150	Shape Corners 3 Way Y – Flat – Opal diffused matt – Silver
9918151	Shape Corners 3 Way T – Black – Flat – Opal diffused matt
9918152	Shape Corners 3 Way T – Flat – Opal diffused matt – Silver
9918153	Shape Corners 4 Way Plus – Black – Flat – Opal diffused matt
9918154	Shape Corners 4 Way Plus – Flat – Opal diffused matt – Silver
9918155	Shape Corners 2 Way Down – Black – Flat – Black translucent
9918156	Shape Corners 2 Way Down – Flat – Black translucent – Silver
9918157	Shape Corners 2 Way Up – Black – Flat – Black translucent
9918158	Shape Corners 2 Way Up – Flat – Black translucent – Silver
9918159	Shape Corners 2 Way Side – Black – Flat – Black translucent
9918160	Shape Corners 2 Way Side – Flat – Black translucent – Silver



oneeightyone.com

Please vist our website and login to your account to see your personal discount

9918161	Shape Corners 2 Way 45 – Black – Flat – Black translucent
9918162	Shape Corners 2 Way 45 – Flat – Black translucent – Silver
9918163	Shape Corners 2 Way 120 – Black – Flat – Black translucent
9918164	Shape Corners 2 Way 120 – Flat – Black translucent – Silver
9918165	Shape Corners 2 Way 135 – Black – Flat – Black translucent
9918166	Shape Corners 2 Way 135 – Flat – Black translucent – Silver
9918167	Shape Corners 3 Way Y – Black – Flat – Black translucent
9918168	Shape Corners 3 Way Y – Flat – Black translucent – Silver
9918169	Shape Corners 3 Way T – Black – Flat – Black translucent
9918170	Shape Corners 3 Way T – Flat – Black translucent – Silver
9918171	Shape Corners 4 Way Plus – Black – Flat – Black translucent
9918172	Shape Corners 4 Way Plus – Flat – Black translucent – Silver
9918173	Shape Corners 2 Way Down – Black – Flat – Black shut
9918174	Shape Corners 2 Way Down – Flat – Black shut – Silver
9918175	Shape Corners 2 Way Up – Black – Flat – Black shut
9918176	Shape Corners 2 Way Up – Flat – Black shut – Silver
9918177	Shape Corners 2 Way Side – Black – Flat – Black shut
9918178	Shape Corners 2 Way Side – Flat – Black shut – Silver
9918179	Shape Corners 2 Way 45 – Black – Flat – Black shut
9918180	Shape Corners 2 Way 45 – Flat – Black shut – Silver
9918181	Shape Corners 2 Way 120 – Black – Flat – Black shut
9918182	Shape Corners 2 Way 120 – Flat – Black shut – Silver
9918183	Shape Corners 2 Way 135 – Black – Flat – Black shut
9918184	Shape Corners 2 Way 135 – Flat – Black shut – Silver
9918185	Shape Corners 3 Way Y – Black – Flat – Black shut
9918186	Shape Corners 3 Way Y – Flat – Black shut – Silver
9918187	Shape Corners 3 Way T – Black – Flat – Black shut
9918188	Shape Corners 3 Way T – Flat – Black shut – Silver
9918189	Shape Corners 4 Way Plus – Black – Flat – Black shut
9918190	Shape Corners 4 Way Plus – Flat – Black shut – Silver
9918191	Shape Corners 2 Way Down – Black – Flat – Prisma
9918192	Shape Corners 2 Way Down – Flat – Prisma – Silver
9918193	Shape Corners 2 Way Up – Black – Flat – Prisma
9918194	Shape Corners 2 Way Up – Flat – Prisma – Silver
9918195	Shape Corners 2 Way Side – Black – Flat – Prisma
9918196	Shape Corners 2 Way Side – Flat – Prisma – Silver
9918197	Shape Corners 2 Way 45 – Black – Flat – Prisma
9918198	Shape Corners 2 Way 45 – Flat – Prisma – Silver
9918199	Shape Corners 2 Way 120 – Black – Flat – Prisma



oneeightyone.com

Please vist our website and login to your account to see your personal discount

9918200	Shape Corners 2 Way 120 – Flat – Prisma – Silver
9918201	Shape Corners 2 Way 135 – Black – Flat – Prisma
9918202	Shape Corners 2 Way 135 – Flat – Prisma – Silver
9918203	Shape Corners 3 Way Y – Black – Flat – Prisma
9918204	Shape Corners 3 Way Y – Flat – Prisma – Silver
9918205	Shape Corners 3 Way T – Black – Flat – Prisma
9918206	Shape Corners 3 Way T – Flat – Prisma – Silver
9918207	Shape Corners 4 Way Plus – Black – Flat – Prisma
9918208	Shape Corners 4 Way Plus – Flat – Prisma – Silver
9918101	Shape Corners 2 Way Down – Black – Square – Opal diffused
9350990	Reflector LED Profiless 3535 3m
9711300	LED Profiless Corner 300 cm
9721320	Profile Cover Corner 300 cm – Opal diffused
9811310	LED Profiless Mini 300 cm – Black
9811300	LED Profiless Mini 300 cm – Silver
9821310	Profile Cover Mini 300 cm – Flat – Black translucent
9821300	Profile Cover Mini 300 cm – Flat – Opal diffused matt
9771901	Endcap Profile Corner Cable entry
9771900	Endcap Profile Corner Closed
9780990	Mounting Clip Profile Corner
9470990	Mounting Clip Profile H High
9871910	Endcap LED Profiless Mini Black
9871900	Endcap LED Profiless Mini Silver
9880990	Mounting Clip Profile Mini
9919002	Coupling bracket Profile 90 degrees
9919003	Coupling bracket Profile 110 degrees
9919004	Coupling bracket Profile 120 degrees
9919005	Coupling bracket Profile 135 degrees
9919006	Coupling bracket Profile Cross
9919007	Coupling bracket Profile T–Cross
9919008	Coupling bracket Profile Odd–Cross
9919001	Coupling bracket Profile Straight



oneeightyone.com

Please vist our website and login to your account to see your personal discount

Product Number#	Product Name
	LED Powersupplies
9,393 pt	Meanwell PSU 12V 16A 192W IP67 - HLG-240H-12
8441600	Meanwell PSU 24V 10A 240W IP67 - HLG-240H-24
8340100	Meanwell PSU 12V 1,67A 20W IP67 - LPV-20-12
7011100	Power Supply Cord 3-cores with CEE 7-7 Europlug
8440200	Meanwell PSU 24V 1,5A 36W IP67 - LPV-35-24
8342500	Meanwell PSU 12V 22A 264W IP67 - HLG-320H-12
8442500	Meanwell PSU 24V 13A 320W IP67 - HLG-320H-24
8340300	Meanwell PSU 12V 3A 36W IP67 - LPV-35-12
8440100	Meanwell PSU 24V 0,84A 20W IP67 - LPV-20-24
7013200	Power Supply Cord 2x0.75mm with flat CEE 7-16 Europlug
8124000	Meanwell PSU 5V 40A 200W - RSP-200-5
8440700	Meanwell PSU 24V 6,3A 151W IP67 - HLG-150H-24
8341300	Meanwell PSU 12V 12,5A 150W IP67 - HLG-150H-12
8442800	Meanwell PSU 24V 25A 600W IP65 - HLG-600H-24A
8422000	Meanwell PSU 24V 8,4A 200W - RSP-200-24
8322300	Meanwell PSU 12V 16,7A 200W - RSP-200-12
8422100	Meanwell PSU 24V 13,4A 320W - RSP-320-24
8422200	Meanwell PSU 24V 21A 500W - RSP-500-24
8322600	Meanwell PSU 12V 41,7A 500W - RSP-500-12
8441800	Meanwell PSU 24V 20A 480W - HLG-480H-24
8341900	Meanwell PSU 48V 10A 480W - HLG-480H-48
8442600	Meanwell PSU 48V 6,7A 320W IP67 - HLG-320H-48
8500100	Meanwell RHP-1U Rack System
8510200	Meanwell RCP-1600 Series 48V
8510100	Meanwell RCP-1600 Series 24V
8442700	Meanwell PSU 48V 5A 240W IP67 - HLG-240H-48
8343100	Meanwell PSU 24V 75W IP67 - XLG-75-24
8343300	Meanwell PSU 24V 100W IP67 - XLG-100-24
8510400	Meanwell RCP-2000 Series 48V
8510300	Meanwell RCP-2000 Series 24V
8500300	Meanwell RKP-1UT Rack System
8343200	Meanwell PSU 12V 100W IP67 - XLG-100-12
8454100	Meanwell DIN rail PSU 48V 10A 480W - SDR-480P-48
8455100	Meanwell DIN rail PSU 48V 20A 960W - SDR-960-48



oneeightyone.com

Please vist our website and login to your account to see your personal discount

8440800	Meanwell PSU 48V 3,2A 153,6W IP67 - HLG-150H-48
8455601	Meanwell DIN rail AC Inrush Current Limiter 16A - ICL-16R
8455701	Meanwell PSU 24V 3,83A 92W - HDR-100-24
8442812	Meanwell PSU 12V 40A 480W IP65 - HLG-600H-12
8442848	Meanwell PSU 48V 12.5A 600W IP65 - HLG-600H-48
8441301	Meanwell PSU 24V 7.8A 187.2W IP67 - HLG-185H-24
8454001	Meanwell DIN rail PSU 24V 20A 480W - SDR-480-24

Product Number#	Product Name
	LED Cables

7010510	LED Cables 2-cores 1 mm - 100 m - Black
7011310	LED Cables 2-cores 1.5 mm - 100 m - Black
7011410	LED Cables 2-cores 100 m - 2.5 mm - Black
7010210	LED Cables 2-cores 0.5 mm - 100 m - Beige
7010310	LED Cables 2-cores 0.5 mm - 100 m - Black
7010610	LED Cables 4-cores RGB 100 m - 3x 0,5 + 1x 0,75 mm2 - Beige
7012100	Digital LED Cables 2x1 + 2x0.14 100 m
3430413	M12 Cables 3 pins - Power cable - 150cm
3430415	M12 Cables 5 pins - Power cable - 150cm
3430303	M12 Cables 3 pins - Data link cable - 25cm
3430305	M12 Cables 5 pins - Data link cable - 25cm
3430213	M12 Cables 3 pins - Extension cable (data + power) - 100cm
3430215	M12 Cables 5 pins - Extension cable (data + power) - 100cm
3430233	M12 Cables 3 pins - Extension cable (data + power) - 300cm
3430235	M12 Cables 5 pins - Extension cable (data + power) - 300cm
3430133	M12 Cables 3 pins - Input cable - 300cm
3430135	M12 Cables 5 pins - Input cable - 300cm
3430113	M12 Cables 3 pins - Input cable - 100cm
3430123	M12 Cables 3 pins - Input cable - 200cm
3430125	M12 Cables 5 pins - Input cable - 200cm
3430223	M12 Cables 3 pins - Extension cable (data + power) - 200cm
3430225	M12 Cables 5 pins - Extension cable (data + power) - 200cm
3430115	M12 Cables 5 pins - Input cable - 100cm
3430705	M16 Cables 5 pins - Data link cable - 25cm
3430815	M16 Cables 5 pins - Power cable - 150cm
3430515	M16 Cables 5 pins - Input cable - 100cm
3430535	M16 Cables 5 pins - Input cable - 300cm



oneeightyone.com

Please vist our website and login to your account to see your personal discount

3430635	M16 Cables 5 pins – Extension cable (data + power) – 300cm
3430613	M16 Cables 3 pins – Extension cable (data + power) – 100cm
3430703	M16 Cables 3 pins – Data link cable – 25cm
3430813	M16 Cables 3 pins – Power cable – 150cm
3430513	M16 Cables 3 pins – Input cable – 100cm
3430533	M16 Cables 3 pins – Input cable – 300cm
3430633	M16 Cables 3 pins – Extension cable (data + power) – 300cm
3430523	M16 Cables 3 pins – Input cable – 200cm
3430525	M16 Cables 5 pins – Input cable – 200cm
3430623	M16 Cables 3 pins – Extension cable (data + power) – 200cm
3430625	M16 Cables 5 pins – Extension cable (data + power) – 200cm
3430615	M16 Cables 5 pins – Extension cable (data + power) – 100cm
7010811	Flexible Rubber LED Cables 5–cores RGBW 100 m – 4x 0,5 + 1x 0,75 mm2 – White
7010801	Flexible Rubber LED Cables 5–cores RGBW 1m – 4x 0,5 + 1x 0,75 mm2 – White
7010911	Flexible Rubber LED Cables 5–cores RGBW 100 m – 4x 0,5 + 1x 0,75 mm2 – Black
3431705	M16E Cables 3 pins – Data link cable – 25cm
3431815	M16E Cables 3 pins – Power cable – 150cm
3431515	M16E Cables 3 pins – Input cable – 100cm
3431535	M16E Cables 3 pins – Input cable – 300cm
3431635	M16E Cables 3 pins – Extension cable (data + power) – 300cm
3431525	M16E Cables 3 pins – Input cable – 200cm
3431615	M16E Cables 3 pins – Extension cable (data + power) – 100cm
3556598	Cable Guide E-serie
3199902	LED Strip Connector Extension – 10mm – 2P
3199903	LED Strip Connector Extension – 10mm – 3P
3199904	LED Strip Connector Extension – 12mm – 5P
3199905	LED Strip Connector Input – 8mm – 2P
3199906	LED Strip Connector Input – 10mm – 2P
3199907	LED Strip Connector Input – 10mm – 3P
3199908	LED Strip Connector Input – 12mm – 5P
3199909	LED Strip Connector 8mm – 2P
3199910	LED Strip Connector 10mm – 2P
3199911	LED Strip Connector 10mm – 3P
3199912	LED Strip Connector 12mm – 5P
3199901	LED Strip Connector Extension – 8mm – 2P
3115198	LED Strip COB Connector Input
3115199	LED Strip COB Connector Extension



oneeightyone.com

Please vist our website and login to your account to see your personal discount

3432705	M20E Cables 5 pins – Data link cable – 25cm
3432815	M20E Cables 5 pins – Power cable – 150cm
3432515	M20E Cables 5 pins – Input cable – 100cm
3432535	M20E Cables 5 pins – Input cable – 300cm
3432635	M20E Cables 5 pins – Extension cable (data + power) – 300cm
3432525	M20E Cables 5 pins – Input cable – 200cm
3432625	M20E Cables 5 pins – Extension cable (data + power) – 200cm
3432615	M20E Cables 5 pins – Extension cable (data + power) – 100cm

Product Number#	Product Name
	LED Controllers

2270100	LED Decoder DMX 3x4A – LT-8030
2310400	LED Power Repeater 3x8A – LT-3060-8A
2270800	LED Decoder DMX 24x3A – LT-880
2270400	LED Decoder DMX 4x6A – LT-840-6A
2280200	LED Controller DMX-SPI – LT-DMX-1809
2251100	LED Controller StandAlone 3x5A RC – LT-3600RF
2320100	LED Signal Amplifier DMX 3CH – LT-123
2270900	LED Decoder DMX 16x350mA – LT-880-350
2310800	LED Power Repeater 1x12A – LT-3010-12A
2255900	LED Controller WiFi RGBW – WiFi-104
2310900	LED Power Repeater 4x5A – LT-3040-5A
2291100	ArtNet-DMX-1
2291200	ArtNet-DMX-2
2272100	LED Controller DMX Transceiver – LT-870S
2264600	LED Driver DALI DIN-Rail 1x12A – DIN-411-12A
2266100	LED Mini RF DIM – M1/M3-3A
2266200	LED Mini RF CW/WW – M2/M3-3A
2266300	LED Mini RF RGB – M3/M3-3A
2266500	LED Mini RF 3CT – M5/M3-3A
2266600	LED Mini RF RGB – M6/M3-3A
2266700	LED Mini RF RGB – M7/M3-3A
2266400	LED M Serie RF RGBW – M4/M4-5A
2256600	LED Receiver RF 4xCC – R4-CC
2263400	LED Driver 0-10V/Push DIN-Rail 1x12A – DIN-711-12A
2275300	LED Decoder DMX 1x12A Digital – LT-811-12A
2311200	LED Power Repeater 4xCC – LT-3040-CC



2256500	LED Receiver RF 4x5A - R4-5A	
2262900	LED Driver O-10V/Push 4x5A - LT-704-5A	
2271600	LED Decoder DMX Digital 4x5A - LT-820-5A	
2272300	LED Decoder DMX DIN 4x4A - DIN-DMX-4CH	
2266900	LED Mini RF SPI - SPI-16S	
2264900	LED Driver DALI 4x5A - LT-404-5A	
2268600	LED Power Supply DALI - PS-DIN	
2282500	LED Signal Amplifier SPI - LT-122	
2263300	LED Driver O-10V/Push 1x6A - LT-701-6A	
2272700	LED Decoder DMX 4x5A - LT-858-5A	
2272800	LED Decoder DMX 3x6A - LT-853-6A	
2270700	LED Decoder DMX 3x6A - LT-851-6A	
2268100	LED Touch Controller DALI 1 Zone - EDA1	
2272600	LED Decoder DMX 4x5A - LT-854-5A	
2268200	LED Touch Controller DALI 2 Zone - EDA2	
2268300	LED Touch Controller DALI 3 Zone - EDA3	
2311000	LED Power Repeater 3x8A 48V - LT-3070-8A	
2266800	LED M Serie RF RGBW - M8/M4-5A	
2812200	LED Driver DMX 100-700mA 15W - DMX-15-100-700-E1A1	
2262600	LED Driver O-10V/Push 1x12A - LT-701-12A	
2268400	LED Touch Controller DALI 4 Zone - EDA4	
2264100	LED Driver DALI 1x12A - LT-401-12A	
2810200	LED Driver DMX 150-900mA 25W - DMX-25-150-900-E1A1	
2820200	LED Driver DALI 150-900mA 25W - DALI-25-150-900-E1A1	
2320200	LED Signal Amplifier DMX 2CH DIN Rail - DIN-121	
2268700	LED Driver DALI 1x12A - LT-451-12A	
2281100	LED SPI Controller DMX-SPI-202	
2281300	LED SPI Controller - DMX-SPI-203	
2291400	Artnet-SPI-1	
2250100	LED Controller StandAlone 3x5A 8 - LT-3600	
2259000	LED Dimmer 1-10V - E610	
2279300	LED Decoder DMX OLED 32x3A (8x4ch) - LT-932-OLED	
2256900	LED Controller WiFi DMX - WiFi-101-DMX4	
2258800	LED Receiver RF 4x5A - F4-5A	
2258900	LED Receiver RF 4xCC - F4-CC	
2259600	LED Touch Controller DMX/RF CT 4 Zones - EX6	
2259800	LED Touch Controller DMX/RF RGBW 4 Zones - EX8	
2259900	LED Touch Controller DMX/RF DIM - EX1S	



2259500	LED Touch Controller DMX/RF DIM 4 Zones - EX5	
2311400	LED Power Repeater 1x8A - LT-3010-8A	
2811400	LED Driver DMX 200-1200mA 36W - DMX-36-200-1200-E1A1	
2831200	LED Driver O-10V 200-1200mA 36W - AD-36-200-1200-E1A1	
2850100	LED Driver WiFi Long-range 12V - CV-7512-WF03-A	
2850200	LED Driver WiFi Long-range 24V - CV-7524-WF03-A	
2292100	LED Remote DIM - F1	
2292200	LED Remote CT - F2	
2292400	LED Remote RGBW - F4	
2292500	LED Remote DIM 4 Zone - F5	
2292600	LED Remote CT 4 Zone - F6	
2292800	LED Remote RGBW 4 Zone - F8	
2260400	LED Touch Controller DMX/RF RGBW - EX4S	
2279000	LED Decoder DMX OLED 5x5A - LT-905-OLED	
2279100	LED Decoder DMX OLED 12x4A (4x3ch) - LT-912-OLED	
2279200	LED Decoder DMX OLED 24x3A - LT-924-OLED	
2279400	LED Decoder DMX OLED 5x6A - LT-995-OLED	
2270000	LED Controller WiFi DMX/RDM - WiFi-RDM01	
2821600	LED Driver DALI 200-1200mA 36W - DALI-36-200-1200-E1A1	
2831300	LED Driver O-10V 100-700mA 15W - AD-15-100-700-E1A1	
2831600	LED Driver O-10V 150-900mA 25W - AD-25-150-900-E1A1	
2850400	LED Dimmer Triac - E6-TD1	
2278100	LED Decoder DMX 16x700mA - LT-880-700	
2258700	LED Receiver RF 4x3A - F4-3A	
2256000	LED Controller WiFi RGBW - WiFi-106	
2811800	LED Driver DMX 75W 24V - LM-75-24-G1M2	
2822700	LED Driver DALI 75W 12V - LM-75-12-G1D2	
2822800	LED Driver DALI 75W 24V - LM-75-24-G1D2	
2822900	LED Driver DALI 100-700mA 15W - DALI-15-100-700-E1A1	
2253000	LED Touch Controller DIM - E1	
2253200	LED Touch Controller CT - E2	
2831400	LED Driver O-10V 75W 12V - LM-75-12-G1A2	
2831500	LED Driver O-10V 75W 24V - LM-75-24-G1A2	
2263600	LED Receiver RF O-10V - EBOX-AD	
2263700	LED Receiver TRIAC - EBOX-TD	
2263800	LED Receiver RF Extension - EBOX-AP	
2260500	LED Touch Controller DMX/RF RGBW 4 Zones - EX8S	
2281700	LED Driver DALI DT8 75W 12V - LM-75-12-G2D2	



oneeightyone.com

Please vist our website and login to your account to see your personal discount

2281800	LED Driver DALI DT8 75W 24V - LM-75-24-G2D2
2253500	LED Touch Controller RGBW - E4
2253600	LED Touch Controller RGBW - E4S
2821900	LED Driver DALI 100-400mA 12W - SE-12-100-400-W1D
2822000	LED Driver DALI 350-700mA 12W - SE-12-350-700-W1D
2293500	LED Remote CT 4 zone - Q2
2293600	LED Remote RGBW 4 zone - Q4
2293700	LED Remote RGBW CT 4 zone - Q5
2278400	LED Driver DMX 100-400mA SE-12-100-400-W1M
2278500	LED Driver DMX 350-700mA SE-12-350-700-W1M
2832200	LED Driver O-10V 100-400mA 12W - SE-12-100-400-W1A
2832300	LED Driver O-10V 350-700mA 12W - SE-12-350-700-W1A
2268500	LED Dimmer DALI Knob - E6-DA1
2258600	LED Receiver RF 5x4A CV - F5-DMX-4A
2277600	LED Controller DMX/RF - EX61
2812300	LED Driver DMX 100W 24V - LM-100-24-G1M2
2812400	LED Driver DMX 75W 12V - LM-75-12-G2M2
2812500	LED Driver DMX 75W 24V - LM-75-24-G2M2
2812600	LED Driver DMX 100W 24V - LM-100-24-G2M2
2278900	LED Decoder DMX OLED 16x3A - LT-916-OLED
2831700	LED Driver O-10V 100W 24V - LM-100-24-G1A2
2831800	LED Driver O-10V 75W 12V - LM-75-12-G2A2
2831900	LED Driver O-10V 75W 24V - LM-75-24-G2A2
2832000	LED Driver O-10V 100W 24V - LM-100-24-G2A2
2823000	LED Driver DALI 100W 24V - LM-100-24-G1D2
2823100	LED Driver DALI DT8 100W 24V - LM-100-24-G2D2
2252000	LED Dimmer - E61
2252900	LED Touch Controller RGBWY - E5S
2823500	LED DALI Push Switch 6 in 1 Function - LT-424
2842200	LED Driver TRIAC 75W 12V - LM-75-12-G1T2
2842300	LED Driver TRIAC 75W 24V - LM-75-24-G1T2
2823200	LED Driver DALI 250-1000mA 20W - SE-20-250-1000-W2D2
2293800	LED Remote DIM 4 zone - Q1
2264400	LED Touch Controller DALI DIM - EDT1
2274500	LED Touch Controller DALI CT - EDT2
2274600	LED Touch Controller DALI RGB - EDT3
2278600	LED Driver DMX 250-1000mA 20W - SE-20-250-1000-W2M2
2842500	LED Driver Triac CT 75W 24V - LM-75-24-G2T2



oneeightyone.com

Please vist our website and login to your account to see your personal discount

2812900	LED Driver O-10V 150W 12V - LM-150-12-G1A2
2813000	LED Driver O-10V 150W 24V - LM-150-24-G1A2
2812700	LED Driver DMX 12V 150W - LM-150-12-G1M2
2812800	LED Driver DMX 150W 24V - LM-150-24-G1M2
2824100	LED Driver DALI 150W 12V - LM-150-12-G1D2
2824200	LED Driver DALI 150W 24V - LM-150-24-G1D2
2824300	LED Driver DALI DT8 12V 150W - LM-150-12-G2D2
2824400	LED Driver DALI DT8 24V 150W - LM-150-24-G2D2
2258000	LED Controller WiFi RGBWY - WiFi-108
2260700	LED Dimmer O-10V - E610P
2860100	LED Driver Bluetooth 100-400 mA 12W - SE-12-100-400-W1Y
2860200	LED Driver Bluetooth 250-1000 mA 20W - SE-20-250-1000-W2B3
2861100	LED Driver Bluetooth 75W 24V - LM-75-24-G1B2
2861200	LED Driver Bluetooth 100W 24V - LM-100-24-G2B3
2834100	LED Driver O-10V 250-1000mA 20W - SE-20-250-1000-W2A2
2833100	LED Driver CT O-10V 150W 12V - LM-150-12-G2A2
2833200	LED Driver CT O-10V 150W 24V - LM-150-24-G2A2
2813100	LED Driver CT DMX 150W 12V - LM-150-12-G2M2
2813200	LED Driver CT DMX 150W 24V - LM-150-24-G2M2
2267600	LED Signal Converter DALI to O-10V/PWM - LT-84A
2273800	LED Decoder DMX CC - LT-858-CC
2845500	LED Driver TRIAC 350-700mA 15W - SE-15-350-700-G1T
2850900	LED Driver DALI 36W 12V - LM-36-12-G1D2
2845200	LED Driver TRIAC 100-400mA 12W - SE-12-100-400-G1T
2845100	LED Driver TRIAC 350-700mA 9W - SE-9-350-700-G1T
2851000	LED Driver DALI 36W 24V - LM-36-24-G1D2
2825100	LED Driver DALI/DMX RGBW 150W 24V - LM-150-24-G4K3
2843200	LED Driver TRIAC 36W 24V - LM-36-24-G1T2
2843100	LED Driver TRIAC 36W 12V - LM-36-12-G1T2
2843400	LED Driver TRIAC 150W 24V - LM-150-24-G1T2
2843300	LED Driver TRIAC 150W 12V - LM-150-12-G1T2
2814100	LED Driver O-10V 36W 12V - LM-36-12-G1A2
2510112	Non-dimmable LED driver 75W 12V - LC-75-12-G1N
2510124	Non-dimmable LED driver 75W 24V - LC-75-24-G1N
2510148	Non-dimmable LED driver 75W 48V - LC-75-48-G1N
2823600	LED Driver DALI 350-700mA 10W - SE-10-350-700-W1D
2823700	LED Driver DALI 100-450mA 12W - SE-12-100-450-W2D
2826100	LED Driver DALI 500-1750mA 75W - LU-75-500-1750-U1D2



oneeightyone.com

Please vist our website and login to your account to see your personal discount

2814200	LED Driver 0-10V 36W 24V - LM-36-24-G1A2
2850500	LED Touch Controller DIM Triac - E1S-TD
2844100	LED Driver TRIAC 100-450mA 10W - TD-10-100-450-G1T
2274700	LED Touch Controller DALI RGBW - EDT4
2900109	LED Touch Panel 0/1-10V CT - ECT2
2269901	LED DALI Repeater - DALI-AMP-DIN
2846300	LED Driver TRIAC 700mA 10W - TD-10-350-700-G1T
2845700	LED Driver TRIAC 300-1050mA 40W - SE-40-300-1050-G1T
2845800	LED Driver TRIAC 150-900mA 30W - SE-30-150-900-G1T
2320800	LED Signal Amplifier DMX 8CH - RDM-AMP-8
2278300	LED Driver DMX 350-700mA - SE-10-350-700-W1M

Product Number#	Product Name
	DiGidot

20902	DiGidot Din-rail mounting clip
20329	DiGidot RJ45 DMX adapter
20332	DiGidot PxLNet Transmitter Bus Adapter
2091113	DiGidot C4 Terminal connector 6-pins black
20102	DiGidot C4 Live 8 x 512 (4096 ch)
20103	DiGidot C4 Live 12 x 512 (6144 ch)
20104	DiGidot C4 Live 16 x 512 (8192 ch)
20101	DiGidot C4 Live 4 x 512 (2048 ch)
20202	DiGidot C4 Extended 2 x 512 (1024 ch)
20203	DiGidot C4 Extended 4 x 512 (2048 ch)
20204	DiGidot C4 Extended 8 x 512 (4096 ch)
20201	DiGidot C4 Extended 1 x 512 ch
20903	DiGidot TRRS Trigger Cable
20901	DiGidot SD8
20330	DiGidot Ethernet Cable
20331	DiGidot USB Power Cable
2034103	DiGidot PxLNet Transceiver Kit SP - Solder pads only
2034102	DiGidot PxLNet Transceiver Kit ST - Screw terminals
20341	DiGidot PxLNet Transceiver Kit RJ - RJ45 bus
20342	DiGidot PxLNet Transmitter
20820	DiGidot PxLNet Node U96 - 96 universes rackmount PxLNet Node
2035302	DiGidot PxLNet Transceiver 2 ST - Screw terminals
2035301	DiGidot PxLNet Transceiver 2 RJ - RJ45 bus



oneeightyone.com

Please vist our website and login to your account to see your personal discount

2035303	DiGidot PxLNet Transceiver 2 SP - Solder pads only
9520101	PxLNet Distribution Box
20213	DiGidot C4 Upgrades Upgrade DiGidot C4 Extended 2 to 4
20211	DiGidot C4 Upgrades Upgrade DiGidot C4 Extended 1 to 4
20215	DiGidot C4 Upgrades Upgrade DiGidot C4 Extended 4 to 8
20214	DiGidot C4 Upgrades Upgrade DiGidot C4 Extended 2 to 8
20212	DiGidot C4 Upgrades Upgrade DiGidot C4 Extended 1 to 8
20110	DiGidot C4 Upgrades Upgrade DiGidot C4 Live 4 to 8
20111	DiGidot C4 Upgrades Upgrade DiGidot C4 Live 4 to 12
20112	DiGidot C4 Upgrades Upgrade DiGidot C4 Live 8 to 12
20117	DiGidot C4 Upgrades Upgrade DiGidot C4 Live 12 to 16
20113	DiGidot C4 Upgrades Upgrade DiGidot C4 Live 4 to 16
20115	DiGidot C4 Upgrades Upgrade DiGidot C4 Live 8 to 16
20210	DiGidot C4 Upgrades Upgrade DiGidot C4 Extended 1 to 2

Product Number#	Product Name
	MADRIX

2612200	MADRIX USB ONE
2612700	MADRIX Stella
2612800	MADRIX Nebula
2610300	MADRIX 5 License - excl key MADRIX Entry
2610600	MADRIX 5 License - excl key MADRIX Maximum
2610200	MADRIX 5 License - excl key MADRIX Basic
2610400	MADRIX 5 License - excl key MADRIX Professional
2610500	MADRIX 5 License - excl key MADRIX Ultimate
2610700	MADRIX 5 License - excl key MADRIX Preprogrammer
2610100	MADRIX 5 License - excl key MADRIX Start
2612400	MADRIX Luna MADRIX Luna 8
2612500	MADRIX Luna MADRIX Luna 16
2612600	MADRIX Luna MADRIX Luna 4
2612900	MADRIX SMPTE
2630200	MADRIX Compatible Server I5
2630300	MADRIX Compatible Server I7
2630400	MADRIX Compatible Server I9
2630100	MADRIX Compatible Server I3
2600000	MADRIX Key
2613300	MADRIX Orion



oneeightyone.com

Please vist our website and login to your account to see your personal discount

2613408	MADRIX Aura 8 x 512 (4096 ch)
2613432	MADRIX Aura 32 x 512 (16384 ch)
2613402	MADRIX Aura 2 x 512 (1024 ch)
2612008	MADRIX RADAR fusion Licenses MADRIX RADAR fusion medium
2612011	MADRIX RADAR fusion Licenses MADRIX RADAR fusion large
2612005	MADRIX RADAR fusion Licenses MADRIX RADAR fusion small
2612022	MADRIX RADAR fusion License Upgrades medium to large
2612023	MADRIX RADAR fusion License Upgrades small to large
2612021	MADRIX RADAR fusion License Upgrades small to medium
2611000	MADRIX 5 License UPGRADE Entry - Basic
2611100	MADRIX 5 License UPGRADE Basic - Professional
2611200	MADRIX 5 License UPGRADE Professional - Ultimate
2611300	MADRIX 5 License UPGRADE Ultimate - Maximum
2610900	MADRIX 5 License UPGRADE Start - Entry



1. Amsterdam Office

+31(0)208200170
sales@oneeightyone.com

Valschermkade 27-28
1059 CD Amsterdam
The Netherlands

2. Dubai Office

+971505870099
dubai@oneeightyone.com

Jumeirah Bay X3, Office 1005
JLT Cluster X
Dubai, United Arab Emirates

CONTACT

Lightly obsessed with light
