PCR-4X4 & SUV-LTR TIRES

petlas

TRACK OF TRUST

Premium Quality PCR, 4X4 & SUV-LTR Tires

NOTICES & DISCLAIMER

* For load capacity and inflation pressure figures on different speed rates, please consult the producer company.

** Load capacity on standard speed and standard load.

Our company is entitled to change any information in this brochure without prior notice.

This brochure overrides any previous catalogues

All figures are for reference; our company cannot be deemed responsible for printing errors.

*** The visual content of the brochure is only representative. To find the compatible tire for your car, please refer to the car service or authorized dealer.

RANGE OF PETLAS PCR - 4x4, SUV - LTR TIRES

Passenger Car Tires

PT311
ELEGANT

PT515
IMPERIUM

PT525
PROGREEN

PT741
VELOX SPORT

PT565
MULTI ACTION
All Weather Tire

W661
GLACIER
Winter Tire

SNOWMASTER 2
Winter Tire

SNOWMASTER 2
SPORT
Winter Tire

4X4, SUV Tires

PT411
EXPLERO A/S
All Weather Tire

PT421
EXPLERO A/T

PT431
EXPLERO H/T

SUVMASTER A/S
All Weather Tire

W671
EXPLERO
Winter Tire

W681
EXPLERO ICE
Winter Tire

PEAKLANDER M/T
All Weather Tire

LTR Tires

PT825
FULL POWER

PT825
FULL POWER
Plus

PT835
FULL POWER

PT925
FULL GRIP
All Weather Tire

PT935
FULL GRIP
Winter Tire

VANMASTER A/S
All Weather Tire

petlas
TRACK OF TRUST

PT311 ELEGANT

SUMMER

Developed for performance and handling for the general use segment. Offers traction and riding comfort combined with durability.

DESIGNED FOR OPTIMAL DRIVING PERFORMANCE



TYRE SIZE	LOAD/SPEED INDEX	
155/80 R12	77T	
155/80 R13	79T	
165/80 R13	83T	
165/80 R13 RF	87R	
175/80 R14	88T	
165/80 R15	87T	
145/70 R12	69T	
155/70 R12	73T	
165/70 R12	77T	
175/70 R12	80T	
145/70 R13	71T	
155/70 R13	75T	
165/70 R13	79T	
165/70 R13 RF	83T	
175/70 R13	82T	
185/70 R13	86T	••
165/70 R14	81T	
165/70 R14 RF	85R	
175/70 R14	84T	

TYRE SIZE	LOAD/SPEED INDEX	
175/70 R14 RF	88T	
185/70 R14	88T	••
195/70 R14	91T	••
195/70 R15 RF	97T	••
155/65 R13	73T	
165/65 R13	77T	
175/65 R13	80T	
155/65 R14	75T	
165/65 R14	79T	
175/65 R14	82T	
175/65 R14 RF	86T	
185/65 R14	86T	••
195/65 R14	89H	••
175/65 R15	84T	
185/65 R15	88T	••
195/65 R15	91T	••
195/65 R15 RF	95T	••
165/60 R14	75T	

RF : REINFORCED
•• : Sizes with two rib design

PT515 IMPERIUM

SUMMER

Designed and produced with latest technology. It offers good mileage and excellent braking performance in both wet and dry conditions.

DESIGNED FOR EXCEPTIONAL GRIP IN WET AND DRY CONDITIONS



TYRE SIZE	LOAD/SPEED INDEX
175/70 R13	82H
175/70 R14	84H
175/70 R14 RF	88H
185/70 R14	88H
175/65 R14	82H
175/65 R14 RF	86T
185/65 R14	86H
175/65 R15	84H
185/65 R15	88H
185/65 R15 RF	92H
195/65 R15	91H
195/65 R15	91V
195/65 R15 RF	95H
205/65 R15	94H
205/65 R15 RF	99H
205/65 R15	94V
215/65 R15	96V
205/65 R16	95H
215/65 R14	98H
215/65 R16	98V
175/60 R13	77H

TYRE SIZE	LOAD/SPEED INDEX
185/60 R14	82H
195/60 R14	86H
205/60 R14	88V
185/60 R15	84H
185/60 R15 RF	88H
195/60 R15	88H
195/60 R15	88V
205/60 R15	91H
205/60 R15	91V
205/60 R16	92H
205/60 R16	92V
205/60 R16 RF	96V
185/55 R15	82V
205/55 R15	88V
195/55 R16	87V
205/55 R16	91H
205/55 R16	91V
215/55 R16	93V
205/50 R15	86V (RP)

RF : REINFORCED
(RP) : RIM PROTECTOR

petlas
TRACK OF TRUST

PT525 PROGREEN

SUMMER

Designed to be more fuel efficient with high mileage performance. Guarantees safety, durability and low rolling resistance.

ECO-FRIENDLY TIRE DESIGNED FOR ULTIMATE TRACTION AND HANDLING



TYRE SIZE	LOAD/SPEED INDEX
175/70 R14	84T
175/70 R14 RF	88T
185/70 R14	88T
175/65 R14	82T
185/65 R14	86T
185/65 R15	88T
185/65 R15	88H
195/65 R15	91H
195/65 R15 RF	95T
195/65 R15	91V
205/65 R15	94H
185/60 R14	82H
185/60 R15	84H

TYRE SIZE	LOAD/SPEED INDEX
185/60 R15 RF	88H
195/60 R15	88H
205/60 R16	92H
205/60 R16	92V
205/60 R16 RF	96V
215/60 R16	95V
185/55 R14	80H (RP)
185/55 R15	82V (RP)
195/55 R15	85H (RP)
195/55 R16	87H (RP)
205/55 R16	91H (RP)
195/50 R15	82H (RP)
195/50 R16 RF	88V (RP)

RF : REINFORCED
(RP) : RIM PROTECTOR

PT741 VELOX SPORT

SUMMER

Produced for drivers who desire ultimate handling and grip performance without compromising comfort while driving at high speeds.

DESIGNED FOR OUTSTANDING HANDLING AND GRIP PERFORMANCE



TYRE SIZE	LOAD/SPEED INDEX
215/60 R16 RF	99V
225/60 R16	98V
235/60 R16	100W
195/55 R15	85V (RP)
185/55 R16 RF	87H (RP)
195/55 R16	87V (RP)
195/55 R16 RFT	87V (RP)
205/55 R16 RFT	91V (RP)
205/55 R16 RF	94W (RP)
215/55 R16 RF	97W (RP)
225/55 R16 RF	99W (RP)
205/55 R17 RF	95W (RP)
215/55 R17 RF	98W (RP)
225/55 R17 RF	101W (RP)
225/55 R17 RFT	97W (RP)
235/55 R17 RF	103W (RP)
235/55 R18 RF	104W (RP)
195/50 R15	82V (RP)
195/50 R16	84V (RP)
205/50 R16 RF	91W (RP)
225/50 R16 RF	96W (RP)
205/50 R17 RF	93W (RP)
205/50 R17 RFT	89W (RP)
215/50 R17 RF	95W (RP)
225/50 R17 RF	98W (RP)
225/50 R17 RFT	94W (RP)
235/50 R18 RF	101W (RP)
245/50 R18	100W (RP)
245/50 R18 RFT	100W (RP)
195/45 R16 RF	84V (RP)

TYRE SIZE	LOAD/SPEED INDEX
205/45 R16 RF	87W (RP)
215/45 R16 RF	90V (RP)
205/45 R17 RF	88W (RP)
215/45 R17 RF	91W (RP)
225/45 R17 RF	94W (RP)
225/45 R17 RFT	91W (RP)
235/45 R17 RF	97W (RP)
245/45 R17 RF	99W (RP)
215/45 R18 RF	93W (RP)
225/45 R18 RF	95W (RP)
225/45 R18 RFT	91W (RP)
235/45 R18 RF	98W (RP)
245/45 R18 RF	100W (RP)
245/45 R18 RFT	96W (RP)
255/45 R18 RF	103W (RP) ••
275/45 R18 RF	107W (RP) ••
225/45 R19 RF	96W (RP)
235/45 R19 RF	99W (RP)
245/45 R19 RF	102W (RP)
245/45 R19 RFT	98W (RP)
255/45 R19 RF	104Y (RP) ••
205/40 R16 RF	83W (RP)
215/40 R16 RF	86W (RP)
205/40 R17 RF	84W (RP)
215/40 R17 RF	87W (RP)
235/40 R17 RF	94W (RP)
245/40 R17 RF	95W (RP)
215/40 R18 RF	89W (RP)
215/40 R18 RF-RFT	85Y
225/40 R18 RF	92Y (RP)

petlas
TRACK OF TRUST

PT741 VELOX SPORT

SUMMER

TYRE SIZE	LOAD/SPEED INDEX	
225/40 R18 RF-**RFT**	92Y (RP)	
235/40 R18 RF	95W (RP)	
245/40 R18 RF	97W (RP)	
245/40 R18 **RFT**	93W (RP)	
255/40 R18	95W (RP)	••
255/40 R18 **RFT**	95Y	••
265/40 R18 RF	101Y (RP)	••
275/40 R18 RF	103Y (RP)	••
275/40 R18 RF-**RFT**	99Y	••
225/40 R19 RF	93W (RP)	
225/40 R19 RF-**RFT**	93Y (RP)	
235/40 R19 RF	96Y (RP)	
245/40 R19 RF	98W (RP)	
245/40 R19 **RFT**	94W (RP)	
255/40 R19 RF	100W (RP)	
265/40 R19 RF	102W (RP)	••
275/40 R19 RF	105Y (RP)	••
275/40 R19 **RFT**	101Y (RP)	••
285/40 R19 RF	107W (RP)	••
245/40 R20 RF	99W (RP)	
245/40 R20 RF-**RFT**	99Y	
255/40 R20 RF	101W (RP)	••
245/35 R17	87W (RP)	
215/35 R18 RF	84W (RP)	
225/35 R18 RF	87W (RP)	
245/35 R18 RF	92W (RP)	
245/35 R18 **RFT**	88Y	
255/35 R18 RF	94Y (RP)	••
255/35 R18 **RFT**	90Y (RP)	••
265/35 R18 RF	97W (RP)	••
275/35 R18 RF	99W (RP)	••
275/35 R18 **RFT**	95Y (RP)	••
285/35 R18 RF	101W (RP)	••
285/35 R18 **RFT**	97Y (RP)	••
295/35 R18	99Y (RP)	••
215/35 R19 RF	85W (RP)	
225/35 R19 RF	88W (RP)	
225/35 R19 RF-**RFT**	88Y	

TYRE SIZE	LOAD/SPEED INDEX	
235/35 R19 RF	91W (RP)	
245/35 R19 RF	93W (RP)	
245/35 R19 RF- **RFT**	93Y (RP)	
255/35 R19 **RFT**	92W (RP)	••
255/35 R19 RF	96W (RP)	••
265/35 R19 RF	98W (RP)	••
275/35 R19 RF	100W (RP)	••
275/35 R19 **RFT**	96W (RP)	••
285/35 R19	99Y (RP)	••
285/35 R19 RF-**RFT**	99Y (RP)	••
295/35 R19 RF	104W (RP)	••
225/35 R20 RF	90Y	
225/35 R20 RF-**RFT**	90Y	
245/35 R20 RF	95W (RP)	
245/35 R20 RF-**RFT**	95Y	
255/35 R20 RF	97W (RP)	••
265/35 R20 RF	99W (RP)	••
275/35 R20 RF	102Y (RP)	••
275/35 R20 RF-**RFT**	102Y (RP)	••
295/35 R20 RF	105W (RP)	••
245/30 R19 RF	89W (RP)	
255/30 R19 RF	91W (RP)	••
255/30 R19 RF-**RFT**	91Y	••
265/30 R19 RF	93W (RP)	••
275/30 R19 RF	96W (RP)	••
275/30 R19 RF-**RFT**	96W	••
285/30 R19 RF	98W (RP)	••
295/30 R19 RF	100W (RP)	••
305/30 R19 RF	102W (RP)	••
245/30 R20 RF	90Y (RP)	
255/30 R20RF	92Y (RP)	••
255/30 R20 RF-**RFT**	92Y	••
265/30 R20 RF	94Y (RP)	••
275/30 R20 RF	97W (RP)	••
275/30 R20 RF-**RFT**	97Y	••
285/30 R20 RF	99W (RP)	••
295/30 R20 RF	101W (RP)	••
305/30 R20 RF	103W (RP)	••

RF : REINFORCED
RFT : RUN FLAT
(RP) : RIM PROTECTOR
•• : Sizes with two rib design

PT565 MULTI ACTION

All Weather Tire

M+S SUMMER WINTER

Designed for all weather and road conditions to be used year round in all seasons. It is developed to provide balanced performance on dry, wet and snow. 3PMSF symbol on sidewall is approved for use on snow.

ULTIMATE PERFORMANCE ON ALL WEATHER CONDITIONS



TYRE SIZE	LOAD/SPEED INDEX	
155/70 R13	75T	
165/70 R13	79T	
175/70 R13	82T	
175/70 R14	84T	RP
175/65 R14	82T	
185/65 R14	86T	
175/65 R15	84H	
185/65 R15	88T	
185/65 R15	88H	
185/65 R15	92H	
195/65 R15	91H	
195/65 R15 RF	95H	
205/65 R15	94H	
215/65 R16 RF	102V	
185/60 R14	82H	
185/60 R15 RF	88H	
185/65 R15	92H	
195/60 R15	88H	
205/60 R16	96V	
215/60 R16 RF	99V	
185/55 R14	80H	
185/55 R15 RF	86H	
195/55 R15	85H	
195/55 R16	87H	
205/55 R16	91H	
205/55 R16	91V	
205/55 R16 RF	94V	
215/55 R16 RF	97V	RP
225/55 R16 RF	99W	RP
205/55 R17 RF	95W	RP
215/55 R17 RF	98W	RP

TYRE SIZE	LOAD/SPEED INDEX	
225/55 R17 RF	101W	RP
235/55 ZR17 RF	103W	RP
195/55 R20 RF	95H	
195/50 R15	82V	RP
195/50 R16 RF	88V	RP
205/50 R17 RF	93W	RP
215/50 R17 RF	95W	RP
225/50 R17 RF	98V	RP
195/45 R16 RF	84V	RP
215/45 R16 RF	90V	RP
205/45 R17 RF	88W	RP
215/45 ZR17 RF	91W	RP
225/45 R17 RF	94W	RP
235/45 R17 RF	97W	RP
245/45 R17 RF	99Y	RP
225/45 R18 RF	95W	RP
225/45 ZR18 RF	95Y	RP
235/45 R18 RF	98W	RP
245/45 R18 RF	100W	RP
225/45 R19 RF	96W	RP
245/40 ZR17 RF	95Y	RP
225/40 R18 RF	92W	RP
235/40 ZR18 RF	95Y	RP
245/40 R18 RF	97Y	
235/40 ZR19 RF	96Y	RP
235/35 ZR19 RF	91Y	RP
245/35 R19 RF	93Y	RP
255/35 R19 RF	96Y	RP
UNDER DEVELOPMENT		
185/65 R15 RF	92H	

RF : REINFORCED
RP : RIM PROTECTOR

petlas TRACK OF TRUST

W661 GLACIER

Winter Tire

Glacier W661 is specifically developed to help drivers keep moving in the harshest winter conditions where the roads are covered with snow and ice. Ensures ultimate safety by providing precise handling and short braking distance on snowy and icy roads. Optimized profile keeps contact with the ground at even the most extreme conditions. The superior performance of W661 is proven on relentless tests in the challenging weather and road conditions of Finland.

MORE THAN MEETS THE ICE



TYRE SIZE	LOAD/SPEED INDEX
175/70 R13	82T
175/65 R14	82T
185/65 R14	86T
185/65 R15	88T
195/65 R15	91T
205/65 R15	94T
185/60 R15 RF	88T
195/60 R15	88T
205/60 R16	92T
205/60 R16 RF	96T

TYRE SIZE	LOAD/SPEED INDEX
195/55 R16	87T
205/55 R16	91T
215/55 R16 RF	97T
215/55 R17 RF	98T
225/55 R17 RF	101T
215/50 R17 RF	95T
225/50 R17 RF	98T
225/45 R17 RF	94T

RF: REINFORCED

SNOWMASTER 2

Winter Tire

M+S WINTER

SnowMaster 2 is a winter tire developed to provide short braking distances, superior traction performance and safety on snowy surfaces at low temperatures.

HIGH PERFORMANCE ON SNOW



TYRE SIZE	LOAD/SPEED INDEX
155/80 R13	79T
165/80 R13	83T
155/70 R13	75T
165/70 R13	79T
175/70 R13	82T
165/70 R14	81T
175/70 R14	84T
175/70 R14 RF	88T
185/70 R14	88T
155/65 R13	73T
155/65 R14	75T
165/65 R14	79T
175/65 R14	82T
175/65 R14 RF	86T
185/65 R14	86T
175/65 R15	84T
185/65 R15	88H
185/65 R15 RF	92H

TYRE SIZE	LOAD/SPEED INDEX
195/65 R15	91H
195/65 R15 RF	95H
205/65 R15	94H
205/65 R16	95H
185/60 R14	82H
185/60 R15 RF	88H
195/60 R15	88H
205/60 R16 RF-**RFT**	96H
185/55 R15	82H
195/55 R15	85H
185/55 R16 RF	87H
195/55 R16	87H
205/55 R16	91H
205/55 R16 **RFT**	91H
195/50 R15	82H (RP)
195/50 R16 RF	88H (RP)

RF : REINFORCED
RFT : RUN FLAT
(RP) : RIM PROTECTOR

petlas
TRACK OF TRUST

M+S WINTER

SNOWMASTER 2 SPORT

Winter Tire

SnowMaster 2 Sport is a high performance winter tire developed to offer short braking distances and superior handling on snowy roads and a comfortable ride on dry roads.

HIGH PERFORMANCE ON SNOW



TYRE SIZE	LOAD/SPEED INDEX	
215/65 R16 RF	102H	
215/60 R16 RF	99H	
235/60 R16	100H	RP
215/55 R16 RF	97H	
225/55 R16 RF	99H	RP
205/55 R17 RF	95V	
215/55 R17 RF	98V	RP
225/55 R17 RF	101V	RP
235/55 R17 RF	103V	RP
205/50 R17 RF	93V	RP
215/50 R17 RF	95V	RP
225/50 R17 RF	98V	RP
225/50 R17 RF-RFT	98V	RP
215/50 R18	92V	RP
225/50 R18 RF	99V	RP
245/50 R18 RF	104V	RP
205/45 R17 RF	88V	RP
215/45 R17 RF	91V	RP
225/45 R17 RF	94V	RP
235/45 R17 RF	97V	RP
245/45 R17 RF	99V	RP

TYRE SIZE	LOAD/SPEED INDEX	
215/45 R18 RF	93V	RP
225/45 R18 RF	95V	RP
225/45 R18 RF-RFT	95V	RP
235/45 R18 RF	98V	RP
245/45 R18 RF	100V	RP
235/45 R19 RF	99V	RP
245/45 R19 RF	102V	RP
245/40 R17 RF	95V	RP
225/40 R18 RF	92V	RP
235/40 R18 RF	95V	RP
245/40 R18 RF	97V	RP
255/40 R18 RF	99V	RP
225/40 R19 RF	93W	RP
225/40 R19 RF-RFT	93W	RP
245/40 R19 RF	98V	RP
255/40 R19 RF	100V	RP
255/40 R20 RF	101W	RP
255/35 R20 RF	97W	RP

RF : REINFORCED
RFT : RUN FLAT
RP : RIM PROTECTOR

PT411 EXPLERO A/S

All Weather Tire

M+S SUMMER WINTER

High performance 4x4-SUV tire offering reliable performance throughout the year. Shows great traction performance on any kind of road with its special compound mixture. Offers superb comfort by reducing the levels of noise and vibration.

OUTSTANDING DRIVING PERFORMANCE IN ALL WEATHER CONDITIONS



TYRE SIZE	LOAD/SPEED INDEX
235/75 R15	105H
205/70 R15	96H
215/70 R15	98H
215/70 R16	100H
225/70 R16 RF	107T
235/70 R16	106H
245/70 R16	107H
255/70 R16	111T
265/70 R16	112T
215/65 R16	98H
215/65 R16 RF	102H
255/65 R16	109H
215/65 R17	99H
225/65 R17	102H

TYRE SIZE	LOAD/SPEED INDEX
235/65 R17 RF	108H
245/65 R17 RF	111H
255/65 R17	110H
265/65 R17	112H
215/60 R16	95H
235/60 R16	100H
225/60 R17 RF	103H
255/60 R18 RF	112V

UNDER DEVELOPMENT

265/70 R18
285/60 R18
275/60 R20
285/50 R20

RF: REINFORCED

petlas TRACK OF TRUST

PT421 EXPLERO A/T

SUMMER

Produced to meet the demands of high performance SUV and 4x4 vehicles. Reliable and long lasting all terrain tire thanks to its special compound. Special tread design improves braking performance and reduces irregular wear.

ALL TERRAIN PATTERN WITH UNIQUE TRACTION CAPABILITY



TYRE SIZE	LOAD/SPEED INDEX	
205/80 R16 RF	104T	RP
215/80 R15	102S	RP
235/75 R15	105T	RP
255/70 R15	108T	RP
265/70 R15 RF	116T	RP
235/70 R16	106T	RP

TYRE SIZE	LOAD/SPEED INDEX	
245/70 R16 RF	111T	RP
215/65 R16	98T	RP
265/65 R17 RF	116S	RP
255/60 R18 RF	112H	RP
265/60 R18 RF	114T	RP

RF : REINFORCED
RP : RIM PROTECTOR

PT431 EXPLERO H/T

SUMMER

Summer tire developed for luxury SUVs. It combines quality and high performance with its specially developed tread design and compound. Block array maximizes grip performance in every driving condition. Offers short braking distance on wet roads.

DESIGNED FOR ULTIMATE DRIVING COMFORT



TYRE SIZE	LOAD/SPEED INDEX		
225/65 R17	102H	RP	
235/65 R17 RF	108V		
215/60 R17	96V	RP	
235/60 R17	102V	RP	
255/60 R17	106V	RP	••
225/60 R18	100H	RP	
235/60 R18 RF	107V	RP	
245/60 R18	105H	RP	
255/60 R18 RF	112V	RP	••
265/60 R18	110H	RP	••
265/60 R18	110V	RP	••
225/55 R17	97V	RP	
235/55 R17 RF	103V	RP	
215/55 R18	95H	RP	
225/55 R18	98V	RP	
235/55 R18	100V	RP	
255/55 R18 RF	109V	RP	••
225/55 R19	99H	RP	
235/55 R19 RF	105V	RP	
245/55 R19	103H	RP	
255/55 R19 RF	111V	RP	••
275/55 R19	111V	RP	••
255/55 R20 RF	110Y	RP	••

TYRE SIZE	LOAD/SPEED INDEX		
235/50 R18 RF	101V	RP	
235/50 R19 RF	103W	RP	
255/50 R19 RF	107V	RP	••
255/50 R19 RF-**RFT**	107W	RP	••
265/50 R19 RF	110W	RP	••
255/50 R20 RF	109Y	RP	••
275/45 R19 RF	108W	RP	••
285/45 R19	107V	RP	••
255/45 R20 RF	105Y	RP	••
275/45 R20 RF	110W	RP	••
285/45 R20 RF	112Y	RP	••
275/45 R21 RF	110Y	RP	••
275/40 R20	102W	RP	••
275/40 R20 RF-**RFT**	106Y	RP	••
275/40 R22 RF	108Y	RP	••
315/35 R20	110W	RP	••
315/35 R20 RF-**RFT**	110W	RP	••
265/35 R21 RF	101Y	RP	••
295/35 R21 RF	107Y	RP	••

RF : REINFORCED
RFT : RUN FLAT
•• : Sizes with two rib design
RP : RIM PROTECTOR

petlas
TRACK OF TRUST

SUVMASTER A/S

All Weather Tire

M+S SUMMER WINTER

All weather tire for a wide range of weather and road conditions. The V-shaped channels offer effective discharge of water, mud and snow. Delivers excellent driving and cornering capabilities and assures safety on both ice and snow thanks to its unique pattern design and special compound. 3PMSF and M+S markings on the tire prove better grip and braking on snowy roads.

ULTIMATE PERFORMANCE ON ALL WEATHER CONDITIONS



TYRE SIZE	LOAD/SPEED INDEX
215/65 R17 RF	103V (RP)
235/65 R17 RF	108W (RP)
215/60 R17 RF	100V (RP)
225/60 R18 RF	104W (RP)
235/60 R18 RF	107W (RP)
215/55 R18 RF	99V (RP)
225/55 R18 RF	102V (RP)
235/55 R18 RF	104V (RP)
255/55 R18 RF	109W (RP)
235/55 R19 RF	105W (RP)
215/50 R18	92W (RP)
235/50 R18 RF	101W (RP)
235/45 R19 RF	99W (RP)
245/45 R19 RF	102W (RP)

RF : REINFORCED
(RP) : RIM PROTECTOR

W671 EXPLERO

Winter Tire

M+S WINTER

Designed for high traction and grip performance on snowy and icy roads. Provides stability on dry roads with special compound. Unique pattern design enables ultimate handling and cornering performance. Reduces stopping distance on slippery roads.

CONFIDENT TRACTION AND BRAKE PERFORMANCE ON SEVERE WINTER CONDITIONS



TYRE SIZE	LOAD/SPEED INDEX
215/80 R15	102S
205/80 R16 RF	104T
235/75 R15 RF	109T
205/70 R15	96T
215/70 R15	98H
215/70 R16 RF	104H
225/70 R16 RF	107H
235/70 R16	106T
245/70 R16 RF	111T
255/70 R16	111T
265/70 R16	112T
215/65 R17	99H
225/65 R17 RF	106H
235/65 R17 RF	108V
245/65 R17 RF	111H
255/65 R17 RF	114H
265/65 R17 RF	116H
215/60 R17 RF	100H
225/60 R17 RF	103V
235/60 R17 RF	106H
255/60 R17 RF	110V
225/60 R18 RF	104V
235/60 R18 RF	107H
245/60 R18 RF	105H
255/60 R18 RF	112H
265/60 R18 RF	114H (RP)
235/55 R17 RF	103V (RP)
215/55 R18	95H (RP)
225/55 R18 RF	102H (RP)

TYRE SIZE	LOAD/SPEED INDEX
235/55 R18 RF	104H (RP)
255/55 R18 RF	109V (RP)
255/55 R18 RF-RFT	109H (RP)
205/55 R19 RF	97H (RP)
225/55 R19	99H (RP)
235/55 R19 RF	105V (RP)
245/55 R19	103H (RP)
255/55 R19 RF	111V (RP)
275/55 R19	111H (RP) ••
235/50 R18 RF	101V (RP)
235/50 R19 RF	103V (RP)
255/50 R19 RF	107V (RP)
255/50 R19 RF-RFT	107V (RP)
245/50 R20	102V (RP)
265/50 R20 RF	111H (RP)
225/45 R19 RF	96V (RP)
285/45 R19 RF	111H (RP) ••
275/45 R20 RF	110V (RP) ••
275/40 R20 RF	106V (RP) ••
275/40 R20 RF-RFT	106V (RP) ••
315/35 R20 RF	110V (RP) ••
315/35 R20 RF-RFT	110V (RP) ••

RF : REINFORCED
RFT : RUN FLAT
(RP) : RIM PROTECTOR
•• : Sizes with two rib design

petlas
TRACK OF TRUST

W681 EXPLERO ICE

Winter Tire

W681 Explero Ice is specifically developed to endure the most extreme road and weather conditions. Guarantees perfection in safety by providing precise handling and short braking distance even when the road is blanketed with snow or ice. Optimized tread profile and carefully engineered compound mixture ensures continuous contact with the ground at even the most extreme climates. The outstanding performance is affirmed on relentless testing conditions of Finland.

EXTREME PERFORMANCE FOR EXTREME CHALLENGES



TYRE SIZE	LOAD/SPEED INDEX
245/70 R16 RF	111T
215/65 R16 RF	102T
215/60 R17 RF	100T

RF : REINFORCED

PEAKLANDER M/T

M+S SUMMER WINTER

All Weather Tire

Engineered to deliver unmatched traction, longevity, and resilience, the PEAKLANDER M/T is set to transform the off-road driving experience for enthusiasts worldwide.

EXCELLENCE IN TRACTION DURABILITY AND PERFORMANCE

TYRE SIZE	PR	LOAD/SPEED INDEX
31X10.50 R15LT	6PR	109Q
33X12.50 R15LT	6PR	108Q
35X12.50 R15LT	6PR	113Q
35X12.50 R17LT	10PR	121Q
35X12.50 R18LT	8PR	118Q
35X12.50 R18LT	10PR	123Q
35X12.50 R20LT	10PR	121Q
LT245/75 R16	8PR	114Q
LT245/75 R16	10PR	120/116Q
LT265/75 R16	6PR	112/109Q

TYRE SIZE	PR	LOAD/SPEED INDEX
LT265/75 R16	10PR	123/120Q
LT315/75 R16	8PR	121Q
LT245/75 R17	10PR	121/118Q
LT245/70 R16	8PR	113/110Q
LT265/70 R17	10PR	121/118Q
LT285/70 R17	10PR	121/118Q

UNDER DEVELOPMENT

35x12.50 R16LT
LT285/75 R16
LT265/60 R18

petlas
TRACK OF TRUST

PT825 FULL POWER

SUMMER

Designed for commercial light trucks, transporters and vans. Deep treads and straight ribs provide excellent handling in any kind of weather condition. Enhances cornering safety and thanks to its wear resistant special compound, offers durability.

DESIGNED TO DELIVER OPTIMAL PERFORMANCE AND DURABILITY



TYRE SIZE		PR	LOAD/SPEED INDEX
195	**R15 C**	8PR	106/104R

PT825 FULL POWER Plus

SUMMER

Radial summer tire designed with high technology. Offers high grip performance and wear resistance thanks to its special tread compound.

OUTSTANDING GRIP PERFORMANCE IN WET AND DRY CONDITIONS



TYRE SIZE	PR	LOAD/SPEED INDEX	TYRE SIZE	PR	LOAD/SPEED INDEX
5.00 R12C		83/81P	**215/75 R16 C**		116/114R
155 R12 C		88/86N	**225/75 R16 C**		118/116R
155 R13 C		90/89R	**165/70 R14 C**		89/87R
185 R14 C		102/100R	**195/70 R15 C**		104/102R
195 R14 C		106/104R	**205/70 R15 C**		106/104R
205 R14 C		109/107P	**215/70 R15 C**		109/107S
215 R14 C		112/110P	**225/70 R15 C**		112/110R
185 R15 C		103/102R	**225/70 R15 C**		116/114R
175/75 R16 C		101/99R	**205/65 R15 C**		102/100T
185/75 R16 C		104/102R	**205/65 R16 C**		107/105T
195/75 R16 C		107/105R	**215/65 R16 C**		109/107R
205/75 R16 C		110/108R	**225/65 R16 C**		112/110R
205/75 R16 C		113/111R	**235/65 R16 C**		115/113R
215/75 R16 C		113/111R	**235/65 R16 C**		121/119R

PT835 FULL POWER

SUMMER

Safe handling in all kind of situations, even under heavy loads. Wide contact area increases stability and enhances driving performance. Offers excellent mileage, rolling resistance and safety in wet roads.

••

LONG LASTING PERFORMANCE, WITH ULTIMATE WET GRIP AND HANDLING CAPABILITY



TYRE SIZE	PR	LOAD/SPEED INDEX	
205/75 R16 C	8PR	110/108R	
215/75 R16 C	8PR	113/11R	
215/75 R16 C	10PR	116/114R	
225/70 R15 C	8PR	112/110R	
215/65 R15 C	6PR	104/102T	
195/65 R16 C	8PR	104/102T	
205/65 R16 C	8PR	107/105T	
215/65 R16 C	8PR	109/107R	
235/65 R16 C	8PR	115/113R	
235/65 R16 C	12PR	121/119R	
285/65 R16 C	10PR	128N	••
195/60 R16 C	6PR	99/97T	

•• : Sizes with two rib design

PT925 FULL GRIP

All Weather Tire

Designed for all weather performance. Offers excellent traction in difficult conditions thanks to its V shaped special tread pattern design.

EXCELLENT GRIP CAPABILITY WITH LONG LASTING PERFORMANCE



TYRE SIZE		PR	LOAD/SPEED INDEX
155	R12 C	8PR	88/86N
155	R13 C	8PR	90/89N
185	R14 C	8PR	102/100R
195	R14 C	8PR	106/104R
175/75	R16 C	8PR	101/99R
185/75	R16 C	8PR	104/102R
195/75	R16 C	8PR	107/105R
205/75	R16 C	8PR	110/108R
215/75	R16 C	8PR	113/111R
225/75	R16 C	8PR	118/116R
225/75	R16 C	10PR	118/116R

TYRE SIZE		PR	LOAD/SPEED INDEX
195/70	R15 C	8PR	104/102R
205/70	R15 C	8PR	106/104R
215/70	R15 C	8PR	109/107R
225/70	R15 C	8PR	112/110R
205/65	R15 C	8PR	102/100T
205/65	R16 C	8PR	107/105T
215/65	R16 C	8PR	109/107R
225/65	R16 C	8PR	112/110R
235/65	R16 C	8PR	115/113R
195/60	R16 C	6PR	99/97T

petlas
TRACK OF TRUST

PT935 FULL GRIP

Winter Tire

M+S WINTER

Unique tread design with wavy sipes enables high grip performance on icy roads. Offers safety and durability.

••

EXCEPTIONAL TRACTION AND BRAKE PERFORMANCE IN HARSH WINTER CONDITIONS



TYRE SIZE	PR	LOAD/SPEED INDEX	TYRE SIZE	PR	LOAD/SPEED INDEX
155 R12 C	8PR	88/86N	215/70 R15 C	8PR	109/107R
155 R13 C	8PR	90/89N	225/70 R15 C	8PR	112/110R
185 R14 C	8PR	102/100R	215/65 R15 C	6PR	104/102T
195 R14 C	8PR	106/104R	195/65 R16 C	8PR	104/102T
185/75 R16 C	8PR	104/102R	205/65R16 C	8PR	107/105T
195/75 R16 C	8PR	107/105R	215/65 R16 C	8PR	109/107R
205/75R16 C	10PR	113/111R	225/65 R16 C	8PR	112/110R
215/75 R16 C	10PR	116/114R	235/65 R16 C	8PR	115/113R
225/75 R16 C	8PR	118/116R	235/65 R16 C	12PR	121/119R
225/75 R16 C	10PR	118/116R	285/65 R16 C	10PR	128N ••
195/70 R15 C	8PR	104/102R	195/60 R16 C	6PR	99/97T
205/70R15 C	8PR	106/104R			

•• : Sizes with two rib design

VANMASTER AS

All Weather Tire

M+S SUMMER/WINTER

All season light commercial vehicle tire developed for use in all weather and road conditions approved for use on snow.

IN ALL WEATHER AND ROAD CONDITIONS



TYRE SIZE	PR	LOAD/SPEED INDEX	TYRE SIZE	PR	LOAD/SPEED INDEX
155 R12 C	8PR	88/86N	**215/70 R15 C**	8PR	109/107S
155 R13 C	8PR	90/89R	**225/70 R15 C**	10PR	116/114R
185 R14 C	8PR	102/100R	**215/65 R15 C**	8PR	104/102T
195 R14 C	8PR	106/104R	**205/65 R16 C**	6PR	107/105T
185/75 R16 C	8PR	104/102R	**215/65 R16 C**	8PR	109/107T
195/75 R16 C	8PR	107/105R	**225/65 R16 C**	8PR	112/110R
205/75 R16 C	10PR	113/111R	**235/65 R16 C**	12PR	121/119R
215/75 R16 C	10PR	116/114R	**285/65 R16 C**	12PR	131R
225/75 R16 C	10PR	118/116R	**195/60 R16 C**	6PR	99/97T
195/70 R15 C	8PR	104/102R	**215/60 R17 C**	8PR	109/107T

petlas
TRACK OF TRUST

NOTES

At Petlas, our commitment is to enhance your driving experience with Petlas PCR - 4x4 & SUV-LTR tires. Designed to meet the challenges of diverse road conditions, these tires combine robust durability with advanced technology, ensuring safety and performance in every journey.

Engineered for long-lasting use and exceptional handling, Petlas PCR - 4x4 & SUV-LTR tires offer an ideal mix of comfort and resilience. Perfect for both daily driving and off-road adventures, they provide reliable grip, smooth handling, and a quiet ride.

For drivers valuing quality and efficiency, Petlas PCR - 4x4 & SUV-LTR tires are the definitive choice. Rely on them for top-notch performance and assurance, no matter where your road leads.

2024 EDITION

petlas

Headquarters - Factory
Petlas Tire Industry and Trade
Kındam Mahallesi Ankara - Kayseri Caddesi
No: 2/1 Kırşehir / TÜRKİYE
T: +90 386 252 65 50 • F: +90 386 252 65 70

Int. Sales & Marketing
Petlas Tire Industry and Trade Ako Kule
Söğütözü Mh. 2178. Cd. No: 6
06530 Ankara / TÜRKİYE
T. +90 312 309 30 30 • F: +90 312 309 22 66

Petlas Tire USA
1111 E. Lincolnway STE 205
Cheyenne, WY 82001 USA

www.petlas.com
Made in TÜRKİYE