

ED SOLUTIONS

SPECIALISED
TEST BENCH
EQUIPMENT



ED
EURODIESEL
SERVICES



ED318A Common Rail Injector Test Bench



Voltage: 380 V
Power: 4KW
Weight: 400 KG
Size: 1450*900*1600

Standard Features

Test Range

- High Pressure Common Rail Injector
- Piezo Common Rail Injector

Features

- Combined Flow-meter
- High-precision Response Time Test
- Simultaneous Measurement of Oil Injection, Oil Return and Response Time

★Optional Function

—

—

ED318C Common Rail Injector Test Bench



Voltage: 380 V
Power: 4KW
Weight: 400 KG
Size: 1280*820*1600

Standard Features

Original Appearance Design

Test range

- High Pressure Common Rail Injector
- Piezo Common Rail Injector

Features

- Combined Flow-meter
- High-precision Response Time Test
- Simultaneous Measurement of Oil Injection, Oil Return and Response Time

★Optional Function

—

—

ED318S Common Rail & HEUI Test Bench



Voltage: 380 V
Power: 4KW
Weight: 500 KG
Size: 1410*810*1610

Standard Features

Original Appearance Design

Test range

- High Pressure Common Rail Injector
- Piezo Common Rail Injector
- HEUI Common Rail injector

Feature

- Combined Flow meter
- Oil and Diesel runs independently and do not cross each other
- High-Pressure Oil Return Test
- High-Precision Response Time Test
- Simultaneous Measurement of Oil Injection, Oil Return and Response Time

★Optional Function

—

—

ED318H HEUI Test Bench



Voltage: 380 V
Power: 2.2KW
Weight: 400 KG
Size: 1255*780*1570mm

Standard Features

Original Appearance Design

Test range

- HEUI Common Rail injector

Feature

- Quick Tooling Fixture for CAT HEUI Injector Test etc.
- Simultaneous Test of Fuel Injection, Fuel Return, and Response Time
- Automatic Temperature Control System for Test Fluid
- Manual Setting of Test Conditions

★Optional Function

—

—

ED318S Common Rail & HEUI Test Bench



Voltage: 380 V
Power: 4KW
Weight: 500 KG
Size: 1410*810*1610

Standard Features

Original Appearance Design

Test range

- High Pressure Common Rail Injector
- Piezo Common Rail Injector
- HEUI Common Rail injector

Feature

- Combined Flow meter
- Oil and Diesel runs independently and do not cross each other
- High-Pressure Oil Return Test
- High-Precision Response Time Test
- Simultaneous Measurement of Oil Injection, Oil Return and Response Time

★Optional Function

—

—

ED718 6 - Channel Common Rail Test Bench



Standard Features

Original Appearance Design

Test range

- Piezo Common Rail Injector

Features

- 12 built-in flow sensors with quick injector clamping
- Tests fuel injection, return flow, and response time
- Real-time fuel correction coding for 6 injectors
- Simulates engine conditions with adjustable control curves
- Supports coding for Bosch, Denso, Delphi, VDO, Cummins CRI systems

★Optional Function

—

—

ED918S Multi-Function Test Bench



Voltage: 380 V
Power: 22KW
Weight: 1400 KG
Size: 2360*1280*1890

Standard Features

Original Appearance Design

Test range

- High Pressure Common Rail Injector
- Piezo Common Rail Injector
- HEUI Common Rail injector
- EUI/EUP
- High Pressure Common Rail Pump
- CAT Actuation Pump
- [New Cambox is equipped with 10 adapters in standard quotation]

Features

- Combined Flow-meter
- Simultaneous Measurement of Oil Injection, Oil Return and Response Time
- C7/C9 Injector Fast Tooling
- HEUI Injector Concealed Pipe Design

★Optional Function

- ★CUMMINS PT INJECTOR
- ★CUMMINS PUMP TESTING
- ★HPI Q60 X15 / CUMMINS HPI Runner
- ★E3 CONTROL BOX

ED1016 Multi-Function Test Bench



Voltage: 380 V
Power: 30 KW
Weight: 1500 KG
Size: 1990*1330*1890

Standard Features

Original Appearance Design

Test range

- High Pressure Common Rail Injector
- Piezo Common Rail Injector
- EUI/EUP
- High Pressure Common Rail Pump
- [New Cambox is equipped with 10 adapters in standard quotation]
- [CAT Test Kit is optional]

Features

- Combined Flow-meter
- Simultaneous Measurement of Oil Injection, Oil Return and Response Time
- C7/C9 Injector Fast Tooling
- HEUI Injector Concealed Pipe Design
- Independent Drive System for Common Rail Injector and EUI
- 30KW Power Motor

★Optional Function

- ★CUMMINS PT INJECTOR
- ★CUMMINS PUMP TESTING
- ★HPI Q60 X15 / CUMMINS HPI Runner
- ★E3 CONTROL BOX

POWERTRAIN SYSTEMS SPECIALIST

OUR LOCATIONS

Dubai

Eurodiesel Services LLC
WH 90, R239-1, Wasl Properties
First Al Khaif St,
Dubai, UAE – PO. BOX 30919
☎ +971 4 527 6666

Abu Dhabi

Eurodiesel Services LLC
Musaffah Industrial Area – M34,
Abu Dhabi, UAE – PO. BOX 30919
☎ +971 2 550 3773

Sharjah

Eurodiesel Services LLC
Shop 1B, Hateem Farah Building,
Industrial Area 3, Sharjah, UAE
☎ +971 6 535 2995

Mumbai

Eurodiesel Services Pvt Ltd
Building E3, Unit No. 11&12,
Bhumi World, Bhiwandi,
Pimpas, Thane - PO. BOX 421302
☎ +91 96049 00555

Djibouti

E.D. Services SARL
Al Gamil Villa Complex,
Djibouti, Republic of Djibouti
☎ +91 77384 87032

ENQUIRE NOW!



+971 4 527 6777



info@eurodieselservices.net



www.eurodieselservices.net

FOLLOW US



Our Official
WhatsApp Channel!

@eurodieselservices