









ABOUT US

Established in 2015, EXN Lube is a premier lubricant oil manufacturer based in Petaling Jaya, Malaysia. We currently operated in over 10 international markets predominantly in Asia and are continuously expanding to more places.

As a quality-driven organization, we are committed to develop and deliver only the highest quality lubricants to a wide range of industries. In our company, we are dedicated to the production of premium quality lubricants designed to meet the needs of both high-performance and everyday street vehicles.

We specialize in trading EXN Lube branded oil lubricants for a variety of vehicles, including passenger cars (including 4x4), motorcycles, and heavy-duty machinery. Our product range includes engine oil, gearbox oil, engine treatment oil, and lubricants for various vehicles and heavy-duty machinery. This commitment allows us to provide customized solutions that exceed the unique requirements of our valued customers.

The prestigious trademark, "EXN - The Lubricant Expert," stands as a testament to our steadfast commitment to excellence in every facet of our operations.







MOTORCYCLE LUBRICANTS

Blending synthetic and petroleum-based oils, our motorcycle lubricants are made for high output and high temperature motorcycle engines by providing smooth positive clutch engagement, maximum engine protection and extreme pressure protection for all kinds of transmissions. The newest technology found here improves stability, formulated to offer smooth clutch activation and prevent wearing out of engines.



Available in:

- 1 Litres
- 1.2 Litres









www.exnlube.com



ADVANCE PERFORMANCE FOR EVERY RIDE





Available in :
• 1 Litres











Packaging:







Product Number : E-MCR1-4T-10W-50SN-FS-ESTER

Packaging:







Product Number: E-MCM7-4T-10W-60SN-FS-ESTER







4T SAE 10W-40

API SN | JASO MA2 - 100% FULLY SYNYHETIC ESTER

FEATURES AND ADVANTAGES

- · Reduces maintenance costs and easy gear shifting
- JASO MA2 approved to warranty a perfect lock up of wet clutch
- · Ensures a minimum oil consumption to reduce volatility of the components
- · Powerful anti-foaming agent keeps high oil pressure and heat transfer at a maximum level
- · Prevents sedimentation and sludge from forming under all weather elements and keeps the engine clean

PRODUCT SPECIFICATIONS

STANDARDS:

- API SN JASO MA2

4T SAE 10W-50

API SN | JASO MA2 - 100% FULLY SYNYHETIC ESTER

FEATURES AND ADVANTAGES

- · Reduces maintenance costs and easy gear shifting
- JASO MA2 approved to warranty a perfect lock up of wet clutch
- Ensures a minimum oil consumption to reduce volatility of the components
- · Powerful anti-foaming agent keeps high oil pressure and heat transfer at a maximum level
- Prevents sedimentation and sludge from forming under all weather elements and keeps the engine clean

PRODUCT SPECIFICATIONS

- STANDARDS:
- API SN JASO MA2

4T SAE 10W-6C

API SN | JASO MA2 - 100% FULLY SYNYHETIC TWIN ESTER

FEATURES AND ADVANTAGES

- · Reduces maintenance costs and easy gear shifting
- JASO MA2 approved to warranty a perfect lock up of wet clutch
- Ensures a minimum oil consumption to reduce volatility of the components
- · Powerful anti-foaming agent keeps high oil pressure and heat transfer at a maximum level
- Prevents sedimentation and sludge from forming under all weather elements and keeps the engine clean

PRODUCT SPECIFICATIONS

- STANDARDS:
- · API SN · JASO MA2





4T SAE **5W-50** API SM | JASO MA2 - FULLY SYNYHETIC

FEATURES AND ADVANTAGES

- Fuel saving regarding partial load operation and full power operation
- Prevents the formation of black deposits
- · Triple protection of engine, clutch and gears
- Safe lubricating layer at very high operating temperatures
- Very high levels of wear and oxidation protection

PRODUCT SPECIFICATIONS

- STANDARDS:
- API SM JASO MA2

Product Number: E-MC-4T-5W50SM-FS

ckaging:





4T SAE 10W-40 API SM | JASO MA2 - FULLY SYNYHETIC

FEATURES AND ADVANTAGES

- Reduces sedimentation on the pistons
- · Protects from wear, corrosion and foaming
- · Reduces maintenance costs and easy gear shifting
- JASO MA2 approved to warranty a perfect lock up of wet clutch
- High viscosity index takes its viscosity under control in heavy duty

PRODUCT SPECIFICATIONS

- STANDARDS:
- · API SM · JASO MA2



Product Number: E-M4T-10W-40-SM-FULLY

Packaging:





4T SAE 15W-50 API SM | JASO MA2 - FULLY SYNYHETIC

FEATURES AND ADVANTAGES

- · Can be mixed with synthetic or mineral lubricants
- · Reduces maintenance costs and easy gear shifting
- JASO MA2 approved to warranty a perfect lock up of wet clutch
- Highly oxidation stable-protects engine from oil thickening, high temperature deposits
- · Shear stable viscosity index improver-protects against viscosity breakdown in severe service

PRODUCT SPECIFICATIONS

STANDARDS:

• API - SM

JASO MA2



Product Number: E-M4T-15W-50-SM-FULLY











MOLYTECHNOLOGY

Rooted in a 60 atom sphere called a "Buckey Ball" that looks like a soccer ball at the atomic level. With conventional lubricant, tiny microscopic asperities on the metal's surface slide against each other and break apart. These asperities can be protected by nanoparticles, which act like billions of ball bearings to fill the gaps and creates a uniform surface on the atomic level.

MOLYTECH & NANO TECHNOLOGY special combine in EXN Engine Oil Additive is the latest technology for protecting and extending the life of your auto engine and through mechanical. MOLYTECH & TECHNOLOGY is ball bearings transform the sliding friction, thereby reducing heat, wear and engine drag. Lower heat helps to extend the life of the oil, and less engine drag increases fuel mileage.



BENEFITS OF MOLYTECH



Varnish The Deposits



Prevent Agglomeration of Sludge




Preventing Metal To Metal Contact



Anti Foaming & Rust Inhibitor



Viscosity Improver, Ability Filling In PAMA Technology



Empty Curvy Surface



Tackifier Additive



TBN Booster



4T SAE 10W-40

API SP | JASO MAZ - MOLYTECH SYNTHETIC ESTER

FEATURES AND ADVANTAGES

- Strong oil adhesion on metallic surfaces results in drastic reduction of friction and developed wear
- Excellent fluidity at low temperatures
- Rapid heat removal reduces engine running temperature
- · Superior viscosity stability at high rpm and temperatures
- · High coefficient of friction

PRODUCT SPECIFICATIONS

STANDARDS:

• API - SP • JASO MA2

4T SAE 15W-5 API SP | JASO MA2 - MOLYTECH SYNTHETIC ESTER

FEATURES AND ADVANTAGES

- · Strong oil adhesion on metallic surfaces results in drastic reduction of friction and developed wear
- · Perfect match to racing
- Rapid heat removal reduces engine running temperature
- · Superior viscosity stability at high rpm and temperatures
- Prevention of oil-related deposits in combustion chambers, in the piston ring zone and on the valves

PRODUCT SPECIFICATIONS

STANDARDS:

- API SP JASO MA2



Product Number: E-MTR-4T-10W40SP-MA2-SE

Packaging:







Product Number: E-MTR-4T-15W50SP-MA2-SE

Packaging: 1.2L







4T SAE **5W-40**

API SN | JASO MAZ - SYNTHETIC

FEATURES AND ADVANTAGES

- Latest oil specification technology exceeding API SP and ACEA C3
- Outstanding oxidation performance to enhance engine cleanliness required by most premium European OEMs
- Maximises short and long term engine performance
- · High shear resistance to ensure excellent oil film thickness over the whole oil drain service

PRODUCT SPECIFICATIONS

STANDARDS:

- API SN
- · JASO MA2



Product Number: E-M4T-5W-40-SN-SYNT

Packaging:

4T SAE 10W-30

API SM | JASO MAZ - SYNTHETIC

FEATURES AND ADVANTAGES

- · Protects from wear, corrosion and foaming
- · Reduces maintenance costs and easy gear shifting
- JASO MA2 approved to warranty a perfect lock up of wet clutch
- Provides superior protection to extend the service life of the engine
- · Prevents sedimentation and sludge from forming under all weather elements, keeps the engine clean

PRODUCT SPECIFICATIONS

STANDARDS:

- API SM JASO MA2





4T SAE 10W-40 API SM | JASO MA2 - SYNTHETIC

FEATURES AND ADVANTAGES

- Reduces sedimentation on the pistons
- · Protects from wear, corrosion and foaming
- · Reduces maintenance costs and easy gear shifting
- JASO MA2 approved to warranty a perfect lock up of wet clutch
- High viscosity index takes its viscosity under control in heavy duty conditions

PRODUCT SPECIFICATIONS

STANDARDS:

- API SM
- · JASO MA2

4T SAE 15W-50 API SM | JASO MA2 - SYNTHETIC

FEATURES AND ADVANTAGES

- · Can be mixed with synthetic or mineral lubricants
- · Reduces maintenance costs and easy gear shifting
- JASO MA2 approved to warranty a perfect lock up of wet clutch
- Highly oxidation stable protects engine from oil thickening, high temperature deposits
- · Shear stable viscosity index improver protects against viscosity breakdown in severe service

PRODUCT SPECIFICATIONS

STANDARDS:

- API SM JASO MA2







Packaging:







SCOOTER 10W-40

API SM | JASO MAZ - SYNTHETIC

FEATURES AND ADVANTAGES

- JASO MB is approved to warranty a perfect lock up of dry clutch system
- Sophisticated performance additive package offers maximum protection and reliability
- · Optimum cold starting characteristics
- Good wear protection
- Ideal for stop-and-go traffic

PRODUCT SPECIFICATIONS

STANDARDS:

- API SM
- JASO MA2



Product Number : E-MCS-4T-10W40SM-SS

Packaging:

SCOOTER 80W-90

High Performance Scooter Gear Oil Design

FEATURES AND ADVANTAGES

- Minimizes wear
- Multigrade viscosity gives good performance over a wide temperature range
- Reduces running noise
- Excellent resistance to aging
- Easy to use one-shottube with 150ml to minimize wastage

PRODUCT SPECIFICATIONS

STANDARDS:

• API GL-5



4T SAE 15W-40

API SL | JASO MA2 - PREMIUM MINERAL

FEATURES AND ADVANTAGES

- Protects from wear, corrosion and foaming
- Triple protection of engine, clutch and gears
- An adhesive, pressure-and temperature-resistant oil film
- Provides superior protection to extend the service life of the engine
- High viscosity index takes its viscosity under control in heavy duty conditions
- Prevents sedimentation and sludge from forming under all weather elements, keeps the engine clean

PRODUCT SPECIFICATIONS

STANDARDS:

- API SL JASO MA2

4T SAE **20W-40** API SJ | PREMIUM MINERAL

FEATURES AND ADVANTAGES

- · Protects from wear, corrosion and foaming
- Triple protection of engine, clutch and gears
- Provides superior protection to extend the service life of the engine
- Longer engine life by reducing formation of high temperature engine deposits

PRODUCT SPECIFICATIONS

STANDARDS:

• API - SJ



E-M4T-15W4D-SL-MINERAL







E-M4T-20W-40-SJ-MINERAL







API SJ | JASO MAZ - PREMIUM MINERAL

FEATURES AND ADVANTAGES

- Rust and corrosion protection
- Improved engine wear protection
- Protects from wear, corrosion and foaming
- Exceptional corrosion protection in all oil-wetted engine parts
- Strong detergency capability for cleaner engine components
- High viscosity index takes its viscosity under control in heavy duty conditions

PRODUCT SPECIFICATIONS

- STANDARDS:
- API SJ • JASO MA2
- JASO T-903: 2010 MA2

E-M4T-20W-50-SJ-MINERAL



Product Number: E-MC-4T-SAE 40 -SG

Packaging







FEATURES AND ADVANTAGES

- Protects from wear, corrosion and foaming
- · Cleans and Protects to give you Trouble Free Riding
- Complies with requirements of catalyst equipped engines
- Provides superior protection to extend the service life of the engine
- Special Wear Protection additives for wear control throughout the drain period

PRODUCT SPECIFICATIONS

STANDARDS:

• API - SG



DELUXE 2T JASO FD/TC | PREMIUM MINERAL

FEATURES AND ADVANTAGES

- Trouble free ride
- Cleaner engine on account of lower deposits in combustion chamber and exhaust
- · Protects from wear, corrosion and foaming
- Special Wear Protection additives for wear control throughout the drain period

PRODUCT SPECIFICATIONS STANDARDS:

· JASO FD/TC

RACING **2T** PERFUME JASO FC/TC | PREMIUM MINERAL

FEATURES AND ADVANTAGES

- Modern low ash / low smoke technology makes it ideal for stop / start city use
- High performance semi synthetic formulation offers maximum protection and reliability even higher mileage
- Lubricates and helps seal piston/ring/bore to prevent power loss & corrosion
- Meets the latest international performance specifications for two stroke engines

PRODUCT SPECIFICATIONS

STANDARDS:

· JASO FC/TC







E-MC-2T-JASOFC/TC-M









YOUR ONE-STOP FOR ALL LUBRICANT OIL

For further information, kindly contact our sales department.



+60 3-7733 8313 +60 3-7731 5313



+60 19-266 3208



marketing@exnlube.com inquiry@exnlube.com



EXN Lube







exnlube.official

Made in Malaysia



MANUFACTURED & DISTRIBUTED BY EXN LUBE MARKETING SDN. BHD.

W3A06-A07, Level 3A, Metropolitan Square, Jalan PJU 8/1, Damansara Perdana, 47820 Petaling Jaya, Selangor, Malaysia

exnlube.com

