

SWASTIK



mech life
Industrial Lubricant



autolife[®]

Ultimate Protection...Ultimate Performance...Ultimate Value...

Our Factory



THE WESTERN INDIA GENUINE GHEE CO. PVT LTD. Is ISO 9001:2015 certified company which belongs to SWASTIK GROUP of companies Which has diversified interests in Petrochemical, Lubricants, Brake Fluids, Real Estate etc.

THE WESTERN INDIA GENUINE GHEE CO. PVT LTD. Primarily the lubricants manufacturing unit of the swastik group which does Toll blending and also markets Engine oils, Gear oils, Industrial oils, Speciality oils and Greases under its three brand name Swastik, Auto Life and Mech Life along with the Indian defence specific products such as O.M.H.B , D.A.F.C. coolants as well as LG 10/90 a fluid special developed for the Indian Army. Having Manufacturing capacities for Lubricants and Greases of more than 25000 Ton/ annum and Storage capacities of 3000MT at any given time.

THE WESTERN INDIA GENUINE GHEE CO. PVT LTD considers quality as one of its principal strategic objectives to guarantee its growth and leadership in the markets in which it operates. Company has a fully equipped laboratory at Mumbai, Plant as well as Navsari (Gujarat) & team of qualified chemists runs this laboratory. Our laboratory is tasked with inspection of our raw materials and finished products to ensure that the Global performance specifications and established World Class quality standards have been adhered to. All the measuring instruments in our laboratory are calibrated maintained and all our calibrations are done through the N.A.B.L. accredited establishments. Our company follows a periodic robust internal Round Robin Testing Program which helps us to maintain the quality standards.

The Company maintains an open communication channel with its consumers and customers and carefully monitors the feedback to continuously improve its products and services and set quality standards to fulfill them. The company periodically reviews quality policy for its effectiveness and consistency with business objectives.



Our Automotive and
Industrial Lubricant Range



Engine Oil 0W20 Premium Synthetic

AUTOLIFE Premium synthetic advance engine oil has been developed to provide excellent engine protection and improved fuel economy. Specially developed for modern turbocharged direct injection petrol engines to protect against Low-Speed pre-ignition. Also suitable for diesel engines of passenger cars, vans and SUVs.

Available in

API SN/CF also in SP grade

Pack Size : 1L, 5L, 20L, 50L & 210L



Engine Oil 0W30 Premium Synthetic

AUTOLIFE premium synthetic engine oil SAE 0W30 is designed for gasoline and diesel engines equipped with an exhaust after treatment system. Highly suitable for extended drain intervals, taking into account the use of bio-components in the fuel. Excellent viscosity at low temperatures.

Available in

API SN/CF also in SP grade

Pack Size : 1L, 5L, 20L, 50L & 210L



Engine Oil 5W30 Premium Synthetic

AUTOLIFE premium synthetic engine oil has been specially developed for the cars and light commercial vehicles with gasoline, LPG and diesel engines. Autolife 5W30 engine oil helps give a longer particulate filter life.

Available in

API SN/CF also available in SP grade

Pack Size : 1L, 4L, 5L, 20L, 50L & 210L



Engine Oil 10W30 Multi Grade

AUTOLIFE high-tech multi grade engine oil has been developed for the lubrication of four stroke petrol and diesel engines that are naturally aspirated and turbo charged. Autolife 10W30 engine oil provides total engine protection and excellent cold-cracking properties.

Available in

API SN/CF also available in SP grade

Pack Size : 1L, 4L, 5L, 20L, 50L & 210L

Passenger Car Motor Oil



Engine Oil 10W40 Premium Synthetic

AUTOLIFE premium synthetic engine oil SAE 10W40 is designed for gasoline and diesel engines equipped with an exhaust after treatment system. Highly suitable for extended drain intervals, taking into account the use of bio-components in the fuel. Excellent viscosity at low temperatures.

Available in

API SN/CF also available in SP grade

Pack Size : 1L, 5L, 20L, 50L & 210L



Engine Oil SAE 30

AUTOLIFE mineral SAE 30 Super Single Grade oil has been developed for a wide range of purposes and is extremely suitable for stationary engines, for industrial transmissions and for hydraulic systems.

Available in

API SF/CC

API SF/CD

Pack Size : 1L, 5L, 20L, 50L & 210L



Engine Oil SAE 40

AUTOLIFE mineral SAE 40 Super Single Grade oil has been developed for a wide range of purposes and is extremely suitable for stationary engines, for industrial transmissions and for hydraulic systems.

Available in

API SF/CD

API SF/CC

Pack Size : 1L, 5L, 20L, 50L & 210L



Engine Oil 15W40 Multigrade

AUTOLIFE mineral Engine oil has been specially developed for light duty petrol and diesel engines of passenger cars. Autolife 15W40 engine oil is not suitable for turbo engines.

Available in
API SL/SN

Pack Size : 1L, 2L, 3L, 3.5L, 7.5L, 10L, 50L & 210L



Engine Oil 15W50 Multigrade

AUTOLIFE mineral Engine oil has been specially developed for light duty petrol and diesel engines of passenger cars. Autolife 15W50 engine oil is not suitable for turbo engines.

Available in
API SL/SN

Pack Size : 1L, 3L, 25L, 50L & 210L



Engine Oil 20W50 Multigrade

AUTOLIFE mineral Engine oil has been specially developed for engines of classic cars constructed before 1980.

Available in
API SL/SN

Pack Size : 1L, 4L, 5L, 50L & 210L



Engine Oil 25W60 Multigrade

AUTOLIFE mineral Engine oil SAE 25W60 has been specially developed for engines of classic cars constructed before 1980 which require very high viscosity oils.

Available in
API SL

Pack Size : 1L, 4L, 5L, 50L & 210L



Engine Oil 15W40 Turbo Universal

AUTOLIFE universal mineral engine oil has been specially developed for normal duty petrol engines and diesel engines of cars. Autolife 15W40 engine oil is also suitable for turbo diesel engines.

Available in
API SL

Pack Size : 1L, 4L, 5L, 20L, 50L & 210L

Passenger Car Motor Oil

Diesel Engine Oil

Engine Oil 15W40 Semi Synthetic



AUTOLIFE high grade engine oil has been specially developed for heavy duty diesel engines with or without turbochargers. In addition, Autolife 15W40 engine oil has been formulated to make extended oil-change intervals possible and to prevent bore polishing.

Available in

API CI-4/CH-4/CG-4/CF-4

Pack Size : 1L, 5L, 20L, 50L & 210L

Engine Oil 10W40 Premium Synthetic



AUTOLIFE high grade synthetic engine oil has been specially developed for diesel engines of commercial vehicles. In addition, Autolife 10W40 engine oil has been formulated to make long oil change intervals possible and to prevent bore polishing.

Available in

API CI-4/CF/CF-4/CG-4/CH-4

Pack Size : 1L, 5L, 20L, 50L & 210L

Engine Oil 15W40 Semi Synthetic Extra High Performance Diesel Engine



AUTOLIFE extra high performance diesel engine oil has been specially developed for use in modern, high output, low emission engines of commercial vehicles according to emission standards and also gives excellent protection in older diesel engines.

Available in

API CK-4/CI-4 Plus/CI-4

Pack Size : 1L, 5L, 20L, 50L & 210L

Engine Oil 5W30 Premium Synthetic Heavy Duty Diesel



AUTOLIFE premium synthetic heavy duty diesel engine oil is an advanced fully-synthetic engine oil. It provides superior protection for most modern low emission engines which meet the Euro V and VI standards. This low-sulfur diesel fuel-saving 5W30 (max 50 ppm) provides enhanced protection of all exhaust after treatment system such as Diesel particulate filter (DPF), Selective catalytic reduction (SCR), exhaust gas recirculation (EGR) and continuously regeneration traps (CRT). The improved wear protection properties of the blend contributes to the option of extended drain intervals in a wide range of commercial, industrial, off-road, plant and agriculture vehicles. Also recommended for certain engines running on natural gas (CNG), as specified by the manufacturer.

Available in

API CJ-4

ACEA E4, E6, E7, E9

Pack Size : 1L, 5L, 20L, 50L & 210L



GEAR BOX OIL SAE-80 GL-4 Mineral

AUTOLIFE mineral SAE 80 GL-4 transmission oil has been specially developed for use in manual gear boxes and in all transmissions for which mineral SAE 80 GL-4 oil are specified.

Available in
API GL-4/GL-5

Pack Size : 1L, 5L, 20L, 50L, 210L



GEAR BOX OIL SAE-75W GL-5 Synthetic

AUTOLIFE mineral SAE 75W GL-4 transmission oil has been specially developed for use in manual gear boxes and in all transmissions in which mineral SAE 75W GL-5 oil are specified.

Available in
API GL-4/GL-5

Pack Size : 1L, 5L, 20L, 50L, 210L



GEAR OIL SAE-90 GL-5 Mineral

AUTOLIFE mineral SAE 90 GL-5 limited slip gear oil has been specially developed for heavy duty hypoid drives in rear axles and all transmissions where a limited slip SAE 80W90 GL-5 or limited slip SAE 90 GL-5 is recommended.

Available in
API GL-4/GL-5

Pack Size : 1L, 5L, 20L, 50L, 210L



GEAR BOX OIL SAE-75W80 GL-5 Semi Synthetic

AUTOLIFE semi synthetic SAE 75W80 transmission oil has been developed for use transmissions where SAE 75W80 GL-4/5 is required. This transmission oil is suitable for long drain intervals. For correct interval guidance, please check the OEM recommendation.

Available in
API GL-4/GL-5

Pack Size : 1L, 5L, 20L, 50L, 210L



GEAR OIL 80W90 GL-5 Mineral

AUTOLIFE universal mineral 80W90 gear oil with EP properties has been specially developed for heavy duty hypoid drives in transmissions, rear axles and all other drives in which SAE 80W90 GL-5 doped oils are specified.

Available in
API GL-4/GL-5

Pack Size : 1L, 5L, 20L, 50L, 210L



GEAR BOX OIL SAE-75W90 GL-4/5 Semi Synthetic

AUTOLIFE semi synthetic SAE 75W90 is a universal transmission oil specially developed for use in manual gear boxes and in all transmissions in which a SAE 75W90 GL-4/5 is specified.

Available in
API GL-4/GL-5

Pack Size : 1L, 5L, 20L, 50L, 210L



GEAR OIL SAE-85W140 GL-5 Mineral

AUTOLIFE mineral SAE 85W140 GL-5 gear oil has been specially developed for lubrication of heavy duty hypoid drives in rear axles and in all transmissions where a mineral SAE 85W140 GL-5 EP doped oil with a viscosity of SAE 85W140 is specified.

Available in
API GL-4/GL-5

Pack Size : 1L, 5L, 12L, 50L, 210L

Gear Oil

ATF (Automatic Transmission Fluid)



ATF Automatic Transmission Fluid CVT

This Fully synthetic automatic transmission oil has been specially developed for continuous variable transmissions which make use of push belt or steel chain Very High shear stability and excellent protection against wear.

Pack Size : 500ml, 1L, 5L, 210L



ATF Automatic Transmission Fluid DCT

This Fully synthetic automatic transmission oil has been specially developed for modern dual-clutch system which require high shear stability and excellent protection against wear.

Pack Size : 500ml, 1L, 5L, 210L



ATF Automatic Transmission Fluid DEXRON III

AUTOLIFE premium synthetic ATF III DEXRON automatic transmission oil has been specially developed for automatic transmissions, power steering, torque converters and other applications for which manufacturers specify an ATF Dexron III oil.

Pack Size : 500ml, 1L, 5L, 210L



ATF Automatic Transmission Fluid Suffix A (TASA)

This mineral ATF synthetic TASA automatic transmission oil has been specially developed for semi-automatic transmissions, hydraulic system, power steering, torque converters, machine tools etc. and other applications for which manufacturers specify an TASA oil.

Pack Size : 500ml, 1L, 5L, 210L



ATF Automatic Transmission Fluid DEXRON II

This mineral ATF II DEXRON automatic transmission oil has been specially developed for automatic transmissions, power steering, torque converters and other applications for which manufacturers specify an ATF Dexron II oil.

Pack Size : 500ml, 1L, 5L, 210L



ATF Automatic Transmission Fluid

AUTOLIFE mineral automatic transmission oil has been specially developed for automatic transmissions, power steering, torque converters and other applications for which manufacturers specify an ATF oil.

Pack Size : 500ml, 1L, 5L, 210L



Hydraulic Brake Fluid DOT-3

Autolife Super Brake Fluid is an automotive brake fluid of FMVSS No. 116, DOT 3 quality level. Autolife Super Brake Fluid is a synthetic brake fluid to give superior performance over a wide temperature range. Autolife Super Brake Fluid has a good vapour lock characteristics and has required anti corrosion, anti wear properties for a long trouble free Hydraulic Braking system.

Pack Size : 100ml, 250ml, 500ml



Hydraulic Brake Fluid DOT-4

Autolife Super Brake Fluid is an automotive brake fluid of FMVSS No. 116, DOT 4 quality level. Autolife Super Brake Fluid is a synthetic brake fluid to give superior performance over a wide temperature range. Autolife Super Brake Fluid has a good vapour lock characteristics and has required anti corrosion, anti wear properties for a long trouble free Hydraulic Braking system.

Pack Size : 100ml, 250ml, 500ml

Coolant Concentrate



Autolife Coolant concentrate is formulated to meet the demands of different types of vehicles. This product is an Ethylene Glycol base coolant with excellent overheating protection; all-around corrosion protection; compatible with parts & non foaming. Meets JIS 2234K, ASTM D3306 & IS 5759:2006 standards

Pack Size : 1L, 5L, 25L, 210L

Antifreeze Coolant Concentrate



Autolife Antifreeze coolant is formulated with the best eco friendly Organic acid additive technology. This product is an Ethylene Glycol base coolant with excellent over heating protection; all-around corrosion protection; compatible with all parts and non-foaming. Meets JIS 2234K, ASTM D3306 & IS 5759:2006 standards

Pack Size : 1L, 5L, 25L, 210L

Water Based Coolant



Autolife water based is formulated with the best eco friendly Japanese Organic acid additive technology. This product gives excellent overheating protection; all-around corrosion protection; compatible with all parts & non-foaming. specially developed for Indian Conditions

Pack Size : 1L, 5L, 25L, 210L

Tropical Coolant



Autolife Antifreeze coolant is formulated with the best eco friendly Organic acid additive technology. This product is an Ethylene Glycol base coolant with excellent over heating protection; all-around corrosion protection; compatible with all parts and non-foaming. Meets JIS 2234K, ASTM D3306 & IS 5759:2006 standards

Pack Size : 1L, 5L, 25L, 210L

Brake Fluid
Coolant

Tractor (Agricultural) Industrial Oil



Universal Tractor Transmission Oil UTTO GL-4 Mineral

AUTOLIFE mineral GL-4 UTTO (Universal Tractor Transmission Oil) transmission oil has been specially developed for tractors that need one lubrication oil for the hydraulic system, drive, differential, wet brakes and clutches.

Available in
API GL-4
ALLISON C-4

Pack Size : 1L, 5L, 20L, 210L



Hydraulic Oil 68

AUTOLIFE HVI 68 hydraulic oil has been specially developed for heavy duty hydraulic systems of earth-moving machinery and permanent installations that have to operate under high pressure and wide temperature range. This oil is also very suitable for circulation lubrication (with the exception of turbines) for vacuum pumps and general machine lubrication.

Pack Size : 1L, 5L, 26L, 210L



Industrial Gear Oil 150/220

AUTOLIFE mineral industrial gearbox oil 150/220 has been specially developed for use in sealed gearboxes, equipped with straight, spiral, conical and worm gears.

Pack Size : 1L, 5L, 20L, 210L



Industrial Gear Oil 460

AUTOLIFE mineral industrial gearbox oil 460 has been specially developed for use in sealed gearboxes, equipped with straight, spiral, conical and worm gears.

Pack Size : 1L, 5L, 20L, 210L



4-Stroke Engine Oil 10W30

AUTOLIFE 4-Stroke Motorcycle Oil 10W30 Synthetic Technology is a special developed engine oil for advanced 4-stroke motor-scooter engine oils.

Available in
API SJ, JASO MB

Pack Size : 1L, 20L, 50L, 210L



4-Stroke Engine Oil 10W40

AUTOLIFE 4-Stroke Motorcycle Oil 10W40 Semi Synthetic Technology is suitable for air- and water-cooled 4-stroke engine and gearboxes. This engine oil gives high performance protection to engines and gearboxes under heavy condition due to the high quality base oils with ester blend. The combination of exceptional anti-wear/friction additives and the lubricity of the mixture reduces oil consumption and extends engine life. This multi-gradew SAE 10W40 engine oil has been developed for motorcycles with or without wet clutches and backwards compatible with API SG, SH, SL, and SM specifications.

Available in
API SN, JASO MA/MA2

Pack Size : 900ml, 1L, 20L, 50L, 210L



4-Stroke Engine Oil 20W50

AUTOLIFE 4-Stroke Engine Oil 20W50 Semi Synthetic is specially developed for optimum lubrication of 4-stroke motorcycle engines. This oil has a high viscosity at high temperatures and is suitable in older motorcycle engines. The special formulation ensures excellent cleaning and is suitable for lubrication of gearboxes with or without wet plate clutches.

Available in
API SL-SN, JASO MA/MA2

Pack Size : 1L, 2.5L, 20L, 50L, 210L



4-Stroke Engine Oil 20W40

AUTOLIFE 4-Stroke Engine Oil 20W40 Premium Synthetic is suitable for air- and water-cooled 4-stroke small scooters, motor-cycle engines and gearboxes. The high standard in combination with the advanced ester additives gives this oil a high performance and optimal protection of the engine. The combination of exceptional anti-wear / friction additives and the high lubricity increases performance, reduces oil consumption and extends engine life. This engine oil is specially developed for small scooters, motorcycle engines and gearboxes with or without wet clutches and is backwards compatible with API: SL, SL, and SM specifications.

Available in
API SI-SN, JASO MA/MA2

Pack Size : 900ml, 1L, 20L, 50L, 210L



4-Stroke Engine Oil 5W50

AUTOLIFE 4-Stroke Engine Oil 5W50 premium Synthetic is suitable for air- and water-cooled 4-stroke motorcycle engine in street and competition use. The oil has a high standard in a wide viscosity range, so the perfect balance in additives in combination with the ester blend gives high performance protection to the engine at very high speeds, and under heavy conditions. This multi-grade SAE 5W50 engine oil has been developed for racing motorcycles, because the friction modifier provides the optimal grip for the wet clutches, giving this oil an advantage in racing for the perfect start, but it's also suitable for road and off- road motorcycle engines.

Available in
API SN, JASO MA/MA2

Pack Size : 1L, 20L, 50L, 210L



4-Stroke Engine Oil 15W50

AUTOLIFE 4-Stroke Motorcycle Oil 15W50 Semi Synthetic is specially developed for optimum lubrication of 4-stroke motorcycle engines. This oil has a wide viscosity range due to the flowability by low temperatures and high viscosity at high temperatures. This SAE 15W50 has an excellent performance and makes this oil perfectly suitable in older motorcycle engines. The special formulation ensures cleaning and is suitable for lubrication of engines and gearboxes with or without wet plate clutches.

Available in
API SL, JASO MA/MA2

Pack Size : 1L, 2.5L, 20L, 50L, 210L

Motorcycle-
Two Wheelers Range

Motorcycle- Two Wheelers Range Fork Oil

FORK OIL Light 5W Premium Synthetic

AUTOLIFE Motorcycle Fork Oil light 5W Premium Synthetic is specially developed for use in telescopic front forks used in mopeds and road/off road motorcycles. The high deaeration properties of this fork oil means that there is minimum reduced foaming in the fork legs bodies. This give optimal performance and stability so it will maintain optimal performance under extreme road/off road condition. Autolife 5W Fork Oil provides excellent protection against wear and corrosion of suspension elements and seals, resulting in a higher performance level.



Available in
SAE 5W

Pack Size : 1L, 20L, 50L, 210L

FORK OIL Medium 10W Premium Synthetic

AUTOLIFE Motorcycle Fork Oil Medium 10W Premium Synthetic is specially developed for use in telescopic front forks for mopeds and road/off road motorcycles. The high deaeration properties of this fork oil means that there is minimum reduced foaming in the fork legs bodies. This give optimal performance and stability so it will maintain optimal performance under extreme road/off road condition. Autolife 10W Fork Oil provides excellent protection against wear and corrosion of suspension elements and seals, resulting in a higher performance level.



Available in
SAE 10W

Pack Size : 1L, 20L, 50L, 210L

FORK OIL Medium Heavy 15W Premium Synthetic

AUTOLIFE Motorcycle Fork Oil Haavy 15W Premium Synthetic is specially developed for use in telescopic front forks for mopeds and road/off road motorcycles. The high deaeration properties of this fork oil means that there is minimum reduced foaming in the fork legs bodies. This give optimal performance and stability so it will maintain optimal performance under extreme road/off road condition. Autolife 15W Fork Oil provides excellent protection against wear and corrosion of suspension elements and seals, resulting in a higher performance level.



Available in
SAE 15W

Pack Size : 1L, 20L, 50L, 210L

FORK OIL Heavy 20W Premium Synthetic

AUTOLIFE Motorcycle Fork Oil Haavy 20W Premium Synthetic is specially developed for use in telescopic front forks for mopeds and road/off road motorcycles. The high deaeration properties of this fork oil means that there is minimum reduced foaming in the fork legs bodies. This give optimal performance and stability so it will maintain optimal performance under extreme road/off road condition. Autolife 20W Fork Oil provides excellent protection against wear and corrosion of suspension elements and seals, resulting in a higher performance level.



Available in
*SAE 20W

Pack Size : 1L, 20L, 50L, 210L



Hydraulic Oil HLP AW 32, 46 & 68

- **Autolife Hydraulic AW** is blended from highly refined HVI base stocks and selected additives.
- **Autolife Hydraulic AW** ensures High Oxidation Stability • Excellent Antiwear Properties.
- Good antifoam & air release Properties. • Antirust Properties. • Low Pour Point. • High Viscosity Index.
- **Autolife** recommends **Hydraulic AW** in hydraulic and circulation systems of on and off highway vehicles manufactured by **ESCORTS, JCB, L&T, TATA, HITACHI, ACE** etc.
- **Autolife Hydraulic AW** meets the requirements of IS : 10522-1983 (reaffirmed 2019) and IPSS 1-09-022 specification.

Pack Size : 26L, 210L



Industrial Oil

- **Cylinder Oils**
- **Compressor Oils** These oils meet the requirement of DIN 51506 VD-L group specifications for air compressor oil •
- **Heat Transfer Fluid** - thermic fluid for temperatures upto 500 C
- **Soluble Cutting Oils**
- **Non - Active Straight Cutting Oils**
- **Active Straight Cutting Oils**
- **Refrigeration Oils**

Hydraulic (Industrial Oil)

Extreme Pressure (E.P) grease no 1 & 2

Description & Application:

These greases are lithium base greases having extreme pressure (EP) properties. These greases possess excellent shear stability, high load carrying capacity, high oxidation stability & anti rust / anti corrosion properties. These greases prevent welding & seizure of moving parts often caused by shock loading & resist water washout. EP greases meet IPSS:1-09-005 specification are recommended for both plain & anti friction bearings in a wide variety of applications such as automotive, earth moving equipments, gear couplings, electric motors, mining equipments, & general industrial machinery. It meets IS: 7623- (Second-Revision)

Pack Size : 500gm, 1Kg, 5Kg, 18Kg and 180 Kg



High Temperature & High Temperature Moly grease

Description & Application:

HT & HT Moly are non soap based smooth structured greases having excellent ability to withstand high temperature & severe shock load conditions. This grease has excellent resistance to water washout. & does not get affected by mild acids & alkalis. HT moly contains Molybdenum disulphide & therefore, has high load bearing ability. They have good oxidation resistance & thermal stability for use in both plain & anti friction bearings. It can lubricate satisfactorily at temperature upto 230 °C and will not melt or soften at higher temperature. HT moly meets IS:12790 - grade 3 & IPSS :1-09-008

Pack Size : 500gm, 1Kg, 5Kg, 18Kg and 180 Kg



Multipurpose grease no 2 & 3 (Lithium grease)

Description & Application:

These are lithium soap multipurpose greases. They have excellent water resistance properties, high oxidation stability, and maximum structural stability with superior anti-rust & anti-corrosion properties. These greases resist water washout & enjoy all round acceptance for both anti-friction & plain bearing lubrication. Multipurpose greases 2 & 3 meet the requirements of British Timken ALG 1/57, IS: 7623- (second-revision), IPSS:1-09-006 specification & U.S. Steel 374 requirements. These greases are widely used in steel plants, heavy engineering units, textile mills, petrochemical & chemical units, etc. These greases are recommended for all class of service in automotive lubrication & bearings.

Pack Size : 500gm, 1Kg, 5Kg, 18Kg and 180 Kg



MPSP Grease

Description & Application:

These are lime based multipurpose grease. MPSP possesses excellent water resistant, anti rust & anti corrosive properties. They are recommended for general application & plain & anti friction bearing where temperatures are moderate. (Below 70 °C). This grease acts as protective layer on exposed parts. This grease is recommended for general chassis lubrication including suspension & steering system. It is also suitable for certain open & semi enclosed gears as well as chain drives of farm equipments.

Pack Size : 500gm, 1Kg, 5Kg, 18Kg and 180 Kg



THE WESTERN INDIA GENUINE GHEE CO. PVT LTD.

Factory 1 : 118-P, Hirji Govindji Compound, T.J.Road, Sewree, Mumbai - 400 015 MAHARASHTRA, INDIA
Factory 2 : Unit No. II, Plot Survey No. 53, Village : Tarsadi, Ta.: Navsari-396 418 Gujarat.

Mobile : +91 7016836106, 9727715571

Email : lubricants@autolifelub.com

Website : www.swastikoil.com, www.autolifelub.com



ISO 9001:2015

Our Clientele

