



شركة تيسير الطاقة للتجارة
Tayseer Energy Trading Company



PETROLYNE
FOR ALL TYPES OF VEHICLE OILS



PETROLYNE

FOR ALL TYPES OF VEHICLE OILS

شركة تيسير الطاقة للتجارة

Tayseer Energy Trading Company



Petrolyne 0W20 SAE Full SYNTHETIC

Petrolyne Full Synthetic Oil is a unique formulation of high-performance fluids and additives to provide optimum viscosity for maximum performance while ensuring engine cleanliness. Provides protection in all driving conditions both hot and cold. Petrolyne Full Synthetic Oil extends Oil change intervals. Meets and exceeds ILSAC GF-6A requirements. Meets engine warranty requirements for API SP and exceeds SN and older specifications. For use in passenger cars, light trucks and SUV's.



Petrolyne 5W20 SAE Full SYNTHETIC

Petrolyne Full Synthetic Oil is a unique formulation of high-performance fluids and additives to provide optimum viscosity for maximum performance while ensuring engine cleanliness. Provides protection in all driving conditions both hot and cold. Petrolyne Full Synthetic Oil extends Oil change intervals. Meets and exceeds ILSAC GF-6A requirements. Meets engine warranty requirements for API SP and exceeds SN and older specifications. For use in passenger cars, light trucks and SUV's.



Petrolyne 5W30 SAE Full SYNTHETIC

Petrolyne Full Synthetic Oil is a unique formulation of high-performance fluids and additives to provide optimum viscosity for maximum performance while ensuring engine cleanliness. Provides protection in all driving conditions both hot and cold. Petrolyne Full Synthetic Oil extends Oil change intervals. Meets and exceeds ILSAC GF-6A requirements. Meets engine warranty requirements for API SP and exceeds SN and older specifications. For use in passenger cars, light trucks and SUV's.



Petrolyne 20W50 SAE SYNTHETIC BLEND

Petrolyne Synthetic Blend on is a unique formulation of high-performance fluids and additives to provide optimum viscosity for maximum performance while ensuring engine cleanliness. Provides protection in all driving conditions both hot and cold. Petrolyne Synthetic Blend extends oil change intervals. Meets and exceeds ILSAC GF-6A requirements. Meets engine warranty requirements for API SP and exceeds SN and older specifications. For use in passenger cars, light trucks and SUV's.



Petrolyne 5W30 SAE SYNTHETIC BLEND

Petrolyne Synthetic Blend on is a unique formulation of high-performance fluids and additives to provide optimum viscosity for maximum performance while ensuring engine cleanliness. Provides protection in all driving conditions both hot and cold. Petrolyne Synthetic Blend extends oil change intervals. Meets and exceeds ILSAC GF-6A requirements. Meets engine warranty requirements for API SP and exceeds SN and older specifications. For use in passenger cars, light trucks and SUV's.



Petrolyne 10W30 SAE SYNTHETIC BLEND

Petrolyne Synthetic Blend on is a unique formulation of high-performance fluids and additives to provide optimum viscosity for maximum performance while ensuring engine cleanliness. Provides protection in all driving conditions both hot and cold. Petrolyne Synthetic Blend extends oil change intervals. Meets and exceeds ILSAC GF-6A requirements. Meets engine warranty requirements for API SP and exceeds SN and older specifications. For use in passenger cars, light trucks and SUV's.



PETROLYNE

FOR ALL TYPES OF VEHICLE OILS

شركة تيسير الطاقة للتجارة
Tayseer Energy Trading Company



Petrolyne 5W20 SAE SYNTHETIC BLEND

Petrolyne Synthetic Blend on is a unique formulation of high-performance fluids and additives to provide optimum viscosity for maximum performance while ensuring engine cleanliness. Provides protection in all driving conditions both hot and cold. Petrolyne Synthetic Blend extends oil change intervals. Meets and exceeds ILSAC GF-6A requirements. Meets engine warranty requirements for API SP and exceeds SN and older specifications. For use in passenger cars, light trucks and SUV's



Antifreeze /Coolant Pink

Petrolyne Extended Life Pre-Diluted Antifreeze Coolant Comprise Mainly Of Ethylene Glycol Based Fluids Specifically Formulated To Meet The Requirements Of Today's High Performance Engine Applications



Antifreeze /Coolant Green

Petrolyne coolant comprises mainly of ethylene glycol and contains inhibitors to prevent rust and corrosion for all cooling metals including aluminum. When using Petrolyne pre-mixed Coolant in combination with 15lb. pressure cap, your vehicle's Cooling system will be protected from SUMMER HEAT and WINTER CHILL



Petrolyne ATF III Transmission Fluid

Brilliantly designed for use in Ford and GM automatic transmissions as well as those from many other manufacturers: It's a high-quality automatic transmission fluid designed specifically for the more compact transmissions of modern vehicles, which operate at higher temperatures TRANSMISSION ATF FLUID and are under electronic control. Our ATF III Transmission Fluid can also be used in power steering systems, several hydraulic systems, and rotary air compressors where outstanding fluidity at low temperatures is required. This fluid's high viscosity index provides resistance to corrosion and foam formation.



Petrolyne ATF DEX-VI Full Synthetic

Petrolyne Global Synthetic Automatic Transmission fluid is a premium multi-functional synthetic transmission fluid formulated from synthetic base stocks and high-performance additives. Exceptional thermal and oxidation resistance properties



Petrolyne ATF CVT Full Synthetic

Petrolyne Full Synthetic CVT Auto fluid is a multi-vehicle CVT Lubricant. It is especially formulated for a wide variety of vehicles with push-belt and chain CVTs. Provides superior smooth shift with higher torque capacity and enhanced wear protection in the push-belt-pulley system.