
SOLARZEN Brochure

CABIN AIR FILTER
WORK LIGHT
CAMPING LANTERN





LED Work Light





SWL-280RAX



- 2 steps brightness
- UBS-C Charging
- Hook, Magnet

Brightness (Max) 1,100lm Operating time 4~7hr



SWL-320R1



- IPX7 Waterproof
- 3 steps brightness
- Hook, Magnet

Brightness (Max) 1,600lm Operating time 2~14hr



SWL-240 Flexible



- Flexible
- 2 steps brightness
- UBS-C Charging
- Magnet

Brightness (Max) 1, 000lm Operating time 4~8hr



SWL-3000RX



- Replaceable battery cartridge type
- 3 steps brightness
- 5/8 inch screw hole
- Rubber or magnet bracket

Brightness (Max) 2,600lm Operating time 4~30hr



Traffic Control Light





SWL-180RF



- Red flashing function
- 2 steps (1step-lights, 2step-red)
- 5 steps angle adjustment,
 180 degree swivel lamp head
- USB-C Charging
- Hook, Magnet

Brightness (Max) 1,000lm Operating time 3~6hr



SWL-240RF



- Red flashing function
- Flash, 2 steps brightness
- UBS-C Charging
- Hook, Magnet

Brightness (Max) 800lm Operating time 4~20hr



SCL-240RFU



- Red flashing function
- Flash, 2 steps brightness
- Power bank function
- UBS-C Charging
- Hook, Magnet

Brightness (Max) 800lm Operating time 3.5~10hr



SWL-5000RAX



- Red, blue flashing function
- 3 steps brightness
- 5/8 inch screw hole
- Rubber or magnet bracket

Brightness (Max) 3,800lm Operating time 2.5~50hr



Camping Lantern





SCL-200

2,500mAh

Brightness 10~400lm Operating time 5~80hr





SCL-360

5,000mAh

Brightness 20~800lm Operating time 7~120hr







SCL-450

7,500mAh

Brightness 30~1,200lm Operating time 3~115hr

- 3 Color temperature (3,000K, 4,500K, 6,000K)
- Powerful magnet
- Power bank function (SCL-360, SCL-450)
- 1/4 inch screw hole (SCL-360, SCL-450)







4,

6,000k



LED Flashlight





SCL-F10



- 2 steps brightness (Flash)
- Emergency signal, SOS functions
- Zoom in, Zoom out
- UBS-C Charging

Brightness (Max) 300lm Operating time 4~6hr




SCL-F15



- 3 steps brightness (Flash)
- Emergency signal, SOS functions
- Zoom in, Zoom out
- UBS-C Charging

Brightness (Max) 400lm Operating time 2~4.5hr












SOLARZEN HEPA Cabin Air Filter





Excellent filtration efficiency



Melt-blown filter



Non-toxic hot melt adhesives



Solidity of filter


MADE IN KOREA


We research and produce on our own with made in Korea material.

HEPA Cabin Air Filter



HEPA Cabin Air Filter Test Report





Initial fractional efficiency

PM1.0 Filtration efficiency (< PM1.0µm): 99.0%.

Antibacterial Activity

The reduction rate of Klebsiella pneumonia, Escherichia coli, Pseudomonas aeruginosa is **99.9%**.

Pressure loss

The test result is **59.2pa at air flow rate 300m/h** and the filter doesn't overload the automotive air conditioning device.

4 Harmful substances

The harmful substances (BIT, CMIT, MIT, OIT) were not detected.

What is melt-blown filter used by SOLARZEN?



Microfiber with a diameter of less than 10µm are randomly entangled with each other to forma a cobweb-like structure that makes it difficult for fine foreign substances to pass through.

After static electricity process, it becomes filter that can capture ultrafine dust, this is the melt-blown filter.

SOLARZEN manufactured the filter using proven fabrics.

SOLARZEN

The LED work light, camping lantern and cabin air filter supplied by SOLARZEN are manufactured ourselves.



solarzen.com

72, Beonnyeong 1-Ro, Danwon-Gu, Ansan-si, Gyeonggi-Do, 15416, Republic of Korea

T. +82-31-433-9854

F. +82-31-433-9843

E. info@solarzen.com