ARABIAN
PETROLEUM LTD.

LUBRICATING
INTELLIGENTLY

ARZOL®

EXPERT'S CHOICE

ABOUT US

Arabian Petroleum Ltd. (APL) is a Public Limited Company specializing in the manufacturing of lubricating oils and greases for industrial and automotive sectors, with over 35 years of experience. APL supplies major multinational companies across India and has a network of more than 300 channel partners in 26 states, along with exports to over 25 countries. APL is a certified supplier to the Indian Navy, Army, and Air Force, and is a renowned producer of "Ceramet Nanotechnology" products that enhance efficiency and fuel savings. APL's advanced manufacturing plants, with a capacity of 48,000 KL per annum, and its In-house Quality & Testing Laboratory provide a significant competitive advantage.

OUR CERTIFICATION

ISO 9001:2015

ISO 14001:2015

ISO 45001:2018

ISO 17025 : 2017 NABL ACCREDITED LAB

VOLVO VOLVO GROUP

RENAULT

MACK

energy API

UIS

DAIMLER

MOTORCYCLE & FORK OILS

Performance Oils for Passionate Riders

ROAR SERIES

FULLY SYNTHETIC OIL

API SP, API SN JASO MA2

ROAR 4T 5W-30

ROAR 4T 10W-30

GALLOP SERIES

SEMI SYNTHETIC OIL

API SN/JASO MA2

GALLOP 4T 10W-30

GALLOP 4T 15W-40

GALLOP 4T 20W-40

GALLOP 4T 20W-50

PACE SERIES

PREMIUM MINERAL OIL

API SL, SM/JASO MA2 & MB

PACE 4T 10W-30

PACE 4T 10W-40

PACE 4-AT 10W-40

ECO SERIES

MINERAL

API SL/JASO MA2

ECO 4T 20W-40

ECO 4T 20W-50

FORK OIL & GEAR OIL

PREMIUM FORK OIL

FORK OIL

GO GEAR EP 80W-90

API GL-5

PASSENGER CAR MOTOR OIL

Engineered for Every Journey,
Trusted on Every Mile

MAGNUS
SERIES

FULLY SYNTHETIC OIL

API SN/CF

MAGNUS 0W-16
MAGNUS 0W-20
MAGNUS 0W-30
MAGNUS 0W-40

MAGNUS X1
SERIES

FULLY SYNTHETIC OIL

API SN, MB 229.1 / 229.3,ACEA A5/B5-16, ACEA A3/B3-16, ACEA A3/B4-16,\ VW50101 / VW50200 / VW50500, RENAULT RN0700/RN0710

MAGNUS X1 0W-16
MAGNUS X1 0W-20
MAGNUS X1 0W-30
MAGNUS X1 0W-40

MAGNUS X2
SERIES

FULLY SYNTHETIC OIL

API SP, ACEA C2-23

MAGNUS X2 0W-20
MAGNUS X2 0W-30

MAGNUS X3
SERIES

FULLY SYNTHETIC OIL

API SP/ SN PLUS (RC), ILSAC GF-6A/GF-5, DEXOS1™ GEN 2, CHRYSLER MS6395, FORD WSS-M2C947-B1

MAGNUS X3 0W-20

API SP, SP -RC, SN+, SN, ILSAC GF-6A

MAGNUS X3 0W-30
MAGNUS X3 0W-40

SYNPRO SERIES

FULLY SYNTHETIC OIL

API SN/CF

- SYNPRO 5W-20
- SYNPRO 5W-30
- SYNPRO 5W-40

SYNPRO X2 SERIES

FULLY SYNTHETIC OIL

API SN/CF, ACEA A1/B1 TO A5/B5, C2/C3/C5, GM DEXOS II, MB 229.31 / 229.51 / 229.52, VW50200 / VW50500 /VW50501, FORD WSS-M2C948-B

- SYNPRO X2 5W-30
- SYNPRO X2 5W-40

SYNPRO X1 SERIES

FULLY SYNTHETIC OIL

API SN, A3/B3-10, MB 229.3, VW 502 00/ 505 00

- SYNPRO X1 5W-30
- SYNPRO X1 5W-40

SYNPRO X3 SERIES

FULLY SYNTHETIC OIL

API SP/ SN Plus (RC), ILSAC GF-6A/GF-5, dexos1™ Gen 2, Chrysler MS6395, Ford WSS-M2C945-B1

- SYNPRO X3 5W-20
- SYNPRO X3 5W-30
- SYNPRO X3 5W-40

PRIMUS SERIES

FULLY SYNTHETIC OIL

API SN/CF

- PRIMUS 10W-30
- PRIMUS 10W-40

API SL/CF

- PRIMUS 10W-40

ACCEL SERIES

SEMI SYNTHETIC

API SL/CF

- ACCEL 20W-50

FULLY SYNTHETIC OIL

API SN/CF

- ACCEL PLUS 20W+50

HEAVY COMMERCIAL VEHICLE OILS

Heavy-Duty Protection for Heavy-Duty Engines

MONOGRADE ENGINE OIL

MINERAL ENGINE OIL

API SF/CF, SC/CC

SUPERSTAR SAE 40 / 50

MILAGE SERIES

MINERAL OIL

API CI4 / SL , ACEA E7 , Global DHD-1, JASO DH-1-17, CES20077/78, Renault RLD-2, VDS-3, MB 228.3, MTU Type 2,Mack EO-M Plus

MILAGE 10W-30

MILAGE 10W-40

MILAGE 15W-40

MILAGE SYNACTIV SERIES

SEMI SYNTHETIC OIL

API CI4, CI4+ / SL, ACEA E7 / E2-96, CAT ECF-1A / ECF-2, CES 20071/72/76/77/78, Global DHD-1, Mack EO-N PP03, MAN 3275, MB 228.3, MTU Type 2, and Volvo VDS-3

MILAGE SYNACTIV 10W-30

MILAGE SYNACTIV 1 0W-40

MILAGE SYNACTIV 15W-40

MILAGE M1 SERIES

MINERAL OIL

Approval Diamler API CI4 / SL , ACEA E7, ACEA A3/B4 -16 , JASO DH-1 -17 MB 228.3 / 229.1, MTU Type 2, VOLVO VDS-3, Renault RLD-2, Cummins CES 20076/77/78

MILAGE M1 10W-40

MILAGE M1 15W-40

MILAGE SYNACTIV X1 SERIES

SEMI SYNTHETIC OIL

API CI4 / SL , ACEA E4/E7, ACEA A3/B4 -16 , JASO DH-1 '17 , MB 228.3 / 229.1, MAN M3275-1 level, MTU Type 2, VOLVO VDS-3, Renault RLD-2, CES 20076/77/78

MILAGE SYNACTIV X1 10W-30

MILAGE SYNACTIV X1 10W-40

MILAGE SYNACTIV X1 15W-40

MILAGE SYNACTIV PLUS SERIES

FULLY SYNTHETIC OIL

API CK-4/SN, ACEA E7-16, ACEA E9-16 , Renault Truck RLD-3, CES 20086, Volvo VDS-4.5, CAT ECF-3, MB-Approval 228.31, MTU Type 2.1

MILGAE SYNACTIV PLUS 10W-30

MILGAE SYNACTIV PLUS 10W-40

MILGAE SYNACTIV PLUS 15W-40

SUPERSYN SERIES

FULLY SYNTHETIC OIL

API CI4+ / SL, ACEA E7 / E2-96, CAT ECF-1A/ CAT ECF-2, CES 20071/72/76/77/78, Global DHD-1, Mack EO-N PP03, MAN 3275, MB 228.3, MTU Type 2, and Volvo VDS-3

SUPERSYN 5W-30

SUPERSYN 10W-40

MILAGE SYNACTIV PLUS X2 SERIES

FULLY SYNTHETIC OIL

API CK4 / SN+ / FA-4, ACEA E6/E7/E8/E9/E11, FA4, MB-Approval 228.52 / 228.51 / 228.31 /235.28/228.61, Scania LDF-4, Volvo VDS-4.5, Renault Truck RLD-3, MTU Type 3.1, CES 20086/87, CAT ECF-3.

MILGAE SYNACTIV PLUS X2 10W-30

MILGAE SYNACTIV PLUS X2 10W-40

MILGAE SYNACTIV PLUS X2 15W-40

SUPERSYN X1 SERIES

FULLY SYNTHETIC OIL

API CI4, ACEA E4/E7, JASO DH-1 '17, MB 228.3, MAN M3275-1, MTU Type 2, VOLVO VDS-3, Mack EO-M+, Renault Trucks RLD-2, CES 20076/77/78.

SUPERSYN X1 5W-30

MILAGE SYNACTIV PLUS M2 SERIES

FULLY SYNTHETIC OIL

Approval Diamler, API CI4, ACEA E4, JASO DH-1, Mack EO-N/EO-M Plus, Renault Trucks RLD-2, MB 228.5 / 229.1 / 235.27, MAN M3275-1 leve, MTU Type 2, CES 20076/77/71/72/78, GLOBAL DHD-1.

MILGAE SYNACTIV PLUS M2 10W-40

SUPERSYN X2 SERIES

FULLY SYNTHETIC OIL

APICK4 / SN+ , API FA-4, ACEA E6/E7/E8/E9/E11, FA4 ,MB 228.52 / 228.51 / 228.31 / 235.28 /228.61, Scania LDF-4, Volvo VDS-4.5, Renault Truck RLD-3, MTU Type 3.1, CES 20086/87.

SUPERSYN X1 5W-30

GEAR & TRANSMISSION OILS

Smooth Shifts, Unmatched Protection

GO GEAR SERIES

GEAR OIL

API GL1, GL4, GL5

GO GEAR EP 90,
API GL1, GL4, GL5

GO GEAR EP 140,
API GL1, GL4, GL5

GO GEAR EP 80W-90
API GL4, GL5

GO GEAR EP 85W-140
API GL4, GL5

SYNGEAR 75W-85
API GL5

SYNGEAR 75W-90
API GL5

GO GEAR LS 80W-90
API GL5

UTTO SERIES

TRANSMISSION OILS

UTTO
SAE 10W30 , API GL4 ,DIN 51524-2 (HLP, HLPD)

UTTO XL
ISO VG 68, SAE 5W30 , SAE 80W, API GI4,
DIN 51524-2 (HLP, HLPD), DIN 51524-3 (HVLPD)

ATF SERIES

TRANSMISSION OILS

ATF CVT
Ensures high shear stability, smooth power transfer, and superior oxidation resistance for enhanced transmission life.

ATF DCT
Enables rapid gear shifts, superior thermal performance, and excellent anti-wear protection for dual-clutch systems.

ATF D III
DEXRON III of General Motors,USA ,
Allison C-4, BMW 81 22 9 400 272,
81 22 9 400 275, MB 236.5, 236.6, 236.7

ATF D VI
DEXRON VI of General Motors,USA

ATF D 7

ATF TASA
Type A Suffix A

ATF C4 30 / 40 / 50
DEXRON III of General Motors,USA,
Allison C-4, BMW 81 22 9 400 272,
81 22 9 400 275, MB 236.5, 236.6, 236.7

ATF TO 4 SAE 30 / 40 / 50
API GL-4, API CF, Caterpillar TO-4, Allison C-4

COOLANTS, BRAKE FLUIDS & OTHERS

KOOLON SERIES

RADIATOR COOLANT

KOOL ON 1100 / 150 / 140 / 130
IS 5759:1994, JIS K 2234-2018, ASTM D 3306 : 2010

KOOL ON L 2100 / 250 / 240
OAT [Organic Acid Technology]SAE J1034,
JIS K 2234:2006, GB 29743-2013 BS 6580:2010

KOOL ON L 3100 / 350 / 340
HOAT [Hybrid Organic Acid Technology]JIS K2234 Class2,
ASTM D3306, BS 6580 standards.

KOOL ON G 11
Silicate Free OAT [Organic Acid Technology] ASTM D3306,
SAE J 1034,

KOOL ON G 12
HOAT [Hybrid Organic Acid Technology] ASTM D3306 /
D 4656 / D 4985 SAE J 1034,

KOOL ON S 225 / 212
Proprietary Technology

KOOL ON WB / WB RTU
Proprietary Technology

BRAKE FLUID SERIES

PREMIUM BRAKE FLUID

BRAKE FLUID DOT 3
SAE J1703, FMVSS 116 DOT 3,
ISO 4925 and JIS K2233

BRAKE FLUID DOT 4
SAE J1703, FMVSS 116 DOT 4,
ISO 4925 and JIS K2233

BRAKE FLUID DOT 5.1
FMVSS 116 DOT 5.1 NON SILICONE BASE
ISO 4925 [5.1], SAE J1703

OUTBOARD ENGINE OIL SERIES

PREMIUM BRAKE FLUID

AQUOL 2T OUTBOARD
NMMA TC-W3

MARINE SERIES

PREMIUM ENGINE OIL

MEL 30 / 40 / 50
TBN - 12, API CF

GREASES

CALCIUM SERIES

CALCIUM GREASE

MPX GREASE
ISO 6743-9 : L - XAAHA -3,
DIN 51502 : OG3D -20

LITHIUM SERIES

LITHIUM GREASE

SP EP 2 & 3 GREASE
ISO 6743-9 : L - XBEHB -2,
DIN 51825:2004-06 - KP 2 K -20 / KP3K- 20

MULTI 2 & 3 GREASE
ISO 6743-9 : L - XCCEB -2,
DIN 51502 : KP2K -30 / KP3K- 30

HIGH TEMPERATURE & HIGH PERFORMANCE GREASES SERIES

PREMIUM GREASE

XTRA LIFE GREASE
IS 14847:2000, DIN 51502 :
KP3P -20, ISO 6743-9 : L - XBEHB -3

BLUREX LUBE 270 B
IS 14847:2000, DIN 51502 :
KP2P -20, ISO 6743-9 : L - XBEHB -2

SPECIALITY GREASES

- **SYNTHETIC BRAKE CALIBER GREASE**
  High-performance synthetic grease designed for brake caliper pins and slides, offering superior temperature stability.
- **CHISEL PASTE**
  High performance grease fortified with solid additives lubricant for hydraulic hammers.
- **BATTERY TERMINAL GEL**
  Corrosion-preventive gel for battery terminals.
- **CUPREX XP 2**
  Premium copper-based anti-seize grease.
- **GRAPHITE GREASE 2**
  Graphite -film grease for wide range of applications, offering excellent wear resistance.

HYDRAULIC OILS

HYDRO SERIES

HYDRAULIC OILS

AW 32 / 46 / 68 / 100
IS 10522 : 1983, DIN 51524 Part 2

HLP 32 / 46 / 68 / 100
IS 10522 : 1983, DIN 51524 Part 2

HYDRO AW 10
API - CD

HYDREX SERIES

HYDRAULIC OILS

HYDREX HX 32 / 46 / 68
ISO 11158 [HV] , DIN 51524 Part 2 [HLP]

SYNACTIV 14 3B / 4F / 6H
IS 11656:1986 [Reaffirmed 2013] ,
DIN 51524 Part 3 HVLP type

DYNAMO Series
Fire Resistant Hydraulic FLuids

OUR PRODUCT RANGE:

MAINSTREAM

- Mineral & Synthetic Gear Oils
- Spindle Oils
- Slideway Oils
- Synthetic, Semi & Mineral Based Thermic Fluids
- Synthetic Hydraulic Oils

METALWORKING

- Synthetic, Semi-Synthetic & Mineral Based Cutting Fluids
- Rust Preventives
- Quenchants
- Neat Cutting Fluids
- Auxiliary Products

SPECIALITIES

- Synthetic & Mineral Compressor Oils
- Vacuum Pump Oils
- Turbine Oils
- Refrigeration Oils
- Textile Lubricants
- Chain Oils

PRODUCT COLLABORATION

Petrelplus

- Food Grade Oils & Greases NSF

MARKETS SERVED INTERNATIONAL

EXPORTS TO MORE THAN 25 COUNTRIES



ARABIAN
PETROLEUM LTD.
ARZOL®
EXPERT'S CHOICE
ARABIAN PETROLEUM LTD
Corporate Office:
Office No. 629/630, Avior Corporate Park,
LBS Road, Opp Johnson & Johnson,
Mulund (West), Mumbai-400080.
Manufacturing Plant:
Plot No. 14-B, Morivali MIDC,
Ambarnath (West), Dist. Thane – 421505.
Maharashtra, INDIA.
Overseas: Jafza, Dubai
+91 0251-3500334
+91 9167944470/80/81/82/83
sales@arabianpetroleum.co.in
arabianpetroleum.co.in
Arabian Petroleum Ltd.