




Indoor Ca	mera					IMOU SECURITY
Product Image		10 28 -	Imou	Imou	S STORY	
Model	Ranger Dual	Rex VT(Pro)	Ranger 2	Ranger RC	Cue 2	Bulb Cam
Resolution	3+3MP/3+5MP/5+5MP	5MP	3MP/5MP	3MP/4MP/5MP	1080P	3MP/5MP
Pan & Tilt	0~355°Pan, 0~90°Tilt	0~355°Pan, 0~90°Tilt	0~355°Pan, -5~80°Tilt	0~355°Pan, -10~70°Tilt	-	0~340°Pan, 0~90°Tilt
Night Vision	Smart Full-color	B/W	B/W	B/W	B/W	Smart Full-color
Audio	Two-way talk	Two-way Talk, Video intercom	Two-way talk	Two-way talk, Call-the-APP	Two-way talk	Two-way talk
Human Detection	•	•	•	•	•	Ø
Al Detection	Pet	Pet	-	-	-	Vehicle
Smart Tracking						•
Active Deterrence	With Spotlight and Siren	With Siren	With Siren	With Siren	With Siren	With Siren
Micro SD Card Slot	Micro SD Card Slot (up to 512GB)	Micro SD Card Slot (up to 256GB)	Micro SD Card Slot (up to 512GB)			
Dimensions	82.2×82.2×115.4 mm	63×60×124.5 mm	77.4×77.4×108.1 mm	110×80×80 mm	66×33×109 mm	75×75×177 mm
Power	5V1.5A	5V1.5A	5V1A	5V1A	5V1A	100~240V
Working Environment	-10°C to +45°C	-10°C to +45°C	-10°C~+45°C	-10°C to +45°C	-10°C~+45°C	-10°C~+45°C
Battery	-	With 2000mAh battery	-	-	-	-

Outdoor C	amera					IMOU SECURITY
Product Image		TO A STATE OF THE	mou Li	MOU	(a) mo	
Model	Cruiser Dual 2	Cruiser Dual	Cruiser SC	Cruiser SE+	Bullet 3	Bullet 2E
Resolution	3+3MP/3+5MP/5+5MP	3+3MP/3+5MP/5+5MP	3MP/5MP	3MP/5MP	3MP/5MP	3MP/5MP
Pan & Tilt	0~355°Pan, 0~90°Tilt	0~355°Pan, 0~90°Tilt	0~355°Pan, 0~90°Tilt	0~355°Pan, 0~90°Tilt	-	-
Night Vision	Smart Full-color	Smart Full-color	Smart Full-color	Smart Full-color	Smart Full-color	Smart Full-color
Audio	Two-way talk	Two-way talk	Two-way talk	Two-way talk	Two-way talk	MIC
Privacy Mode	•	-		-	-	-
Blue & Red Warning Light	•	-	•	-	-	-
Vehicle Detection	•	•	-	-		-
Human Detection	•	•	•	•		
Algo Play	•	-	-	-	-	-
Smart Tracking	•	•	•	•	-	-
Active Deterrence	With Spotlight and Siren	With Spotlight and Siren	With Spotlight and Siren	With Spotlight and Siren	With Spotlight and Siren	With Spotlight
Micro SD Card Slot	Micro SD Card Slot (up to 512GB)	Micro SD Card Slot (up to 256GB)	Micro SD Card Slot (up to 512GB)	Micro SD Card Slot (up to 512GB)	Micro SD Card Slot (up to 256GB)	Micro SD Card Slot (up to 512GB)
Dimensions	159×125×202 mm	159×125×202 mm	126×159×196 mm	121×136×183 mm	148×74×76 mm	165×90×73 mm
Power	12V1A	12V1A	12V0.5A	12V0.5A	12V0.5A	12V0.5A
Working Environment	-30°C~+50°C	-30°C~+50°C	-30°C~+50°C	-30°C~+50°C	-30°C~+50°C	-30°C~+50°C

Battery Series						
Product Image	mov 5	00 100	0 100	(man)		
Model	Cell 3C	Cell 3C All in One	Cell 3C Kit	Cell Go Full Color	Cell PT Kit	Cell PT 4G Kit
Resolution	3MP	3MP	3MP	3MP	3MP	3MP
Lens	2.8 mm	2.8 mm	2.8 mm	2.8 mm	3.6 mm	3.6 mm
Pan & Tilt	-	-	-	-	0~330°Pan, 0~90°Tilt	0~330°Pan, 0~90°Tilt
Night Vision	Smart Full-color	Smart Full-color	Smart Full-color	Smart Full-color	Smart Full-color	Smart Full-color
Audio	Two-way Talk	Two-way Talk	Two-way Talk	Two-way Talk	Two-way Talk	Two-way Talk
Wi-Fi	2.4GHz	2.4GHz	2.4GHz	2.4GHz	2.4GHz	4G Connection
Human Detection	PIR+Human Detection	PIR+Human Detection	PIR+Human Detection	PIR+Human Detection	PIR+Human Detection	PIR+Human Detection
Privacy Mode		②		②	②	②
Smart Tracking	-	-	-	-		lacksquare
Active Deterrence	With Spotlight and Siren	With Spotlight and Siren	With Spotlight and Siren	With Spotlight and Siren	With Spotlight and Siren	With Spotlight and Siren
Micro SD Card Slot	Up to 256G	Up to 256G	Up to 256G	Up to 256G	Up to 256G	Up to 256G
Dimensions	168.1×72.2×60.6 mm	168.1×96.8×69.5 mm	Camera: 168.1×72.2×60.6 mm Solar Panel: 169×116×2.3 mm	88×63×42 mm	Camera: 180×112×136 mm Solar Panel: 169×116×2.3 mm	Camera: 180×112×142 mm Solar Panel: 169×116×2.3 mm
Power	5000mAh Rechargeable Battery	5000mAh Rechargeable Battery	5000mAh Rechargeable Battery	5000mAh Rechargeable Battery	15000mAh Rechargeable Battery	15000mAh Rechargeable Battery



Doorbell	IMOU SECURITY
Product Image	Imou Imou
Model	Doorbell 2S Kit
Resolution	2K
Pan & Tilt	-15° ~+15°Pan
FOV	166°D
Night Vision	B/W
Night Vision Distance	5m(16.5ft)
Audio	Two-way Talk
Weatherproof	•
Wi-Fi	2.4GHz
Human Detection	PIR+Human Detection
Micro SD Card Slot	Up to 512GB (on Chime)
Dimensions	Doorbell: 150×55×50.3 mm Chime: 95.5×65.1×30.2 mm
Power	5000mAh Rechargeable Battery
Working Environment	Doorbell: -20°C to +50°C Chime: -10°C to +45°C

-20°C to +50°C

-20°C to +50°C

IMOU ROBOTS



- · Auto-recharge
- · Quick Mapping
 - · Multi Map Management

· 3 in 1 System

· App Control

· Strong Suction

Product Name	RV1
Navigation	LiDAR
Cleaning Router	Global planning
Suction Power	Max 4500pa
Duration	Max 110min
Battery	3200mAh
Charging Time	4h
Working Noise	65dB
Height of Obstacle Crossing	2 cm
Dust Bin Capacity	300ml
Water Tank Capacity	250mL
Tank type	Electric water tank
Number of Maps	3
Water Tank Type	
Carpet Boost	
No-go Area Setting	
Virtual Wall	
Scheduled Cleaning	
Auto Returning to Charge	
Dimension	350*350*98 mm
Working Environmen	Temperature: 0-40 °C Humidity: ≤ 90%

IMOU ROBOTS



- · Self-emptying
- · Quick Mapping
- · App Control
- · Smooth Moving Strong Suction
- · Auto-recharge

Multi Map Management

· 3 in 1 System

Product Name RV1 Pro RV1 Pro Max LiDAR LiDAR Navigation Planning Planning **Cleaning Router Suction Power** up to 4500Pa up to 6500Pa **Duration** Max 220min Max 110min 3200mAh 6400mAh **Battery Charging Time** 4h 6h 65dB 65dB **Working Noise Height of Obstacle Crossing** 2 cm 2 cm 300ml 300ml **Dust Bin Capacity Water Tank Capacity** 250mL 250mL Tank type 3 3 **Number of Maps** Water Tank Type **Carpet Boost ②** No-go Area Setting Virtual Wall **Scheduled Cleaning Auto Returning to Charge** 350*350*98 mm Dimension 350*350*98 mm Temperature: 0-40 °C Humidity: ≤ 90% Temperature: 0-40 °C Humidity: ≤ 90% **Working Environment Suction Power** 26KPa 26KPa < 80dB(A) **Working Noise** < 80dB(A) **Power Input** AC 220V 5A AC 220V 5A **Power Output** DC 24V 1.5A DC 24V 1.5A Dimension 356*250*193 mm 356*250*193 mm

IMOU ROBOTS



- · Strong Suction
- · Long Battery Life
- · Self-emptying
- \cdot 5 in 1 Omni Station
- · Self Cleaning
- · Multi Map Management
- Self Drying

		· Mop Extended
	Product Name	RV3
	Navigation	LiDAR
	Wall sensor	dToF Sensor
	Obstacle avoidance	infrared
	Distance From Wall	10 mm
	Suction Power	Up to 8500Pa
	Duration	280min(Min suction power)
	Battery	6400mAh
	Charging Time	5h
	Working Noise(Max)	< 72dB
	Height of Obstacle Crossing	2cm
	Dust Bin Capacity	320ml
	Water Tank Capacity	80ml
Cle	Mop type	2 round washable mop
Cleaner	Mop Lifting	10 mm
	Filter Level	H11
	Resume Cleaning	Ø
	No-go Area Setting	\bigcirc
	Virtual Wall	Ø
	Scheduled Cleaning	
	Do not Disturb Mode	Ø
	Child Lock Control	\bigcirc
	Off-Peak Charging	Ø
	Number of Maps	3
	Network Connectivity	Wi-Fi 2.4G , WIFI 6
	Dimension	ф350*96 mm
	Working Environment	Temperature: 0-40°C Humidity: ≤90%
	Suction Power	28.5KPa
	Working Noise	<83dB(A)
	Automatic Dust Collection	Ø
Station	Automatic Mop Cleaning	Ø
	Hot Air Drying	Ø
	Hot Air Drying Temperature	55°C
	Hot Air Drying Time	2h
	Clean Water Tank Capacity(L)	5L
	Dirty Water Tank Capacity(L)	5L
	Power Input	AC 220V~50/60Hz
	Power Output	DC 24V 1.2A
	Dimension	463*433*400 mm



HX21

AX3000 Wi-Fi 6 Router

- · Full Gigabit Ports
- · Imou-Link Mesh
- · Imou Wi-Fi Auto Sync
- · Imou Speed Accelerate
- · Support IPTV



HR12G

AC1200 Gigabit Wi-Fi Router

- · Dual-Band Wi-Fi
- · Full Gigabit Ports
- · Imou-Link Mesh
- · Imou Wi-Fi Auto Sync
- · Imou Speed Accelerate
- · Support IPTV



HR12F

AC1200 Wi-Fi Router

- · Dual-Band Wi-Fi
- · Imou Wi-Fi Auto Sync
- · Imou Speed Accelerate
- · Support IPTV



HR300

300Mbps Wi-Fi Router

- · 300Mbps Wi-Fi
- · Support IPTV
- · Parental Control
- · Guest Wi-Fi

IMOU IOT



Smart Radiator Thermostat





Smart Radiator Thermostat Kit

- · Remote control
- · Voice control
- · Windows detection
- · Energy saving
- · Frost protection
- · Schedule&Timer
- · Group control



ZG2 Smart Gateway

- · Wireless connection
- One-key zonfiguration of arm and disarm
- · Remote Control
- · Local area network linkage
- · Built-in siren
- · 16-way sub-device access



ZG1S Smart Gateway

- · Wired&wireless connection
- · One-key configuration of arm and disarm
- · Remote APP control
- · Local area network linkage
- · 32-way sub-device access
- · Built-in siren



Door & Window Sensor

- · 25mm trigger alarm
- · Tamper protection
- · Easy installation
- · Real time alart
- · Smart scene linkage
- · 1 year long standby



Motion Detector

- · Magnetic suction design
- · 360° rotation adjustment
- · Easy installation
- · Motion detection
- · Smart scene linkage
- · 1 year long standby



Emergency Alarm Button

- · One-click alarm
- · Single click, double click, press and hold linkage scene
- · Flexible placement
- · Long standby
- · History record



Temperature & Humidity Sensor

- · ±0.3°C accuracy detection
- · LCD screen display
- · Flexible placement · Threshold alarm
- · Smart scene linkage



Smart Smoke Alarm

- · Real time alart
- · Long standby · easy installation
- · Smart scene linkage
- Flame retardant material shell



Water Leak Sensor

- · No installation required
- · Tamper protection
- · Real time alart
- · IP66 protection level



Gas Detection Alarm

- · Measuring range 0~100%LEL
- · Local sound and light alarm
- · Real time alart
- · Easy installation



Alarm Siren

· 110dB security siren


· Smart scene linkage

- · Tamper protection
- · Real time alart



Alarm Kit

- · Remote control
- · Tamper protection
- · Real time alart
- · Single click, double click, press and hold linkage scene







Smart Plug CE1P

- · Voice control · Schedule & timer
- · Remote control
- · Energy monitoring · Share to family
- · Max Load: EU 2500w 10A
- · Flame retardant material shell





Smart Plug CE2P

- · Voice control
- · Schedule & timer · Remote control
- · Energy monitoring
- · Share to family · Max Load: EU 3680w 16A
- · Flame retardant material shell



Universal Infrared Remote Controller

- · All-in-one IR remote control
- · Schedule & timer · Remote control
- · Voice control
- · Share to family · OTA upgrade



Smart Wi-Fi Bulb

- · Remote control
- · Voice control
- · Custom scenes
- · WWA · WWGA · Matter





- · Remote control
- · Voice control
- · Group control
- · WWA · WWGA · Matter



- · Schedule & timer
- · Group control







· Schedule & timer

- · Custom scenes
- · Cuttable