

ANTEX


Yarn innovation since 1969

Yarn innovation since 1969

1969 2008 Anglès Textil, S.A. starts Post-industrial and post-consumer production of continuous waste recycling plant filament yarns in Anglès (Spain) 2001 2008 Antex Ltda .: new plant in Fazenda Master Batch production Rio Grande, Curitiba (Brazil), to serve and development plant the South American market

About us

We are a Spanish textile group founded in 1969 specialising in the broad sector of synthetic fibres



Materials

We start from synthetic polymer chips, developing and producing synthetic polymer yarns to offer a wide range of tailor-made products.

These materials are also available in recycled versions.



POLYESTER

PES / PESCAT / PBT

Polyester is the main synthetic polymer used in textiles.

Due to its properties, versatility and cost, it can be used in most applications in different forms or counts.

Within the polyester range, we work with polyester in different lustre grades, PBT, cationic dyeable polyester, and on their recycled versions.





POLYAMIDE

PA6 / PA6.6

Polyamide has very specific properties in terms of touch, moisture management and resistance. These properties make it optimal for technical applications and for close to skin garments.

In Antex we extrude, texturize (false-twist and air), twist, dye and warp yarns of PA6.6 and PA6 in different lustres and in recycled versions.

POLYPROPYLENE

PP

Because of its resistance to exterior conditions the properties of Polypropylene are well recognized in certain applications such as outdoor upholstery, sportswear for its hydrophobicity, and other technical markets for its low melting point.

Antex offers solution dyed PP, UV stabilized filament yarns in FDY, textured, air-textured and mélange yarns.

Sustainable Line

We are a company linked to its environment, always ready to take on future challenges, involved in the reduction of energy consumption and pollution related to the disposal of nonbiodegradable waste.

This is why we are committed to more environmentally friendly processes and technologies, and have developed a range of sustainable products, which, when combined with our R&D, allows us to obtain high performance environmentally friendly yarns and fibres.

Sustainable Line



YNVIRON[®] Y

YNMAS



Synthetic polymer yarns and fibres from postconsumer waste, specially designed to suit the requirements of each end-use application. GRS certification is available for the entire range.



By incorporating colour during the extrusion and spinning process, we obtain solution dyed yarns and fibres with excellent regularity and colour fastness. This process achieves significant savings in terms of water and energy consumption when compared to dyeing in an aqueous medium.



Recycled yarns and fibres generated from textile waste from the production processes of the textile chain and end-of-life textile products. Favouring zero waste production systems, which allows us to move from a linear to a circular economy.



Biodegradation is one of the options being considered to combat the large amount of plastic waste that ends up in landfills. Our Yarnaway yarns and fibres offer a unique solution to accelerate biodegradation in biologically active landfills.

SEAQUAL

Seaqual Initiative challenges environmental pollution and helps to clean up our oceans, helping society move towards a circular and sustainable economy. As part of this initiative, we have developed for different sectors and applications a wide range of Seaqual yarns and fibres which are 100% recycled and contain marine waste.

Processes

In order to meet our customer requirements, we use different industrial processes that transform synthetic filament yarns into yarns that comply with the specifications of each application.

Furthermore, we have increased our offer of materials and have gained flexibility in order to offer a better service and remain abreast of market changes.



Processes





Spinning

Continuous filament production from the extrusion and spinning of polymer chips.

Production of POY and FDY yarn

Polymers with a distinct TiO2 percentage

Distinct polymers: PET, PBT, PP, PA6,6, PA6, Biopolymers

Dpf range from 0.3 to 20

Solution Dyed Colours

Bi-components

Additives for special properties



2

False twist texturing

Texturing process by machines equipped with an on-line quality control system, airintermingling and automatic doffing systems.

PET, PBT, PP, PA stretch and set yarns

All the counts in the market

Bi-component yarns

Special effects



3

Air Texturing Taslan

Texturing process that consists of giving cohesion and bulk to the filament yarns through the application of high pressured air.

| PET, PBT, PP, PA and Biopolymers. |
|-----------------------------------|

Yarn counts from 50 to 6.000 dtex

Different coloured mixtures

Medium and high tenacity yarns

Special effects

4

Twisting

Two-for-one twist process to protect yarns and improve abrasion results. Can be used to avoid sizing processes in warps. Antex has one of Europe's largest twisting facilities.

Twisted yarns of one or more plies

From flat or textured yarns

Crepe yarns

High or low twist

Special effects







Processes



Elastomer intermingling

Production of high elasticity yarns by interlacing elastomer.

Flat yarns

Textured yarns

Air textured yarns

Dyed yarns

Yarns with or without torque



Dyeing

High-tech yarn dyeing, with autoclaves which can dye at temperatures of up to 140°C.

- Textile and automotive dyeing
- Dyeing of textured and air-textured yarns
- Dyeing of high-stretch yarns

Dyeing of twisted yarns

High level of light fastness

Batches from 2 kilos to 2000 kilos









Master Batch

The production and development of a synthetic polymer Master Batch for the textile and automotive markets.

Colours and additives

Carriers according to product needs

Small batches for trials



Recycling

Thermo-mechanical recycling process for textile waste, that converts it into reusable polymer that can be reintroduced into the industry.

Post-industrial recycling

Post-consumer recycling







Processes



High Elasticity

Special internal process for coloured yarns with high bulk and stretch. Tailored bobbin constructions for perfect dyeing procedure and colour continuity.

Available in PA6.6, PA6, PBT and PES

From 22 to 600dtex

Twisted or intermingled

Special effects

Fibres

10

Synthetic fibre production adapted to the requirements of each application.

Counts from 3.3 to 20 dtex

Length from 40 to 120mm

Level of crimp according to customer needs







Applications

OUTDOOR FURNITURE

Yarns for outdoor fabrics - pigment based colouration for high colour light fastness, and UV stabilisers. Wide range of colours and visual effects for more natural collections. Available in recycled and sustainable versions.



AUTOMOTIVE

Filament yarns for automotive applications. Headliners, seat covers, door panels, carpets and others. In solution dyed colours and sustainable solutions.

Fibre for automotive nonwovens according to specifications upon application, with tailor-made colours and sustainable solutions.

New materials for composite structures from fabrics based on thermoplastic filament yarns, for interior and exterior applications.



HOME TEXTILES

Yarns adapted to the fabric's aesthetic and technical requirements in different home applications: curtains, sofas, beds, table cloths, carpets... Fibres for filling and nonwovens for multiple applications.





CONTRACT

Combination of visual effects with technical performance that fulfil the high requirements of contract application fabrics. Flame retardant, high abrasion, antibacterial... Wide range of sustainable solutions for this sector.

Applications

MEDICAL / ORTHOPAEDICS

Yarns in polyamide and polyester, in package dyed or solution dyed, for different applications. Available in high stretch for high performance of the orthopaedic products.

New developments in antimicrobial solutions.







Engineered yarns in different polymers which maximise the technical properties of each. When combined with yarn effects provide comfort, lightness and high performance.

FASHION

Filament yarns with special effects, combinations, and thickness, that can combine technical properties with good hand and drape.





WORKWEAR

Yarns with specific properties for workwear applications.

High resistance, comfort through chemical resistant polymers, UV protection, antibacterial, ...

FILTRATION

Fibres and filaments for filtration - in woven fabrics, nonwovens and wounded type.

In different polymers (polyester, polypropylene), adapted filament count, antimony free polymers...





CLEANING


Wide range of yarns and fibres for cleaning applications offering high absorption and a brushing effect.

Also available in sustainable versions, in solution dyed colours and antimicrobial possibilities.

R&D

New trends require new solutions. Our R&D department is staffed by highly skilled specialists and guarantees both quality products and continuous innovative contributions to the textile market.

Thanks to our pilot plants, our team of experts are able to dedicate the time and resources needed to investigate and develop new solutions independently from the daily production process. The studies and trials carried out in these plants are then tested in our laboratories where the developed product is checked to ensure that it meets all initial specifications.









In order to ensure product continuity, all our processes have access to testing machinery of the same technology as that of our production machinery.

Spinning Flexible testing machines of 1, 2, 4 and 6 bobbins

False twist Texturing testing machines

Air texturing Individual positions

Dyeing Machines of 200 grams and up to 20 bobbins

Twisting 8 position machines

Master Batch Laboratory machines for small lots

Fibres 1 testing Machine



Locations

| | | |
|----------------------|------|--|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| Production site | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| Office and warehouse | | |
| | | |
| | | |
| | | |
| | | |
| | | |

Locations

| | | | н. | | | | | | | | | | н. | | 1.1 | | i. | | | | | | | | | | |
|--|---|--|----|--|--|--|---|---|--|--|--|--|----|---|-----|---|----|--|---|----|--|--|-----|---|---|--|--|
| | | | | | | | | | | | | | | | | | | | l | i. | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ļ | | | | | | | | | | | | | - | | | | | | | | | | | | | |
| | | | | | | | - | i | | | | | | | | Ì | | | 0 | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | , i | l | l | | |

Production sites

SPAIN

Josep Hereu i Aulet 8 17160 Anglès, Spain +34 972 43 83 00 antex@antex.net

MEXICO

Ciudad Industrial Xicohtencatl III C. Central Lote 3A Manzana 290250 Tlaxco, Mexico +52 241 4189 700 antexmexico@antex.net

BRASIL

Rua Francisco Ferreira da Cruz 2500 Distrito Industrial 112 83820-293 Fazenda Rio Grande (PR), Brazil +55 41 210 381 00 antexbrasil@antex.net

Offices and warehouses

ANTEX USA

antexusa@antex.net

ANTEX FIBRES Barrio Sorabilla s/n

20140 Andoain Gipuzkoa, Spain +34 972 438 300 antexfibres@antex.net

ANTEX STILON

ul. Walczaka 25 66-407 Gorzów Wielkopolski Poland +48 95 782 22 00 antexstilon@antex.net

ANTEX TURKEY

antexturkey@antex.net



antex.net

OUR CERTIFICATIONS: IATF 16949 · UNE-ISO 9001:2015 · GRS · Oeko-Tex® Standard 100 · Oeko-Tex® Standard 100 FR · PAS 2050 · ISO 50001:2018-