

TEST REPORT

Page 1 of 3

REPORT NUMBER : TURT180186200
APPLICANT NAME : Benaş Tekstil San. ve Tic.Ltd.Şti.
ADDRESS : DOSAB Reyhan Sok. No:1Osmangazi Bursa / TURKEY
TEL:0224 261 22 38FAX:0224 261 23 49
Attention : Fikret Doğanay (fikret@benastekstil.com)
SAMPLE DESCRIPTION : One sample of Grey woven swatch
DATE IN : 10 October ,2018 (10:43:00)
DATE OUT : 7 December ,2018
BUYER : WESTBRIDGE
END USE : UPHOLSTERY
MODEL STYLE NO : BNT3671-MOPA
FABRIC WEIGHT : Claimed to be 320 g/m²
FIBER COMPOSITION : Claimed to be 100% Polypropylene
NOTE : Test method was given by the applicant
PROVIDED CARE LABEL : Not Given

| TEST | SAMPLE |
|------------------------------------------------------------------|---------|
| Colour Fastness to Artificial Light - Xenon Arc Fading Lamp Test | 1 NR |

P = MEETS BUYER' S REQUIREMENT / F = DOES NOT MEET BUYER' S REQUIREMENT / NR = NO REQUIREMENT / SC=STILL CONTINUES / X=NOT PERFORMED / NA = NOT APPLICABLE / LS = LACK OF SAMPLE / NC = NO COMMENT / I = INCONCLUSIVE / # = SEE RESULT / NF = NEEDS FURTHER TESTING / A = ABSENT / M = MARGINAL ACCEPT / SD = SEE DETAILS ENCLOSED / FS: FURTHER STEPS

This report (including any enclosures and attachments) are prepared for the exclusive use of the Customer(s) named in the report and solely for the purpose for which it is provided and on the basis of instructions and information and/or materials supplied by Intertek's Customer. The test results relate only to the specific items tested and are not intended to be a recommendation for any particular course of action. Customer is responsible for acting as it sees fit on the basis of such results. Unless Intertek provide express prior written consent, no part of this report should be reproduced, distributed or communicated to any third party. Intertek do not accept any liability if this report is used for an alternative purpose from which it is intended, nor do Intertek owe any duty of care to any third party in respect of this report. Except where explicitly agreed in writing, all work and services performed is governed by Intertek Standard Terms and Conditions of Service which is available on request or can be obtained at <http://www.intertek.com/terms>. The reported uncertainty is based on a standard uncertainty multiplied by a coverage factor k=2, providing a level of confidence of approximately 95%. The uncertainty evaluation has been carried out in accordance with ISO/IEC 17025 and TÜRKAK accreditation requirements. Unless otherwise is specified, all Pass or Fail results are given without uncertainty considered. When uncertainty is taken into account, the result may be borderline. Borderline results need to be re-tested to determine their disposition up to customer's decision. Opinions and interpretations expressed herein are outside the scope of TÜRKAK accreditation. Tests marked (*) in this test report are not included in the TÜRKAK accreditation schedule for this laboratory.



Sena ALTINKAYA
Customer Care Executive



Neslihan SÖZER
Country Business Line Manager
Softlines&Hardlines

Intertek Test Hizmetleri A.S.
Merkez Mahallesi Sanayi Cad. No.23 Altindag Plaza Yenibosna-34197 /ISTANBUL
Phone : +90 212 496 46 46 Fax: +90 212 452 80 55
e-mail : intertekcg.turkiye@intertek.com
<http://www.intertek-turkey.com>



180186200

RESULTS

REPORT :TURT180186200

Page 2 of 3

7 December ,2018

| Test Method | Results | Requirements |
|-------------|---------|--------------|
|-------------|---------|--------------|

Colour Fastness to Artificial Light - Xenon Arc Fading Lamp Test

ISO 105 B02 : 2014

Method 2 Modified (Blue Wool Grade 8 faded up to Grey Scale 4)

Mode of operation: Non Turning

Illuminant used for assessment: natural daylight (D65)

Shade Change

| | | |
|--|---|----------------|
| | 8 | No Requirement |
|--|---|----------------|

Estimated Total Uncertainty=($\pm 0,5$ Grade)

RESULTS

REPORT :TURT180186200

Page 3 of 3

7 December ,2018



END OF TEST REPORT