


COMPRESSED WOOD or PAKAWOOD

Robust and Natural



nunez handles®





COMPRESSED WOOD or PAKAWOOD

Robust and Natural

Material manufactured from thermoset resin-impregnated hardwood veneers .

The resin polymerisation temperature is 140°C, which imbues the final material with **high thermal resistance and increased density**.

Therefore, our compressed wood or laminated wood, also called Pakawood, withstands temperatures above 70°C.

It is certified as a suitable for food contact material.

COMPOSITION

Final composition: 65-70% wood and 35-30% thermosetting resin

Specific weight: 1.25-1.35 g/cm³

Thicknesses: from 16mm to 45mm

Respecting the beauty and quality of the natural wood used as a core raw material, creating a much sturdier and practical material for use in cutlery.

CERTIFIED

Our "Compressed Woods" have been tested and certified by AIDIMME (Furniture, Wood, Packaging and Related Industries Technology Institute) with regard to the following technical aspects:

- SUITABLE FOR FOOD CONTACT CERTIFICATE

As per UNE-EN 10/2011 Regulation and amendments 2016/1416 and 2017/752



130
COMPRESSED NATURAL



132
BROWN COMPRESSED



133
BLACK COMPRESSED



135
COMPRESSED GUINEA




136
COMPRESSED CORAL



141
BLACK COMPRESSED



143
COMPRESSED ROSEWOOD



144
BLUE COMPRESSED.



145
RED COMPRESSED.



146
NATURAL COMPRESSED



150
BLACK COMPRESSED



189
COMPRESSED ALPINE