

GAS CARTRIDGES & APPLIANCES

PRODUCT CATALOG

GAS CARTRIDGES & APPLIANCES

Product Catalog



Beyond Safety & Convenience !



01 Factory [Asan, Korea] 02 Factory [Jin Cheon, Korea]
03 Head Office [Seoul, Korea] 04 Factory [Dalian, China]
05 Factory [Hai Phong, Vietnam]

CONTENTS



Butane Gas Cartridge / 04



Camping Gas Cartridge,
Lighter & Torch Gas Cartridge / 06



Portable Gas Stove / 08



Gas Torch & Grill Pan / 10



Hot pot and griddle & Package / 12



Camping Accessories,
Gas Hose & Other Products / 14

Butane Gas Cartridge



Butane Gas Cartridge



Mini Cartridge

Fuel Capacity(Weight)		120g	150g	
Volume		230ml	357ml	
Butane Gas	Inner Packing	60pcs / box	60pcs / box	
	Outer Box	560x416x210mm	441x374x315mm	
Fuel Capacity(Weight)		Packing Information Outer Box		
120g		L x W x H	CBM	
		560x416x210mm	0.049	
150g		441x374x315mm	0.052	
No. of units per container type				
Classify	20FT		40FT	40FT HC
	Unit	Box	Unit	Box
120g	33,000	550	69,000	1,300
150g	31,200	520	63,000	1,230

MSF-1 CRV, MSF-1A

Fuel Capacity(Weight)		220g(227g)
Volume		420ml
Packing	Inner Packing	4pcs / Shrink Film (4x1)
	Outer Box	28pcs (4x7)
		485x283x210mm

Packing Information	Outer Box		No. of units per container type					
	L x W x H	CBM	20FT		40FT		40FT HC	
Butane Gas	485x283x210mm	0.028	Unit	Box	Unit	Box	Unit	Box
			28,224	1,008	57,400	2,050	65,184	2,328

Max CRV Butane Gas Cartridge



CRV with Triple Seaming

- **Benefit of Triple Seaming**
Triple Seaming technology can prevent breakage and explosion by holding the top and body plate together until the CRV system activates and the residual gas is continuously discharged through 12 release vents.

Max CRV

Dot-Shaped Explosion - Proof Vent

Max CRV Butane Gas Cartridge

General

General Butane Gas Cartridge

Explosion-Proof CRV System (Invention Patent No.10-0572517)



- **What is CRV(Countersink Release Vent)?**
When excessive pressure is supplied into the butane gas cartridge, CRV system releases gas from dot-shaped explosion proof vents in the countersink at the top of the can.
- **Max CRV Butane Gas Cartridge is used worldwide in over 65 countries.**
- **Max CRV does not leave the butane residual even in wintertime.**
You can save energy cost since Max CRV compounded with the high quality liquied gas, helps a complete combustion in stove and keeps a steadily strong heat power until the cartridge is completely empty.
- **Explosion-proof, CRV system is very popular with all over the world as well as domestic market.**

Max CRV Butane Gas Cartridge, Your only choice for high product quality, user safety and energy saving.

Camping Gas Cartridge

■ Iso-Butane Cartridge




Screw valve type (EN417)

	MSF-2 MSF-4(EU)	MSF-3 MSF-8(EU)	MSF-7 MSF-9(EU)	No. of units per container type						
Fuel Capacity(weight)	100g (110g)	230g	450g	Model	20FT		40FT		40FT HC	
Volume	321ml	509ml	990ml		Unit	Box	Unit	Box	Unit	Box
Packing(per box)	24pcs (3x4x2)	24pcs (3x4x2)	12pcs (3x4)	MSF-2 / MSF-4 (EU)	31,992	1,333	63,984	2,666	84,552	3,523
	383x289x150mm	450x340x170mm	450x340x170mm	MSF-3 / MSF-8 (EU)	25,824	1,076	51,672	2,153	56,880	2,370
Features	Compatible with screw connector type camping devices			MSF-7 / MSF-9 (EU)	12,912	1,076	25,836	2,153	28,440	2,370

Lighter & Torch Gas Cartridge



■ Lighter Gas Cartridge



Gas filler



MSF-135/150/165/180/300/460	
Fuel Capacity(weight)	135g/150g/165g/180g/300g/460g
Volume	291ml/336ml/397ml/397ml/663ml/990ml

Model	MSF-135	MSF-150	MSF-165	MSF-180	MSF-300	MSF-460
Inner Box	12pcs (2x6) 327x113x185mm	12pcs (3x4) 220x165x210mm	12pcs (3x4) 213x161x240mm	12pcs (3x4) 213x161x240mm	12pcs (3x4) 245x185x289mm	6pcs (2x3) 205x239x355mm
Outer Box	48pcs (12x4) 665x240x200mm	48pcs (12x4) 455x345x225mm	96pcs (12x8) 447x345x507mm	96pcs (12x8) 447x345x507mm	48pcs (12x4) 510x390x308mm	24pcs (6x4) 425x295x370mm



■ Torch Gas Cartridge

MSF-T	
Fuel Capacity(weight)	300 g / 330 g
Diameter	ø211N
Volume	600ml
Packing	Outer Box 30pcs / box 420x350x275mm
Features	Compatible with screw connector type torch

Portable Gas Stove

▪ Portable Gas Stove



UNIVERSAL STOVE MS -2500

TECHNICAL CHARACTERISTICS (at 20 °C+/-5 °C)	
Nominal Heat Input	2.2kW
Gas consumption	160g/h
Cartridge to be used	MSF-1a & MSF-1 (CRV)
Gas Type	Butane



ULTRA SLIM STOVE MS-3500 / MS-3500S

TECHNICAL CHARACTERISTICS (at 20 °C+/-5 °C)	
Nominal Heat Input	2.9kW
Gas consumption	200g/h
Cartridge to be used	MSF-1a & MSF-1 (CRV)
Gas Type	Butane



HIGH POWER STOVE MS-3800 / MS-3800S

TECHNICAL CHARACTERISTICS (at 20 °C+/-5 °C)	
Nominal Heat Input	2.9kW
Gas consumption	200g/h
Cartridge to be used	MSF-1a & MSF-1 (CRV)
Gas Type	Butane



MINI STOVE MS-8000

TECHNICAL CHARACTERISTICS (at 20 °C+/-5 °C)	
Nominal Heat Input	2.1kW
Gas consumption	150g/h
Cartridge to be used	MSF-1a & MSF-1 (CRV)
Gas Type	Butane

▪ Portable Gas Stove



DOUBLE BURNER STOVE MSD-5800S

TECHNICAL CHARACTERISTICS (at 20 °C+/-5 °C)	
Nominal Heat Input	2.2kW x 2
Gas consumption	160g/h x 2
Cartridge to be used	MSF-1a & MSF-1 (CRV)
Gas Type	Butane



BBQ GRILL STOVE MS-8 MINI BBQ

TECHNICAL CHARACTERISTICS (at 20 °C+/-5 °C)	
Nominal Heat Input	2.2kW
Gas consumption	160g/h
Cartridge to be used	MSF-1a & MSF-1 (CRV)
Gas Type	Butane



DEEP GRILL PAN STOVE MS-8

TECHNICAL CHARACTERISTICS (at 20 °C+/-5 °C)	
Nominal Heat Input	2.2kW
Gas consumption	160g/h
Cartridge to be used	MSF-1a & MSF-1 (CRV)
Gas Type	Butane



CAMPING STOVE MS-200


TECHNICAL CHARACTERISTICS (at 20 °C+/-5 °C)	
Nominal Heat Input	2.4kW
Gas consumption	175g/h
Cartridge to be used	MSF-1 & MSF-8 & MSF-9
Gas Type	Butane-propane mixture

Gas Torch

Basic Torch



Premium Torch (Anti-Flare)




Technical Characteristics

Model	Basic Torch		
	MGT-102	MGT-107	MGT-301
Size	155x75x45mm	175x60x45mm	230x80x40mm
Weight	150g	139g	179g
Gas Consumption	125g/h	153g/h	149g/h
Heat Output	1.7kW	2.1kW	2.1kW
Ignition	Piezo Electric / Automatic Ignition		
Anti-Flaring	N/A		

Model	Premium Torch (Anti - Flare)		
	MS-T5	MGT-206	MGT-207
Size	170x70x50mm	155x75x40mm	174x64x45mm
Weight	143g	160g	163g
Gas Consumption	73g/h	125g/h	109g/h
Heat Output	1.3kW	1.7kW	1.5kW
Ignition	Piezo Electric / Automatic Ignition		
Anti-Flaring	Anti-flaring safety device equipped		

Grill Pan


Strong Points



4Layered Non Stick Coating
Quadruple fluorine resin coating extends the product durability.



Automatic Oil Discharge
Let the fat oil drain out automatically through oil outlet with multi bolt open.




Multi Purpose Cooking
When using the pan as a grill pan, keep the multi-bolt open.
When using the pan as a stew pot, keep the multi-bolt closed.

Round Grill Pan



Square Grill Pan



Joyme Round Grill Pan



Joyme Square Grill Pan



Super Multi Grill Pan



Egg Grill Pan



Technical Characteristics

Model	Round	Square	Joyme Round	Joyme Square	Super Multi	Egg Multi Pan
Size	Ø320mm	320 x 320mm	Ø320mm	320 x 320mm	Ø340mm	Ø375mm
Q'ty/Outer Box	10pcs	10pcs	10pcs	10pcs	10pcs	10pcs
Outer Box Size	632 x 312 x 328mm	592 x 336 x 314mm	695 x 360 x 375mm	650 x 407 x 375mm	615 x 362 x 375mm	535 x 387 x 390mm
G.W	16.6kg	18kg	16.7kg	16.7kg	17.5kg	16.58kg

Hot pot and griddle



G - 13

Size	308 x 258 x 150mm
Q'ty/Outer Box	10pcs
Outer Box Size	505 x 385 x 235mm
G.W	15.85kg



MG - 8000

Size	240 x 213 x 64mm
Q'ty/Outer Box	10pcs
Outer Box Size	505 x 385 x 235mm
G.W	12.4kg



MG - 2900

Size	247 x 246 x 73mm
Q'ty/Outer Box	10pcs
Outer Box Size	575 x 416 x 265mm
G.W	16.75kg



Griddle Deep 34

Size	345 x 50 x 348mm
Q'ty/Outer Box	10pcs
Outer Box Size	540 x 355 x 365m
G.W	10kg

Package

Torch Kit / MBT-103



Product detai	Blister package (Gas cartridge, Gas Torch)
Gas type	Butane Gas
Gas consumption	Approx. 105min (with 220g gas canister)
Country of Origin	Gas cartridge (Korea), Gas Torch (Vietnam)
Features	1. Butane Gas : Explosion-Proof CRV (Countersink Release Vent) System 2. Gas Torch : Anti-Flare Function, Flame Adjustment Available

Torch Kit / MTK-101



Product detai	Blister package (Gas cartridge, Gas Torch)
Gas type	Butane Gas
Gas consumption	Approx. 105min (with 220g gas canister)
Country of Origin	Gas cartridge (Korea), Gas Torch (Korea)
Features	1. Butane Gas : Explosion-Proof CRV (Countersink Release Vent) System 2. Gas Torch : Anti-Flare Function, One-Touch Automatic Ignition

Torch Kit / MTK-102



Product detai	Box package (Gas cartridges X 4pcs, Gas Torch)
Gas type	Butane Gas
Gas consumption	Approx. 105min (with 220g gas canister)
Country of Origin	Gas cartridge (Korea), Gas Torch (Vietnam)
Features	1. Butane Gas : Explosion-Proof CRV (Countersink Release Vent) System 2. Gas Torch : Anti-Flare Function, Flame Adjustment Available

Candela package



Product details	2 X Camping Gas(230g) & 1 X STS decoration plate
Country of Origin	Korea
Features	Especially designed to celebrate "Christmas & Winter Season" STS decoration plate makes the sensitivity of light better and is perfect for creating an party atmosphere.

Camping Accessories



Lantern Set



Candela Set(Halloween Edition)


Gas Hose

Strong Points



Red
Polyvinyl Chloride Low Pressure Hose

Best for use with LP, LN and Butane gas.
Special 3 layered design and structure reinforced with steel wire to prevent easy-cut. Easy to install with high flexibility and good durability against oil and climate.



Black & White
Premium super Low Pressure Sun-Braid Hose

Best for use with LP, LN and Butane gas.
Super sun braid reinforced 3 layered structure for easy installaton and lasting high flexibility for a long time.
For transparent gas hose(W), it is allowed to see the gas flow in line easily at sight.



Technical Characteristics

Content	Red
I.D	9.5±0.7mm
O.D	15.0±1.0mm
Thickness	2.75mm
Length	45m
Weight	6.0kg
Working Pressure	196kPa (2kgf/cm)
Burst Pressure	60kgf/cm)

Technical Characteristics

Content	Black & White
I.D	9.5±0.7mm
O.D	16.0±1.0mm
Thickness	3.0mm
Length	45m
Weight	6.8kg
Working Pressure	196kPa (2kgf/cm)
Burst Pressure	30kgf/cm)



Other Products

Cosmetics



Hair Spray
Deodorant
Shaving Foam
Sun Spray
Hair Mousse



Facial Mist
Deodorant

Industrial Product



Lubricant Spray



Micro-Check

Car Care Product



Car Air Conditioning
Refrigerant

Household Product



Dispenser and Pure
Natural Air Freshener



Insecticide

Sanitary Product



Fire Extinguisher



Sanitizer (Gel Type)



Head Office [Seoul, Korea] : 2nd Fl., Korean Women Entrepreneurs Asso. Bldg.,

221, Yeoksam-ro, Gangnam-ku, Seoul, Korea

Tel: +82.2.6003.0727 Fax: +82.2.563.3459

Factory [Asan, Korea] : 17, 202 Bun gil, Yeongin-ro, Yeongin-myeon, Asan-si, Chungnam, Korea

Tel: +82.41.540.3300 Fax: +82.41.540.3327

Factory [Jin Cheon, Korea] : 89, Sincheoksandan 5-ro, Sincheok-ri, Deoksan-myeon,
Jinchon-gun, Chungbuk, Korea

Tel: +82.43.753.7200 Fax: +82.43.753.7201

Factory [Dalian, China] : No.125 Bayi Road Jinzhou New Area, Dalian, 116100 China

Tel: +86.411.87858555 Fax: +86.411.8785.8558

Factory [Hai Phong, Vietnam] : Lot No CN5.1B, Dinh Vu Industrial Zone, Hai Phong, Vietnam

Tel: +84.313.769.123 Fax: +84.313.769.345

