



**Top choice SHUTER Workspace series for
flexible and efficient production**

50th
Anniversary



est. 1969 Together we make dreams happen 夢想堅持的勇氣

**"Don't appropriate cultures from elsewhere
as your own: instead look to your place,
your land to find what's real."**

Chairman , Shuter Enterprise

Our Mission

We devote ourselves to the production of creative, innovative, and environmentally sustainable storage solutions for home, office, and industrial spaces, and guarantee total customer satisfaction in these products.

Our Commitment

Shuter Enterprise Co. Ltd is dedicated to maintaining a management approach that is fully committed to upholding human rights and pursuing positive business practices. We actively create and maintain a cheerful work environment, treating each and every colleague like a family member. We extend this commitment to a good quality of life into the wider community through various charitable endeavors.

Our Vision

We are determined to one day see SHUTER and livinbox listed among the world's top 100 brands. However, we never forget our Taiwanese roots, and proudly print the words "Made in Taiwan" on all of our products, no matter where our global ambitions take us.



We are from Taiwan

72.9 m



Taiwania

Rukai : Wa driwru ki Dramare Ka angatu

Taiwania, with a single living species


Taiwania cryptomerioides, is a large coniferous tree in the cypress family. One of the largest tree species in the Asia region, the Taiwan cypress grows best in the towering central mountain ranges of the beautiful island of Taiwan.

With distinctive needle-like leaves and attractively scented wood, this endangered “living fossil” is as representative of the immense forests of the ancient world as the Chinese Metasequoia, Ginkgo biloba, and North American giant sequoia.

This culturally important tree is called *Wa driwru ki Dramare Ka angatu* in the language of Taiwan’s indigenous Rukai people, which means “a tree touching the moon.”

livinbox
Ljira Wu

Proudly made in Taiwan



thetreeprojects

about Taiwania



Chairman Yira Wu

Our Story

Shuter Enterprise Co. Ltd, founder of the SHUTER and Livinbox storage solution brands, has always listened to the voice of our customers. We design products from the customer's point-of-view by finding the simplest way to build an ideal home for objects. We redefine the appearance and functionality of traditional storage systems, striking a balance between attractive exteriors and usable interiors.

Shuter has always been a company at the forefront of corporate responsibility in Taiwan, but in 2004, we really stepped up our game. We are proud of our "Made in Taiwan" label, and want to protect this beautiful island nation that has been our home since 1969. Today, we sponsor numerous local charities that focus on the sustainable management and preservation of Taiwan's abundant natural resources.

Shuter maintains a passionate work culture through leading management policies, a highly professional research and development team, and high quality, safety conscious production facilities. At Shuter, employees at every level are encouraged to think big.

In 2020, Shuter is celebrating its 50th anniversary, becoming one of Taiwan's oldest companies still in operation. Within this time, we have developed from a shed in a parking lot in Taiwan to a globally active manufacturer with a number of highly respected storage sector brands. We are proud to say that Shuter has always been there for you.



6 major product lines

Total storage solutions for stationery, household, office, industry, 3C accessories, and healthcare



Stationery



Household



Office




Industry



3C Accessories



Healthcare



Always Moving Forward


products crafted with care and competence



The next few years represent another big stride in Shuter history with the launch of the Shuter Babbuza Dreamfactory in Nantou, Taiwan. This state-of-the-art production plant will occupy a total area of more than 44,000 square meters and will produce over 800,000 items every month for the livinbox and SHUTER brands. To achieve this goal, Shuter will employ the most innovative manufacturing processes available, from in-house tool making and computer-aided design to precision folding, welding, and fully-automated injection molding and assembly machinery.

Looking back on half a century in the storage solutions business, we at Shuter are humbled by our past innovations and successes. As we look to the future, we are more determined than ever to continue to provide superior quality products to our customers in Taiwan and worldwide.

together we make dreams happen



CONTENTS

03 **HDC**
Heavy-Duty Tool
Cabinets

07 **RC**
Heavy-Duty
Shelves

09 **WS**
Workstations

11 **WB**
Ultra Heavy-Duty
Workbenches
WH / WM / WL

25 **TC**
Ultra Heavy-Duty
Cart Series

29 **CT**
Professional Ultra
Heavy-Duty Cart
Series

33 **TW**
CNC Tool Storage
Cabinets & Racks
TW / RT / THD

37 **TM**
Mold Storage
Racks

41 **ST**
Steel Parts Cabinets
HD / NHD / A5V / A6V
A7V / A8 / ST1 / ST2

47 **ESD**
Antistatic Organizers
CA6 / CA7 / CST / CHB
CA9 / CFB

51 **TB**
Professional Tool
Boxes

55 **HB**
Ultra Stack &
Hanging Bins
HB / MS

59 **FO**
Quick Flip-Out
Bins
FO / RFO / MS

63 **OA**
Office Filing Cabinets
A4 / A4X / BV4 / MT

71 **DU**
Digital Lock Filing
Cabinets

73 **FC**
Digital Lockers
FC / FCO / FCM

79 **SC**
Space Cabinets
SC / SCM

83 **SOHO**
Small Office &
Home office Furniture

87 **SH**
Total Office Solutions

91 **DD**
Desktop Storage

95 **FB**
Transportable
Storage

HDC Heavy-Duty Tool Cabinets

Features



Heavy-duty



Telescopic slides



Alignment pin



Optional casters



Chip-proof



Drawer dividers



Loading tested



Patented

- Multiple cabinet heights available: 700 mm / 1000 mm / 1200 mm
- Add legs or adjust the height of the cabinet using the 4 wheel mounts, which also protect the base of the cabinet
- Smooth, rounded edges ensure user safety




Drawers

H=70cm




HDC-0751

H=100cm



HDC-1062

H=120cm



HDC-1291


- Multiple drawer heights available: 75 mm / 100 mm / 150 mm / 200 mm
- Drawers made of 1.2 mm cold rolled steel, which has been phosphate-treated and powder-coated for better resistance
- Heavy-duty telescopic slides with double extensions can hold up to 350 kg per pair
- Standard heavy-duty telescopic slides can hold up to 100 kg per pair

HDC drawer dimensions (mm)

A	B	C
75	58	50
100	83	75
150	133	125
200	183	125

A – Drawer Front B – Drawer Interior C – Complete Drawer



Cross-sectional view of drawer



Drawer spacer



Drawer divider



Drawer spacer sizes (mm)

Height	Product Code	Dimensions
75	IB-3S	43x140
	IB-3L *	43x214
100	IB-4S	68x140
	IB-4L *	68x214
150/200	IB-6S *	118x140
	IB-6L	118x214

* Optional accessories

Drawer divider sizes (mm)

Height	Product Code	Dimensions
75	IA-3	45x435
100	IA-4	70x435
150/200	IA-6	120x435



Drawer type 1 (75 mm or 100 mm H)
Includes 2 dividers and 6 spacers



Drawer type 2 has complimentary SB drawer insert
* SB drawer insert cannot be used in 75 mm drawer



Drawer type 3 (150 mm or 200 mm H)
Includes 1 divider and 2 spacers

120 cm Heavy-Duty Tool Cabinets (HDC)

HDC

RC


WS

WB


TC

CT

TW




HDC-1261
HDC-1261T
548W x 608D x 1200H mm




HDC-1271
548W x 608D x 1200H mm




HDC-1272
548W x 608D x 1200H mm



HDC-1281
HDC-1281T
548W x 608D x 1200H mm



HDC-1291
548W x 608D x 1200H mm



HDC-1210
548W x 608D x 1200H mm



1.



2.




3.




4.


100 cm Heavy-Duty Tool Cabinets (HDC)




HDC-1051
548W x 608D x 1000H mm




HDC-1061
548W x 608D x 1000H mm




HDC-1062
548W x 608D x 1000H mm



HDC-1071
548W x 608D x 1000H mm



HDC-1072
548W x 608D x 1000H mm



HDC-1091
548W x 608D x 1000H mm

70 cm Heavy-Duty Tool Cabinets (HDC)



HDC-0741
548W x 608D x 700H mm



HDC-0742
548W x 608D x 700H mm



HDC-0751
548W x 608D x 700H mm



HDC-0752
548W x 608D x 700H mm




HDC-0761
548W x 608D x 700H mm



HDC-0771
548W x 608D x 700H mm


RC Heavy-Duty Shelves



- Shelves are easy to assemble, and mix-and-match shelf combinations allow for highly customizable storage options
- Individual shelves can hold up to 100 kg and total system can hold up to 700 kg
- Shelves can be fitted with SHUTER HB bins and HD-1641 drawers for maximum variety in parts storage




Screwless shelf supports



Patented shelf design



Compatible with SHUTER HD-1641 drawers



Hot-dip galvanized shelf is height adjustable



Extendable – add more storage by connecting shelf sets side-by-side



Compatible with SHUTER HB bins

HDC

RC

WS

WB

TC

CT


TW

Heavy-Duty Locker

Shelves (2 pcs) and lock (2 keys) included



RCC-304
868.3W x 465.5D x 404H mm



RCC-310
868.3W x 465.4D x 1013H mm



RCC-3A01
943W x 501D x 2055H mm




RCD-3A51
943W x 476D x 2055H mm



RCD-311
Interior size:
805W x 357D x 61.8H mm



RCD-323
Interior size:
805W x 346D x 169.8H mm
Drawer divider (long): 1
Drawer spacer (short): 4



RCH-313
943W x 468D x 2055H mm



RC-9520
943W x 468D x 2055H mm



RC-9520
Expansion unit

WS Workstations

HDC

RC

WS

WB


TC

CT

TW



- Made of a flexible and customizable set of components, including worktops, cabinets, drawers, pegboard, lighting, and power outlets
- This workstation is perfect for use in a variety of settings, from garage to workshop to factory
- A hybrid powder coating gives this workstation excellent corrosion resistance



WS-I01



WS-LC18
900W x 575D x 1819H mm

WS-ATI12
1201W x 620D x 1842H mm
1819H

WS-ALI09
900W x 625D x 1842H mm
1819H

WS-ADI06
600W x 628D x 1842H mm
1819H

Workstation in detail



Double door with lock

- Double door design with lock
- Reduces space needed to open door
- Convenient single-door access
- Each shelf can hold up to 200 kg, and total weight limit is 1000 kg



Worktop material MOQ



WS-TW
Wood



WS-TI
Impact resistant



(PS-2 Optional)



WS-ALI09 (lighting included)
900W x 625D x 1842H mm
1819H




Optional connectors

M : 80W x 50D x 1800H mm
L / R : 40W x 50D x 1800H mm



WS-ATI12 + WS-W12 (lighting included)
1201W x 620D x 1819H mm
(Requires the purchase of lower square hole backboard and additional connectors)



WS-ADI06 (lighting included)
600W x 628D x 1842H mm
1819H

WS-ADI06 (lighting included)
600W x 628D x 1842H mm
1819H

WB Ultra Heavy-Duty Workbenches



DIY



Chip-proof



Loading tested



Patented



- M, U, S, and T worktops are bonded to 50 mm thick Medium Density Fiberboard (MDF)
- Size of worktop is customizable on order
- All surfaces in worktop range are compatible with a bench vice
- Heat-resistant worktops can withstand temperatures up to 180°C
- Attrition tested to a wear speed of 800 rev/min

Worktop Materials



Heavy-duty



Water resistant



Oil resistant



Chemical resistant



Heat resistant



Wear resistant



High-impact

M Wear-resistant melamine	<p>0.8 mm melamine top (wear resistant) PVC edging (Double T-shaped edging) MDF (50 mm)</p>	 Standard Spec. / Size 2100W 1800W x 750D x 52H 1500W		For use in electronic production facilities, laboratories, inspection and testing centers, medical institutes, and vocational schools.
U Impact-resistant PVC	<p>2.0 mm PVC top (impact resistant) PVC edging (Double T-shaped edging) MDF (50 mm)</p>	 Standard Spec. / Size 2100W 1800W x 750D x 53H 1500W		Use in general production and machine maintenance facilities, assembly lines, and heavy-duty workspaces.
V For fitters & fabricators	<p>9.0 mm steel top Anti-fatigue mat (3mm) Base plate (36mm)</p>	 Standard Spec. / Size 2100W 1800W x 750D x 50H 1500W		For use in a variety of manufacturing industries, including mold making, fitting and fabrication, repair shops, and other heavy-duty workspaces.
T Reinforced thermosetting-resin	<p>5 mm reinforced thermosetting-resin top PVC edging (Double T-shaped edging) MDF (50 mm)</p>	 Standard Spec. / Size 2100W 1800W x 750D x 56H 1500W		For use by tool and die makers, in the machinery and maintenance and repair industries, and in heavy-duty workspaces.
S 304/A2 Stainless steel	<p>1.2 mm 304/A2 stainless steel top MDF (50 mm)</p>	 Standard Spec. / Size 2100W 1800W x 750D x 52H 1500W		For use in general production and food processing facilities, dust-free areas, laboratories, medical institutes, and the electronics industry.
I Galvanized steel with collision-resistant PVC pad	<p>14 mm PVC pad (collision resistant) Cold rolled steel (2mm) High temperature powder coating</p>	 Standard Spec. / Size 1800W x 750D x 74H 1500W		For use anywhere a high-impact surface is required. <small>The thickness listed in this catalog is for the worktop with PVC pad. The thickness without the PVC pad is H=60 mm.</small>
W Wood	<p>Protective coating Natural material Color of worktop may vary Beech plywood top (42 mm)</p>	 Standard Spec. / Size 2100W 1800W x 750D x 42H 1500W		For use by tool die makers, in the machinery maintenance and repair industries, and in heavy-duty workspaces.
WM Wear-resistant worktop (medium-duty)	<p>0.8 mm melamine top (wear resistant)</p>	 Standard Spec. / Size 1500W x 750D x 31H		For use in electronic production facilities, laboratories, inspection and testing centers, medical institutes, and vocational schools.
WL Wear-resistant worktop (light-duty)	<p>PVC edging Plywood (30 mm)</p>	 Standard Spec. / Size 1500W x 750D x 31H		For use in electronic production facilities, laboratories, inspection and testing centers, medical institutes, and vocational schools.
MU Wear-resistant worktop (medium-duty)	<p>Heavy duty synthetic rubber (2 mm) PVC edging (T-shaped edging) Plywood (30 mm)</p>	 Standard Spec. / Size 1500W x 750D x 32H		For use in the machinery and maintenance and repair industries, on assembly lines, and in heavy-duty workspaces.

HDC

RC

WS

WB

TC

CT

TW


Features

WH-7M Heavy-Duty Workbenches

2100W x 750D x 800H mm

2000kg**4409.2 (lbs)**

Optional worktops



WH-5I Heavy-Duty Steel Workbenches

1531W x 775D x 814H mm

1000kg**2204.6 (lbs)**

Optional worktops



WH-6M Heavy-Duty Workbenches

1800W x 750D x 800H mm

2000kg**4409.2 (lbs)**

Optional worktops



WM-5M Medium-Duty Workbenches

1500W x 750D x 820H mm

600kg**1322.8 (lbs)**

Optional worktops




WH-5M Heavy-Duty Workbenches

1500W x 750D x 800H mm

2000kg**4409.2 (lbs)**

Optional worktops




WL-5M Light-Duty Workbenches

1500W x 762D x 800H mm

100kg**220.46 (lbs)**

Optional worktops



WH-6I Heavy-Duty Steel Workbenches

1831W x 775D x 814H mm

1000kg**2204.6 (lbs)**

Optional worktops



AM-5M Adjustable Height Workbenches

1500W x 750D x 600~1000H mm

600kg**1322.8 (lbs)**


Optional worktops



Workbench with optional steel shelves

**WH-6M**HC-6 Middle shelves
1398W x 600D x 30H mmHP-6 Lower shelves
1603W x 498D x 75H mm**WH-5M**HC-5 Middle shelves
1098W x 600D x 30H mm
HP-5 Lower shelves
1305W x 498D x 75H mm**WH-6I**HC-6I Middle shelves
1617W x 594D x 30H mm
HP-6I Lower shelves
1820W x 650D x 75H mm**WH-5I**HC-5I Middle shelves
1309W x 563D x 30H mm
HP-5I Lower shelves
1512W x 650D x 75H mm


Side-on view of steel workbench




Heavy-Duty Workbenches (W = 150 cm/180 cm/210 cm)

WH-7 Heavy-Duty Workbenches (W = 210 cm)

2000kg / 4409.2 (lbs)



Standard worktop



For worktop specifications, see pg 12

Optional worktops



◀ WH-7M+W1111
2100W x 787D x 1630H mm



WH-7M (Wear-resistant melamine)
2100W x 750D x 800H mm

WH-7S	(stainless steel)
WH-7U	(Impact-resistant PVC)
WH-7T	(Reinforced thermosetting-resin)
WH-7V	(Vice)
WH-7W	(Wood)



WHC-7M (Wear-resistant melamine)
2100W x 750D x 800H mm

WHC-7S	(stainless steel)
WHC-7U	(Impact-resistant PVC)
WHC-7T	(Reinforced thermosetting-resin)
WHC-7V	(Vice)
WHC-7W	(Wood)



WHD-7M (Wear-resistant melamine)
2100W x 750D x 800H mm

WHD-7S	(stainless steel)
WHD-7U	(Impact-resistant PVC)
WHD-7T	(Reinforced thermosetting-resin)
WHD-7V	(Vice)
WHD-7W	(Wood)



WH-7M+W1010 (Wear-resistant melamine)
2100W x 787D x 1630H mm

WH-7S+W1010	(stainless steel)
WH-7U+W1010	(Impact-resistant PVC)
WH-7T+W1010	(Reinforced thermosetting-resin)
WH-7V+W1010	(Vice)
WH-7W+W1010	(Wood)



WH-7M+W1111 (Wear-resistant melamine)
2100W x 787D x 1630H mm

WH-7S+W1111	(stainless steel)
WH-7U+W1111	(Impact-resistant PVC)
WH-7T+W1111	(Reinforced thermosetting-resin)
WH-7V+W1111	(Vice)
WH-7W+W1111	(Wood)




WH-7M+W1212 (Wear-resistant melamine)
2100W x 787D x 1630H mm

WH-7S+W1212	(stainless steel)
WH-7U+W1212	(Impact-resistant PVC)
WH-7T+W1212	(Reinforced thermosetting-resin)
WH-7V+W1212	(Vice)
WH-7W+W1212	(Wood)

WH Heavy-Duty Workbenches

WH-6 Heavy-Duty Workbenches (W = 180 cm)

 2000kg / 4409.2 (lbs)



Standard worktop



(M)



(S)



(U)



(T)



(V)



(W)

For worktop specifications, see pg 12

Optional worktops



(M)



(S)



(U)



(T)



(V)

(W)

◀ WH-6M+W4141
1800W x 787D x 1630H mm



WH-6M (Wear-resistant melamine)
1800W x 750D x 800H mm

WH-6S	(stainless steel)
WH-6U	(Impact-resistant PVC)
WH-6T	(Reinforced thermosetting-resin)
WH-6V	(Vice)
WH-6W	(Wood)

WHC-6M (Wear-resistant melamine)
1800W x 750D x 800H mm

WHC-6S	(stainless steel)
WHC-6U	(Impact-resistant PVC)
WHC-6T	(Reinforced thermosetting-resin)
WHC-6V	(Vice)
WHC-6W	(Wood)

WHD-6M (Wear-resistant melamine)
1800W x 750D x 800H mm

WHD-6S	(stainless steel)
WHD-6U	(Impact-resistant PVC)
WHD-6T	(Reinforced thermosetting-resin)
WHD-6V	(Vice)
WHD-6W	(Wood)



WH-6M+W4040 (Wear-resistant melamine)
1800W x 787D x 1630H mm

WH-6S+W4040	(stainless steel)
WH-6U+W4040	(Impact-resistant PVC)
WH-6T+W4040	(Reinforced thermosetting-resin)
WH-6V+W4040	(Vice)
WH-6W+W4040	(Wood)

WH-6M+W4141 (Wear-resistant melamine)
1800W x 787D x 1630H mm

WH-6S+W4141	(stainless steel)
WH-6U+W4141	(Impact-resistant PVC)
WH-6T+W4141	(Reinforced thermosetting-resin)
WH-6V+W4141	(Vice)
WH-6W+W4141	(Wood)


WH-6M+W4242 (Wear-resistant melamine)
1800W x 787D x 1630H mm

WH-6S+W4242	(stainless steel)
WH-6U+W4242	(Impact-resistant PVC)
WH-6T+W4242	(Reinforced thermosetting-resin)
WH-6V+W4242	(Vice)
WH-6W+W4242	(Wood)

WH Heavy-Duty Workbenches

WH-5 Heavy-Duty Workbenches (W = 150 cm)

2000kg / 4409.2 (lbs)



Standard worktop



(M)

KG



For worktop specifications, see pg 12

Optional worktops



(S)



(U)



(T)



(V)



(W)

◀ WH-5M+W21
1500W x 787D x 1630H mm



WH-5M (Wear-resistant melamine)
1500W x 750D x 800H mm

WH-5S	(stainless steel)
WH-5U	(Impact-resistant PVC)
WH-5T	(Reinforced thermosetting-resin)
WH-5V	(Vice)
WH-5W	(Wood)



WHC-5M (Wear-resistant melamine)
1500W x 750D x 800H mm

WHC-5S	(stainless steel)
WHC-5U	(Impact-resistant PVC)
WHC-5T	(Reinforced thermosetting-resin)
WHC-5V	(Vice)
WHC-5W	(Wood)



WHD-5M (Wear-resistant melamine)
1500W x 750D x 800H mm

WHD-5S	(stainless steel)
WHD-5U	(Impact-resistant PVC)
WHD-5T	(Reinforced thermosetting-resin)
WHD-5V	(Vice)
WHD-5W	(Wood)



WH-5M+W20 (Wear-resistant melamine)
1500W x 787D x 1630H mm

WH-5S+W20	(stainless steel)
WH-5U+W20	(Impact-resistant PVC)
WH-5T+W20	(Reinforced thermosetting-resin)
WH-5V+W20	(Vice)
WH-5W+W20	(Wood)



WH-5M+W21 (Wear-resistant melamine)
1500W x 787D x 1630H mm

WH-5S+W21	(stainless steel)
WH-5U+W21	(Impact-resistant PVC)
WH-5T+W21	(Reinforced thermosetting-resin)
WH-5V+W21	(Vice)
WH-5W+W21	(Wood)



WH-5M+W22 (Wear-resistant melamine)
1500W x 787D x 1630H mm

WH-5S+W22	(stainless steel)
WH-5U+W22	(Impact-resistant PVC)
WH-5T+W22	(Reinforced thermosetting-resin)
WH-5V+W22	(Vice)
WH-5W+W22	(Wood)

Heavy-Duty Steel Workbenches (W = 150 cm/180 cm)

WH-6I Heavy-Duty Steel Workbenches (W=180cm)

 **1000kg / 2204.6 (lbs)**



Standard worktop



For worktop specifications, see pg 12

◀ **WH-6I+IW4141**
1831W x 804D x 1617H mm



WH-6I
1831W x 775D x 814H mm



WHC-6I
1831W x 775D x 814H mm



WHD-6I
1831W x 775D x 814H mm



WH-6I+IW4040
1831W x 804D x 1617H mm



WH-6I+IW4141
1831W x 804D x 1617H mm



WH-6I+IW4242
1831W x 804D x 1617H mm



WH Heavy-Duty Steel Workbenches

WH-5I Heavy-Duty Steel Workbenches (W = 150 cm)

 **1000kg / 2204.6 (lbs)**



Standard worktop



For worktop specifications, see pg 12

◀ **WH-5I+IW21**
1531W x 804D x 1617H mm



WH-5I
1531W x 775D x 814H mm



WHC-5I
1531W x 775D x 814H mm



WHD-5I
1531W x 775D x 814H mm



WH-5I+IW20
1531W x 804D x 1617H mm



WH-5I+IW21
1531W x 804D x 1617H mm




WH-5I+IW22
1531W x 804D x 1617H mm




Medium-Duty Workbenches (W = 150 cm H = 800cm/1000cm)

WM-6M/U Medium-Duty Workbenches (W=180cm)

600kg / 1322.8 (lbs)



Standard worktop



For worktop specifications, see pg 12

Optional worktops



◀ WM-6M+W4141
1800W x 787D x 1608H mm



WM-6M (Wear-resistant melamine)
1800W x 750D x 800H mm



WM-6M10H (Wear-resistant melamine)
1800W x 750D x 1000H mm



WMD-6M (Wear-resistant melamine)
1800W x 750D x 800H mm

WM-6U (Impact-resistant PVC)

WM-6U10H (Impact-resistant PVC)

WMD-6U (Impact-resistant PVC)

Customized on request



WM-6M+W4040 (Wear-resistant melamine)
1800W x 787D x 1608H mm

WM-6U+W4040 (Impact-resistant PVC)



WM-6M+W4141 (Wear-resistant melamine)
1800W x 787D x 1608H mm

WM-6U+W4141 (Impact-resistant PVC)



WM-6M+W4242 (Wear-resistant melamine)
1800W x 787D x 1608H mm


WM-6U+W4242 (Impact-resistant PVC)



WM Medium-Duty Workbenches

WM-5U/M Medium-Duty Workbenches (W=150cm)

 **600kg / 1322.8 (lbs)**



Standard worktop



For worktop specifications, see pg 12

Optional worktops



◀ WM-5U+W31
1500W x 787D x 1608H mm



WM-5U (Impact-resistant PVC)
1500W x 750D x 800H mm



WM-5U10H (Impact-resistant PVC)
1500W x 750D x 1000H mm



WMD-5U (Impact-resistant PVC)
1500W x 750D x 800H mm

WM-5M (Wear-resistant melamine)

WM-5M10H (Wear-resistant melamine)

WM-5M (Wear-resistant melamine)

 Customized on request



WM-5U+W30 (Impact-resistant PVC)
1500W x 787D x 1608H mm



WM-5U+W31 (Impact-resistant PVC)
1500W x 787D x 1608H mm



WM-5U+W32 (Impact-resistant PVC)
1500W x 787D x 1608H mm

WM-5M+W30 (Wear-resistant melamine)

WM-5M+W31 (Wear-resistant melamine)


WM-5M+W32 (Wear-resistant melamine)




Light-Duty Workbenches (W = 150 cm)

WL Light-Duty Workbenches (W = 150 cm)

100kg / 220.46 (lbs)



Standard worktop



For worktop specifications, see pg 12

◀ **WL-5M** (Impact-resistant PVC)
1500W x 762D x 800H mm



WL-5M+W30 (Impact-resistant PVC)
1500W x 787D x 1608H mm



WL-5M+W31 (Impact-resistant PVC)
1500W x 787D x 1608H mm



WL-5M+W32 (Impact-resistant PVC)
1500W x 787D x 1608H mm

Adjustable Height Workbenches (W = 150 cm)


AM Adjustable Height Workbenches (W = 150 cm)

600kg / 1322.8 (lbs)

Standard worktop




For worktop specifications, see pg 12



◀ **AM-5M** (Impact-resistant PVC)
1500W x 750D x 700-1000H mm

Workbench Accessories


- Withstands heavy loads
- Flat-packed, easy to assemble design for cheaper shipping and storage
- Durable steel framing
- Optional pegboard, vice, power outlet, and lighting set



WHC-5I+LED14+IW21+PS2
1531W x 804D x 1825H mm

WH-7M+LED-10 x 2+W12+W10+PS
2100W x 784D x 1617H mm

Drawers



Power outlet



For more information on SHUTER parts cabinets, see pg 47.

Hanging drawer cabinet

Work chair 📞 Customized on request


SHUTER (HB) hanging bins

For details on HB series bins, refer to pg 56.





HB-210
105W x 137D x 76H mm
KG 0.6

HB-220
105W x 187D x 76H mm
KG 0.8



Workbench composition


	WH-7	WM-6/WH-6 WH-6I	WH-5	WH-5I	WM-5/WL
Square-shape perforated plate set					
	W10 1040W x 312D x 1053H mm	W40 890W x 312D x 1053H mm	IW40 1440W x 312D x 1053H mm	W20 1440W x 312D x 1053H mm	IW20 1240W x 312D x 1053H mm
	W11 1040W x 312D x 1053H mm	W41 890W x 312D x 1053H mm	IW41 1440W x 312D x 1053H mm	W21 1440W x 312D x 1053H mm	IW21 1240W x 312D x 1053H mm
	W12 1040W x 40D x 1053H mm	W42 890W x 40D x 1053H mm	IW42 1440W x 40D x 1053H mm	W22 1440W x 40D x 1053H mm	IW22 1240W x 40D x 1053H mm
Square-shape-perforated plate set					
	HP-10-8 1000W x 21D x 400H mm	HP-08-8 851W x 21D x 400H mm	HP-14-8 1400W x 21D x 400H mm	HP-12-8 1200W x 21D x 400H mm	
Flat-hanger plate set					
	HP-10-72 1011W x 301D x 113H mm	HP-08-72 862W x 301D x 113H mm	HP-14-72 1411W x 301D x 113H mm	HP-12-72 1211W x 301D x 113H mm	
Rack					
	HP-10-5 1000W x 21D x 105H mm	HP-08-5 851W x 21D x 105H mm	HP-14-5 1400W x 21D x 105H mm	HP-12-5 1200W x 21D x 105H mm	
Lighting set					
	LC-10 998W x 36.6D x 40H mm	LC-08 893W x 36.6D x 40H mm	LC-14 1398W x 36.6D x 40H mm	LC-12 1198W x 36.6D x 40H mm	
Lighting set					
	LED-10 1044W x 452D x 270H mm	LED-08 895W x 452D x 270H mm	LED-14 1444W x 452D x 270H mm	LED-12 1244W x 452D x 270H mm	
Hanging drawer		Drawer			
	C-3049 670W x 491D x 303H mm 			D-1257 360W x 574D x 121H mm 	
Power outlet with safety device					
	PS 223W x 80D x 85H mm 10A no-fuse breaker 110V volt outlet			PS-2 221W x 57D x 54H mm USB output DC 5V 2.1A 110V volt outlet	
Steel shelves					
	WH-5M HC-5 1098W x 600D x 30H mm HP-5 1305W x 498D x 75H mm	WH-6I HC-6I Middle shelves 1617W x 594D x 30H mm HP-6I Lower shelves 1820W x 650D x 75H mm	WH-5I HC-5I Middle shelves 1309W x 563D x 30H mm HP-5I Lower shelves 1512W x 650D x 75H mm	See page 13 for detailed description	

Accessories for Workbenches

Weight limit Packaging



L-Hook For tools with a hole larger than Ø 6 mm



Double L-Hook For tools with a hole larger than Ø 6 mm




Loop Hook

Bottle Holder



Expandable Tool Hanger



Screwdriver Holder

Drill Holder



Spring Clip Hook

Vice



TC Ultra Heavy-Duty Cart Series



HDC

RC

WS

WB

TC


CT

TW



- Steel thickness: 1.2 mm
- Total weight limit: 400 kg
- Single drawer weight limit: 30 kg
- Casters: PP (2 fitted with brake)
- Casters included in cart dimensions (height)

TC Ultra Heavy-Duty Cart Series



1. Height adjustable shelf included in cabinet

2. Globally compatible square-hole pegboard for clever tool organization

3. Adjustable pneumatic sliding drawer rail reduces impacts and ensures a long product life

4. Built-in safety lock prevents drawers from falling forward

5. Secure lock protects expensive tools and important documents

6. Lid stay ensures safer, quieter opening and closing

7. Lockable drawers for increased security

8. Smooth, rounded edges ensure user safety

9. Oval-shaped ergonomic handle is slip-proof and sturdy



W63+FO-650x3


Optional for TC-25 / TC-H25 / TC3 / TC5



W60
656W x 32D x 700H mm



W61
656W x 32D x 700H mm



W62
656W x 32D x 700H mm



W63
656W x 32D x 700H mm

TC Ultra Heavy-Duty Cart Series



NEW

TC6-25

936W x 502D x 985H mm

400 TPR 5" caster

30



TC4-510

1117W x 630D x 823H mm

400 TPR 5" caster 50



TC4-511

1117W x 630D x 857H mm

400 TPR 5" caster 50



TC4-512

1117W x 643D x 1292H mm

400 TPR 5" caster 50



NEW

TC4-513

1117W x 635D x 1028H mm

400 TPR 5" caster 50



NEW

TC5-41B

778W x 500D x 980H mm

400 TPR 5" caster

small drawer 30
big drawer 50



TC3-L25

743W x 500D x 1010H mm

400 TPR 5" caster

small drawer 30
big drawer 50



HDC

RC

WS

WB

TC

CT

TW



TC-S22

671W x 345D x 656H mm

KG 200 **T** PP 3"caster **KG** 30

SHUTER SB Square Box set included

SB-1414H	4/pc
SB-0714H	4/pc
SB-0707H	8/pc



TC-S23

658W x 342D x 779H mm

KG 200 **T** Rubber 4"caster **KG** 30

SHUTER SB Square Box set included

SB-1414H	1/pc
SB-0714H	2/pc
SB-0707H	4/pc
SB-0926L	1/pc
SB-1826L	1/pc



TC2-M23

741W x 460D x 820H mm

KG 400 **T** TPR 5"caster **KG** 30

SHUTER SB Square Box set included

SB-1414H	10/pc
SB-0714H	4/pc
SB-0707H	8/pc
SB-1826L	2/pc



TC-25

765W x 460D x 1015H mm

KG 400 **T** TPR 5"caster **KG** 40

SHUTER SB Square Box set included

SB-1414H	2/pc
SB-0714H	4/pc
SB-0707H	8/pc
SB-1826L	2/pc



TC2-L25

741W x 460D x 963H mm

KG 400 **T** TPR 5"caster **KG** 30

SHUTER SB Square Box set included

SB-1414H	10/pc
SB-0714H	4/pc
SB-0707H	8/pc
SB-1826L	2/pc



TC-H25

765W x 460D x 1015H mm

KG 400 **T** TPR 5"caster **KG** 40

SHUTER SB Square Box set included

SB-1414H	1/pc
SB-0714H	2/pc
SB-0707H	4/pc
SB-1826L	1/pc

CT Professional Ultra Heavy-Duty Cart Series



DIY



Heavy-duty



Chip-proof

HDC

RC

WS

WB

TC

CT

TW



Features




1. Available with worktop or shelving for flexible usage
2. Height-adjustable shelves
3. Globally compatible square-hole pegboard siding
4. Drawers and shelves fitted with a 3 mm thick grease resistant, anti-corrosion, and slip-proof pad
5. Integrated steel handle enhances structural integrity of cart
6. Features square holed pegboard siding


Optional




CW60
674W x 25D x 632H mm



CW61
674W x 25D x 632H mm




CW62
674W x 25D x 632H mm
Optional:
FO-604x2



CW63
674W x 25D x 632H mm
Optional:
FO-605x3
FO-306x4
FO-308x4



Optional addition:
HB series bins. For
more information,
refer to pg 56.



Optional addition :
HK hooks & HB series bins
For more information refer
to pg 24 & 56.

Optional Drawer

📞 Customized on request



C-1049
670W x 486D x 109H mm



CT-1
873W x 505D x 880H mm



CT-C1A
873W x 505D x 880H mm

CT Professional Ultra Heavy-Duty Cart Series



NEW

CT-2C32A
873W x 505D x 1075Hmm
 200



NEW

CT-23A
873W x 505D x 1075Hmm
 200



CT-2
873W x 505D x 1075Hmm
 200



NEW

CT-2H
873W x 505D x 1075H mm
 200



NEW

CT-2H3D
873W x 505D x 1075Hmm
 200



NEW

CT-A616
857W x 566D x 880H mm
 200





CT-1
873W x 505D x 880H mm
 200 TPR 4"caster



CT-C3B
873W x 505D x 880H mm
 200 TPR 4"caster



CT-H
873W x 505D x 880H mm
 200 TPR 4"caster



CT-HD
873W x 505D x 880H mm
 200 TPR 4"caster

Customized on request



CT-H7
873W x 505D x 880H mm
 200 TPR 4"caster

Customized on request




CT-H3A
873W x 505D x 880H mm
 200 TPR 4"caster



NEW CT-8821
873W x 706D x 1684Hmm
 200 TPR 4"caster

Holds 98 units of HB-220
(Optional)



Tool cart drawer CT-1049
SB Square Box insert included



SB-1414x8



SB-0714x4



SB-0707x8

TW CNC Tool Storage Cabinets & Racks



DIY



Heavy-duty



Chip-proof



HDC

RC

WS

WB

TC

CT

TW

CNC Tool Storage Racks



TW-1F

920W x 634D x 1718H mm

500

(Total: 8 Tool holder racks)



TW-2F

920W x 671D x 1748H mm

500

(Total: 16 Tool holder racks)



Customized on request

RT-6558

653W x 600D x 1460H mm

200 PP 4"caster

(Optional: holder rack)

CNC Tool Storage Cabinets



THD-3B

880W x 413D x 880H mm

(Total: 3 Tool holder racks)



THD-2S9

880W x 413D x 880H mm

Double-layered shelving
(200 kg weight limit)

THD-2S

880W x 413D x 880H mm

Double-layered shelving
(200 kg weight limit)

A4X-H x9

6.6 4



TW CNC Tool Storage Cabinets & Racks



TW-CT4BHA

784W x 511D x 878H mm

KG 200 **TPR** 4"caster

(Standard: 4 tool holder racks)



TW-HD073A

761W x 686D x 1034H mm

KG 1000 **TPP** 5"caster

(Top: 4 tool holder racks)
(In the drawer: 3 tool holder racks)

TW-4B

1002W x 670D x 810H mm

KG 200 **TPR** 4"caster

(Standard: 4 tool holder racks)



TW-4B1D

1002W x 670D x 810H mm

KG 200 **TPR** 4"caster

(Standard: 4 tool holder racks)



TW-4B2D

1002W x 670D x 810H mm

KG 200 **TPR** 4"caster

(Standard: 4 tool holder racks)

Tabletop CNC Tool Storage Racks

Choose from four different tool holders



BTS-595
595W x 143D x 225H mm

Backboard for Hanging Bins and Tool Storage

Two options: hanging board or square-hole pegboard



W60
656W x 32D x 700H mm



W61
656W x 32D x 700H mm



Optional addition:
HB series bins. For
more information,
refer to pg 56.



HK-2108
W=35 mm D=80 mm



Tool Holder Customizations

Material: ABS				Designed to European standard specifications
Product Code	BT-30 65Wx137Dx48Hmm	BT-40 74Wx137Dx63Hmm	BT-50 104Wx137Dx93Hmm	HSK-63 84Wx137Dx49Hmm
BTS-595	8 /pc	7 /pc	5 /pc	6 /pc
TW-1F	64 /pc	56 /pc	40 /pc	48 /pc
TW-2F	128 /pc	112 /pc	80 /pc	96 /pc
THD3B	11 /pc	10 /pc	7 /pc	9 /pc
TW-CT4BHA	9 /pc	8 /pc	6 /pc	7 /pc
TW-HD073A	7 /pc total 28 /pc	6 /pc total 24 /pc	4 /pc total 16 /pc	5 /pc total 20 /pc
	6 /pc (in-drawer) total 18 /pc	5 /pc (in-drawer) total 15 /pc	3 /pc (in-drawer) total 9 /pc	4 /pc (in-drawer) total 12 /pc

TM Mold Storage Racks

TM

ST

ESD

TB

HB

FO

OA



Features



Single rack:
1110W x 688D x 2105H mm

Double rack:
2110W x 688D x 2105H mm

Extendable rack:
1000W x 6880D x 2105H mm



- Each shelf can hold up to 1000 kg; built-in crane can lift up to 800 kg
- Adjustable and extendable: easy to assemble on-site to fit specific site requirements
- Automatic safety lock installed on all shelves
- Shelves can be adjusted at 50 mm increments



Optional: Built-in crane rail



Connect racks for more storage space



Mold storage racks in use

TM

ST


ESD

TB

HB

FO

OA




CAUTION SHUTER
1000KG
Max load capacity

TM-2061C
 2110W x 876D x 2616H mm
 (Dimensions include crane)



TM Mold Storage Racks (Double Rack)



TM-206
 2110W x 688D x 2105H mm



TM-2061C
 2110W x 876D x 2616H mm
 (Dimensions include crane)




TM-208
 2110W x 688D x 2105H mm




TM-2081C
 2110W x 876D x 2616H mm
 (Dimensions include crane)

TM Mold Storage Racks (Triple Rack)



TM-306

3110W x 688D x 2105H mm



TM-3061C


3110W x 876D x 2616H mm

(Dimensions include crane)



TM-309

3110W x 688D x 2105H mm



TM-3091C

3110W x 876D x 2616H mm

(Dimensions include crane)



ST Steel Parts Cabinets



TM

ST

ESD

TB

HB

FO

OA

ST Steel Parts Cabinets

Frame

Japan-made 0.8 mm thick powder-coated galvanized steel alloy sheet

Scratch resistant paint

Three drawer types: ABS with PS transparent windows and transparent PS



Removable window



Dividers included



Anti-corrosion



Loading tested

SHUTER
pioneer of workspace solutions

Zinc inside

Steel with Zinc Plating



Jacket

Fitted with corner guards to protect against damage to cabinet and user injury



Doors

Double door design with lock


Reduces space needed to open door

Convenient single-door access



Drawers

Dividers included for flexible space usage
POM drawer tracks guarantee smooth opening and closing



ABS
(Acrylonitrile Butadiene Styrene)
Grease, corrosion, and impact resistant

PS
Polystyrene
Highly transparent for easy stock management
(Cabinets placed back-to-back)


POM POM smooth-slide drawer tracks for efficient user experience

Wheel Base

Weight limit: 300 kg

■ W-6045

596W x 454D x 160H mm




A7-448x2
A8-560x2
ST1-575x2
ST2-460x2

■ W-8941

890W x 410D x 185H mm



HD-530



1.




2.



3.



1. High-impact dividers for flexible organization
2. Built-in stops prevent drawers from falling forward
3. Cabinets can be stacked with SHUTER parts or filing cabinets
4. Galvanized steel framing ensures acid, oxidization, and abrasion resistance



NHD / HD



KG 20 **EL** 5.6

x2

Drawers No.	Interior Dim.(mm)	Interior Dim.(inch)	Material
HD-1641	140W x 375D x 105H	5.5"W x 14.7"D x 4.1"H	ABS/PS



HD-309 9 drawers
550W x 412D x 442H mm



HD-515 15 drawers
880W x 412D x 442H mm



HD-318 18 drawers
550W x 412D x 882H mm



HD-530 30 drawers
880W x 412D x 882H mm

NHD Customized on request



NHD-560 60 drawers
988W x 412D x 1855H mm

KD Flat-Pack Design

- With handle
- Adjustable steel shelves
- Lockable casters
- Flat packable



NHD-530 30 drawers
988W x 412D x 1010H mm



HD-525 25 drawers
880W x 412D x 695H mm



HD-315 15 drawers
550W x 412D x 695H mm

Wheel Base Weight Limit **300kg**

Color can be customized on order (MOQ required)

ST Small Parts Cabinet

Color can be customized on order (MOQ required)

Customized on request



W-8941
890W x 410D x 185H mm




880 mm 412 mm



880 mm 412 mm

A5V



Drawers No.	Interior Dim.(mm)	Interior Dim.(inch)	Material
A5V	159W x 280D x 65H	6.3"W x 11"D x 2.6"H	ABS/PS




A5V-312 12 drawers
587W x 291D x 350H mm

A5V-324 24 drawers
587W x 291D x 640H mm


A5V-336 36 drawers
587W x 291D x 937H mm

A5V-336D 36 drawers
587W x 340D x 970H mm
door

A6V



Drawers No.	Interior Dim.(mm)	Interior Dim.(inch)	Material
A6V	144W x 248D x 77H	5.7"W x 9.7"D x 3"H	ABS/PS
A6P	144W x 248D x 37H	5.7"W x 9.7"D x 1.4"H	ABS/PS



A6V-309H 9 drawers
533W x 274D x 310H mm

A6-318P 18 drawers
533W x 279D x 310H mm

A6-224P 24 drawers
363W x 279D x 571H mm

A6V-212H 12 drawers
363W x 274D x 571H mm

A6V-330H 30 drawers
533W x 274D x 937H mm

A6-360P 60 drawers
533W x 279D x 937H mm

A6V-330HD
533W x 313D x 970H mm
door

A6-360PD
533W x 313D x 970H mm
door

Customized on request

A7V



KG 10 **EL** 1.6

x1



□ door


Drawers No.	Dimensions (mm)	Dimensions (in)	Material
A7V	115W x 210D x 65H	4.5"W x 8.2"D x 2.5"H	ABS/PS

A8



KG 10 **EL** 1.2

x1



KG 5 **EL** 1.2

Drawers No.	Dimensions (mm)	Dimensions (in)	Material
A8N	84W x 212D x 66H	3.3"W x 8.3"D x 2.6"H	ABS
A8	84W x 212D x 66H	3.3"W x 8.3"D x 2.6"H	PS



□ door

ST1



KG 10 **EL** 1

x1



KG 5 **EL** 1

ST1

56
235
90

Drawers No.	Dimensions (mm)	Dimensions (in)	Material
ST1N	84W x 212D x 51H	3.3"W x 8.3"D x 2"H	ABS
ST1	84W x 212D x 51H	3.3"W x 8.3"D x 2"H	PS



ST1-525 25 drawers
587W x 237D x 350H mm



ST1-420 20 drawers
467W x 237D x 350H mm



ST1-318 18 drawers
356W x 237D x 415H mm



ST1-440 40 drawers
467W x 237D x 643H mm



ST1-575 75 drawers
587W x 237D x 937H mm



ST1-575D 75 drawers
587W x 270D x 970H mm



ST2



KG 10 **EL** 1.2

x1



KG 5 **EL** 1.2

ST2

56
235
120

Drawers No.	Dimensions (mm)	Dimensions (in)	Material
ST2N	114W x 212D x 51H	4.4"W x 8.3"D x 2"H	ABS
ST2	114W x 212D x 51H	4.4"W x 8.3"D x 2"H	PS



ST2-420 20 drawers
587W x 237D x 350H mm



ST2-330 30 drawers
445W x 237D x 643H mm



ST2-460 60 drawers
587W x 237D x 937H mm



ST2-460D 60 drawers
587W x 270D x 970H mm



ESD Antistatic Organizers



Chip-proof



SGS



KG



Patented

TM

ST

ESD

TB

HB

FO

OA



Resistivity to < 0.1 Mohm/SQ
Electrostatic discharge to < 0.01 sec.
Surface resistivity to < 0.1 Mohm/SQ
Static dissipative material $10^4 \sim 10^9$ (as required)
Conductive material $10^3 \sim 10^5$
Drawer material: antistatic PP

ESD Series

Features:

- Dark gray body with divider included
- Ideal for storing electronic components
- Made of professional electronic conduction material
- A6 drawer slides made of impact resistant POM
- ST / A7 / A8 drawer slides made of integrated POM
- Improved drawer design

CA6 Series 10 1.3



CA6-318P  18 drawers
533W x 279D x 310Hmm



CA6-224P  24 drawers
363W x 279D x 571Hmm



CA6-360P  60 drawers
533W x 279D x 937Hmm



CA6-360PD  60 drawers
533W x 313D x 970Hmm

CA6V Series 10 2.6



CA6V-309H  9 drawers
533W x 274D x 310Hmm



CA6V-212H  12 drawers
363W x 274D x 571Hmm



CA6V-330H  30 drawers
533W x 274D x 937Hmm



CA6V-330HD  30 drawers
533W x 313D x 970Hmm

CA7V Series 10 1.6



CA7V-324  24 drawers
446W x 237D x 642Hmm



CA7V-448  48 drawers
587W x 237D x 937Hmm



CA7V-448D  48 drawers
587W x 270D x 970Hmm

TM
ST
ESD
TB
HB
FO
OA

CA8 Series


(ESD Antistatic Drawers)

- Crafted from professional electronic conduction material
- Improved drawer design
- Ideal for storing electronic components



CST Series

(ESD Antistatic Drawers)



CHB Series

(ESD Antistatic Drawers)

Weight limit Capacity Packing

- Crafted from professional electronic conduction material
- Solid Black Antistatic Bins
- Ideal for storing electronic components



CHB-1218
121W x 180D x 84Hmm
 3 1 60 pcs



CHB-1525
152W x 265D x 121Hmm
 6 2.5 36 pcs



CHB-2035
208W x 353D x 155Hmm
 20 6 18 pcs



CHB-2045
205W x 480D x 178Hmm
 30 10 12 pcs



CHB-3045
300W x 480D x 178Hmm
 50 16 8 pcs

Resistivity to < 0.1 Mohm/SQ
Electrostatic discharge to < 0.01 sec.
Surface resistivity to < 0.1 Mohm/SQ
Static dissipative material $10^4 \sim 10^9$ (as required)
Conductive material $10^3 \sim 10^5$
Drawer material: antistatic PP

Other antistatic products



CA9-520
378Wx154Dx192Hmm
Interior drawer dimension
63W x 136D x 37Hmm



CFB-4531
455W x 308D x 240Hmm



CFB-5336
535W x 361D x 275Hmm

TB Professional Tool Boxes

SHUTER
pioneer of workspace solutions


50 Years of Tool Box Manufacturing Experience

Since 1979, SHUTER has produced over 2.3 million TB-611 tool boxes.

SHUTER focuses user-experience and quality of materials when crafting its range of heavy-duty tool boxes. We only use high impact, virgin materials, and parts like hinges, buckles, and pins are made of metal, not plastic.

It is this attention to precision that ensures SHUTER tool boxes have a long life.

Tool Boxes in Detail



Features description



TB Professional Tool Boxes

KG Weight limit L Capacity P Packing



TB-402
440W x 270D x 170H mm

17.3"W x 8.1"D x 6.7"H



TB-102
431W x 237D x 182H mm

17"W x 9.3"D x 7.2"H



TB-104
431W x 237D x 225H mm

17"W x 9.3"D x 8.9"H



TB-611
440W x 207D x 140H mm

17.3"W x 8.2"D x 5.5"H



TB-901
380W x 178D x 143H mm

15"W x 7"D x 5.6"H



TB-902
445W x 240D x 205H mm

17"W x 9.3"D x 8.1"H



TB-905
445W x 240D x 205H mm

17"W x 9.3"D x 8.1"H




TB-800
558W x 277D x 275H mm

22"W x 11"D x 10.8"H



TB-802
558W x 277D x 375H mm

22"W x 11"D x 14.8"H



"It's best to have your tools with you. If you don't, you're apt to find something you didn't expect."
- Stephen King



NEW! Heavy duty stacking toolboxes

Choose the toolbox that fits it all.



NEW TB-1
400W x 303D x 185H mm



NEW TB-3D
400W x 303D x 325H mm

HB Ultra Stack & Hanging Bins



TM

ST

ESD

TB

HB

FO

OA

HB Series



HB-210
105W x 137D x 76H mm
4.1"W x 5.3"D x 3"H inch

6 0.6 30



HB-220
105W x 187D x 76H mm
4.1"W x 7.3"D x 3"H inch

10 0.8 30



HB-230
140W x 276D x 129H mm
5.5"W x 10.8"D x 5.1"H inch

15 2.7 30



HB-235 (Dividerx1)
279W x 276D x 129H mm
11"W x 10.8"D x 5.1"H inch

25 6.4 20



HB-239
210W x 276D x 178H mm
8.2"W x 10.9"D x 7"H inch

28 6.6 20



HB-240
210W x 375D x 178H mm
8.2"W x 14.7"D x 7"H inch

30 9.6 20



HB-250 (Dividerx1)
420W x 375D x 178H mm
16.5"W x 14.7"D x 7"H inch

40 21 10



HB-C50(option)
(for HB-239、HB-240、HB-250)

MOQ

HB Classic Series



HB-1218
120W x 180D x 84H mm
4.7"W x 7"D x 3.3"H inch

3 1 60



HB-1525
152W x 265D x 121H mm
6"W x 10.4"D x 4.7"H inch

6 2.5 36



HB-2035
209W x 351D x 154H mm
8.2"W x 13.8"D x 6.1"H inch

20 6 18



HB-2045
205W x 480D x 178H mm
8"W x 18.9"D x 7"H inch

30 10 12



HB-4135 (Divider included x1)
415W x 351D x 154H mm
16.3"W x 13.8"D x 6"H inch

50 13 12



HB-3045
300W x 480D x 178H mm
11.8"W x 18.9"D x 7"H inch


50 16 8



HB-4068
400W x 640D x 340H mm (with lid)
15.7"W x 25.2"D x 13.4"H inch

30 50 4

395W x 635D x 335H mm (without lid)



Divider HB-4135



HB-235
HB-250
HB-4135



Index label





Transparent label cover



Loading tested

Heavy-duty

Patented

Riser legsHB-239
HB-240
HB-250HB-230
HB-235HB-210
HB-220

Hopper front allows easy access to stored items

Front-facing label holder for easy identification

Side-by-side interlocking design

Riser legs increase stability and space

**Dust cover**

Only available for HB-2035, HB-1525



18 pcs/pack




18 pcs/pack

C-2035

205W x 371D x 9H mm

C-1525


149W x 283D x 9H mm



New and improved riser legs for better stability and even more space



Dust cover closes automatically

HB Classic SeriesHB-1218 HB-2035
HB-1525 HB-2045
 HB-3045
 HB-4135

Side ribs for greater strength

**MS-HB Mobile Stand Hanging Bins**

Loading tested



Heavy-duty



Patented

HP-08-5 x6
851W x 22.2D x 97H mm

Not included

MS-HC
932W x 619D x 958H mm
KG 250 PP 4"casterMS-HT
885W x 600D x 919H mm
KG 250 PP 4"casterKG 250
PP 4"caster



MS-HK
MS-HB
965W x 600D x 1593H mm
KG 250 T PP 4"caster




MS-HK0007
MS-HB0007
965W x 600D x 1593H mm
KG 250 T PP 4"caster




MS-HK100300
MS-HK100300
965W x 600D x 1593H mm
KG 250 T PP 4"caster



MS-HK+H-M0001
MS-HB+H-M0001
965W x 708D x 1593H mm
KG 250 T PP 4"caster



DS-8945
914W x 452D x 1708H mm



DS-1204
914W x 452D x 1708H mm



DS-1400
914W x 452D x 1708H mm



DS-8945+H1088
914W x 452D x 1708H mm



DIY



Loading tested



Heavy-duty



Patented

Customize MS-HB、MS-HK and DS-8945 with below accessories:

B1



HP-08-72
862W x 301D x 113H mm

B2



HP-08-8
851W x 20D x 400H mm

B3



HP-08-5
851W x 22D x 105H mm

B1



DS-1312
914W x 452D x 1708H mm

D1

H1081
HB-210x8

D5



H4041
HB-240x4

D2

H2081
HB-220x8

D6



H3941
HB-239x4

D3

H3061
HB-230x6

D7



H5021
HB-250x2

D4

H3531
HB-235x3

TM

ST


ESD

TB

HB

FO

OA



FO Quick Tip Out Bins

Dove-tail design

Modular extension to create unlimited
storage space



Chip-proof Loading tested

FO Quick Tip Out Bins

Weight limit Capacity Packing

Quick-flip drawer access
Light-action pull out or push in
Smooth-slide drawer tracks



FO-308
303W x 87D x 203Hmm
 3.2 1.6 12 pcs 8 drawers



FO-306
303W x 106D x 253Hmm
 6 3 10 pcs 6 drawers




FO-605
603W x 123D x 153Hmm
 12.5 4 8 pcs 5 drawers



FO-604
603W x 167D x 203Hmm
 18 7.4 6 pcs 4 drawers

Interior Drawer Dimensions

Model	W(mm)	D(mm)	H(mm)	Capacity	Weight Limit
FO-308	58.4	54.9	63.5	0.2 L	0.4 kg
FO-306	80.8	72.2	79.8	0.5 L	1 kg
FO-605	103	87.3	99.3	0.8 L	2.5 kg
FO-604	128.9	122.6	132.1	1.85 L	4.5 kg



Keyhole slot on back for easy mounting



Interlocking design for secure connection of bin sets



SGS food-grade approved (EU, China, USA, and 32 other countries)

Patent NO. M349710, M360118



- Perfect for parts storage
- Side-by-side connectable and stackable
- Built-in fixtures for wall mounting

MS-FO Quick Tip Out Bins with Mobile Stand



Taiwan-first design by SHUTER
Innovative functions for smarter parts and tool management



Chip-proof Loading tested

RFO Revolving Tower Quick Tip Out Bins

- Innovative, Taiwan-first design
- Revolving tower saves space and facilitates easy parts management
- 36-, 48-, 90-, and 144-drawer options to suit any space



RFO-848
518.3W x 449D x 490Hmm
FO-308 x6 sets

48
drawers



RFO-636
518.3W x 449D x 530Hmm
FO-306 x6 sets

36
drawers



RFO-68102
518.3W x 449D x 1172Hmm
FO-306 x9 sets
FO-308 x6 sets

102
drawers



RFO-8144
518.3W x 449D x 1230Hmm
FO-308 x18 sets

144
drawers



RFO-690
518.3W x 449D x 1280Hmm
FO-306 x15 sets

90
drawers

MS-FO Quick Tip Out Bins with Mobile Stands

- Eight pre-configured units available
- Highly portable for easy relocation



MS-18000
FO-308 x12 sets

96
drawers
single side




MS-16000
FO-306 x10 sets

60
drawers
single side



MS-15000
FO-605 x8 sets

40
drawers
single side



MS-14000
FO-604 x6 sets

24
drawers
single side

MS-28000
FO-308 x24 sets

192
double side

755W x 560D x 1461Hmm

MS-26000
FO-306 x20 sets

120
double side

755W x 560D x 1461Hmm

MS-25000
FO-605 x16 sets


80
double side

755W x 560D x 1461Hmm

MS-24000
FO-604 x12

48
double side

755W x 560D x 1461Hmm



MS-630
755W x 560D x 1461Hmm

+

MS-06 x6

HP06-5-630 x2

HP-06-82 x2

+



FO-308 x2

FO-605 x2

FO-306 x2

FO-604 x2



MS-2M202
755W x 560D x 1461Hmm

Customize arrangement of FO Quick Flip Out Bins to suit user need
Add an HP backboard for HB Hanging Bins or HK tool hook attachments

OA Office Filing Cabinets

A classic, time-tested addition to any office or workspace



A4X-B316P
800W x 400D x 400H mm



DU-8040
800W x 400D x 400H mm



M-8040
800W x 400D x 400H mm



■ Digital lock
Patent no. D129666



■ Cabinet legs
FT-10
60W x 60D x 105H mm



■ A4X-P drawer
262W x 356D x 39.5H mm

Designed for efficiency, this classic SHUTER filing system is crafted from high quality, rust-resistant powder coated galvanized steel

- 100+ cabinet combinations
- Comes in opaque white or transparent black
- Optional detachable cabinet legs
- Digital lock available on request



Better endurance


Made of powder coated galvanized steel, which is **10 times less likely to rust** than ungalvanized steel



Environmentally friendly


High temperature powder coating process limits VOC emissions

Specifications



SHUTER steel: 0.8 mm thick

VS



Industry standard steel: 0.6 mm thick


SHUTER uses high quality galvanized steel sheets imported from Japan for the body of its classic office filing cabinets. Additional powder coating ensures they will keep working for you even in the harshest of environments.

After 72 hours in a general environment



Galvanized alloy steel plate

VS



General alloy or metal steel plate

Drawer Specifications

A4X

Product No.	Exterior Dim. (mm)	Interior Dim. (mm)	Weight Limit	Capacity	Color	Material
A4X-P	262W x 356D x 39.5H	256W x 335D x 36H	2 kg	3 L	Transparent white	GPS/IPS
A4X-H	262W x 358D x 81.5H	256W x 335D x 78H	4 kg	6.6 L	Transparent white	GPS/IPS
A4X-L	262W x 360D x 167H	256W x 335D x 163.5H	8 kg	14 L		GPS/IPS

B4V

Product No.	Exterior Dim. (mm)	Interior Dim. (mm)	Weight Limit	Capacity	Color	Material
B4V-P	270W x 404D x 39.5H	265W x 382D x 36H	3 kg	3.6 L	Transparent white	GPS/IPS
B4V-H	270W x 406D x 81.5H	265W x 382D x 78H	5.5 kg	7.8 L	Transparent white	GPS/IPS

A4

Product No.	Exterior Dim. (mm)	Interior Dim. (mm)	Weight Limit	Capacity	Color	Material
A4-P	235W x 343D x 39.5H	230W x 325D x 37H	2 kg	2.7 L	Transparent white	GPS/IPS
A4-H	235W x 343D x 81.5H	230W x 325D x 79H	4 kg	5.9 L	Transparent white	GPS/IPS
A4-L	235W x 343D x 167H	230W x 325D x 163.5H	8 kg	12.2 L		GPS/IPS




1L (A4X-L)

2H

4P

Height of L-type drawer = 2 H-type drawers = 4 P-type drawers

SB series drawer insert included in all OA cabinets



SB-302
309W x 122D x 35H mm
Courtesy SB-302



SB-704
314.5W x 225.5D x 34H mm
Courtesy SB-704

1 x SB-302 or SB-704 included in 1 x drawer of all OA cabinets
"H" style drawer not included



All SHUTER single column filing cabinets can be custom made to order: add key locks or make them double or triple column.



Removable transparent drawer fronts




Built-in drawer pulls are located below each drawer for ease of use



Cabinets feature smooth drawer slides with built-in stoppers



High impact material reduces breakages when dropped or banged



Drawers available in two colors:
transparent (P) and white (N)

A4 Series



A4-103H
264W x 343D x 287H mm



A4-110P
285W x 343D x 483H mm
Courtesy SB-302



A4-112P
285W x 343D x 574H mm
Courtesy SB-302



A4-106H
285W x 343D x 574H mm



A4-115P
285W x 343D x 740H mm
Courtesy SB-302



A4-105P
264W x 343D x 287H mm
Courtesy SB-302



A4M1-7X1
285W x 343D x 740H mm



A4-109H
285W x 343D x 880H mm



A4-118P
285W x 343D x 880H mm
Courtesy SB-302



A4-104K
264W x 343D x 297H mm
Courtesy SB-302



A4-220P
535W x 343D x 483H mm
Courtesy SB-704



A4-210H
535W x 343D x 483H mm



A4-230P
545W x 343D x 740H mm
Courtesy SB-704




A4-132P
285W x 343D x 1490H mm




A4-116H
285W x 343D x 1490H mm



A4X Series (H = 44 cm)



A4X Side Cabinet Series (H = 69 cm)



TM

ST

ESD

TB

HB

FO

OA



A4X Lockable Filing Cabinet Series (H = 88 cm)



A4X-118PK
304W x 400D x 880H mm

Courtesy
SB-302



A4X-109HK
304W x 400D x 880H mm



A4X-236PK
590W x 400D x 880H mm

Courtesy
SB-704



A4X-218HK
590W x 400D x 880H mm



A4X-354PK
880W x 400D x 880H mm

Courtesy
SB-704



A4X-327HK
880W x 400D x 880H mm



A4X-236PD
590W x 400D x 880H mm

Courtesy
SB-704



MT Magazine Cabinets



M-8040
800W x 400D x 400H mm



M-2S
900W x 450D x 740H mm



M-3S
900W x 450D x 1062H mm



M-2S+M-3S
900W x 450D x 1802H mm



BV4 Lockable Filing Cabinet Series



B4V-103P
300W x 400D x 210H mm



B4V-105P
300W x 400D x 297H mm



B4V-110P
311W x 400D x 483H mm



B4V-105H
311W x 400D x 483H mm



B4V-112P
311W x 400D x 574H mm



B4V-106H
311W x 400D x 574H mm



B4V-115P
321W x 450D x 740H mm



B4VM1-7X1
321W x 450D x 740H mm



B4V-230P
613W x 450D x 740H mm



B4VM2-14X2
613W x 450D x 740H mm



B4V-345PK
900W x 450D x 740H mm



B4VM3-21X3
900W x 450D x 740H mm



B4V-366PK
900W x 450D x 1062H mm



B4V-333HK
900W x 450D x 1062H mm

MC Mobile Device Lockers

Security and property protection in one compact product




- MC-5 Series designed for small- or large-screen mobile phones
- MC-210 designed for tablets and laptops
- White EVA shock pad in each locker
- 1000 individual lock-and-key sets with an optional master key for secure locker management
 - never lose a key again
- Tongue lock design—key can only be removed once door is locked

Materials:

- Frame
Japan-made 0.8 mm thick powder-coated galvanized steel alloy sheet
- Scratch resistant paint
- Door: MC: Galvanized steel alloy sheet
MCP: PS

Door Dimensions

MC-5 series



141 mm

76 mm

MCP-5 series



141 mm

76 mm


MC-210




357 mm



Compartment Dimensions



MC-5 series



MC-210

Index cards



MC-5 series



MCP-5 series

MC Series



MC-515

766W x 240D x 291H mm

15
drawers



MC-525

766W x 240D x 447H mm

25
drawers



MC-210

766W x 240D x 447H mm
(designed for tablets and laptops)

10
drawers



MC-535

766W x 240D x 603H mm

35
drawers



MC-545

766W x 240D x 759H mm

45
drawers



MC-525

MC-210

Rubber vibration damping pad

MCP Series



MCP-515

766W x 240D x 291H mm

15
drawers



MCP-525

766W x 240D x 447H mm

25
drawers



MCP-535

766W x 240D x 603H mm

35
drawers



MCP-545

766W x 240D x 759H mm

45
drawers



MCP-525

EVA shock pad

MCP-525

Cam lock

DU Digital Lock Filing Cabinets

**Taiwan-first design to combine filing cabinet
with combination lock**

Improves on convenience compared with a key lock

Easy access: just remember a simple code!



DU

FC

SC

SOHO

SB

A9

DD

DU Digital Lock Filing Cabinets

SHUTER digital lockers are designed for ease-of-use and security.
Get rid of that bulky key chain and never lose a key again!

Materials:

Japan-made 0.8 mm thick powder-coated galvanized steel alloy sheet

Scratch resistant paint

Custom power coated colors available
on request

Total weight limit: 100 kg

Weight limit per shelf: 30 kg



Cabinet color can be customized to order.



DU-1 Series (W = 118 cm / H = 88 cm)



DU-118G
1180W x 400D x 880H mm



DU-118M
1180W x 400D x 880H mm



DU-11809M
1180W x 400D x 880H mm

DU-8 Series (W = 88 cm / H = 88 cm)



DU-88G
880W x 400D x 880H mm



DU-88M
880W x 400D x 880H mm




DU-8809M
880W x 400D x 880H mm




FT-10 (optional)
880W x 400D x 795H mm
(with stand)
880W x 400D x 690H mm
(no stand)


Accessories:



① Shelf
Not included in DU-315P




② Shelf locks
Not included in DU-315P



③ Hanging bookend



④ Key



⑤ Index card

FC Digital Lockers

**Locker is equipped with a combination lock
with more than 10,000 code sets**

Easy access: just remember a simple code!



FC Digital Lockers

Features

Materials

Japanese 0.8 mm-thick powder-coated galvanized steel alloy sheet
Scratch-resistant paint

Custom colors  Customized on request
Custom powder-coated colors available on request

Load

Total Weight Limit: 100 kg
Weight Limit Per Shelf: 30 kg

Digital locker



Digital lock

Key lock



Hanging bar
L=295mm Ø=19.1mm 3/4 inch



Mirror
102W x 152H mm



Air vent

Optional  Customized on request



FC-1
473W x 509D x 64H mm



SCO3 Odor-reduction Device

Input voltage:

DC12V

Current rating:

300mA or below

Ozone concentration:

15ppm +/- 15%


O3 generator dimensions:

50W x 30D x 40H mm


Accessories




① alignment pin




② key



③ index sheet / card



④ Passcode instructions



⑤ Key instructions

FC Digital Lockers

* FC series lockers feature a combination lock as standard (lockers with a model number ending in 'K' come with a key lock)



FC-M2
FC-M2K (key lock)
900W x 510D x 1800H mm



FC-M3
FC-M3K (key lock)
900W x 510D x 1800H mm



FC-M4
FC-M4K (key lock)
1182W x 510D x 1800H mm

FC-9 Series (W = 90 cm / H = 89.5 cm)



FC9-309
FC9-309K (key lock)
900W x 510D x 895H mm



FC9-306
FC9-306K (key lock)
900W x 510D x 895H mm



FC9-303
FC9-303K (key lock)
900W x 510D x 895H mm


FC-1 Series (W = 47.5 cm / H = 180 cm) 1 columns * Optional




FC-104
FC-104K (key lock)
477W x 510D x 1800H mm



FC-106
FC-106K (key lock)
477W x 510D x 1800H mm




FC-M103
FC-M103K (key lock)
477W x 510D x 1800H mm




FC-101
FC-101K (key lock)
477W x 510D x 1800H mm


FC-2 Series (W = 90 cm / H = 180 cm) 2 columns




FC-202
FC-202K (key lock)
900W x 510D x 1800H mm




FC-204
FC-204K (key lock)
900W x 510D x 1800H mm



FC-206
FC-206K (key lock)
900W x 510D x 1800H mm




FC-208
FC-208K (key lock)
900W x 510D x 1800H mm




FC-212
FC-212K (key lock)
900W x 510D x 1800H mm




FCO-212
900W x 510D x 1800H mm



FC-M205
FC-M205K (key lock)
900W x 510D x 1800H mm




FC-M207
FC-M207K (key lock)
900W x 510D x 1800H mm




FC-M210
FC-M210K (key lock)
900W x 510D x 1800H mm


FC-3 Series (W = 90 cm / H = 180 cm) 3 columns




FC-303
FC-303K (key lock)
900W x 510D x 1800H mm




FC-306
FC-306K (key lock)
900W x 510D x 1800H mm




FC-309
FC-309K (key lock)
900W x 510D x 1800H mm




FC-312
FC-312K (key lock)
900W x 510D x 1800H mm




FC-318
FC-318K (key lock)
900W x 510D x 1800H mm




FCO-318
900W x 510D x 1800H mm



FC-M309
FC-M309K (key lock)
900W x 510D x 1800H mm




FC-M312
FC-M312K (key lock)
900W x 510D x 1800H mm




FC-M310
FC-M310K (key lock)
900W x 510D x 1800H mm


FC-4 Series (W = 118.2 cm / H = 180 cm) 4 columns




FC-404
FC-404K (key lock)
1182W x 510D x 1800H mm




FC-408
FC-408K (key lock)
1182W x 510D x 1800H mm




FC-412
FC-412K (key lock)
1182W x 510D x 1800H mm




FC-416
FC-416K (key lock)
1182W x 510D x 1800H mm




FC-424
FC-424K (key lock)
1182W x 510D x 1800H mm




FCO-424
1182W x 510D x 1800H mm



FC-M412
FC-M412K (key lock)
1182W x 510D x 1800H mm



FC-M416
FC-M416K (key lock)
1182W x 510D x 1800H mm



FC-M413
FC-M413K (key lock)
1182W x 510D x 1800H mm

SC Space Cabinets

Award-winning Design Innovative Technology


The combination of plastic doors and metal frame create a cabinet that is lightweight yet strong. A new design that eliminates the need for crossbar support. Modern, simple, and functional storage for household, office, and industry.




SC Space Cabinets Stylish Design with O₃ Technology



1. Magnetic door closures



2. Built-in hooks



3. Ventilation holes further reduce odors



4. Patented door panel design is easy to disassemble or change



5. Patented door design



SCO3 Odor-reduction Device

Optional



SCO3 Odor-reduction Device

Customized on request

Input voltage:
DC12V
Current rating:
300mA or below
Ozone concentration:
15ppm +/- 15%
O3 generator dimensions:
50W x 30D x 40H mm



Lockable door



Each door comes with 2 keys



MDF board with wood-grain veneer



A sturdy plastic shelf is included


WP-3
892W x 350D x 15H mm

WP-4
1187.5W x 350D x 15H mm

Vertical door panel
Interior Dimensions
280 x 330 x 310 mm



Horizontal door panel
Interior Dimensions
280 x 330 x 150 mm



Customized to order:



Customized on request

Durable baked-enamel color options available.
(The SHUTER design team can help you select the color combinations right for your project.)

Door Materials: ABS

SC-3 Series



SC-306A
890W x 350D x 502H mm



SCM3-1M4S
890W x 350D x 387H mm



SC-303M
890W x 350D x 387H mm



SC-309S
890W x 350D x 550H mm



SCM3-1M7S
890W x 350D x 550H mm



SCM3-3M3S
890W x 350D x 550H mm



SC-312S
890W x 350D x 714H mm



SCM3-3M6S
890W x 350D x 714H mm



SC-306M
890W x 350D x 714H mm



SC-315S
890W x 350D x 880H mm



SC-318S
890W x 350D x 1040H mm

SC Single-Cube Storage Cabinet

Customized on request



SC-101M
300W x 352D x 365H mm



Flat-pack design is easy to assemble and compact for cheaper shipping. Cubes are stackable, horizontally and vertically.



SC-4 Series



SC-408A
1190W x 350D x 502H mm



SC-412S
1190W x 350D x 553H mm



SC-416S
1190W x 350D x 714H mm



SC-408M
1190W x 350D x 714H mm



SC-420S
1190W x 350D x 880H mm



SCM4-4M12S
1190W x 350D x 880H mm



SCM4-8M4S
1190W x 350D x 880H mm



SC-424S
1190W x 350D x 1040H mm



SCM4-8M8S
1190W x 350D x 1040H mm



SC-412M
1190W x 350D x 1040H mm

DU
FC
SC
SOHO
SB
A9
DD

SH Total Office Solutions

Work-from-home style for relaxation and efficiency

Perfect for employees working from home or office managers wanting to create a homely feel in the workplace



LOFT Furniture Series



DU-88M
880W x 400D x 880Hmm



DU-88G
880W x 400D x 880Hmm



DU-315PD
880W x 400D x 795Hmm
Optional: FT-10 (60 x 60 x 105 mm)



A4M3-18P12H3L
880W x 343D x 880 Hmm



A4-105P
264W x 343D x 287Hmm



SC-404AM
1190W x 350D x 502Hmm



WL-5M
1500W x 762D x 800Hmm

DU

FC

SC

SOHO

SB


A9

DD




SOHO Bookshelves

Weight limit



SH-60
600W x 302D x 1804H mm



SH-75
750W x 302D x 1804H mm



690mm
x8
SH-3075
 100
288mm

540mm
x8
SH-3060
 100
288mm



Extendable – add more storage by connecting shelf sets side-by-side

SH File Cart

Tasteful mobile design for home or office use

Fits neatly and aesthetically under a desk for practical document storage in even the most crowded workspaces



SOHO Series

 100  PU 2 3/8" caster

 Weight limit



DDH-106HM
367W x 265D x 635H mm



DDH-106HF
367W x 265D x 675H mm



DDH-106H1S
367W x 450D x 635H mm



A4X-101HEM
304W x 500D x 652H mm

EMC Series

 100  PU 2 3/8" caster



A4X-106HM
315W x 400D x 627H mm



A4X-105HM
315W x 400D x 627H mm



A4X-101HM
315W x 400D x 627H mm



Discreet top-entry storage
(A4X-105HM & A4X-101HM)

NCA Series

Material: Steel and IPS

 100  PU 2 3/8" caster

- Integrated design features 2 mm thick steel jacket
- Sleek look fits with any modern office or home
- 60 mm diameter PU casters support up to 100 kg



NCA-DH3P
333W x 328D x 735H mm



NCA-DH6H
333W x 328D x 735H mm

MCA Series

Material: Polywood and IPS

 100  PU 2 3/8" caster

- Integrated design features 10 mm thick polywood exterior
- Sleek look fits with any modern office or home
- 60 mm diameter PU casters support up to 100 kg



MCA-DH3P
357W x 328D x 735H mm



MCA-DH6H
357W x 328D x 735H mm



Easy-slide tray




Ideal for storing stationery




Suitable for file holders

Square Box


Color:




SB-0707H
70W x 70D x62H mm




SB-0714H
140W x 70D x62H mm




SB-1414H
140W x 140D x62H mm



SB-1414H
140W x 140D x62H mm



SB-0926L
90W x 260D x45H mm



SB-1813L
180W x 130D x45H mm



SB-1826L
180W x 260D x45H mm



Color:



SB-200
151W x 122D x32H mm



SB-300
240W x 122D x35H mm



SB-312
309W x 122D x35H mm



SB-704
315W x 226D x34H mm

CTB Pandora Supply Caddy

Color:



CTB-3215
325W x 154D x 135H mm (without lid)



CTB-3215L
325W x 154D x 135H mm (with lid)

3.2 5



OA Letter Tray

Color:
 Customized to order: █ █ █ █



OA-2736
 263W x 354D x 213 H mm (Total Dim)
 (Height Dim. of each layer :72mm)




OA-2634
 265W x 338D x 195 H mm (Total Dim)
 (Height Dim. of each layer :50mm)



OA-2937
 284W x 366D x 184 H mm (Total Dim)
 (Height Dim. of each layer :52mm)



1.



2.



3.




4.

1. Adjustable feature allows trays to be stacked or stepped
 2. Tray arrangement is secured firmly at the back

3. Trays can be nested inside one another
 4. Add more trays to increase storage space

OF Carry File



OF-A03
 318W x 240D x 25H mm



OF-A04
 318W x 240D x 25H mm
Customized on request



OF-C02
 350W x 270D x 46H mm



OF-A03L
 318W x 240D x 46H mm



FH-3128
 318W x 285D x 38H mm



OF-A02
 285W x 340D x 27H mm



OF-A05
 325W x 240D x 20H mm



OF-B01
 280W x 375D x 27H mm

New Arrivals

OF-1416
 404W x 349D x 73H mm



OF-205BL
 404W x 349D x 73H mm

A9 Small Parts Organizer

■ Built in fixtures on the back of each set allow for easy wall mounting



Large A9



A9-1310
449W x 180D x 247H mm




A9-2110
449W x 180D x 247H mm




Keyhole design for wall
mounting

Interior drawer size







Small A9



A9-506
378W x 154D x 192H mm




A9-510
378W x 154D x 192H mm



A9-512
378W x 154D x 192H mm



A9-520
378W x 154D x 192H mm




A9-5244
378W x 154D x 192H mm


Mini A9




A9-333
234W x 154D x 148H mm



A9-309
234W x 154D x 148H mm



A9-306
234W x 154D x 148H mm



A9-304
234W x 154D x 148H mm

DU

FC

SC

SOHO

SB

A9

DD

DU
FC
SC
SOHO
SB
A9
DD

Lateral & Square Desktop storage drawers

livinbox®



Desktop File Cabinets

- Multipurpose compact desk storage for the office and home
- Holds A4 size documents
- Stackable desktop storage



340W x 250D x 230H mm



340W x 250D x 230H mm




340W x 250D x 230H mm



250W x 340D x 270H mm



340W x 250D x 150H mm




340W x 250D x 150H mm



250W x 340D x 270H mm



250W x 340D x 270H mm



250W x 340D x 230H mm



250W x 340D x 230H mm






250W x 340D x 230H mm



250W x 340D x 230H mm

Customized on request


Customized on request



ES-GB2020

200W x 200D x 55Hmm

Color:



ES-A501

198W x 70D x 70Hmm

Color:



ML-MS01

530W x 200D x 75Hmm



ML-D01

202W x 75D x 106Hmm



CH Chair stool

Color:



FB Flip-cover Collapsible Box

Color:



FB-6040L
604W x 404D x 32H mm (Expand)
604W x 404D x 82H mm (Fold)

60 60



FB CARGO Collapsible Trunk

livinbox®

Color:



FB-6432S Side-on view




FB-6432S
640W x 320D x 300H mm
 45 35



FB-6432B
640W x 320D x 300H mm
 45 50



Optional casters



Folds flat



FB-3232
322W x 320D x 302H mm
 23 30



Solid wood lid / tabletop Customized on request



W-4531
452W x 305D x 18H mm
(for FB-4531)



W-5336
531W x 360D x 18H mm
(for FB-5336)



W-6432
640W x 320D x 18H mm
(for FB-6432B & FB-6432S)



W-6040
600W x 400D x 27H mm
(for FB-6040L)

FB Folding Basket Series


Color:



FB-4531
455W x 308D x 240H mm
 27 20



FB-5336
535W x 361D x 275H mm
 43 25



- Hand assembled with 16 steel pins to ensure a long product life
- Shoulder strap available on order



Customizable for corporate branding:

Removable section of the steel mold, which can be customized with embossed logos

Customizable color solutions, also in keeping with the brand's corporate colors

- An essential storage solution for home, car, or warehouse



FB Collapsible Basket

Color:

FB-4531H
455 W x 310D x 242H mm
 27 8.5



FB-4531HL (with lid)
455 W x 310D x 242H mm
Collapsed size : 450W x 310D x 60H mm
 27 8.5



TB Hobby & Craft Caddies

livinbox®

Compartment Tidies

Color:



TB-200
160W x 137D x 118H mm
 1.7 5



TB-300
250W x 137D x 129H mm
 3.0 5



TB-302
320W x 135D x 110H mm
 3.3 5



TB-312
348W x 153D x 139H mm
 5.3 5



TB-704
325W x 238D x 91H mm
 6.3 3



TB-708
325W x 244D x 181H mm
 12.6 3



TB-702D
256W x 177D x 170H mm
 5.8 5



TB-702
256W x 177D x 170H mm
 5.8 5



TB-733D
330W x 208D x 150H mm
 6.3 8



TB-733
330W x 208D x 150H mm
 6.3 8



TB-503
370W x 224D x 190H mm
 10 10

CH

FB

MB

T3

MB Drawer Box



MB-5505C
550W x 438D x 1071H mm

EL 36 KG 5



MB-5503C
550W x 438D x 653H mm

EL 36 KG 5




MB-5501C
550W x 438D x 235 H mm

EL 36 KG 5





MB-2701C
275W x 438D x 235 H mm


EL 14.5 KG 5



A B



Tighten the connection fixture after insertion and then snap the drawers in place



MB-1801C
180W x 438D x 235 H mm

EL 8.7 KG 5

Hole for connection fixture

Connect foot pads or CT-40 casters last (refer to optional products)

HC Rolling Storage Trolley

Color: Customized to order : 

HC-3T
425W x 390D x 820H mm
(tray without venting)



HC-3H
425W x 390D x 820H mm
(tray with venting)



WC-T4 (tray without venting)
WC-H4 (tray with venting)
472W x 310D x 504H mm

WC-T8 (tray without venting)
WC-H8 (tray with venting)
472W x 310D x 880H mm

CT-40
Ø40 mm



W-3827
376W x 268D x 9H mm

T3 3-Tier Kitchen Trolley

Perfect for kitchen, bathroom, bedroom, and more!

Available in perforated or flat shelf design
Fashionable rose gold or sleek gray-black
color scheme for home or office use



Commercial Trolley



T3
796W x 470D x 985H mm



T3-H
796W x 470D x 985H mm



T2-H3D
796W x 470D x 985H mm

Household Trolley



T3-h Customized on request
730W x 470D x 985H mm



T3-Hh Customized on request
730W x 470D x 985H mm



T2-H3Dh Customized on request
730W x 470D x 985H mm

Features

- Fitted with 4"TPR casters (2 with brakes) for 360-degree movement
- Slim handle design suitable for even the narrowest of spaces
- Parts snap quickly together for easy self-assembly
- Customize on order with hooks and hangers, drawers, trash cans, and more

SHUTER

Handle fitted with durable steady-grip material

Model	Picture	Dimensions mm inch	Package Dim mm inch	Net Weight kg	Gross Weight kg	PCS/ Master pcs	CU FT	PCS 20FT 40FT 40HC	Material	Color
HD										
HD-309		550Wx400Dx440H 21.7"Wx15.7"Dx17.3"H	615Wx487Dx516H 24.2"Wx19.2"Dx20.3"H	17.04	19.58	1	5.46	179 362 412	Steel ABS PS	
HD-318		550Wx400Dx880H 21.6"Wx15.7"Dx34.6"H	615Wx487Dx963H 24.2"Wx19.2"Dx37.9"H	32.48	36.11	1	10.19	96 194 220	Steel ABS PS	
HD-515		880Wx400Dx440H 34.6"Wx15.7"Dx17.3"H	962Wx487Dx516H 37.9"Wx19.2"Dx20.3"H	25.03	28.28	1	8.54	114 231 263	Steel ABS PS	
HD-530		880Wx400Dx880H 34.6"Wx15.7"Dx34.6"H	962Wx487Dx963H 37.9"Wx19.2"Dx37.9"H	48.52	52.44	1	15.93	61 124 141	Steel ABS PS	
NHD-530		880Wx400Dx880H 34.6"Wx15.7"Dx34.6"H	A: 903Wx418Dx124H 33.6"Wx16.5"Dx4.9"H B: 852Wx447Dx139H 33.5"Wx17.6"Dx5.5"H C: 828Wx426Dx476H 32.6"Wx16.8"Dx18.7"H	19.1 15.4 14.6	20.21 16.53 16.28	1 1 1	1.65 1.87 5.93	101 206 238	Steel ABS PS	
NHD-560		880Wx400Dx1725H 34.6"Wx15.7"Dx67.9"H	A: 1810Wx530Dx85H 71.3"Wx20.9"Dx3.3"H B: 848Wx445Dx261H 33.4"Wx17.5"Dx10.3"H C.D: 828Wx426Dx476H 32.6"Wx16.8"Dx18.7"H	21.5 33 14.6	23.67 34 16.28	1 1 1	2.88 3.48 5.93x2	52 107 123	Steel ABS PS	
ST										
A5V-312		586Wx290Dx350H 23"Wx11.4"Dx13.7"H	660Wx393Dx430H 26"Wx15.5"Dx16.9"H	10.31	12.13	1	3.94	248 502 571	Steel ABS PS	
A5V-324		586Wx290Dx640H 23"Wx11.4"Dx25.1"H	660Wx393Dx725H 26"Wx15.5"Dx28.5"H	17.71	20.06	1	6.64	143 294 339	Steel ABS PS	
A5V-336		586Wx290Dx937H 23"Wx11.4"Dx36.8"H	660Wx393Dx1027H 26"Wx15.5"Dx40.4"H	25.11	27.81	1	9.41	104 210 239	Steel ABS PS	
A5V-336D		586Wx340Dx970H 23"Wx13.3"Dx38.1"H	660Wx430Dx1062H 26"Wx16.9"Dx41.8"H	32.44	36.07	1	10.64	92 186 211	Steel ABS PS	
A6V-309H		533Wx265Dx310H 20.9"Wx10.4"Dx12.2"H	596Wx358Dx393H 23.5"Wx14.1"Dx15.5"H	8.41	9.93	1	2.96	330 668 759	Steel ABS PS	
A6-318P		533Wx265Dx310H 20.9"Wx10.4"Dx12.2"H	596Wx358Dx393H 23.5"Wx14.1"Dx15.5"H	9.69	11.21	1	2.96	330 668 759	Steel PS	
A6V-212H		362Wx265Dx571H 14.2"Wx10.4"Dx22.4"H	439Wx363Dx658H 17.3"Wx14.3"Dx25.9"H	10.06	11.58	1	3.70	264 534 607	Steel ABS PS	
A6-224P		362Wx265Dx571H 14.2"Wx10.4"Dx22.4"H	439Wx363Dx658H 17.3"Wx14.3"Dx25.9"H	11.69	13.21	1	3.70	264 534 607	Steel PS	
A6V-330H		533Wx265Dx937H 20.9"Wx10.4"Dx22.4"H	614Wx360Dx1023H 24.2"Wx14.2"Dx40.3"H	22.71	25.1	1	7.99	122 247 281	Steel ABS PS	
A6V-330HD		533Wx313Dx970H 20.9"Wx12.3"Dx38.1"H	636Wx409Dx1053H 25"Wx16.1"Dx41.5"H	28.24	30.88	1	9.67	101 204 232	Steel ABS PS	

Model	Picture	Dimensions mm inch	Package Dim mm inch	Net Weight kg	Gross Weight kg	PCS/ Master pcs	CU FT	PCS 20FT 40FT 40HC	Material	Color
A6-360P		533Wx265Dx937H 20.9"Wx10.4"Dx36.8"H	614Wx360Dx1023H 24.2"Wx14.2"Dx40.3"H	26.67	29.06	1	7.99	122 247 281	Steel PS	
A6-360PD		533Wx313Dx970H 20.9"Wx12.3"Dx38.1"H	636Wx409Dx1053H 25"Wx16.1"Dx41.5"H	32.2	34.84	1	9.67	101 204 232	Steel PS	
A6V-440H		705Wx265Dx937H 27.8"Wx10.4"Dx36.9"H	774Wx347Dx1023H 30.5"Wx13.7"Dx40.3"H	29	29.42	1	9.3	101 204 231	Steel ABS PS	
A6V-420H		705Wx265Dx502H 27.8"Wx10.4"Dx19.8"H	774Wx347Dx568H 30.5"Wx13.7"Dx22.4"H	15.97	17.37	1	5.39	181 367 417	Steel ABS PS	
A6V-336H		534Wx265Dx1111H 21"Wx10.4"Dx43.7"H	610Wx350Dx1200H 24"Wx13.8"Dx47.2"H	28	29.5	1	9.05	108 218 248	Steel ABS PS	
A7V-416		586Wx222Dx350H 23"Wx8.7"Dx13.7"H	662Wx323Dx428H 26.1"Wx12.7"Dx16.9"H	9.94	11.47	1	3.23	294 604 696	Steel ABS PS	
A7V-324		444Wx222Dx642H 17.4"Wx8.7"Dx25.2"H	528Wx320Dx731H 20.8"Wx12.6"Dx28.8"H	12.74	14.42	1	4.36	218 447 516	Steel ABS PS	
A7V-448		586Wx222Dx937H 23"Wx8.7"Dx32.9"H	655Wx325Dx1023H 25.8"Wx12.8"Dx40.3"H	24.28	26.65	1	7.69	124 254 293	Steel ABS PS	
A7V-448D		586Wx270Dx970H 23"Wx10.6"Dx38.1"H	655Wx361Dx1053H 25.8"Wx14.2"Dx41.5"H	31.53	34.27	1	8.79	108 222 256	Steel ABS PS	
A7V-456		586Wx222Dx1084H 23"Wx8.7"Dx42.7"H	665Wx314Dx1167H 26.2"Wx12.4"Dx45.9"H	28.04	30.04	1	8.61	110 226 261	Steel ABS PS	
A7V-560		727.5Wx222Dx973H 28.6"Wx8.7"Dx38.3"H	804Wx314Dx1022H 31.7"Wx12.4"Dx40.2"H	30.1	32.1	1	9.11	104 214 247	Steel ABS PS	
A7V-530		727.5Wx222Dx496H 28.64"Wx8.7"Dx19.5"H	804Wx314Dx583H 31.7"Wx12.4"Dx23"H	16.58	17.88	1	5.2	182 375 432	Steel ABS PS	
A8-416 A8N-416		466Wx222Dx350H 18.3"Wx8.7"Dx13.7"H	542Wx315Dx428H 21.3"Wx12.4"Dx16.9"H	10.34	11.68	1	2.58	368 756 872	Steel ABS PS	
A8-315 A8N-315		355Wx222Dx415H 13.9"Wx8.7"Dx16.3"H	423Wx314Dx496H 16.7"Wx12.4"Dx19.5"H	8.52	9.74	1	2.33	407 837 966	Steel ABS PS	
A8-520 A8N-520		586Wx222Dx350H 23"Wx8.7"Dx13.7"H	662Wx323Dx428H 26.1"Wx12.7"Dx16.9"H	11.59	13.12	1	3.23	294 604 696	Steel ABS PS	
A8-432 A8N-432		466Wx222Dx642H 18.3"Wx11.4"Dx25.2"H	537Wx316Dx720H 21.1"Wx12.4"Dx28.3"H	17.18	18.9	1	4.31	220 452 522	Steel ABS PS	
A8-560 A8N-560		586Wx222Dx937H 23"Wx8.7"Dx36.8"H	655Wx325Dx1023H 25.8"Wx12.8"Dx40.3"H	30.28	32.65	1	7.69	124 254 293	Steel ABS PS	
A8-560D		586Wx270Dx970H 23"Wx10.6"Dx38.1"H	655Wx361Dx1053H 25.8"Wx14.2"Dx41.5"H	36.36	39.1	1	8.79	108 222 256	Steel ABS PS	

Model	Picture	Dimensions mm inch	Package Dim mm inch	Net Weight kg	Gross Weight kg	PCS/ Master pcs	CU FT	PCS 20FT 40FT 40HC	Material	Color
ST1-318 ST1N-318		355Wx222Dx415H 14"Wx8.7"Dx16.3"H	423Wx314Dx496H 16.7"Wx12.4"Dx19.5"H	8.63	9.85	1	2.33	409 839 968	Steel ABS PS	
ST1-420 ST1N-420		466Wx222Dx350H 18.3"Wx8.7"Dx13.8"H	542Wx315Dx428H 21.3"Wx12.4"Dx16.9"H	10.36	11.7	1	2.58	368 756 872	Steel ABS PS	
ST1-525 ST1N-525		586Wx222Dx350H 23"Wx8.7"Dx13.8"H	662Wx323Dx428H 26.1"Wx12.7"Dx16.9"H	11.62	13.15	1	3.23	294 604 696	Steel ABS PS	
ST1-440 ST1N-440		466Wx222Dx642H 18.3"Wx8.7"Dx25.2"H	537Wx316Dx720H 21.1"Wx12.4"Dx28.3"H	17.22	18.94	1	4.31	220 452 522	Steel ABS PS	
ST1-575 ST1N-575		586Wx222Dx937H 23"Wx8.7"Dx36.9"H	655Wx325Dx1023H 25.8"Wx12.8"Dx40.3"H	30.95	33.33	1	7.69	124 254 293	Steel ABS PS	
ST1-575D ST1N-575D		586Wx270Dx970H 23"Wx10.6"Dx38.1"H	655Wx361Dx1053H 25.8"Wx14.2"Dx41.5"H	37.03	39.77	1	8.79	108 222 256	Steel ABS PS	
ST2-420 ST2N-420		586Wx222Dx350H 23"Wx8.7"Dx13.8"H	662Wx323Dx428H 26.1"Wx12.7"Dx16.9"H	10.85	12.38	1	3.23	294 604 697	Steel ABS PS	
ST2-330 ST2N-330		444Wx222Dx642H 17.5"Wx8.7"Dx25.2"H	528Wx320Dx731H 20.8"Wx12.6"Dx28.8"H	14.11	15.79	1	4.36	218 447 516	Steel ABS PS	
ST2-460 ST2N-460		586Wx222Dx937H 23"Wx8.7"Dx37"H	655Wx325Dx1023H 25.8"Wx12.8"Dx40.3"H	27.5	29.87	1	7.69	124 254 293	Steel ABS PS	
ST2-460D ST2N-460D		586Wx270Dx970H 23"Wx10.6"Dx38"H	655Wx361Dx1053H 25.8"Wx14.2"Dx41.5"H	34.75	37.49	1	8.79	108 222 256	Steel ABS PS	
W-6045		596Wx454Dx160H 23.4"Wx17.8"Dx17.3"H	636Wx478Dx103H 25"Wx18.8"Dx4.1"H	5.5	6.2	1	1.11	856 1757 2027	Steel PP wheels	
W-8941		890Wx410Dx185H 35"Wx16.1"Dx7.2"H	939Wx432Dx83H 37"Wx17"Dx3.3"H	7.1	7.9	1	1.19	798 1639 1891	Steel PP wheels	
MC										
MC-210		766Wx240Dx447H 30.2"Wx9.4"Dx17.6"H	854Wx328Dx535H 33.6"Wx12.9"Dx21.1"H	17	21	1	5.29	179 368 425	Steel	
MC-515		766Wx240Dx291H 30.2"Wx9.4"Dx11.5"H	854Wx328Dx379H 33.6"Wx12.9"Dx14.9"H	12.1	15.4	1	3.75	253 520 600	Steel	
MC-525		766Wx240Dx447H 30.2"Wx9.4"Dx17.6"H	854Wx328Dx535H 33.6"Wx12.9"Dx21.1"H	18.6	22.3	1	5.29	179 368 425	Steel	
MC-535		766Wx240Dx603H 30.2"Wx9.4"Dx23.7"H	854Wx328Dx691H 33.6"Wx12.9"Dx27.2"H	25	29.2	1	6.83	139 285 329	Steel	
MC-545		766Wx240Dx759H 30.2"Wx9.4"Dx29.9"H	854Wx328Dx847H 33.6"Wx12.9"Dx33.3"H	31.5	36.2	1	8.38	113 232 268	Steel	
MCP-515		766Wx240Dx291H 30.2"Wx9.4"Dx11.5"H	854Wx328Dx379H 33.6"Wx12.9"Dx14.9"H	10.51	12.77	1	3.75	253 520 600	Steel	
MCP-525		766Wx240Dx447H 30.2"Wx9.4"Dx17.6"H	854Wx328Dx535H 33.6"Wx12.9"Dx21.1"H	15.91	18.4	1	5.29	179 368 425	Steel	
MCP-535		766Wx240Dx603H 30.2"Wx9.4"Dx23.7"H	854Wx328Dx691H 33.6"Wx12.9"Dx27.2"H	22.39	25.07	1	6.83	139 285 329	Steel	

Model	Picture	Dimensions mm inch	Package Dim mm inch	Net Weight kg	Gross Weight kg	PCS/ Master pcs	CU FT	PCS 20FT 40FT 40HC	Material	Color
MCP-545		766Wx240Dx759H 30.2"Wx9.4"Dx29.9"H	854Wx328Dx847H 33.6"Wx12.9"Dx33.3"H	27.97	30.96	1	8.38	113 232 268	Steel	
HB										
HB-1218		121Wx180Dx84H 4.7"Wx7"Dx3.3"H	398Wx369Dx660H 15.67"Wx14.53"Dx25.98"H	7.68	8.77	60	3.42	17160 34680 39420	PP	  
HB-1525		152Wx265Dx121H 6.0"Wx10.4"Dx4.7"H	522Wx496Dx573H 20.55"Wx19.53"Dx22.56"H	8.46	9.96	36	5.24	6732 13572 15444	PP	  
HB-2035		209Wx351Dx154H 8.2"Wx13.8"Dx6.1"H	671Wx369Dx721H 26.42"Wx14.53"Dx28.69"H	8.712	10.272	18	6.30	2790 5652 6408	PP	  
HB-2045		205Wx480Dx178H 8"Wx18.9"Dx7"H	671Wx487Dx576H 26.42"Wx19.17"Dx22.68"H	9.18	10.87	12	6.65	1764 3564 4056	PP	  
HB-3045		300Wx480Dx178H 11.8"Wx18.9"Dx7"H	658Wx487Dx848H 25.91"Wx19.17"Dx33.39"H	11.30	11.41	12	9.6	1224 2472 2808	PP	  
HB-4135		415Wx351Dx154H 16.3"Wx13.8"Dx6"H	1298Wx372Dx476H 51.10"Wx14.65"Dx18.74"H	9.76	11.70	12	8.12	1440 2916 3324	PP	  
HB-4068		400Wx640Dx340H 15.7"Wx25.2"Dx13.4"H	655Wx441Dx660H 25.79"Wx17.36"Dx25.98"H	10.68	12.35	4	6.73	580 1176 1336	PP	  
HB-210		105Wx136Dx76H 4.1"Wx5.3"Dx3"H	337Wx178Dx542H 13.27"Wx7.01"Dx21.34"H	4.65	5.19	60	1.15	51180 103440 117540	PP	 
HB-220		105Wx187Dx76H 4.1"Wx7.3"Dx3"H	337Wx232Dx542H 13.27"Wx9.13"Dx21.34"H	5.88	6.49	60	1.50	39240 79380 90180	PP	 
HB-230		140Wx276Dx127H 5.5"Wx10.8"Dx5"H	437Wx344Dx524H 17.20"Wx13.54"Dx20.63"H	10.8	11.74	30	2.78	10560 21330 24240	PP	 
HB-235		279Wx276Dx127H 11"Wx10.8"Dx5"H	580Wx350Dx588H 22.83"Wx13.78"Dx23.15"H	13.13	14.33	24	4.22	5568 11256 12792	PP	 
HB-239		210Wx273Dx178H 8.2"Wx10.7"Dx7"H	452Wx344Dx712H 17.80"Wx13.54"Dx28.03"H	10.66	11.82	20	3.91	5000 10120 11500	PP	 
HB-240		210Wx375Dx178H 8.2"Wx14.7"Dx7"H	443Wx435Dx712H 17.44"Wx17.13"Dx28.03"H	13.72	15.11	20	4.85	4040 8160 9280	PP	 
HB-250		420Wx375Dx178H 16.5"Wx14.7"Dx7"H	443Wx435Dx712H 17.44"Wx17.13"Dx28.03"H	10.93	12.32	10	4.85	2020 4080 4640	PP	 
C-1525		149Wx283Dx9H 5.8"Wx11.1"Dx0.3"H	640Wx410Dx225H 25.2"Wx16.1"Dx8.9"H	15.4	16.2	18pcs/bag 12bag/ctn	2.23	5280 10668 12120	PP	
C-2035		205Wx371Dx9H 8.1"Wx14.6"Dx0.3"H	695Wx393Dx245H 37.36"Wx15.47"Dx9.65"H	12.6	13.55	18pcs/bag 6bag/ctn	2.08	2820 5694 6474	PP	
MS-HB										
MS-HK		893Wx600Dx1593H 35.53"Wx23.62"Dx62.99"H	974Wx772Dx167H 38.35"Wx30.39"Dx6.57"H	37	40	1	4.43	214 440 508	Steel	
MS-HT		885Wx600Dx919H 35.63"Wx23.62"Dx36.65"H	990Wx680Dx190H 38.98"Wx26.77"Dx7.48"H	43.8	46.5	1	4.52	210 432 498	Steel MDF	 
MS-HC		932Wx619Dx958H 37.01"Wx24.41"Dx37.8"H	1020Wx670Dx150H 40.16"Wx26.38"Dx5.91"H	36.5	40.6	1	3.62	263 539 622	Steel	
CT-HB										
HB-C		33Wx63Dx123H 1.3"Wx2.5"Dx4.8"H	130Wx130Dx60H 5.1"Wx5.1"Dx2.4"H	0.7	0.8	4	0.04	95000 195000 225000	Steel PVC	
CT-HB		457Wx487Dx662.3H 18"Wx19.2"Dx26.1"H	633Wx470Dx100H 24.9"Wx18.5"Dx3.9"H	8.1	9.2	1	1.05	904 1857 2142	Steel	

Model	Picture	Dimensions mm inch	Package Dim mm inch	Net Weight kg	Gross Weight kg	PCS/ Master pcs	CU FT	PCS 20FT 40FT 40HC	Material	Color
WS										
WS-ALI09		900Wx620Dx1840H 35.4"Wx24.4"Dx72.4"H	B: 973Wx648Dx943H 38.3"Wx25.51"Dx37.13"H	41.18	48.18	1	21	46 94 107	Steel	
			E: 975Wx610Dx79H 38.39"Wx24.01Dx3.11"H	20.32	22.5	1	1.66	590 1193 1356		
			J: 960Wx910Dx60H 38.39"Wx24.01Dx3.11"H	6.5	10.25	1	1.85	529 1069 1215		
			M: 942Wx310Dx70H 37.09"Wx12.2Dx2.76"H	4.55	5.5	1	0.72	1357 2742 3116		
WS-LC18		900Wx570Dx1840H 35.4"Wx22.4"Dx72.4"H	973Wx648Dx1843H 38.3"Wx25.51Dx72.56"H	4.55	5.5	1	0.72	1357 2742 3116	Steel	
WS-ADI06		600Wx620Dx1840H 23.6"Wx24.4"Dx72.4"H	C: 673Wx648Dx943H 26.5"Wx25.51"Dx37.13"H	63.27	69.17	1	14.52	67 136 154	Steel	
			F: 651Wx610Dx79H 25.63"Wx24.01"Dx3.11"H	13.2	15	1	1.11	884 1787 2030		
			I: 960Wx612Dx60H 37.8"Wx24.1"Dx2.36"H	4.53	6.7	1	1.24	787 1590 1807		
			L: 642Wx310Dx70H 25.28"Wx12.2"Dx2.76"H	3.25	4.0	1	0.49	1991 4024 4573		
WS-ATW12		1200Wx620Dx1840H 47.2"Wx24.4"Dx72.4"H	D: 1263Wx610Dx79H 49.72"Wx24.01"Dx3.11"H	25.91	28.53	1	2.15	455 921 1046	Steel	
			G: 960Wx600Dx200H 37.8"Wx23.62"Dx7.87"H	11.62	14.2	1	4.07	240 486 553		
			H: 1251Wx118Dx70H 49.25"Wx4.65"Dx2.76"H	3.62	4.23	1	0.36	2685 5425 6165		
			K: 1242Wx940Dx60H 48.9"Wx37"Dx2.36"H	8.3	12.85	1	2.47	396 800 909		
RC										
RCT-4AI		1340.8Wx465.4Dx2030H 52.8"Wx18.3"Dx79.9"H	A: 2058Wx491Dx124H 81.02"Wx19.33"Dx4.88"H	17.8	21.1	1	4.42	221 447 508	Steel	
			B: 1310Wx650Dx80H 51.57"Wx25.59"Dx3.15"H	18	19	1	2.41	407 823 935		
			C: 1240Wx212Dx100H 48.82"Wx8.35"Dx3.94"H	4.5	5.5	1	0.93	1055 2132 2423		
			D-1: 1070Wx480Dx130H D-2: 42.13"Wx18.9"Dx5.12"H	8.8	9.8	2	2.36	830 1678 1908		
			E: 2190Wx170Dx100H 86.22"Wx6.7"Dx3.94"H	6	6.87	2	1.31	1490 3010 3422		
			F: 1280Wx460Dx190H 50.4"Wx18.11"Dx7.48"H	20	21.5	5	3.95	1240 2505 2845		
			G: 1300Wx112Dx70H 51.18"Wx4.41"Dx2.76"H	1.8	2.3	1	0.36	2722 5501 6251		
RCC-3A01		943Wx465.4Dx2030H 37.1"Wx18.3"Dx79.9"H	A: 2058Wx491Dx124H 81.02"Wx19.33"Dx4.88"H	17.8	21.1	1	4.42	221 447 508	Steel	
			B: 980Wx567Dx207H 38.58"Wx22.32"Dx8.15"H	17.8	21.1	1	4.28	229 462 526		
			C: 1144Wx570Dx301H 45.04"Wx22.44"Dx11.85"H	17.8	21.1	1	6.93	141 285 324		
			D: 970Wx650Dx137H 38.19"Wx25.6"Dx5.4"H	17.8	21.1	1	3.05	321 649 737		
RCD-3A51		943Wx465.4Dx2030H 37.1"Wx18.3"Dx79.9"H	A: 2058Wx491Dx124H 81.02"Wx19.33"Dx4.88"H			1	4.42	221 447 508	Steel	
			B: 882Wx438Dx60H 34.72"Wx17.24"Dx2.36"H			1	0.82	1197 2418 2748		
			C: 1010Wx530Dx220H 39.76"Wx20.87"Dx8.66"H			1	4.16	235 476 541		
			D: 1010Wx530Dx334H 39.76"Wx20.87"Dx13.15"H			1	6.31	155 313 356		
RCH-313		943Wx465.4Dx2030H 37.1"Wx18.3"Dx79.9"H	A: 2058Wx491Dx124H 81.02"Wx19.33"Dx4.88"H	17.8	21.1	1	4.42	221 447 508	Steel	
			B: 882Wx438Dx60H 34.72"Wx17.24"Dx2.36"H	5.5	6.7	1	0.82	1197 2418 2748		
			C: 828Wx426Dx476H 32.6"Wx16.77"Dx18.74"H	14.6	16.28	1	5.93	165 333 379		
			D: 428Wx172Dx476H 16.85"Wx6.77"Dx18.74"H	2.43	3	1	1.24	791 1600 1818		
RCC-304		850Wx453.3Dx404H 33.5"Wx17.8"Dx15.9"H	980Wx567Dx207H 38.58"Wx22.32"Dx8.15"H			1	4.06	241 487 553	Steel	
RCC-310		850Wx453.3Dx1013H 33.5"Wx17.8"Dx39.9"H	1144Wx570Dx301H 45.04"Wx22.44"Dx11.85"H			1	6.93	205 415 472	Steel	
RC-9520		943Wx465.4Dx2030H 37.1"Wx18.3"Dx79.9"H	A: 2058Wx491Dx124H 81.02"Wx19.33"Dx4.88"H	17.8	21.1	1	4.42	94 192 221	Steel	
			B1-B7: 882Wx438Dx60H 34.72"Wx17.24"Dx2.4"H	5.5	6.7	1	0.82	94 192 221		

Model	Picture	Dimensions mm inch	Package Dim mm inch	Net Weight kg	Gross Weight kg	PCS/ Master pcs	CU FT	PCS 20FT 40FT 40HC	Material	Color
CT										
CT-1		873Wx500Dx880H 34.4"Wx19.7"Dx34.6"H	890Wx520Dx185H 35"Wx20.5"Dx7.3"H	23.86	25.51	1	3.02	314 645 744	Steel	
CT-2		873Wx500Dx1070H 34.4"Wx19.7"Dx42.1"H	900Wx585Dx170H 35.4"Wx23"Dx6.7"H	26	27.4	1	3.16	300 617 712	Steel	
CT-H3		873Wx500Dx880H 34.4"Wx19.7"Dx34.6"H	A: 885Wx520Dx186H 34.8"Wx20.5"Dx7.3"H	22.06	23.32	1	3.02	314 645 745	Steel	
			B: 725Wx550Dx375H 28.5"Wx21.7"Dx14.8"H	21.5	23	1	5.28	114 235 271		
CT-H		873Wx500Dx880H 34.4"Wx19.7"Dx34.6"H	890Wx540Dx250H 35"Wx21.3"Dx9.8"H	26.59	29.08	1	4.24	224 460 531	Steel	
CT-HD		873Wx500Dx880H 34.4"Wx19.7"Dx34.6"H	890Wx540Dx250H 35"Wx21.3"Dx9.8"H	29.01	31.5	1	4.24	224 460 531	Steel	
CT-C3A		873Wx500Dx880H 34.4"Wx19.7"Dx34.6"H	A: 880Wx525Dx95H 34.6"Wx20.7"Dx3.7"H	22	23.15	1	1.55	613 1259 1452	Steel	
			B: 725Wx550Dx375H 28.5"Wx21.7"Dx14.8"H	22.56	24.6	1	5.28	139 286 329		
CT-C3B		873Wx500Dx880H 34.4"Wx19.7"Dx34.6"H	A: 880Wx525Dx95H 34.6"Wx20.7"Dx3.7"H	22	23.15	1	1.55	613 1259 1452	Steel	
			B: 725Wx550Dx375H 28.5"Wx21.7"Dx14.8"H	22.56	24.6	1	5.28	139 286 329		
CT-C32A		873Wx505Dx1075H 34.4"Wx19.9"Dx42.4"H	A: 900Wx585Dx170H 35.5"Wx23.1"Dx6.7"H	26	27.4	1	3.16	310 626 711	Steel	
			B: 725Wx550Dx375H 28.6"Wx21.7"Dx14.8"H	21.5	23	1	5.28	185 374 426		
CT-23A		873Wx505Dx1075H 34.4"Wx19.9"Dx42.4"H	A: 900Wx585Dx170H 35.5"Wx23.1"Dx6.7"H	26	27.4	1	3.16	310 626 711	Steel	
			B: 740Wx506Dx85H 29.2"Wx20"Dx3.4"H	4.82	5.5	1	1.12	871 1761 2001		
CT-2H		873Wx505Dx1075H 34.4"Wx19.9"Dx42.4"H	885Wx506Dx188H 34.9"Wx20"Dx7.4"H	28.9	31.6	1	2.97	329 665 756	Steel	
CT-2H3D		873Wx505Dx1075H 34.4"Wx19.9"Dx42.4"H	A: 900Wx515Dx160H 35.5"Wx20.3"Dx6.3"H	26.3	28	1	2.62	374 756 859	Steel	
			B: 725Wx550Dx375H 28.6"Wx21.7"Dx14.8"H	21.5	23	1	5.28	185 374 426		
CT-A616		857Wx566Dx880H 33.8"Wx22.3"Dx34.7"H	845Wx615Dx830H 33.3"Wx24.2"Dx32.7"H	39.4	44.4	1	15.23	64 129 147	Steel ABS	
CT-H7		873Wx500Dx880H 34.4"Wx19.7"Dx34.6"H	A: 839Wx521Dx179H 33"Wx20.5"Dx7.1"H	18	20	1	2.76	75 154 178	Steel	
			B: 736Wx561Dx679H 29"Wx22.1"Dx26.7"H	41.5	34.5	1	9.9	185 374 426		
CT-8821		873Wx706Dx1684H 34.37"Wx27.8"Dx66.3"H	A: 900Wx585Dx170H 35.5"Wx23.1"Dx6.7"H	26	27.4	1	3.16	310 626 711	Steel	
			B: 776Wx706Dx27H 30.6"Wx27.8"Dx1.06"H	2.7	4.5	1	0.52	1876 3790 4307	Steel	
			C: 1588Wx230Dx130H 62.6"Wx9.1"Dx5.2"H	13	13.7	1	1.68	584 1180 1341	Steel	
			D: 773Wx206Dx55H 30.5"Wx8.1"Dx2.2"H	2.1	2.4	1	0.31	3168 6401 7274	Steel	
			E: 570Wx333Dx327H 22.5"Wx13.2"Dx12.9"H	9.6	10.43	1	2.19	447 903 1026	PP	
TC										
TC-S22		671Wx347Dx650H 26.4"Wx13.7"Dx25.6"H	740Wx430Dx620H 29.1"Wx16.9"Dx24.4"H	28.5	30.5	1	6.97	136 280 323	Steel	
TC-S23		570Wx345Dx779H 22.4"Wx13.6"Dx30.7"H	640Wx413Dx723H 25.2"Wx16.3"Dx28.5"H	31.8	34.5	1	6.75	141 289 334	Steel	
TC-25		680Wx460Dx1015H 26.7"Wx18.1"Dx40"H	742Wx521Dx945H 29.2"Wx20.5"Dx37.2"H	68.5	72.3	1	12.9	74 151 147	Steel	
TC-H25		680Wx460Dx1015H 26.7"Wx18.1"Dx40"H	680Wx460Dx1015H 26.7"Wx18.1"Dx40"H	68.27	69.27	1	11.21	85 174 201	Steel	
TC2-L25		671Wx460Dx975H 26.4"Wx18.1"Dx38.4"H	736Wx521Dx906H 29"Wx20.5"Dx35.7"H	55	58	1	12.27	63 129 148	Steel	
TC3-L25		743Wx500Dx988H 29.3"Wx19.7"Dx38.9"H	780Wx590Dx933H 30.7"Wx23.2"Dx36.7"H	68.7	70.7	1	15.16	63 129 148	Steel	
TC2-M23		671Wx460Dx820H 26.4"Wx18.1"Dx32.3"H	736Wx521Dx748H 29"Wx20.5"Dx29.5"H	47	49	1	10.13	94 192 222	Steel	
TC4-510		1117Wx630Dx823H 44"Wx24.8"Dx32.4"H	1145Wx721Dx836H 45.1"Wx28.4"Dx32.9"H	82.1	89.4	1	24.37	40 81 92	Steel	
TC4-511		1117Wx630Dx857H 44"Wx24.8"Dx33.8"H	A: 1145Wx721Dx836H 45.1"Wx28.4"Dx32.9"H	82.1	89.4	1	24.37	40 81 92	Steel	
			B: 1070Wx620Dx60H 42.2"Wx24.4"Dx2.4"H	82.1	89.4	1	1.41	697 1408 1600		
TC4-512		1117Wx630Dx1264H 44"Wx24.8"Dx49.8"H	A: 1110Wx688Dx730H 43.7"Wx27.1"Dx28.7"H	82.1	85.6	1	19.51	45 93 108	Steel	
			B: 1070Wx621Dx55H 42.1"Wx24.4"Dx2.2"H	13	14.9	1	1.29	45 93 108		

Model	Picture	Dimensions mm inch	Package Dim mm inch	Net Weight kg	Gross Weight kg	PCS/ Master pcs	CU FT	PCS 20FT 40FT 40HC	Material	Color
TC4-513		1117Wx630Dx1000H	A: 1110Wx688Dx730H 43.7"Wx26.4"Dx28.0"H	82.1	85.6	1	19.51	37 76 87	Steel	
		44"Wx24.8"Dx39.4"H	B: 1110Wx670Dx270H 43.7"Wx26.4"Dx10.6"H	32	34	1	7.09			
TC5-41B		778Wx500Dx980H 30.7"Wx19.7"Dx38.6"H	717Wx550Dx8801H 28.3"Wx21.7"Dx34.7"H	62.7	68	1	12.26	79 161 183	Steel	
TC6-25		936Wx502Dx985H 36.9"Wx19.8"Dx38.8"H	880Wx555Dx894H 34.7"Wx21.9"Dx35.2"H	79	85	1	15.42	63 128 145	Steel	
TW-CT4BHA		784Wx511Dx878H 30.9"Wx20.2"Dx34.6"H	727Wx512Dx148H 28.7"Wx20.2"Dx5.9"H	19.8	22.1	1	1.945	503 1017 1156	Steel	
TW-HD073A		761Wx686Dx1034H 30"Wx27"Dx40.7"H	703Wx655Dx773H 27.7"Wx25.8"Dx30.5"H			1	12.57	77 157 179	Steel	
TW										
TW-1F		892Wx634Dx1704H 35.1"Wx24.9"Dx67"H	A: 945Wx155Dx1707H 37.2"Wx6.1"Dx67.2"H	21.55	25	1	8.83	108 221 255	Steel ABS	
			B: 60Wx82Dx1700H 2.4"Wx3.2"Dx66.9"H	6.73	8.43	1	0.3	3218 6605 7621		
			C: 392Wx278Dx327H 15.4"Wx10.9"Dx12.9"H	5.72	6.52	1	1.26	91 188 217		
TW-2F		892Wx639Dx1742H 35.1"Wx25.1"Dx68.5"H	A: 945Wx155Dx1707H 37.2"Wx6.1"Dx67.2"H	21.55	25	1	8.83	108 221 255	Steel ABS	
			B: 392Wx278Dx327H 15.4"Wx10.9"Dx12.9"H	5.72	6.52	1	1.26	47 97 111		
NTW										
NTW-4B		1002Wx650Dx830H 39.4"Wx25.5"Dx32.6"H	A: 667Wx735Dx170H 26.3"Wx28.9"Dx6.7"H	27.5	29	1	2.94	323 663 765	Steel ABS	
			B: 690Wx370Dx260H 27.2"Wx14.6"Dx10.2"H	11	13.84	1	2.34	180 369 426		
NTW-4B1D		1002Wx650Dx830H 39.4"Wx25.5"Dx32.6"H	A: 667Wx735Dx170H 26.3"Wx28.9"Dx6.7"H	27.5	29	1	2.94	323 663 765	Steel ABS	
			B: 690Wx370Dx260H 27.2"Wx14.6"Dx10.2"H	11	13.84	1	2.34	405 832 960		
			C: 660Wx345Dx120H 26"Wx13.6"Dx4.7"H	4.88	5.45	1	0.97	958 2022 2333		
NTW-4B2D		1002Wx650Dx830H 39.4"Wx25.5"Dx32.6"H	A: 667Wx735Dx170H 26.3"Wx28.9"Dx6.7"H	27.5	29	1	2.94	323 663 765	Steel ABS	
			B: 690Wx370Dx260H 27.2"Wx14.6"Dx10.2"H	11	13.84	1	2.34	405 832 960		
			C.D: 660Wx345Dx120H 26"Wx13.6"Dx4.7"H	4.88	5.45	1	0.97	985 2022 2333		
TWE-3B		939Wx458Dx897H 36.9"Wx18"Dx35.3"H	A: 750Wx468Dx184H 29.5"Wx18.7"Dx7.2"H	21.33	22.43	1	2.28	417 855 987	Steel ABS	
			B: 602Wx167Dx336H 23.7"Wx6.6"Dx13.2"H	15.81	18.51	1	1.19	797 1635 1887		
BTS-595		595Wx143Dx225H 23.4"Wx5.6"Dx8.8"H	610Wx315Dx135H 24"Wx12.4"Dx5.3"H	3.7	4.57	1	0.92	1033 2120 2446	Steel ABS	
THD										
THD-3B		880Wx400Dx880H 34.6"Wx15.7"Dx34.6"H	A: 963Wx476Dx967H 37.9"Wx18.7"Dx38.1"H	28.77	31.7	1	15.65	61 125 144	Steel ABS	
			B.C.D: 169Wx163Dx847H 6.7"Wx6.4"Dx33.3"H	3.45	3.87	1	0.61	54 112 129		
THD-2S		880Wx400Dx880H 34.6"Wx15.7"Dx34.6"H	964Wx467Dx951H 38"Wx18.4"Dx37.4"H	33.96	35.46	1	15.11	63 129 149	Steel ABS	
THD-2S9H		880Wx400Dx880H 34.6"Wx15.7"Dx34.6"H	964Wx467Dx951H 38"Wx18.4"Dx37.4"H	33.23	34.73	1	15.11	63 129 149	Steel ABS	
THD-A9520		800Wx200Dx1130H 31.5"Wx7.9"Dx44.5"H	810Wx216Dx1146H 31.9"Wx8.5"Dx45.1"H			1	7.13	133 273 316	Steel	
RT										
RT-6558		653Wx600Dx1460H 25.7"Wx23.6"Dx57.5"H	A: 1555Wx325Dx180H 61.2"Wx12.8"Dx7.1"H	38.39	4.02	1	3.21	296 607 701	Steel ABS	
			B: 610Wx305Dx143H 24"Wx12"Dx5.6"H	2.9	3.36	1	0.94	229 470 542		
GT										
GR-6558		653Wx600Dx1460H 25.7"Wx23.6"Dx57.5"H	A: 1555Wx325Dx180H 61.2"Wx12.8"Dx7.1"H	35	36.78	1	3.21	296 607 701	Steel ABS	
			B: 620Wx455Dx220H 24.4"Wx17.9"Dx8.7"H	11.5	12.85		2.19	176 361 417		

Model	Picture	Dimensions mm inch	Package Dim mm inch	Net Weight kg	Gross Weight kg	PCS/ Master pcs	CU FT	PCS 20FT 40FT 40HC	Material	Color
FO										
FO-308		303Wx87Dx203H 11.9"Wx3.4"Dx8"H	528Wx317Dx433H 20.8"Wx12.5"Dx17"H	10.38	11.25	12	2.56	4584 9276 10548	ABS PS	
FO-306		303Wx106Dx253H 11.9"Wx4.1"Dx10"H	543Wx317Dx533H 21.4"Wx12.5"Dx21"H	10.38	11.38	10	3.24	3020 6110 6940	ABS PS	
FO-605		603Wx123Dx153H 23.7"Wx4.8"Dx6"H	474Wx320Dx639H 18.7"Wx12.6"Dx25.2"H	10.4	11.46	8	3.42	2288 4624 5256	ABS PS	
FO-604		603Wx167Dx203H 23.7"Wx6.5"Dx8"H	622Wx514Dx433H 24.5"Wx20.2"Dx17"H	12.04	13.52	6	4.89	1200 2430 2760	ABS PS	
RFO										
RFO-848		518.3Wx449Dx490H 20.4"x17.7"Dx19.3"H	565Wx505Dx500H 22.2"Wx19.9"Dx19.7"H	11.48	15.27	1	5.04	194 393 446	Steel ABS PS	
RFO-636		518.3Wx449Dx530H 20.4"Wx17.7"Dx20.9"H	565Wx505Dx600H 22.2"Wx19.9"Dx23.6"H	13.7	18.04	1	6.05	162 327 372	Steel ABS PS	
RFO-8144		518.3Wx449Dx1230H 20.4"Wx17.7"Dx48.5"H	565Wx505Dx1295H 22.2"Wx19.9"Dx51"H	25.2	33.07	1	13.05	75 151 172	Steel ABS PS	
RFO-690		518.3Wx449Dx1280H 20.4"Wx17.7"Dx50.9"H	565Wx505Dx1340H 22.2"Wx19.9"Dx52.8"H	27.28	35.8	1	13.5	72 146 166	Steel ABS PS	
MS-FO										
MS-630		690Wx560Dx1460H 27.1"Wx22"Dx57.5"H	772Wx352Dx78H 30.4"Wx13.9"Dx3.1"H	15.28	16.95	1	0.75	1270 2606 3007	Steel	
MS-2M202		690Wx560Dx1460H 27.1"Wx22"Dx57.5"H	A: 772Wx352Dx78H 30.4"Wx13.9"Dx3.1"H	15.28	16.95	1	0.79	168 346 399	Steel ABS PS	
			B: 660Wx400Dx520H 26"Wx15.7"Dx20.5"H	20	21.55	1	4.85	196 402 464		
MS-18000		690Wx560Dx1460H 27.1"Wx22"Dx57.5"H	A: 772Wx352Dx78H 30.4"Wx13.9"Dx3.1"H	15.28	16.95	1	0.75	1270 2606 3007	Steel ABS PS	
			B: 660Wx450Dx277H 26"Wx17.7"Dx10.9"H	11.31	13.31	1	2.91	257 527 608		
MS-28000		690Wx560Dx1460H 27.1"Wx22"Dx57.5"H	A: 772Wx352Dx78H 30.4"Wx13.9"Dx3.1"H	15.28	16.95	1	0.75	1270 2606 3007	Steel ABS PS	
			B.C: 660Wx450Dx277H 26"Wx17.7"Dx10.9"H	11.31	13.31	1	2.91	145 297 342		
MS-14000		690Wx560Dx1460H 27.1"Wx22"Dx57.5"H	A: 772Wx352Dx78H 30.4"Wx13.9"Dx3.1"H	15.28	16.95	1	0.75	1270 2606 3007	Steel ABS PS	
			B: 660Wx526Dx440H 26"Wx20.7"Dx17.3"H	14.1	15.56	1	5.39	155 318 418		
MS-24000		690Wx560Dx1460H 27.1"Wx22"Dx57.5"H	A: 772Wx352Dx78H 30.4"Wx13.9"Dx3.1"H	15.28	16.95	1	0.75	1270 2606 3007	Steel ABS PS	
			B.C: 660Wx526Dx440H 26"Wx20.7"Dx17.3"H	14.1	15.56	1	5.39	82 169 195		
MS-16000		690Wx560Dx1460H 27.1"Wx22"Dx57.5"H	A: 772Wx352Dx78H 30.4"Wx13.9"Dx3.1"H	15.28	16.95	1	0.75	1270 2606 3007	Steel ABS PS	
			B: 650Wx550Dx280H 25.6"Wx21.7"Dx11"H	12.3	13.6	1	3.54	221 455 524		
MS-26000		690Wx560Dx1460H 27.1"Wx22"Dx57.5"H	A: 772Wx352Dx78H 30.4"Wx13.9"Dx3.1"H	15.28	16.95	1	0.75	1270 2606 3007	Steel ABS PS	
			B.C: 650Wx550Dx280H 25.6"Wx21.7"Dx11"H	12.3	13.6	1	3.54	121 249 287		
MS-15000		690Wx560Dx1460H 27.1"Wx22"Dx57.5"H	A: 772Wx352Dx78H 30.4"Wx13.9"Dx3.1"H	15.28	16.95	1	0.75	1270 2606 3007	Steel ABS PS	
			B: 660Wx515Dx335H 26"Wx20.3"Dx13.2"H	13.4	14.74	1	4.02	199 409 472		
MS-25000		690Wx560Dx1460H 27.1"Wx22"Dx57.5"H	A: 772Wx352Dx78H 30.4"Wx13.9"Dx3.1"H	15.28	16.95	1	0.75	1270 2606 3007	Steel ABS PS	
			B.C: 660Wx515Dx335H 26"Wx20.3"Dx13.2"H	13.4	14.74	1	4.02	108 222 256		

Model	Picture	Dimensions mm inch	Package Dim mm inch	Net Weight kg	Gross Weight kg	PCS/ Master pcs	CU FT	PCS 20FT 40FT 40HC	Material	Color
MS-1M000		690Wx560Dx1460H	A: 772Wx352Dx78H 30.4"Wx13.9"Dx3.1"H	15.28	16.95	1	0.75	1270 2606 3007	Steel ABS PS	
		27.1"Wx22"Dx57.5"H	B: 645Wx360Dx515H 25.4"Wx14.2"Dx20.3"H	13	14.48	1	4.22	191 392 453		
MS-2M000		690Wx560Dx1460H	A: 772Wx352Dx78H 30.4"Wx13.9"Dx3.1"H	15.28	16.95	1	0.75	1270 2606 3007	Steel ABS PS	
		27.1"Wx22"Dx57.5"H	B.C: 645Wx360Dx515H 25.4"Wx14.2"Dx20.3"H	13	14.48	1	4.22	103 212 245		
TB										
TB-901		380Wx178Dx143H 15"Wx7"Dx5.6"H	395Wx380Dx740H 15.6"Wx15"Dx29.1"H	8.95	10.13	10	3.92	2490 5040 5730	ABS PP	
TB-902		445Wx240Dx205H 17.5"Wx9.4"Dx8.1"H	495Wx470Dx650H 19.5"Wx18.5"Dx25.6"H	10.27	11.73	6	5.34	1098 2220 2526	ABS PP	
TB-905		445Wx240Dx205H 17.5"Wx9.4"Dx8.1"H	495Wx470Dx660H 19.5"Wx18.5"Dx26"H	12.20	13.72	6	5.42	1080 2190 2484	ABS PP	
TB-800		558Wx277Dx270H 22"Wx10.9"Dx10.6"H	580Wx575Dx585H 22.8"Wx22.6"Dx23"H	9.6	11.93	4	6.89	568 1148 1304	ABS PP	
TB-802		558Wx277Dx370H 22"Wx10.9"Dx14.6"H	580Wx575Dx775H 22.8"Wx22.6"Dx30.5"H	15.6	17.75	4	9.13	428 864 984	ABS PP	
TB-102		426Wx235Dx180H 16.8"Wx9.3"Dx7.1"H	477Wx432Dx582H 18.8"Wx17"Dx22.9"H	10.98	12.25	6	4.24	1386 2802 3186	ABS PP	
TB-104		426Wx235Dx225H 16.8"Wx9.3"Dx8.9"H	477Wx435Dx697H 18.8"Wx17.1"Dx27.4"H	14.43	15.86	6	5.11	1146 2322 2640	ABS PP	
NTB-402		440Wx207Dx170H 17.3"Wx8.1"Dx6.7"H	460Wx410Dx888H 18.1"Wx16.1"Dx35"H	14.18	15.68	10	5.91	1650 3340 3800	ABS PP	
NTB-611		440Wx207Dx140H 17.3"Wx8.1"Dx5.5"H	460Wx410Dx730H 18.1"Wx16.1"Dx28.1"H	11.18	12.18	10	4.86	2010 4070 4620	ABS PP	
HTB-50		69Wx29Dx22H 2.7"Wx1.1"Dx0.9"H	467Wx315Dx177H 18.4"Wx12.4"Dx7"H	5.7	6.5	60	0.92	63900 129180 146760	ABS Steel Stainless Steel	
TB-1										
TB-3D										
WH/WM/WL										
WH-7M		2100Wx750Dx800H 82.6"Wx29.5"Dx31.4"H	A: 810Wx642Dx242H 31.9"Wx25.3"Dx9.5"H	19.6	21.1	1	4.44	73 149 172	Steel	
			B: 2225Wx850Dx115H 87.6"Wx33.5"Dx4.5"H	62.5	65.67	1	7.68	124 254 293		
			C: 2020Wx135Dx100H 79.5"Wx5.3"Dx3.9"H	13.4	14.47	1	0.96	987 2026 2337		
WHC-7M		2100Wx750Dx800H 82.6"Wx29.5"Dx31.4"H	A: 810Wx642Dx242H 31.9"Wx25.3"Dx9.5"H	19.6	21.1	1	4.44	52 106 123	Steel	
			B: 2225Wx850Dx115H 87.6"Wx33.5"Dx4.5"H	62.5	65.67	1	7.68	124 254 293		
			C: 2020Wx135Dx100H 79.5"Wx5.3"Dx3.9"H	13.4	14.47	1	0.96	987 2026 2337		
			D: 725Wx550Dx375H 28.5"Wx21.6"Dx17.8"H	21.5	23	1	5.28	167 342 394		
WHD-7M		2100Wx750Dx800H 82.6"Wx29.5"Dx31.4"H	A: 810Wx642Dx242H 31.9"Wx25.3"Dx9.5"H	19.6	21.1	1	4.44	52 107 123	Steel	
			B: 2225Wx850Dx115H 87.6"Wx33.5"Dx4.5"H	62.5	65.67	1	7.68	124 254 293		
			C: 2020Wx135Dx100H 79.5"Wx5.3"Dx3.9"H	13.4	14.47	1	0.96	987 2026 2337		
			D.E.F.G: 382Wx148Dx648H 15"Wx5.8"Dx25.5"H	8.97	9.67	1	1.29	735 1508 1740		

Model	Picture	Dimensions mm inch	Package Dim mm inch	Net Weight kg	Gross Weight kg	PCS/ Master pcs	CU FT	PCS 20FT 40FT 40HC	Material	Color
WH-6M		1800Wx750Dx800H 22"Wx11"Dx10.6"H	A: 810Wx642Dx242H 31.9"Wx25.3"Dx9.5"H	19.6	21.1	1	4.44	984 2021 2332	Steel	
			B: 1930Wx855Dx115H 76"Wx33.7"Dx4.5"H	51.02	54.19	1	6.7	127 261 301		
			C: 1415Wx120Dx95H 55.7"Wx4.7"Dx3.7"H	9	10.26	1	0.57	1696 3482 4018		
WHC-6M		1800Wx750Dx800H 70.8"Wx29.5"Dx31.4"H	A: 810Wx642Dx242H 31.9"Wx25.3"Dx9.5"H	19.6	21.1	1	4.44	984 2021 2332	Steel	
			B: 1930Wx855Dx115H 76"Wx33.7"Dx4.5"H	51.02	54.19	1	6.7	127 261 301		
			C: 1415Wx120Dx95H 55.7"Wx4.7"Dx3.7"H	9	10.26	1	0.57	1696 3482 4018		
			D: 725Wx550Dx375H 28.5"Wx21.6"Dx17.8"H	21.5	23	1	5.28	167 342 394		
WHD-6M		1800Wx750Dx800H 70.8"Wx29.5"Dx31.4"H	A: 810Wx642Dx242H 31.9"Wx25.3"Dx9.5"H	19.6	21.1	1	4.44	984 2021 2332	Steel	
			B: 1930Wx855Dx115H 76"Wx33.7"Dx4.5"H	51.02	54.19	1	6.7	127 261 301		
			C: 1415Wx120Dx95H 55.7"Wx4.7"Dx3.7"H	9	10.26	1	0.57	1696 3482 4018		
			D.E.F: 382Wx148Dx648H 15"Wx5.8"Dx25.5"H	8.97	9.67	1	1.29	735 1508 1740		
WH-5M		1500Wx750Dx800H 59"Wx29.5"Dx31.4"H	A: 810Wx642Dx242H 31.9"Wx25.3"Dx9.5"H	19.6	21.1	1	4.44	984 2021 2332	Steel	
			B: 1620Wx850Dx118H 63.8"Wx33.5"Dx4.7"H	44	47	1	5.74	149 307 354		
			C: 1415Wx120Dx95H 55.7"Wx4.7"Dx3.7"H	9	10.26	1	0.57	1696 3482 4018		
WHC-5M		1500Wx750Dx800H 59"Wx29.5"Dx31.4"H	A: 810Wx642Dx242H 31.9"Wx25.3"Dx9.5"H	19.6	21.1	1	4.44	984 2021 2332	Steel	
			B: 1620Wx850Dx118H 63.8"Wx33.5"Dx4.7"H	44	47	1	5.74	149 307 354		
			C: 1415Wx120Dx95H 55.7"Wx4.7"Dx3.7"H	9	10.26	1	0.57	1696 3482 4018		
			D: 725Wx550Dx375H 28.5"Wx21.6"Dx17.8"H	21.5	23	1	5.28	167 342 394		
WHD-5M		1500Wx750Dx800H 59"Wx29.5"Dx31.4"H	A: 810Wx642Dx242H 31.9"Wx25.3"Dx9.5"H	19.6	21.1	1	4.44	984 2021 2332	Steel	
			B: 1620Wx850Dx118H 63.8"Wx33.5"Dx4.7"H	44	47	1	5.74	149 307 354		
			C: 1415Wx120Dx95H 55.7"Wx4.7"Dx3.7"H	9	10.26	1	0.57	1696 3482 4018		
			D.E.F: 382Wx148Dx648H 15"Wx5.8"Dx25.5"H	8.97	9.67	1	1.29	735 1508 1740		
WH-5I		1514Wx754Dx800H 59.6"Wx29.6"Dx31.4"H	A: 835Wx790Dx230H 32.9"Wx31.1"Dx9.1"H	16	17.34	1	5.36	103 213	Steel	
			B: 1560Wx765Dx90H 61.4"Wx30.1"Dx3.5"H	53.7	56.7	1	3.79	245		
WHC-5I		1514Wx754Dx800H 59.6"Wx29.6"Dx31.4"H	A: 835Wx790Dx230H 32.9"Wx31.1"Dx9.1"H	16	17.34	1	5.36	65 135	Steel	
			B: 1560Wx765Dx90H 61.4"Wx30.1"Dx3.5"H	53.7	56.7	1	3.79	155		
			C: 725Wx550Dx375H 28.5"Wx21.6"Dx17.8"H	21.5	23	1	5.28			
WHD-5I		1514Wx754Dx800H 59.6"Wx29.6"Dx31.4"H	A: 835Wx790Dx230H 32.9"Wx31.1"Dx9.1"H	16	17.34	1	5.36	73 150	Steel	
			B: 1560Wx765Dx90H 61.4"Wx30.1"Dx3.5"H	53.7	56.7	1	3.79	173		
			C.D.E: 382Wx148Dx648H 15"Wx5.8"Dx25.5"H	8.97	9.67	1	1.29			
WH-6I		1815Wx754Dx800H 71.5"Wx29.6"Dx31.4"H	A: 835Wx790Dx230H 32.9"Wx31.1"Dx9.1"H	16	17.34	1	5.36	95 195	Steel	
			B: 1875Wx785Dx90H 73.8"Wx30.9"Dx3.5"H	72.24	75.74	1	4.68	225		

Model	Picture	Dimensions mm inch	Package Dim mm inch	Net Weight kg	Gross Weight kg	PCS/ Master pcs	CU FT	PCS 20FT 40FT 40HC	Material	Color
WHC-6I		1815Wx754Dx800H 71.5"Wx29.6"Dx31.4"H	A: 835Wx790Dx230H 32.9"Wx31.1"Dx9.1"H	16	17.34	1	5.36	62 127 146	Steel	
			B: 1875Wx785Dx90H 73.8"Wx30.9"Dx3.5"H	72.24	75.74	1	4.68			
			C: 725Wx550Dx375H 28.5"Wx21.6"Dx17.8"H	21.5	23	1	5.28			
WHD-6I		1815Wx754Dx800H 71.5"Wx29.6"Dx31.4"H	A: 835Wx790Dx230H 32.9"Wx31.1"Dx9.1"H	16	17.34	1	5.36	62 128 148	Steel	
			B: 1875Wx785Dx90H 73.8"Wx30.9"Dx3.5"H	72.24	75.74	1	4.68			
			C.D.E.F: 382Wx148Dx648H 15"Wx5.8"Dx25.5"H	8.97	9.67	1	1.29			
WM-5M		1500Wx750Dx800H 59"Wx29.5"Dx31.4"H	1576Wx787Dx138H 62"Wx31"Dx5.4" H	38.5	41	1	6.04	157 323 373	Steel	
WMD-5M		1500Wx750Dx800H 59"Wx29.5"Dx31.4"H	A: 1576Wx787Dx138H 62"Wx31"Dx5.4" H	38.5	41	1	6.04	95 196 227	Steel	
			B.C.D: 382Wx148Dx648H 15"Wx5.8"Dx25.5"H	8.97	9.67	1	1.29			
WL-5M		1500Wx750Dx800H 59"Wx29.5"Dx31.4"H	1576Wx787Dx130H 62"Wx31"Dx5.1" H	33.2	35	1	5.69	167 343 395	Steel	
AM-5M		1500Wx750Dx600-1000H 59"Wx29.5"Dx23.6-39.4"H	A: 1510Wx755Dx40H 59.4"Wx29.7Dx1.6" H	25.58	26	1	1.61	186 382 440	Steel	
			B: 710Wx685Dx200H 28"Wx27"Dx7.9" H	14.5	16.5	1	3.44			
			C: 139Wx180Dx70H 5.5"Wx7.1"Dx2.8" H	4.7	5.7	1	0.06			
HDC										
HDC-1261		547Wx600Dx1200H 21.5"Wx23.6"Dx47.2" H	640Wx687Dx1267H 25.2"Wx27"Dx49.9" H	89.9	94.7	1	19.67	48 99 114	Steel	
HDC-1271		547Wx600Dx1200H 21.5"Wx23.6"Dx47.2" H	640Wx687Dx1267H 25.2"Wx27"Dx49.9" H	99.5	104.3	1	19.67	48 99 114	Steel	
HDC-1272		547Wx600Dx1200H 21.5"Wx23.6"Dx47.2" H	640Wx687Dx1267H 25.2"Wx27"Dx49.9" H	102.7	107.5	1	19.67	48 99 114	Steel	
HDC-1281		547Wx600Dx1200H 21.5"Wx23.6"Dx47.2" H	640Wx687Dx1267H 25.2"Wx27"Dx49.9" H	105.9	110.7	1	19.67	48 99 114	Steel	
HDC-1291		547Wx600Dx1200H 21.5"Wx23.6"Dx47.2" H	640Wx687Dx1267H 25.2"Wx27"Dx49.9" H	114.9	119.7	1	19.67	48 99 114	Steel	
HDC-1210		547Wx600Dx1200H 21.5"Wx23.6"Dx47.2" H	640Wx687Dx1267H 25.2"Wx27"Dx49.9" H	121.9	126.7	1	19.67	48 99 114	Steel	
HDC-1051 MDC-1051		547Wx600Dx1000H 21.5"Wx23.6"Dx39.4" H	640Wx687Dx1064H 25.2"Wx27"Dx41.9" H	76.3	80.3	1	16.52	28 59 68	Steel	
			640Wx687Dx1064H 25.2"Wx27"Dx41.9" H	56.7	60.72					
HDC-1061 MDC-1061		547Wx600Dx1000H 21.5"Wx23.6"Dx39.4" H	640Wx687Dx1064H 25.2"Wx27"Dx41.9" H	89.1	93.12	1	16.52	28 59 68	Steel	
			640Wx687Dx1064H 25.2"Wx27"Dx41.9" H	62	66.02					
HDC-1062		547Wx600Dx1000H 21.5"Wx23.6"Dx39.4" H	640Wx687Dx1064H 25.2"Wx27"Dx41.9" H	85.9	89.92	1	16.52	28 59 68	Steel	


Model	Picture	Dimensions mm inch	Package Dim mm inch	Net Weight kg	Gross Weight kg	PCS/ Master pcs	CU FT	PCS 20FT 40FT 40HC	Material	Color
HDC-1071 MDC-1071		547Wx600Dx1000H	640Wx687Dx1064H 25.2"Wx27"Dx41.9"H	92.3	96.32	1	16.52	28 59 68	Steel	
		21.5"Wx23.6"Dx39.4"H	640Wx687Dx1064H 25.2"Wx27"Dx41.9"H	66.9	70.92					
HDC-1072		547Wx600Dx1000H	640Wx687Dx1064H 25.2"Wx27"Dx41.9"H	93.9	97.92	1	16.52	28 59 68	Steel	
		21.5"Wx23.6"Dx39.4"H	640Wx687Dx1064H 25.2"Wx27"Dx41.9"H	108.3	112.32					
HDC-1091 MDC-1091		547Wx600Dx1000H	640Wx687Dx1064H 25.2"Wx27"Dx41.9"H	76.3	80.32	1	16.52	28 59 68	Steel	
		21.5"Wx23.6"Dx39.4"H	640Wx687Dx1064H 25.2"Wx27"Dx41.9"H	640Wx687Dx764H 25.2"Wx27"Dx30.1"H	59.8	63.3				
HDC-0741 MDC-0741		547Wx600Dx700H	640Wx687Dx764H 25.2"Wx27"Dx30.1"H	44	47.5	1	11.86	40 82 94	Steel	
		21.5"Wx23.6"Dx27.6"H	640Wx687Dx764H 25.2"Wx27"Dx30.1"H	63	66.5					
HDC-0742		547Wx600Dx700H	640Wx687Dx764H 25.2"Wx27"Dx30.1"H	67.2	70.7	1	11.86	40 82 94	Steel	
		21.5"Wx23.6"Dx27.6"H	640Wx687Dx764H 25.2"Wx27"Dx30.1'H	49.3	52.8					
HDC-0751 MDC-0751		547Wx600Dx700H	640Wx687Dx764H 25.2"Wx27"Dx30.1'H	69.4	72.9	1	11.86	40 82 94	Steel	
		21.5"Wx23.6"Dx27.6'H	640Wx687Dx764H 25.2"Wx27"Dx30.1'H	48.9	52.4					
HDC-0752 MDC-0752		547Wx600Dx700H	640Wx687Dx764H 25.2"Wx27"Dx30.1'H	75.8	79.3	1	11.86	40 82 94	Steel	
		21.5"Wx23.6"Dx27.6'H	640Wx687Dx764H 25.2"Wx27"Dx30.1'H	53.8	57.3					
HDC-0761 MDC-0761		547Wx600Dx700H	640Wx687Dx764H 25.2"Wx27"Dx30.1'H	80.4	83.9	1	11.86	40 82 94	Steel	
ESD										
CA6-318P		533Wx265Dx310H 20.9"Wx10.4"Dx12.2"H	596Wx358Dx393H 23.5"Wx14.1"Dx15.5"H	9.69	11.21	1	2.96	321 659 760	Steel PP Electricity	
CA6V-309H		533Wx265Dx310H 20.9"Wx10.4"Dx12.2"H	596Wx358Dx393H 23.5"Wx14.1"Dx15.5"H	8.41	9.93	1	2.96	321 659 760	Steel PP Electricity	
CA6-224P		362Wx265Dx571H 14.2"Wx10.4"Dx22.4"H	439Wx363Dx658H 17.3"Wx14.3"Dx25.9"H	11.69	13.21	1	3.70	257 527 608	Steel PP Electricity	
CA6V-212H		362Wx265Dx571H 14.2"Wx10.4"Dx22.4"H	439Wx363Dx658H 17.3"Wx14.3"Dx25.9"H	10.06	11.58	1	3.70	257 527 608	Steel PP Electricity	
CA6-360P		533Wx265Dx937H 20.9"Wx10.4"Dx36.8"H	614Wx360Dx1023H 24.2"Wx14.2"Dx40.3"H	26.67	29.06	1	7.98	119 244 282	Steel PP Electricity	
CA6-360PD		533Wx313Dx970H 20.9"Wx12.3"Dx38.1"H	636Wx409Dx1053H 25"Wx16.1"Dx41.4"H	32.2	34.84	1	9.67	98 202 233	Steel PP Electricity	
CA6V-330H		533Wx265Dx937H 20.9"Wx10.4"Dx36.8"H	614Wx361Dx1023H 24.2"Wx14.2"Dx40.3"H	22.71	25.1	1	7.98	119 244 281	Steel PP Electricity	
CA6V-330HD		533Wx313Dx970H 20.9"Wx12.3"Dx38.1"H	636Wx409Dx1053H 25"Wx16.1"Dx41.4"H	28.24	30.88	1	9.67	98 202 233	Steel PP Electricity	
CA7V-324		444Wx222Dx642H 17.4"Wx8.7"Dx25.2"H	528Wx320Dx731H 20.8"Wx12.6"Dx28.8"H	12.74	14.42	1	4.36	218 447 516	Steel PP Electricity	

Model	Picture	Dimensions mm inch	Package Dim mm inch	Net Weight kg	Gross Weight kg	PCS/ Master pcs	CU FT	PCS 20FT 40FT 40HC	Material	Color
CA7V-448		586Wx222Dx937H 23"Wx8.7"Dx36.8"H	655Wx325Dx1023H 25.8"Wx12.8"Dx40.3"H	24.28	26.65	1	7.69	124 254 293	Steel PP Electricity	
CA7V-448D		586Wx270Dx970H 23"Wx10.6"Dx38.1"H	655Wx361Dx1053H 25.8"Wx14.2"Dx41.5"H	31.53	34.27	1	8.79	108 222 256	Steel PP Electricity	
CA8-315		355Wx222Dx415H 13.9"Wx8.7"Dx16.3"H	423Wx314Dx496H 16.7"Wx12.4"Dx19.5"H	8.52	9.74	1	2.33	409 839 968	Steel PP Electricity	
CA8-432		466Wx222Dx642H 25.2"Wx8.7"Dx25.2"H	537Wx316Dx720H 21.1"Wx12.4"Dx28.3"H	17.18	18.9	1	4.31	220 452 522	Steel PP Electricity	
CA8-560		586Wx222Dx937H 23"Wx8.7"Dx36.8"H	655Wx325Dx1023H 25.8"Wx12.8"Dx40.3"H	30.28	32.65	1	7.69	124 254 293	Steel PP Electricity	
CA8-560D		586Wx270Dx970H 23"Wx10.6"Dx38.1"H	655Wx361Dx1053H 25.8"Wx14.2"Dx41.5"H	36.36	39.1	1	8.79	108 222 256	Steel PP Electricity	
CST2-330		444Wx222Dx642H 17.4"Wx8.7"Dx25.2"H	528Wx320Dx731H 20.8"Wx12.6"Dx28.8"H	14.11	15.79	1	4.36	218 447 516	Steel PP Electricity	
CST2-460		586Wx222Dx937H 23"Wx8.7"Dx36.8"H	655Wx325Dx1023H 25.8"Wx12.8"Dx40.3"H	27.5	29.87	1	7.69	124 254 293	Steel PP Electricity	
CST2-460D		586Wx270Dx970H 23"Wx10.6"Dx38.1"H	655Wx361Dx1053H 25.8"Wx14.2"Dx41.5"H	34.75	37.49	1	8.79	108 222 256	Steel PP Electricity	
CST1-575		586Wx222Dx937H 23"Wx8.7"Dx36.8"H	401Wx399Dx500H 25.8"Wx12.8"Dx40.3"H	29	30.5	1	7.69	124 254 293	Steel PP Electricity	
CST1-575D		586Wx270Dx970H 23"Wx10.6"Dx38.1"H	655Wx361Dx1053H 25.8"Wx14.2"Dx41.5"H	36.83	38.33	1	8.79	108 222 256	Steel PP Electricity	
CA9-520		379Wx151Dx200H 14.92"Wx5.94"Dx7.87"H	401Wx399Dx500H 15.8"Wx15.7"Dx19.7"H	12.51	13.5	6	2.83	2076 4200 4776	PP Electricity	
CHB-1218		121Wx180Dx84H 4.7"Wx7"Dx3.3"H	398Wx369Dx660H 15.7"Wx14.5"Dx26"H	8.34	9.43	60	3.42	17160 34680 39420	PP Electricity	
CHB-1525		150Wx265Dx121H 5.9"Wx10.4"Dx4.7"H	522Wx496Dx573Hmm 20.6"Wx19.5"Dx22.6"H	9.29	10.79	36	5.24	6732 13572 15444	PP Electricity	
CHB-2035		208Wx353Dx155H 8.1"Wx13.8"Dx6.1"H	671Wx639Dx721Hmmm 26.4"Wx25.2"Dx28.4"H	9.756	11.32	18	10.92	1602 3258 3708	PP Electricity	
CHB-2045		205Wx480Dx178H 8"Wx18.9"Dx7"H	671Wx487Dx576Hmmm 26.4"Wx19.2"Dx22.7"H	9.924	11.61	12	6.65	1764 3564 4056	PP Electricity	
CHB-3045		300Wx480Dx178H 11.8"Wx18.9"Dx7"H	658Wx487Dx848H 25.9"Wx19.2"Dx33.4"H	12.46	14.57	12	9.6	1224 2472 2808	PP Electricity	
OA										
A4-105P		264Wx343Dx287H 10.3"Wx13.5"Dx11.2"H	308Wx392Dx346Hmmm 12.1"Wx15.4"Dx13.6"H	4.08	4.68	1	1.48	664 1342 1525	Steel PS IPS	

Model	Picture	Dimensions mm inch	Package Dim mm inch	Net Weight kg	Gross Weight kg	PCS/ Master pcs	CU FT	PCS 20FT 40FT 40HC	Material	Color
A4N-105P		264Wx343Dx287H 10.3"Wx13.5"Dx11.2"H	308Wx392Dx346H 12.1"Wx15.4"Dx13.6"H	4	4.42	1	1.48	664 1342 1525	Steel PS IPS	<input type="checkbox"/>
A4-110P		285Wx343Dx483H 11.2"Wx13.5"Dx19"H	372Wx412Dx564H 14.6"Wx16.2"Dx22.2"H	7.27	8.69	1	3.05	321 648 737	Steel PS IPS	<input type="checkbox"/>
A4N-110P		285Wx343Dx483H 11.2"Wx13.5"Dx19"H	372Wx412Dx564H 14.6"Wx16.2"Dx22.2"H	7.08	8.50	1	3.05	321 648 737	Steel PS IPS	<input type="checkbox"/>
A4-112P		285Wx343Dx574H 11.2"Wx13.5"Dx22.5"H	372Wx412Dx664H 14.6"Wx16.2"Dx26.1"H	8.22	9.78	1	3.59	272 550 626	Steel PS IPS	<input type="checkbox"/>
A4N-112P		285Wx343Dx574H 11.2"Wx13.5"Dx22.5"H	372Wx412Dx664H 14.6"Wx16.2"Dx26.1"H	7.99	9.55	1	3.59	272 550 626	Steel PS IPS	<input type="checkbox"/>
A4-115P		285Wx343Dx740H 11.2"Wx13.5"Dx29.1"H	372Wx412Dx830H 14.6"Wx16.2"Dx32.7"H	10.76	12.53	1	4.49	218 440 500	Steel PS IPS	<input type="checkbox"/>
A4N-115P		285Wx343Dx740H 11.2"Wx13.5"Dx29.1"H	372Wx412Dx830H 14.6"Wx16.2"Dx32.7"H	10.47	12.24	1	4.49	218 440 500	Steel PS IPS	<input type="checkbox"/>
A4-118P		285Wx343Dx880H 11.2"Wx13.5"Dx34.6"H	375Wx412Dx957H 14.8"Wx16.2"Dx37.7"H	12.78	15.13	1	5.22	187 379 430	Steel PS IPS	<input type="checkbox"/>
A4N-118P		285Wx343Dx880H 11.2"Wx13.5"Dx34.6"H	375Wx412Dx957H 14.8"Wx16.2"Dx37.7"H	12.44	14.79	1	5.22	187 379 430	Steel PS IPS	<input type="checkbox"/>
A4-109H		285Wx343Dx880H 11.2"Wx13.5"Dx34.6"H	375Wx412Dx957H 14.8"Wx16.2"Dx37.7"H	11.96	14.31	1	5.22	187 379 430	Steel PS IPS	<input type="checkbox"/>
A4N-109H		285Wx343Dx880H 11.2"Wx13.5"Dx34.6"H	375Wx412Dx957H 14.8"Wx16.2"Dx37.7"H	11.90	14.25	1	5.22	187 379 430	Steel PS IPS	<input type="checkbox"/>
A4-236P		545Wx343Dx880H 21.4"Wx13.5"Dx34.6"H	614Wx440Dx957H 24.2"Wx17.3"Dx37.7"H	22.67	25.30	1	9.13	107 216 246	Steel PS IPS	<input type="checkbox"/>
A4N-236P		545Wx343Dx880H 21.4"Wx13.5"Dx34.6"H	614Wx440Dx957H 24.2"Wx17.3"Dx37.7"H	21.99	24.62	1	9.13	107 216 246	Steel PS IPS	<input type="checkbox"/>
A4-218H		545Wx343Dx880H 21.4"Wx13.5"Dx34.6"H	614Wx440Dx957H 24.2"Wx17.3"Dx37.7"H	21.04	23.67	1	9.13	107 216 246	Steel PS IPS	<input type="checkbox"/>
A4N-218H		545Wx343Dx880H 21.4"Wx13.5"Dx34.6"H	614Wx440Dx957H 24.2"Wx17.3"Dx37.7"H	20.91	23.54	1	9.13	107 216 246	Steel PS IPS	<input type="checkbox"/>
A4-354P		800Wx343Dx880H 31.4"Wx13.5"Dx34.6"H	870Wx440Dx957H 34.3"Wx17.3"Dx37.7"H	31.79	35.38	1	12.94	75 153 173	Steel PS IPS	<input type="checkbox"/>
A4N-354P		800Wx343Dx880H 31.4"Wx13.5"Dx34.6"H	870Wx440Dx957H 34.3"Wx17.3"Dx37.7"H	30.76	34.35	1	12.94	75 153 173	Steel PS IPS	<input type="checkbox"/>
A4-327H		800Wx343Dx880H 31.4"Wx13.5"Dx34.6"H	870Wx440Dx957H 34.3"Wx17.3"Dx37.7"H	29.33	32.92	1	12.94	75 153 173	Steel PS IPS	<input type="checkbox"/>

Model	Picture	Dimensions mm inch	Package Dim mm inch	Net Weight kg	Gross Weight kg	PCS/ Master pcs	CU FT	PCS 20FT 40FT 40HC	Material	Color
A4N-327H		800Wx343Dx880H 31.4"Wx13.5"Dx34.6"H	870Wx440Dx957H 34.3"Wx17.3"Dx37.7"H	29.14	32.73	1	12.93	73 151 174	Steel PS IPS	<input type="checkbox"/>
A4X-109P		304Wx400Dx440H 11.9"Wx15.7"Dx17.3"H	385Wx495Dx516H 15.2"Wx19.5"Dx20.3"H	8.39	10.01	1	3.47	274 562 648	Steel PS IPS	<input type="checkbox"/>
A4XM1-4H1P		304Wx400Dx440H 11.9"Wx15.7"Dx17.3"H	385Wx495Dx516H 15.2"Wx19.5"Dx20.3"H	7.73	9.35	1	3.47	274 562 648	Steel PS IPS	<input type="checkbox"/>
A4X-218P		590Wx400Dx440H 23.2"Wx15.7"Dx17.3"H	650Wx495Dx516H 25.6"Wx19.5"Dx20.3"H	14.81	17.22	1	5.86	162 333 384	Steel PS IPS	<input type="checkbox"/>
A4XM2-8H2P		590Wx400Dx440H 23.2"Wx15.7"Dx17.3"H	650Wx495Dx516H 25.6"Wx19.5"Dx20.3"H	13.49	15.90	1	5.86	162 333 384	Steel PS IPS	<input type="checkbox"/>
A4X-114PK		304Wx400Dx690H 11.9"Wx15.7"Dx27.2"H	385Wx495Dx781H 15.2"Wx19.5"Dx30.8"H	12.19	14	1	5.25	181 371 428	Steel PS IPS	<input type="checkbox"/>
A4X-107HK		304Wx400Dx690H 11.9"Wx15.7"Dx27.2"H	385Wx495Dx781H 15.2"Wx19.5"Dx30.8"H	11.12	12.93	1	5.25	181 371 428	Steel PS IPS	<input type="checkbox"/>
A4X-228PK		590Wx400Dx690H 23.2"Wx15.7"Dx27.2"H	650Wx495Dx781H 25.6"Wx19.5"Dx30.8"H	20.85	23.62	1	8.87	107 220 254	Steel PS IPS	<input type="checkbox"/>
A4X-214HK		590Wx400Dx690H 23.2"Wx15.7"Dx27.2"H	650Wx495Dx781H 25.6"Wx19.5"Dx30.8"H	18.71	21.48	1	8.87	107 220 254	Steel PS IPS	<input type="checkbox"/>
A4X-342PK		880Wx400Dx690H 34.6"Wx15.7"Dx27.2"H	950Wx495Dx781H 37.4"Wx19.5"Dx30.8"H	30.26	33.65	1	12.96	73 150 174	Steel PS IPS	<input type="checkbox"/>
A4X-321HK		880Wx400Dx690H 34.6"Wx15.7"Dx27.2"H	950Wx495Dx781H 37.4"Wx19.5"Dx30.8"H	27.05	30.44	1	12.96	73 150 174	Steel PS IPS	<input type="checkbox"/>
A4XM3-6H3PK3V		880Wx400Dx690H 34.6"Wx15.7"Dx27.1"H	950Wx495Dx781H 37.4"Wx19.5"Dx30.8"H	23.16	26.55	1	12.96	73 150 174	Steel PS IPS	<input type="checkbox"/>
A4X-118PK		304Wx400Dx880H 11.9"Wx15.7"Dx34.6"H	386Wx495Dx960H 15.2"Wx19.5"Dx37.8"H	15.02	17.19	1	6.47	147 301 347	Steel PS IPS	<input type="checkbox"/>
A4X-109HK		304Wx400Dx880H 11.9"Wx15.7"Dx34.6"H	386Wx495Dx960H 15.2"Wx19.5"Dx37.8"H	13.49	15.84	1	6.47	147 301 347	Steel PS IPS	<input type="checkbox"/>
A4X-236PK		590Wx400Dx880H 23.2"Wx15.7"Dx34.6"H	650Wx495Dx960H 25.6"Wx19.5"Dx37.8"H	26.90	29.92	1	10.90	87 179 206	Steel PS IPS	<input type="checkbox"/>
A4X-218HK		590Wx400Dx880H 23.2"Wx15.7"Dx34.6"H	650Wx495Dx960H 25.6"Wx19.5"Dx37.8"H	23.84	26.86	1	10.90	87 179 206	Steel PS IPS	<input type="checkbox"/>
A4X-354PK		880Wx400Dx880H 34.6"Wx15.7"Dx34.6"H	952Wx495Dx960H 37.5"Wx19.5"Dx37.8"H	37.65	41.58	1	15.97	59 122 141	Steel PS IPS	<input type="checkbox"/>
A4X-327HK		880Wx400Dx880H 34.6"Wx15.7"Dx34.6"H	952Wx495Dx960H 37.5"Wx19.5"Dx37.8"H	33.06	36.99	1	15.97	59 122 141	Steel PS IPS	<input type="checkbox"/>


Model	Picture	Dimensions mm inch	Package Dim mm inch	Net Weight kg	Gross Weight kg	PCS/ Master pcs	CU FT	PCS 20FT 40FT 40HC	Material	Color
A4X-B316P		800Wx400Dx400H 31.5"Wx15.7"Dx15.7"H	870Wx520Dx480H 34.3"Wx20.5"Dx18.9"H	17	19.63	1	7.67	124 254 294	Steel PS IPS	<input type="checkbox"/>
B4V-345PK		900Wx450Dx740H 35.4"Wx17.7"Dx29.1"H	965Wx530Dx830H 38.4"Wx20.9"Dx32.7"H	35.56	39.30	1	14.98	63 130 150	Steel PS IPS	<input type="checkbox"/>
B4VM3- 21H3PK		900Wx450Dx740H 35.4"Wx17.7"Dx29.1"H	965Wx530Dx830H 38.4"Wx20.9"Dx32.7"H	32.05	35.79	1	14.98	63 130 150	Steel PS IPS	<input type="checkbox"/>
B4V-366PK		900Wx450Dx1062H 35.4"Wx17.7"Dx41.8"H	974Wx530Dx1147H 38.4"Wx20.9"Dx45.2"H	50	54.84	1	20.90	45 93 108	Steel PS IPS	<input type="checkbox"/>
B4V-333HK		900Wx450Dx1062H 35.4"Wx17.7"Dx41.8"H	974Wx530Dx1147H 38.4"Wx20.9"Dx45.2"H	44.21	49.05	1	20.90	45 93 108	Steel PS IPS	<input type="checkbox"/>
M										
M-8040		800Wx400Dx400H 31.5"Wx15.7"Dx15.7"H	870Wx520Dx480H 34.3"Wx20.5"Dx18.9"H	12.2	15.1	1	7.67	124 254 294	Steel	<input type="checkbox"/>
M-2S		900Wx450Dx740H 35.4"Wx17.7"Dx29.1"H	955Wx539Dx822H 37.6"Wx21.2"Dx32.4"H	25.48	28.97	1	14.94	64 131 151	Steel	<input type="checkbox"/>
M-3S		900Wx450Dx1062H 35.4"Wx17.7"Dx41.8"H	955Wx539Dx1163H 37.6"Wx21.2"Dx45.8"H	35.10	39.55	1	21.13	45 92 106	Steel	<input type="checkbox"/>
SC										
SC-306S		890Wx350Dx387H 35"Wx13.7"Dx15.2"H	965Wx444Dx482H 38"Wx17.5"Dx19"H	13.97	16.56	1	7.29	130 267 309	Steel IPS	<input type="checkbox"/>
SCM3-1M4S		890Wx350Dx387H 35"Wx13.7"Dx15.2"H	965Wx444Dx482H 38"Wx17.5"Dx19"H	13.96	14.62	1	7.29	130 267 309	Steel IPS	<input type="checkbox"/>
SC-303M		890Wx350Dx387H 35"Wx13.7"Dx15.2"H	965Wx444Dx482H 38"Wx17.5"Dx19"H	13.03	15.62	1	7.29	130 267 309	Steel IPS	<input type="checkbox"/>
SC-309S		890Wx350Dx550H 35"Wx13.7"Dx21.6"H	965Wx444Dx633H 38"Wx17.5"Dx24.9"H	18.38	21.18	1	9.57	99 204 235	Steel IPS	<input type="checkbox"/>
SCM3-1M7S		890Wx350Dx550H 35"Wx13.7"Dx21.6"H	965Wx444Dx633H 38"Wx17.5"Dx24.9"H	18.38	19.04	1	9.57	99 204 235	Steel IPS	<input type="checkbox"/>
SCM3-3M3S		890Wx350Dx550H 35"Wx13.7"Dx21.6"H	965Wx444Dx633H 38"Wx17.5"Dx24.9"H	17.33	20.13	1	9.57	99 204 235	Steel IPS	<input type="checkbox"/>
SC-312S		890Wx350Dx714H 35"Wx13.7"Dx28.1"H	965Wx444Dx800H 38"Wx17.5"Dx31.5"H	23.79	27	1	12.10	79 161 186	Steel IPS	<input type="checkbox"/>
SCM3-3M6S		890Wx350Dx714H 35"Wx13.7"Dx28.1"H	965Wx444Dx800H 38"Wx17.5"Dx31.5"H			1	12.10	79 161 186	Steel IPS	<input type="checkbox"/>
SC-306M		890Wx350Dx714H 35"Wx13.7"Dx28.1"H	965Wx444Dx800H 38"Wx17.5"Dx31.5"H	21.91	25.12	1	12.10	79 161 186	Steel IPS	<input type="checkbox"/>
SC-315S		890Wx350Dx880H 35"Wx13.7"Dx34.6"H	965Wx444Dx966H 38"Wx17.5"Dx38"H	28.19	31.73	1	14.61	65 133 154	Steel IPS	<input type="checkbox"/>

Model	Picture	Dimensions mm inch	Package Dim mm inch	Net Weight kg	Gross Weight kg	PCS/ Master pcs	CU FT	PCS 20FT 40FT 40HC	Material	Color
SC-318S		890Wx350Dx1040H 35"Wx13.7"Dx40.9"H	965Wx444Dx1130H 38"Wx17.5"Dx44.5"H	32.60	36.46	1	17.09	56 114 132	Steel IPS	<input type="checkbox"/>
SC-408S		1190Wx350Dx387H 46.8"Wx13.7"Dx15.2"H	1268Wx444Dx482H 49.9"Wx17.5"Dx19"H	18.63	21.77	1	9.58	99 204 235	Steel IPS	<input type="checkbox"/>
SC-404M		1190Wx350Dx387H 46.8"Wx13.7"Dx15.2"H	1268Wx444Dx482H 49.9"Wx17.5"Dx19"H	17.39	20.50	1	9.58	99 204 235	Steel IPS	<input type="checkbox"/>
SC-412S		1190Wx350Dx550H 46.8"Wx13.7"Dx21.6"H	1268Wx444Dx633H 49.9"Wx17.5"Dx24.9"H	24.51	28	1	12.58	76 155 179	Steel IPS	<input type="checkbox"/>
SC-416S		1190Wx350Dx714H 46.8"Wx13.7"Dx28.1"H	1268Wx444Dx800H 49.9"Wx17.5"Dx31.5"H	30.38	34.28	1	15.90	60 123 142	Steel IPS	<input type="checkbox"/>
SC-420S		1190Wx350Dx880H 46.8"Wx13.7"Dx34.6"H	1268Wx444Dx966H 49.9"Wx17.5"Dx38"H	36.26	40.55	1	19.20	49 102 117	Steel IPS	<input type="checkbox"/>
SCM4-4M12S		1190Wx350Dx880H 46.8"Wx13.7"Dx34.6"H	1268Wx444Dx966H 49.9"Wx17.5"Dx38"H			1	19.20	49 102 117	Steel IPS	<input type="checkbox"/>
SCM4-8M4S		1190Wx350Dx880H 46.8"Wx13.7"Dx34.6"H	1268Wx444Dx966H 49.9"Wx17.5"Dx38"H			1	19.20	49 102 117	Steel IPS	<input type="checkbox"/>
SC-424S		1190Wx350Dx1040H 46.8"Wx13.7"Dx40.9"H	1268Wx444Dx1130H 49.9"Wx17.5"Dx44.5"H	43.132	47.812	1	22.46	42 87 100	Steel IPS	<input type="checkbox"/>
SC-424S		1190Wx350Dx1040H 46.8"Wx13.7"Dx40.9"H	1268Wx444Dx1130H 49.9"Wx17.5"Dx44.5"H	43.132	47.812	1	22.46	42 87 100	Steel IPS	<input type="checkbox"/>
SCM4-8M8S		1190Wx350Dx1040H 46.8"Wx13.7"Dx40.9"H	1268Wx444Dx1130H 49.9"Wx17.5"Dx44.5"H			1	22.46	42 87 100	Steel IPS	<input type="checkbox"/>
SC-412M		1190Wx350Dx1040H 46.8"Wx13.7"Dx40.9"H	1268Wx444Dx1130H 49.9"Wx17.5"Dx44.5"H	39.38	44.06	1	22.46	42 87 100	Steel IPS	<input type="checkbox"/>
SC-408A		1190Wx350Dx502H 46.8"Wx13.7"Dx19.8"H	1268Wx444Dx632H 49.9"Wx17.5"Dx24.9"H	23.99	27.11	1	12.56	76 155 179	Steel IPS	<input type="checkbox"/>
SC-306A		890Wx350Dx502H 35"Wx13.7"Dx19.8"H	965Wx444Dx482H 38"Wx17.5"Dx19"H	18.38	20.97	1	7.29	130 267 309	Steel IPS	<input type="checkbox"/>
SCK-101M		300Wx352Dx365H 11.8"Wx13.9"Dx14.4"H	382Wx410Dx145Hmm 15"Wx16.1"Dx5.7"H	7.1	7.8	1	0.8	1221 2468 2805	Steel IPS	<input type="checkbox"/>
SCK-103MK		309Wx392Dx1030H 12.2"Wx15.4"Dx40.6"H	1070Wx382Dx161H 42.1"Wx15"Dx6.3"H	13.36	15.36	1	2.32	409 840 970	Steel IPS	<input type="checkbox"/>
FC										
FC9-303		900Wx510Dx895H 35.4"Wx20.1"Dx35.2"H	974Wx593Dx985H 38.3"Wx23.3"Dx38.8"H	32.6	35.3	1	20.09	48 98 111	Steel	<input type="checkbox"/>
FC9-306		900Wx510Dx895H 35.4"Wx20.1"Dx35.2"H	974Wx593Dx985H 38.3"Wx23.3"Dx38.8"H	29.9	33.31	1	20.09	48 98 111	Steel	<input type="checkbox"/>



Model	Picture	Dimensions mm inch	Package Dim mm inch	Net Weight kg	Gross Weight kg	PCS/ Master pcs	CU FT	PCS 20FT 40FT 40HC	Material	Color
FC9-309		900Wx510Dx895H 35.4"Wx20.1"Dx35.2"H	974Wx593Dx985H 38.3"Wx23.3"Dx38.8"H	36.3	39	1	20.09	48 98 111	Steel	<input type="checkbox"/>
FC-202		900Wx510Dx1800H 35.4"Wx20.1"Dx70.9"H	960Wx590Dx1860H 37.8"Wx23.2"Dx73.2"H	58	60.2	1	37.2	26 53 60	Steel	<input type="checkbox"/>
FC-204		900Wx510Dx1800H 35.4"Wx20.1"Dx70.9"H	960Wx590Dx1860H 37.8"Wx23.2"Dx73.2"H	61.8	64	1	37.2	26 53 60	Steel	<input type="checkbox"/>
FC-206		900Wx510Dx1800H 35.4"Wx20.1"Dx70.9"H	960Wx590Dx1860H 37.8"Wx23.2"Dx73.2"H	66.5	68.7	1	37.2	26 53 60	Steel	<input type="checkbox"/>
FC-208		900Wx510Dx1800H 35.4"Wx20.1"Dx70.9"H	960Wx590Dx1860H 37.8"Wx23.2"Dx73.2"H	69	71.2	1	37.2	26 53 60	Steel	<input type="checkbox"/>
FC-212		900Wx510Dx1800H 35.4"Wx20.1"Dx70.9"H	960Wx590Dx1860H 37.8"Wx23.2"Dx73.2"H	75.8	78	1	37.2	26 53 60	Steel	<input type="checkbox"/>
FCO-212		900Wx510Dx1800H 35.4"Wx20.1"Dx70.9"H	960Wx590Dx1860H 37.8"Wx23.2"Dx73.2"H			1	37.2	26 53 60	Steel	<input checked="" type="checkbox"/>
FC-M205		900Wx510Dx1800H 35.4"Wx20.1"Dx70.9"H	960Wx590Dx1860H 37.8"Wx23.2"Dx73.2"H	63.7	66	1	37.2	26 53 60	Steel	<input type="checkbox"/>
FC-M207		900Wx510Dx1800H 35.4"Wx20.1"Dx70.9"H	960Wx590Dx1860H 37.8"Wx23.2"Dx73.2"H	67.3	69.5	1	37.2	26 53 60	Steel	<input type="checkbox"/>
FC-M210		900Wx510Dx1800H 35.4"Wx20"Dx70.9"H	960Wx590Dx1860H 37.8"Wx23.2"Dx73.2"H	72.4	77.4	1	37.2	26 53 60	Steel	<input type="checkbox"/>
FC-303		900Wx510Dx1800H 35.4"Wx20"Dx70.9"H	960Wx590Dx1860H 37.8"Wx23.2"Dx73.2"H	61.5	66.5	1	37.2	26 53 60	Steel	<input type="checkbox"/>
FC-306		900Wx510Dx1800H 35.4"Wx20"Dx70.9"H	960Wx590Dx1860H 37.8"Wx23.2"Dx73.2"H	65.6	70.6	1	37.2	26 53 60	Steel	<input type="checkbox"/>
FC-309		900Wx510Dx1800H 35.4"Wx20"Dx70.9"H	960Wx590Dx1860H 37.8"Wx23.2"Dx73.2"H	69	74	1	37.2	26 53 60	Steel	<input type="checkbox"/>
FC-312		900Wx510Dx1800H 35.4"Wx20"Dx70.9"H	960Wx590Dx1860H 37.8"Wx23.2"Dx73.2"H	72.5	77.5	1	37.2	26 53 60	Steel	<input type="checkbox"/>
FC-318		900Wx510Dx1800H 35.4"Wx20"Dx70.9"H	960Wx590Dx1860H 37.8"Wx23.2"Dx73.2"H	80	85	1	37.2	26 53 60	Steel	<input type="checkbox"/>
FCO-318		900Wx510Dx1800H 35.4"Wx20"Dx70.9"H	960Wx590Dx1860H 37.8"Wx23.2"Dx73.2"H			1	37.2	26 53 60	Steel	<input checked="" type="checkbox"/>
FC-M309		900Wx510Dx1800H 35.4"Wx20"Dx70.9"H	960Wx590Dx1860H 37.8"Wx23.2"Dx73.2"H	69	74	1	37.2	26 53 60	Steel	<input type="checkbox"/>
FC-M312		900Wx510Dx1800H 35.4"Wx20"Dx70.9"H	960Wx590Dx1860H 37.8"Wx23.2"Dx73.2"H	72.1	77.1	1	37.2	26 53 60	Steel	<input type="checkbox"/>

Model	Picture	Dimensions mm inch	Package Dim mm inch	Net Weight kg	Gross Weight kg	PCS/ Master pcs	CU FT	PCS 20FT 40FT 40HC	Material	Color
FC-M310		900Wx510Dx1800H 35.4"Wx20"Dx70.9"H	960Wx590Dx1860H 37.8"Wx23.2"Dx73.2"H	70.2	75.2	1	37.2	26 53 60	Steel	<input type="checkbox"/>
FC-404		1182Wx510Dx1800H 46.5"Wx20"Dx70.9"H	1242Wx590Dx1860H 48.9"Wx23.2"Dx73.2"H	75.8	80.8	1	48.13	20 41 46	Steel	<input type="checkbox"/>
FC-408		1182Wx510Dx1800H 46.5"Wx20"Dx70.9"H	1242Wx590Dx1860H 48.9"Wx23.2"Dx73.2"H	80.6	85.6	1	48.13	20 41 46	Steel	<input type="checkbox"/>
FC-412		1182Wx510Dx1800H 46.5"Wx20"Dx70.9"H	1242Wx590Dx1860H 48.9"Wx23.2"Dx73.2"H	85.2	90.2	1	48.13	20 41 46	Steel	<input type="checkbox"/>
FC-416		1182Wx510Dx1800H 46.5"Wx20"Dx70.9"H	1242Wx590Dx1860H 48.9"Wx23.2"Dx73.2"H	90.2	95.2	1	48.13	20 41 46	Steel	<input type="checkbox"/>
FC-424		1182Wx510Dx1800H 46.5"Wx20"Dx70.9"H	1242Wx590Dx1860H 48.9"Wx23.2"Dx73.2"H	100.1	105.1	1	48.13	20 41 46	Steel	<input type="checkbox"/>
FCO-424		1182Wx510Dx1800H 46.5"Wx20"Dx70.9"H	1242Wx590Dx1860H 48.9"Wx23.2"Dx73.2"H			1	48.13	20 41 46	Steel	<input checked="" type="checkbox"/>
FC-M412		1182Wx510Dx1800H 46.5"Wx20"Dx70.9"H	1242Wx590Dx1860H 48.9"Wx23.2"Dx73.2"H	85.4	90.4	1	48.13	20 41 46	Steel	<input type="checkbox"/>
FC-M416		1182Wx510Dx1800H 46.5"Wx20"Dx70.9"H	1242Wx590Dx1860H 48.9"Wx23.2"Dx73.2"H	90.4	95.4	1	48.13	20 41 46	Steel	<input type="checkbox"/>
FC-M		1182Wx510Dx1800H 46.5"Wx20"Dx70.9"H	1242Wx590Dx1860H 48.9"Wx23.2"Dx73.2"H	87.3	92.3	1	48.13	78 157 179	Steel	<input type="checkbox"/>
DU										
DU-315PD +FT-10		880Wx400Dx690H 34.6"Wx15.7"Dx27.1"H	951Wx485Dx770H 37.4"Wx19.1"Dx30.3"H	28.20	30.2	1	12.54	78 157 179	Steel	<input type="checkbox"/>
DU-118G		1180Wx400Dx880H 46.4"Wx15.7"Dx34.6"H	1245Wx481Dx966H 49"Wx18.9"Dx38"H	35.95	40.61	1	20.42	47 96 110	Steel	<input type="checkbox"/>
DU-118M		1180Wx400Dx880H 46.4"Wx15.7"Dx34.6"H	1245Wx481Dx966H 49"Wx18.9"Dx38"H	35.66	40.31	1	20.42	47 96 110	Steel	<input type="checkbox"/>
DU-11809M		1180Wx400Dx880H 46.4"Wx15.7"Dx34.6"H	1245Wx481Dx966H 49"Wx18.9"Dx38"H	39.77	44.42	1	20.42	47 96 110	Steel	<input type="checkbox"/>
DU-88G		880Wx400Dx880H 34.6"Wx15.7"Dx34.6"H	968Wx481Dx966H 38.1"Wx18.9"Dx38"H	27.67	31.39	1	15.88	61 124 141	Steel	<input type="checkbox"/>
DU-88M		880Wx400Dx880H 34.6"Wx15.7"Dx34.6"H	968Wx481Dx966H 38.1"Wx18.9"Dx38"H	26.81	30.53	1	15.88	61 124 141	Steel	<input type="checkbox"/>
DU-8809M		880Wx400Dx880H 34.6"Wx15.7"Dx34.6"H	968Wx481Dx966H 38.1"Wx18.9"Dx38"H	32.28	36.00	1	15.88	61 124 141	Steel	<input type="checkbox"/>



Model	Picture	Dimensions mm inch	Package Dim mm inch	Net Weight kg	Gross Weight kg	PCS/ Master pcs	CU FT	PCS 20FT 40FT 40HC	Material	Color
SOHO										
MCA-DH3P		357Wx328Dx735H 14"Wx13"Dx28.8"H	437Wx405Dx749H 17.2"Wx15.9"Dx29.5"H	10.28	13.08	1	4.68	209 422 480	Plywood IPS	
MCA-DH6H		357Wx328Dx735H 14"Wx13"Dx28.8"H	437Wx405Dx749H 17.2"Wx15.9"Dx29.5"H	11.10	13.9	1	4.68	209 422 480	Plywood IPS	
NCA-DH3P		333Wx328Dx735H 13.1"Wx12.9"Dx28.7"H	407Wx405Dx758H 16"Wx15.9"Dx29.8"H	14.37	17.17	1	4.41	222 448 509	Steel IPS	
NCA-DH6H		333Wx328Dx735H 13.1"Wx12.9"Dx28.7"H	407Wx405Dx758H 16"Wx15.9"Dx29.8"H	14.85	17.65	1	4.41	222 448 509	Steel IPS	
A4X-101HM		315Wx400Dx627H 12.4"Wx15.7"Dx24.7"H	483Wx408Dx637H 19"Wx16.1"Dx25.1"H	9	10.58	1	4.43	221 446 507	Steel Woodboard PS	
A4X-105HM		315Wx400Dx627H 12.4"Wx15.7"Dx24.7"H	483Wx408Dx637H 19"Wx16.1"Dx25.1"H	10.71	12.35	1	4.43	221 446 507	Steel Woodboard PS	
A4X-106HM		315Wx400Dx627H 12.4"Wx15.7"Dx24.7"H	483Wx408Dx637H 19"Wx16.1"Dx25.1"H	10.84	12.13	1	4.43	221 446 507	Steel Woodboard PS	
A4X-101HEM		304Wx500Dx652H 11.97"Wx19.69"Dx25.67"H	390Wx600Dx720H 15.4"Wx23.6"Dx28.3"H	8.8	10.8	1	5.95	160 328 378	Steel IPS	
DDH-106H1S		367Wx450Dx635H 14.45"Wx17.72"Dx25"H	544Wx474Dx662H 21.4"Wx18.7"Dx26.1"H	11.5	14.6	1	6.03	162 328 373	Steel IPS	
DDH-106HF		367Wx265Dx675H 14.45"Wx10.43"Dx26.57"H	373Wx273Dx680H 14.7"Wx10.7"Dx26.8"H	9.09		1	2.45	400 809 920	Steel IPS	
DDH-106HM		367Wx265Dx635H 14.5"Wx10.4"Dx25"H	443Wx347Dx646H 17.4"Wx13.7"Dx25.4"H	8.4	9.9	1	3.51	279 564 641	Steel IPS	
HC-3T (tray without venting)		425Wx390Dx820H 16.7"Wx15.4"Dx32.3"H	476Wx310Dx180H 18.7"Wx12.2"Dx7.1"H	29.7	36.7	1	0.94	1044 2110 2398	PP Steel	 
WC-T4 (tray without venting)		472Wx310Dx504H 18.6"Wx12.2"Dx19.8"H	516Wx322Dx277H 20.3"Wx12.7"Dx10.9"H	10.9	12.4	1	1.63	602 1218 1384	PP MDF	
WC-T8 (tray without venting)		472Wx310Dx880H 18.6"Wx12.1"Dx34.6"H	892Wx322Dx253.4H 35.1"Wx12.2"Dx10"H	15.9	17.9	1	2.57	381 770 875	PP MDF	
HC-3H (tray with venting)		425Wx390Dx820H 16.7"Wx15.4"Dx32.3"H	476Wx310Dx180H 18.7"Wx12.2"Dx7.1"H	29.1	36.1	1	0.94	1044 2110 2398	PP Steel	 
WC-H4 (tray with venting)		472Wx310Dx504H 18.6"Wx12.2"Dx19.8"H	516Wx322Dx277H 20.3"Wx12.7"Dx10.9"H	10.9	12.4	1	1.63	602 1218 1384	PP MDF	
WC-H8 (tray with venting)		472Wx310Dx880H 18.6"Wx12.1"Dx34.6"H	892Wx322Dx253.4H 35.1"Wx12.2"Dx10"H	15.9	17.9	1	2.57	381 770 875	PP MDF	
W-3827		376Wx268Dx9H 14.8"Wx10.5"Dx0.3"H	390Wx105Dx285H 15.3"Wx4.1"Dx11.2"H	5.8	6.2	10	0.41	23770 48040 54590	wooden	

Model	Picture	Dimensions mm inch	Package Dim mm inch	Net Weight kg	Gross Weight kg	PCS/ Master pcs	CU FT	PCS 20FT 40FT 40HC	Material	Color
DDH-103		340Wx250Dx150H 13.4"Wx9.8"Dx5.9"H	519Wx357Dx479H 20.4"Wx14.1"Dx18.9"H	8.06	9.06	6	3.13	1872 3786 4302	PS/IPS	
DDH-111		340Wx250Dx150H 13.4"Wx9.8"Dx5.9"H	519Wx357Dx479H 20.4"Wx14.1"Dx18.9"H	7.56	8.56	6	3.13	1872 3786 4302	PS/IPS	
DDH-105		340Wx250Dx228.5H 13.4"Wx9.8"Dx9"H	522Wx360Dx718H 20.6"Wx14.2"Dx28.3"H	10.14	11.45	6	4.76	1230 2490 2832	PS/IPS	
DDH-113		340Wx250Dx228.5H 13.4"Wx9.8"Dx9"H	522Wx360Dx718H 20.6"Wx14.2"Dx28.3"H	9.7	11.01	6	4.76	1230 2490 2832	PS/IPS	
DDH-121		340Wx250Dx228.5H 13.4"Wx9.8"Dx9"H	522Wx360Dx718H 20.6"Wx14.2"Dx28.3"H	9.25	10.5	6	4.76	1230 2490 2832	PS/IPS	
DD-105S		250Wx340Dx230H 9.8"Wx13.4"Dx9.1"H	522Wx360Dx718H 20.6"Wx14.2"Dx28.3"H	11.61	12.92	6	4.77	1230 2490 2832	PS/IPS	
DD-1206		250 W x340 Dx270 H 9.8" W x13.4" Dx10.6" H	522Wx360Dx851H 20.6" Wx14.2" Dx33.5" H	12.62	14.1	6	5.65	1038 2100 2388	PS/IPS	
DD-1214		250 W x340 Dx270 H 9.8" W x13.4" Dx10.6" H	522Wx360Dx851H 20.6" Wx14.2" Dx33.5" H	11.87	13.35	6	5.65	1038 2100 2388	PS/IPS	
DD-1205		250 W x340 Dx230 H 9.8" W x13.4" Dx9.1" H	522Wx360Dx718H 20.6" W x14.2" Dx28.3" H	10.84	12.15	6	4.76	1230 2490 2832	PS/IPS	
DD-1213		250 W x340 Dx230 H 9.8" W x13.4" Dx9.1" H	522Wx360Dx718H 20.6" W x14.2" Dx28.3" H	10.58	11.89	6	4.76	1230 2490 2832	PS/IPS	
DD-1221		250 W x340 Dx230 H 9.8" W x13.4" Dx9.1" H	522Wx360Dx718H 20.6" W x14.2" Dx28.3" H	10.84	12.15	6	4.76	1230 2490 2832	PS/IPS	
DD-1222		250 W x340 Dx270 H 9.8" W x13.4" Dx10.6" H	522Wx360Dx851H 20.6" Wx14.2" Dx33.5" H	12.62	14.1	6	5.65	1038 2100 2388	PS/IPS	
OA-2736		263Wx354Dx60H 10.4"Wx13.9"Dx2.4"H	549Wx402Dx388H 21.6"Wx15.8"Dx15.3" H	9.06	10.09	10	3.02	3240 6540 7440	PS	
OA-2634		260Wx335Dx77H 10.2"Wx13.2"Dx3" H	549Wx426Dx379H 21.6"Wx16.8"Dx14.9" H	5.82	6.84	6	3.13	1878 3792 4308	IPS	
OA-2937		284Wx370Dx64H 11.2"Wx14.6"Dx2.5" H	320Wx490Dx560H 12.6"Wx19.3"Dx22" H	7.5	9.5	25	3.1	7900 15950 18125	IPS	
ES-A501		198Wx70Dx70H 7.8"Wx2.8"Dx2.8" H	320Wx230Dx250H 12.6"Wx9.1"Dx9.8" H	2.46	2.83	12	0.65	18096 36564 41544	Aluminum Silicone	
ES-GB2020		200Wx200Dx54.4H 7.9"Wx7.9"Dx2.1" H	461Wx427Dx270H 18.1"Wx16.8"Dx10.6" H	6.14	6.72	16	1.88	8352 16864 19168	ABS	
ML-D01		202Wx75Dx106H 8"Wx3"Dx4.2" H	460Wx280Dx230H 18.1"Wx11"Dx9.1" H	2.80	3.90	10	1.05	9360 18920 21500	Aluminum Wood	

Model	Picture	Dimensions mm inch	Package Dim mm inch	Net Weight kg	Gross Weight kg	PCS/ Master pcs	CU FT	PCS 20FT 40FT 40HC	Material	Color
ML-MS01		530Wx200Dx75H 20.9"Wx7.9"Dx3"H	545Wx470Dx230H 21.5"Wx18.5"Dx9.1"H	6.00	8.95	10	2.08	4710 9510 10810	Aluminum Wood	
OF-B01		280Wx375Dx27H 11"Wx14.8"Dx1.1"H	874Wx305Dx412H 34.4"Wx12"Dx16.2"H	10.65	11.81	30	3.88	7560 15300 17400	PP	  
OF-A02		285Wx340Dx27H 11.2"Wx13.4"Dx1.1"H	549Wx360Dx615H 21.6"Wx14.2"Dx24.2"H	14.4	15.57	40	4.29	9120 18440 20960	PP	  
OF-A04		318Wx240Dx25H 12.5"Wx9.4"Dx1"H	771Wx338Dx515H 30.4"Wx13.3"Dx20.3"H	12.66	13.96	60	4.74	12360 25020 28440	PP	 
OF-A05		325Wx240Dx20H 12.8"Wx9.5"Dx0.8"H	682Wx334Dx506H 26.9"Wx13.1"Dx19.9"H	8.82	9.95	60	4.07	14400 29160 33120	PP	 
OF-A03		318Wx240Dx25H 12.5"Wx9.4"Dx1"H	771Wx338Dx515H 30.4"Wx13.3"Dx20.3"H	14.4	15.7	60	4.74	12360 25020 28440	PP	  
OF-A03L		318Wx240Dx46H 12.5"Wx9.5"Dx1.8"H	570Wx503Dx340H 22.4"Wx19.8"Dx13.4"H	7.68	9.16	24	3.44	6816 13800 15672	PP	
OF-C02		350Wx270Dx46H 13.8"Wx10.6"Dx1.8"H	565Wx372Dx573H 22.2"Wx14.6"Dx22.6"H	10.8	12.02	24	4.25	5520 11160 12696	PP	  
FH4-3128		318Wx285Dx38H 12.5"Wx11.2"Dx1.5"H	465Wx311Dx360H 18.3"Wx12.2"Dx14.2"H	8.26	8.97	20	1.84	10600 21520 24460	PP	  
OF-1416		404Wx349Dx73H 15.9"Wx13.7"Dx2.9"H	730Wx421Dx318H 28.7"Wx16.6"Dx12.5"H	4.82	6	8	3.45	2264 4584 5208	PP/PE	
OF-20SBL		404Wx349Dx73H 15.9"Wx13.7"Dx2.9"H	730Wx421Dx318H 28.7"Wx16.6"Dx12.5"H	11.5	12.68	8	3.45	2264 4584 5208	PP/PE	 
SB-0707H		70Wx70Dx62H 2.8"Wx2.8"Dx2.4"H	165Wx163Dx360H 6.5"Wx6.4"Dx14.2"H	1.1	1.32	12sets /3pcs	0.34	34392 69480 78960	PP	 
SB-0714H		70Wx140Dx62H 2.8"Wx5.5"Dx2.4"H	170Wx165Dx455H 6.7"Wx6.5"Dx17.9"H	1.18	1.44	12sets /2pcs	0.45	26088 52716 59904	PP	 
SB-1414H		140Wx140Dx62H 5.5"Wx5.5"Dx2.4"H	287Wx210Dx340H 11.3"Wx8.3"Dx17.9"H	0.96	1.23	12	0.45	26088 52716 59904	PP	 
SB-1813L		180Wx130Dx45H 7.1"Wx5.1"Dx1.8"H	288Wx208Dx475H 11.3"Wx8.2"Dx18.7"H	2.92	3.34	12sets /3pcs	1.01	11700 23640 26868	PP	 
SB-0926L		90Wx260Dx45H 3.5"Wx10.2"Dx1.8"H	287Wx210Dx340H 11.3"Wx8.3"Dx13.4"H	2.02	2.41	12sets /2pcs	0.72	16248 32832 37308	PP	 
SB-1826L		180Wx260Dx45H 7.1"Wx10.2"Dx1.8"H	287Wx210Dx340H 11.3"Wx8.3"Dx13.4"H	1.6	1.99	12	0.72	16248 32832 37308	PP	 
TB-733D		330Wx208Dx150H 13"Wx8.2"Dx5.9"H	604Wx347Dx642H 23.8"Wx13.7"Dx25.3"H	5.42	6.72	12	4.75	2472 4992 5676	PP	 

Model	Picture	Dimensions mm inch	Package Dim mm inch	Net Weight kg	Gross Weight kg	PCS/ Master pcs	CU FT	PCS 20FT 40FT 40HC	Material	Color
TB-733		330Wx208Dx150H 13"Wx8.2"Dx5.9"H	604Wx347Dx642H 23.8"Wx13.7"Dx25.3"H	5.89	7.19	12	4.75	2460 4920 5760	PP	
TB-702D		256Wx177Dx170H 10.1"Wx7"Dx6.7"H	525Wx381Dx545H 20.7"Wx15"Dx21.5"H	5.95	7.11	12	3.85	3060 6120 7080	PP	
TB-702		256Wx177Dx170H 10.1"Wx7"Dx6.7"H	525Wx381Dx545H 20.7"Wx15"Dx21.5"H	5.9	6.67	12	3.85	3060 6120 7080	PP	
TB-312 +TB-200		TB-312:348Wx153Dx139H TB-200:160Wx137Dx118H TB-312:13.7"Wx6"Dx5.5"H TB-200:6.3"Wx5.4"Dx4.6"H	368Wx320Dx715H 14.5"Wx12.6"Dx28.1"H	6.64	8.52	10	2.97	3300 6600 7570	PP PS	
TB-302		320Wx135Dx110H 12.6"Wx5.3"Dx4.3"H	555Wx335Dx582H 21.9"Wx13.2"Dx22.9"H	8.14	9.27	20	3.82	4920 9840 11400	PP PS	
TB-200		160Wx137Dx118H 6.3"Wx5.4"Dx4.6"H	337Wx290Dx630H 13.3"Wx11.4"Dx24.8"H	4.44	5.23	20	2.17	9200 18400 21200	PP PS	
TB-300		250Wx137Dx129H 9.8"Wx5.4"Dx5.1"H	555Wx269Dx682H 21.9"Wx10.6"Dx26.9"H	6.86	7.94	20	3.6	5400 10800 12500	PP PS	
TB-312		348Wx153Dx139H 13.7"Wx6"Dx5.5"H	368Wx320Dx715H 14.5"Wx12.6"Dx28.1"H	5.7	6.73	10	2.97	3300 6600 7650	PP PS	
CTB-3215L		325Wx154Dx135 H 12.8"Wx6.1"Dx5.3"H	339Wx324Dx506H 13.3"Wx12.8"Dx19.9"H	6.2	7.15	10	1.96	5000 10000 11470	ABS PS	
A9-506		378Wx154Dx192H 14.9"Wx6.1"Dx7.6"H	401Wx399Dx500H 15.8"Wx15.7"Dx19.7"H	8.55	9.54	6	2.83	2082 4212 4782	PS	
A9-510		378Wx154Dx192H 14.9"Wx6.1"Dx7.6"H	401Wx399Dx500H 15.8"Wx15.7"Dx19.7"H	8.55	9.54	6	2.83	2082 4212 4782	PS	
A9-512		378Wx154Dx192H 14.9"Wx6.1"Dx7.6"H	401Wx399Dx500H 15.8"Wx15.7"Dx19.7"H	8.68	9.67	6	2.83	2082 4212 4782	PS	
A9-520		378Wx154Dx192H 14.9"Wx6.1"Dx7.6"H	401Wx399Dx500H 15.8"Wx15.7"Dx19.7"H	8.39	9.38	6	2.83	2082 4212 4782	PS	
A9-5244		378Wx154Dx192H 14.9"Wx6.1"Dx7.6"H	401Wx399Dx500H 15.8"Wx15.7"Dx19.7"H	8.39	9.38	6	2.83	2082 4212 4782	PS	
A9-1310		449Wx180Dx247H 17.7"Wx7.1"Dx9.7"H	565Wx466Dx530H 22.2"Wx18.3"Dx20.9"H	15.87	17.28	6	4.93	1182 2400 2736	PS	
A9-2110		449Wx180Dx247H 17.7"Wx7.1"Dx9.7"H	565Wx466Dx530H 22.2"Wx18.3"Dx20.9"H	15.24	16.65	6	4.93	1182 2400 2736	PS	
A9-304		234Wx154Dx148H 9.2"Wx6.1"Dx5.8"H	323Wx249Dx459H 12.7"Wx9.8"Dx18.1"H	4.04	6.04	6	1.30	4518 9138 10380	PS	
A9-309		234Wx154Dx148H 9.2"Wx6.1"Dx5.8"H	323Wx249Dx459H 12.7"Wx9.8"Dx18.1"H	4.04	6.04	6	1.30	4518 9138 10380	PS	

Model	Picture	Dimensions mm inch	Package Dim mm inch	Net Weight kg	Gross Weight kg	PCS/ Master pcs	CU FT	PCS 20FT 40FT 40HC	Material	Color
A9-306		234Wx154Dx148H 9.2"Wx6.1"Dx5.8"H	323Wx249Dx459H 12.7"Wx9.8"Dx18.1"H	4.04	6.04	6	1.30	4518 9138 10380	PS	
A9-333		234Wx154Dx148H 9.2"Wx6.1"Dx5.8"H	323Wx249Dx459H 12.7"Wx9.8"Dx18.1"H	4.04	6.04	6	1.30	4518 9138 10380	PS	
T3		796Wx470Dx985H 31.4"Wx18.8"Dx39"H	703Wx505Dx330H 27.6"Wx19.8"Dx12.9"H	11.87	13.87	1	4.14	3273 6630 7531	PP Steel	
T3-h		730Wx470Dx985H 28.7"Wx18.8"Dx39"H	703Wx505Dx330H 27.6"Wx19.8"Dx12.9"H	11.61	13.61	1	4.14	3212 6506 7531	PP Steel	
T3-H		796Wx470Dx985H 31.4"Wx18.8"Dx39"H	703Wx505Dx330H 27.6"Wx19.8"Dx12.9"H	14.33	16.33	1	4.14	3854 7806 8867	PP Steel	
T3-Hh		730Wx470Dx985H 28.7"Wx18.8"Dx39"H	703Wx505Dx330H 27.6"Wx19.8"Dx12.9"H	13.81	15.81	1	4.14	3731 7557 8585	PP Steel	
T2-H3D		796Wx470Dx985H 31.4"Wx18.8"Dx39"H	703Wx505Dx517H 27.6"Wx19.8"Dx20.3"H	29.48	31.48	1	6.48	4753 9601 10924	PP Steel	
T2-H3Dh		730Wx470Dx985H 28.7"Wx18.8"Dx39"H	703Wx505Dx517H 27.6"Wx19.8"Dx20.3"H	28.96	30.96	1	6.48	4675 9443 10743	PP Steel	
SH-60		600Wx302Dx1804H 23.6"Wx11.9"Dx71"H	A: 1845Wx325Dx100H 72.6"Wx12.8"Dx3.9"H B: 650Wx250Dx30H 25.6"Wx9.8"Dx1.2"H	27.2	29.2	1	2.12	357 714 821	Steel	
						4	0.17	357 714 821		
SH-75		750Wx302Dx1804H 29.5"Wx11.9"Dx71"H	A: 1845Wx325Dx100H 72.6"Wx12.8"Dx3.9"H B: 760Wx260Dx30H 29.9"Wx10.2"Dx1.2"H	28.8	30.8	1	2.12	337 675 777	Steel	
						4	0.21	337 675 777		
FB-5336		535Wx361Dx275H 21.1"Wx14.2"Dx10.8"H	549Wx375Dx636H 21.6"Wx14.8"Dx25"H	20.2	21.49	10	4.62	2270 4560 5300	PP Steel	
FB-4531		455Wx308Dx240H 17.9"Wx12.1"Dx9.4"H	474Wx320Dx566H 18.7"Wx12.6"Dx22.3"H	13.65	14.62	10	3.03	3350 7000 7710	PP Steel	
FB-4531H		450Wx310Dx242H 17.7"Wx12.2"Dx9.5"H	470Wx325Dx610H 18.5"Wx12.8"Dx24"H	11	12	10	3.29	3150 6400 7400	PP	
FB-4531HL		450Wx310Dx242H 17.7"Wx12.2"Dx9.5"H	470Wx330Dx620H 18.5"Wx13"Dx24.4"H	14.4	15.36	10	3.4	2850 5840 6740	PP	
FB-6040L		604Wx404Dx322H 23.8"Wx15.9"Dx12.7"H	636Wx436Dx422H 25"Wx17.2"Dx16.6"H	17.82	19.03	5	4.13	1150 2360 2600	PP	
W-6040		600Wx400Dx27H 23.6"Wx15.7"Dx1.1"H	621Wx430Dx133H 24.2"Wx16.92"Dx5.2"H	14.6	15.3	5	1.25	3885 7850 9050	Birch Wood	

Model	Picture	Dimensions mm inch	Package Dim mm inch	Net Weight kg	Gross Weight kg	PCS/ Master pcs	CU FT	PCS 20FT 40FT 40HC	Material	Color
W-5336		531Wx360Dx19H 20.9"Wx14.17"Dx0.75"H	548Wx209Dx388H 21.57"Wx8.23"Dx15.28"H	15.7	16.2	10	1.57	6240 12610 14330	Birch Wood	
W-4531		457Wx305Dx19H 18"Wx12"Dx0.75"H	476Wx209Dx336H 18.74"Wx8.23"Dx13.23"H	11.3	11.7	10	1.18	8300 16770 19060	Birch Wood	
FB-3232		320Wx320Dx302H 12.6"Wx12.6"Dx11.8"H	660Wx340Dx327H 26"Wx13.4"Dx12.9"H	10.05	10.95	6	2.59	2268 4584 5208	PP	
FB-6432B		640Wx320Dx300H 25.2"Wx12.6"Dx11.8"H	660Wx340Dx506H 26"Wx13.4"Dx19.9"H	15.72	16.83	5	4.01	1220 2465 2805	PP	
FB-6432S		640Wx320Dx300H 25.2"Wx12.6"Dx11.8"H	660Wx340Dx506H 26"Wx13.4"Dx19.9"H	16.32	17.69	5	4.01	1220 2465 2805	PP	
W-6432		640Wx320Dx18H 25.2"Wx12.6"Dx0.7H	657Wx339Dx106H 25.9"Wx13.3"Dx4.2"H	11.2	11.8	5	0.83	5875 11870 13490	Birch Wood	
CH-28		345Wx345Dx280H 13.6"Wx13.6"Dx11"H	370Wx370Dx970H 14.6"Wx14.6"Dx38.2"H	14.32	16.12	16	4.69	3328 6752 7664	PP	
CH-45		375Wx375Dx450H 14.7"Wx14.7"Dx17.7H	394Wx394Dx961H 15.5"Wx15.5"Dx37.8H	13.1	13.54	10	5.27	1860 3750 4270	PP	
MB-5505P MB-5505BP MB-5505C		550Wx438Dx1071H 21.7"Wx17.2"Dx42.2H	572Wx457Dx1101H 22.5"Wx18"Dx43.3H	11.6	11.6	1	10.16	96 194 221	PP	
MB-5503P MB-5503BP MB-5503C		550Wx438Dx653H 21.7"Wx17.2"Dx25.7H	572Wx457Dx683H 22.5"Wx18"Dx26.9H	6.93	7.13	1	6.31	155 314 356	PP	
MB-5501P MB-5501BP MB-5501C		550Wx438Dx235H 21.7"Wx17.2"Dx9.3H	568Wx444Dx719H 22.4"Wx17.5"Dx28.3H	8.1	9.7	3	6.4	459 927 1053	PP	
MB-2701P MB-2701BP MB-2701C		275Wx438Dx235H 10.8"Wx17.2"Dx9.3H	300Wx455Dx712H 11.8"Wx17.9"Dx28H	5.08	6.11	3	3.43	855 1728 1965	PP	
MB-1801BP MB-1801C		183Wx436Dx235H 7.2"Wx17.2"Dx9.3H	388Wx451Dx482H 15.3"Wx17.8"Dx19H	5.2	6.25	4	2.98	1316 2656 3020	PP	



50th
Anniversary

NEW! mini Multi-tool Keyring

SHUTER's renowned toolbox
transforms into a pocket tool to
celebrate 50 years in business

Features:

1. Handy take-anywhere, pocket-size toolkit
2. Fitted with an adjustable ball chain
3. Features cross- and flat-head
screwdrivers and a bottle opener

HTB-50
69W × 29D × 22H mm



50th Anniversary SHUTER®



SHUTER Enterprise Co. Ltd

- 🏡 www.theshuter.com ☎ +886 49- 2008620
- ✉ info@theshuter.com www.facebook.com/OurShuter
- ▶ www.youtube.com/user/shuter8800

