




NEW 2022
DN ISO ADJ*

Probably the best adjustable handle
ever in the HVAC Industry

*Patent Pending 1020019000003163



Prolam is glad to introduce a new handle that allows an **extremely accurate latch adjustment by using standard tools or torque wrench for assembly lines, where objective procedures of precision are required.**



The body of the adjustable latch is manufactured in a **sturdy aluminium alloy**.

Latch position can be controlled using a **torque wrench**. Thanks to this, it can be easily adjusted to meet production requirements. The result being **AHU's with consistent air tightness performance**.





The **screws system** allows an **extremely accurate adjustment**, in **steps of 0.25mm**, to improve and control **gasket performances**.

Stop grain guarantees a stable position of the adjusted roller cam.

Our **fully adjustable system** allows the handle to be used with **any type of profile** (simple flange, double-wall and custom made) and on **any type and/or thicknesses of panel** (25, 45, 50mm and double step).

The handle has a **unique nylon roller cam** that **can adapt** to any kind of material.

The **latch can be adjusted internally, even when the door is closed**, to reach desired level of gasket compression on the panel.





Thanks to its **accuracy of adjustment**, the handle helps achieve **L1 classification** determined by **EN 1886** standard.

It is manufactured with **materials compliant to VDI 6022** standard.

Probably the best adjustable handle ever
in the HVAC Industry