




CONCEALED SOLUTIONS FOR SANITARYWARE



WATER MINDED


SOLUTION - QUALITY - CERTIFICATION - INNOVATION - SUSTAINABILITY - CUSTOMER SERVICE



All our products are designed and developed in order to meet the most demanding international standards along with voluntary certification schemes. Our approach to quality starts at the design stage and is followed through the manufacturing and distribution process. All SIAMP products are subjected to rigorous and intense tests, using our own, and third party test laboratories; **our supporting frames are subjected to loads of 400 kg or 150 kg and our flushing systems to 200 000 cycles repetitive performance and endurance tests.**

SIAMP is the origin of many innovations in the world of toilets and puts all its resources into designing and manufacturing innovative and eco-efficient solutions that guarantee hygiene, comfort and responsible management of water.

WORLDWIDE PRESENCE



A SPECIALIST AT YOUR SERVICE FOR MORE THAN 75 YEARS

Founded in 1947, SIAMP designs and manufactures innovative sanitary products for the bathroom environment : wall hung solutions, flush plates, flushing technology, cisterns and seat covers. Whether it's a commercial project or the renovation of a domestic bathroom, SIAMP has the solution.

Pioneer of the plastic seat cover and now a global leader of flushing technology, SIAMP is the brand chosen by leading ceramic manufacturers to provide the flushing solution throughout the world.

Besides the head office based in Monaco, SIAMP is present across 5 continents through a network of 9 sales subsidiaries,

7 production sites and hundreds of distributors, for the benefit of millions of users.

To remain a sanitary specialist in this evolving market, we invest in new technologies to develop new products and perfect the efficiency of manufacturing.

Understanding the importance of water sustainability, SIAMP continues to develop technical solutions to protect this resource for future generations.

SIAMP is regularly at the origin of innovation recognised by a large number of international patents.



CONCEALED CISTERNS FOR CONSTRUCTION PROJECTS

The design, functions and reliability of our sanitary solutions impose SIAMP as the everyday partner of architects and building designers.

MONACO



Odéon Tower



Yacht Club



Simona Tower

FRANCE



SFR headquarters - St Denis



Groupama Stadium - Lyon



Société Générale headquarters - Val de Fontenay

VIETNAM



Sofitel - Hô Chi Minh



Diamond Tower - Hanoi



Parliament - Hanoi

CONCEALED CISTERNS

A complete range of concealed cisterns to use with all kinds of sanitary appliances to create modern bathrooms and WCs. Tall or small, slim or thin, wet or light wall, for back to wall or suspended sanitary appliances, any solution is available to match with installation conditions.

The choice of the final touch for a customized area that combines aesthetics and functionality, SIAMP offers a wide range of elegant flush plates. Thanks to quality certification, our range complies with all expectations with a wide variety of materials, colours and design.



SUMMARY

CONCEALED CISTERNS
FOR BACK TO WALL
SANITARYWARE _____ p . 8

CONCEALED SOLUTIONS
FOR WALL HUNG
SANITARYWARE _____ p . 12

FLUSH PLATES _____ p . 24

WC CONNECTIONS _____ p . 29

INTRASLIM

THE ALL-TERRAIN CONCEALED CISTERN

INTRASLIM FULL FRAME

Wall Hung
Light Wall



INTRASLIM FULL FRAME VERY LOW DEPTH

Wall Hung
Light Wall



INTRASLIM + SCB 350

Wall Hung
Light Wall



SIAMP presents INTRASLIM, the optimized and universal solution for the toilets. Concealing the cistern brings modernity and lightens your WC room.

A WIDE RANGE OF FLUSH PLATE

Choose the material, the colour, the surface and the design to match your bathroom's decoration.

2 FLUSHING TECHNOLOGIES

- Mechanical actuation: the most popular actuation solution on the market ensuring simplicity and efficiency.
- Pneumatic actuation: offset for diminished people use or for respecting the fire safety regulation, it offers a great flexibility of installation position.

VERSATILE

INTRASLIM concealed cisterns can be coupled with back to wall or wall hung bowls. Robusts, our structures

resist to a 400 kg load.

Cisterns can be fixed bricklaying or attached to a supporting wall with a light cladding as plasterboards. They can be flipped to offer a back access to inner active components when installed into a dry riser.

CONFIDENCE

100% of SIAMP's expertise is at the heart of Intraslim. As a world flushing technology specialist, SIAMP provides a high performance concealed cistern in terms of flush efficiency and reliability. INTRASLIM complies with **CE** EN 14055 Type 1 or 2

INTRASLIM

THE ALL-TERRAIN CONCEALED CISTERN

INTRASLIM HALF FRAME

Wall Hung
Wet Wall



INTRASLIM BRACKET

Back To Wall
Light Wall



INTRASLIM

Back To Wall
Wet Wall



INSTALLATION VERSATILITY & FLUSH PERFORMANCE

- 1** cistern
- 2** flush activation types
- 6** installation possibilities
- 9** fixation kinds

- 18** flush plates designs
- 48** flush plates options
- 90** mm thick

CONCEALED CISTERNS FOR BACK TO WALL SANITARYWARE

Intended for concealed installations
for back to wall WCs.

INSTALLATION

BEHIND CLADDING

Intraslim is the product for this type
of installation as the flush plate acts
as an access panel that will allow for easy
maintenance.

Intraslim is a versatile installation product
thanks to its 90 mm depth. It can be fixed
into a wet wall via masonry or into a light
wall using light cladding.

Intraslim Pneumatic allows for remote
flushing up to 2m away. The cistern can be
reversed 180° for installation in commercial
dry risers, for ease of maintenance access.

FURNITURE INSTALLATION

Intra has been the choice
of bathroom furniture manufacturers for
many years, with its compact dimensions,
pre-assembled fittings, adjustable
flushpipe and access panel for easy
maintenance.
Intra is the ideal solution.




EN 14055
Type 1 or 2

BACK TO WALL SANYTARYWARE



WET WALL




p. 11



INTRASLIM WET WALL :
- FRONT COMMAND
- REMOTE COMMAND PNEUMATIC

p. 11

LIGHT WALL



p. 11



INTRASLIM BRACKET LIGHT WALL
- FRONT COMMAND
- REMOTE COMMAND PNEUMATIC

p. 11

FURNITURE




p. 11



INTRA FURNITURE REMOTE COMMAND
- CABLE
- PNEUMATIC



p. 11

QUICK REFERENCE **MATRIX**

CISTERNS		INTRASLIM	INTRASLIM BRACKET	INTRA FURNITURE
Installation	Sanitaryware	Back to wall bowl	Back to wall bowl	Back to wall bowl
	Recessed into	Wet wall	Light wall	Furniture
	Height	Standard	Standard	Low
	Command position	Front/Offset	Front/Offset	Offset
Inner equipment	Mechanical outlet valve	•	•	
	Cable outlet valve			•
	Pneumatic outlet valve	•	•	•
	Quiet fill	•	•	•
	Connection	Brass	Brass	Brass or plastic
Water supply	Top	•	•	
	Side			•
	Bottom			•
Dimensions	Width (mm.)	510/570	510/570	460
	Height (mm.)	457	457	445 ~ 545
	Depth (mm.)	90	90	127
	Wall fixing centers	537 - 557	537 - 557	230
 EN 14055 Type 1 or 2		•	•	•



BACK TO WALL - **WET WALL**





INTRASLIM


Slim 90 mm

- Concealed wet wall installation
- Insulated to prevent condensation
- Double flush front plates or remote pneumatic buttons

- Adjustable, **mechanical or pneumatic**, outlet valve
- Adjustable compact 95L quiet fill valve
- Stop valve
- 1/2" M outer water connexion




BACK TO WALL - **LIGHT WALL**



INTRASLIM BRACKET

Slim 90 mm

- Concealed light wall installation
- Insulated to prevent condensation
- Double flush front plates or remote pneumatic buttons
- Adjustable, **mechanical or pneumatic**, outlet valve
- Adjustable compact 95L quiet fill valve
- Stop valve
- 1/2" M outer water connexion
- Supply bent front or back fixing bracket
- Reversible cistern (remote pneumatic)



BACK TO WALL - **FURNITURE**




INTRA FURNITURE REMOTE COMMAND

Fits 500mm wide compact furniture Remote command

- Concealed furniture installation
- Insulated to prevent condensation
- Adjustable mechanical or pneumatic outlet valve
- **Double or single flush remote buttons**
- Fill valves: (All of them can be 1/2" or 3/8" brass or plastic end)

- Low connection Compact 99B
- Low connection Compact 100 delayed action
- Side connection Compact 95L
- Access cover allows for top and front entry for maintenance
- Height and depth adjustable flush pipe



CONCEALED SOLUTIONS FOR WALL HUNG SANITARYWARE

Following pages present a wide bunch of solutions for wall hung sanitaryware.


Wall hung sanitarywares is one of the pathway for creating a bathroom representing who you are.

Technic is not visible anymore for enjoying the essential functions and design of sanitarywares.


Are concerned, WCs, bidets, washbasins, urinals for creating up-to-date bathrooms.



WALL HUNG SANITARYWARE



WET WALL



p . 16



INTRASLIM HALF FRAME


p. 16



INTRASLIM WET/LIGHT WALL + SCB 350

p. 16

LIGHT WALL



p . 17 / 23



INTRASLIM FULL FRAME

p. 17



536 CISTERN FRAME

p. 18



VERSO 350

p. 19



INGENIO CISTERN FRAME

p. 20



VERSO 800 CISTERN FRAME

p. 21



WASHBASIN LIGHT WALL

p. 22



URINAL LIGHT WALL

p. 22



BIDET LIGHT WALL

p. 22



SCB 350 WC / BIDET FRAME

p. 23

FURNITURE



p . 23 / 24



INTRA FURNITURE REMOTE COMMAND + SCB 350


p. 23



790 CISTERN FRAME

p. 24


QUICK REFERENCE MATRIX

CISTERNS		INTRASLIM HALF FRAME	INTRASLIM WET/LIGHT WALL + SCB 350	INTRASLIM FULL FRAME	536	VERSO 350	INGENIO
Installation	Sanitaryware	Wall hung bowl	Wall hung bowl	Wall hung bowl	Wall hung bowl	Wall hung bowl	Wall hung bowl
	Recessed into	Wet wall	Wet wall	Light wall	Light wall	Light wall	Light wall
	Height	Standard	Standard	Standard	Standard	Standard	Standard
	Supporting frame		SELF-STANDING SCB 350	WALL FIXATION	SELF-STANDING WALL FIXATION	SELF-STANDING WALL FIXATION	SELF-STANDING
	Command position	Front/Offset	Front/Offset	Front/Offset	Front	Front	Front
Inner equipment	Mechanical outlet valve	•	•	•	•	•	•
	Cable outlet valve						
	Pneumatic outlet valve	•	•	•		•	
	Water saving inlet valve						•
	Quiet fill	•	•	•	•	•	Quieto OD
	Connection	Brass	Brass	Brass	Brass	Brass	Brass
Water supply	Top	•	•	•	•		
	Side					•	•
	Bottom						
	Back						
Dimensions	Width (mm.)	510/570	510/570	572/596	410/350	350	350
	Height (mm.)	457	457	1112 ~ 1212	1100 ~ 1200	1100 ~ 1300	1100 ~ 1300
	Depth (mm.)	90	90	123/93 ~ 245	135 ~ 245	142 ~ 245	145 ~ 240
	Wall fixing centers	537 - 557	537 - 557				
 EN 14055 Type 1 or 2		•	•	•	•	•	•

QUICK REFERENCE MATRIX

VERSO 800	BIDET LIGHT WALL	WASHBASIN LIGHT WALL	URINAL LIGHT WALL	790	INTRA FURNITURE + SCB 350
Wall hung bowl	Wall hung bidet	Wall hung washbasin	Wall hung urinal	Wall hung bowl	Wall hung bowl
Light wall	Light wall	Light wall	Light wall	Furniture	Furniture
Low	Standard	Standard	Standard	Low	Low
SELF-STANDING WALL FIXATION	WALL FIXATION	WALL FIXATION	WALL FIXATION	SELF-STANDING WALL FIXATION	SELF-STANDING SCB 350
Top				Front	Offset
•				•	•
					•
					•
•					
•				•	•
Brass	Brass	Brass	Brass	Brass	Brass or plastic
•					
				•	•
					•
•	•	•	•		
400	500	410	410	502	460
800 ~ 1000	1140 ~ 1340	1260 ~ 1460	1140 ~ 1340	502	460
180	max 260	max 260	max 260	150 ~ 245	127
•				•	•

WALL HUNG SANITARY STANDARD HEIGHT - **WET WALL**




INTRASLIM HALF FRAME

Slim 90 mm

Fits into 90 mm thick blocks

- Wall fixing structure load bearing to 400kg
- Optional feet
- Concealed wet wall installation
- Insulated to prevent condensation
- Double flush front commands or remote pneumatic buttons
- Adjustable **mechanical or pneumatic** outlet valve
- Compact 95L inlet valve
- Brass stop valve



Optional 90° drain connection kit:

- HDPE Ø 90 mm male
- HDPE Ø 100 mm male
- HDPE Ø 110 mm male
- PVC Ø 100 mm male



Feet available as an option



INTRASLIM WET/LIGHT WALL + SCB 350

Slim 90 mm

Self-supporting

INTRASLIM WET/LIGHT WALL

- Concealed wet wall installation
- Double flush front commands or remote pneumatic buttons
- Adjustable **mechanical or pneumatic** outlet valve
- Adjustable noiseless float valve

SCB 350

- Self-supporting structure load bearing to 400kg
- Accepts flush supply sleeves from Ø30 to Ø50mm
- Accepts WC drain connections from Ø90 to Ø120mm



WALL HUNG SANITARYWARE STANDARD HEIGHT - **LIGHT WALL**


WALL INTRASLIM WALL FRAME *Supporting wall fixation*



WALL INTRASLIM

Slim for narrow depth installation

- Concealed light wall installation
- Structure load bearing to 400kg
- Insulated to prevent condensation
- Double flush front commands or remote pneumatic buttons
- Adjustable, **mechanical or pneumatic**, outlet valve
- Compact 95L inlet valve
- Brass stop valve




Optional 90° drain connection kit :

- HDPE Ø 90 mm male
- HDPE Ø 100 mm male
- HDPE Ø 110 mm male
- PVC Ø 100 mm male

WALL INTRASLIM VERY 93 WALL FRAME *Supporting wall fixation*



Fits into a 90 mm block





536 WALL FRAME *Supporting wall fixation*



536 CISTERN FRAME


Tall & compact

Secure water connection inside the cistern

- Concealed light wall installation
- Structure load bearing to 400kg
- Dual flush, onsite adjustable mechanical flushing
- Insulated to prevent condensation
- Compact 95L inlet valve
- Brass stop valve


Optional 90° drain connection kit :

- HDPE Ø 90 mm male
- HDPE Ø 100 mm male
- HDPE Ø 110 mm male
- PVC Ø 100 mm male




536 SELF STANDING FRAME

*Universal fixation :
Supporting ground and/or supporting wall*



536 GROUND FRAME

Supporting ground fixation





WALL HUNG SANITARYWARE STANDARD HEIGHT - **LIGHT WALL**

VERSO 350 WALL FRAME *Supporting wall fixation*



VERSO 350 WALL FRAME



Tall & compact

Secure water connection inside the cistern

- Concealed light wall installation
- Structure load bearing to 400kg
- Dual flush, onsite adjustable **mechanical or pneumatic** flushing
- Insulated to prevent condensation
- Compact 95L inlet valve
- Brass stop valve

Optional 90° drain connection kit :

- HDPE Ø 90 mm male
- HDPE Ø 100 mm male
- HDPE Ø 110 mm male
- PVC Ø 100 mm male





VERSO 350 SELF STANDING FRAME


*Universal fixation :
Supporting ground and/or supporting wall*

VERSO 350 GROUND FRAME

Supporting ground fixation



WALL HUNG SANITARYWARE STANDARD HEIGHT - LIGHT WALL



INGENIO WALL FRAME

Supporting wall fixation



INGENIO CISTERN FRAME



Designed for the professional installer

Fast installation

- Concealed light wall installation
- Structure load bearing to 400kg
- Feet delivered in the installation position
- Self-braking vertical adjustment accurate height setting
- Snap & click, wall mounting rods
- Dual flush, on site adjustable mechanical flushing
- Inlet valve:
 - Compact 95L
 - QUIETO delayed action ultra quiet inlet valve 9 dB
- Insulated cistern with protection against foreign bodies
- Secure water connection inside the cistern, built-in stop valve accessible through flush plate.



Optional 90° drain connection kit :

- HDPE Ø 90 mm male
- HDPE Ø 100 mm male
- HDPE Ø 110 mm male
- PVC Ø 100 mm male



INGENIO SELF STANDING FRAME

Universal fixation :
Supporting ground and/or supporting wall



QUIETO OD the solution for the quietest filling on the market, acoustic level of only 9 dB

STRAIGHT STOP VALVE

- Allows a continuous water flow unlike an angled stopcock.
- Integrated flexible pipe.

INNOSIAMP

A unique combination that allows the flow of water whilst gradually reducing the pressure.

CURVED


Accompanies the water flow.

TINY MARBLES

A case full of tiny marbles reduces the water flow pressure entering in the inlet valve.

DELAYED ACTION OPENING INLET VALVE

- Water saving.



WALL HUNG SANITARYWARE LOW HEIGHT - **LIGHT WALL**

VERSO 800

Supporting wall fixation



VERSO 800 CISTERN FRAME


Small & compact

Secure water connection inside the cistern

- Concealed light wall installation
- Structure load bearing to 400kg
- Dual flush, onsite adjustable mechanical flushing
- Insulated to prevent condensation
- Fill valves:
 - Compact 95L
 - Compact 95 L delayed action
- Brass stop valve

Optional 90° drain connection kit:


- HDPE Ø 90 mm male
- HDPE Ø 100 mm male
- HDPE Ø 110 mm male
- PVC Ø 100 mm male





VERSO 800

Supporting ground fixation

**Dedicated flush plates
for Verso 800**






BIDET LIGHT WALL

Ultra adjustable

400 kg resistance

- Concealed light wall installation
- Supporting wall fixing structure load bearing to 400 kg
- Bidet height adjustment
- Variable distance for fixing bolts
- Water supply and drainage connections included




WASHBASIN LIGHT WALL

Ultra adjustable

150 kg resistance

- Concealed light wall installation
- Supporting wall fixing structure load bearing to 150 kg
- Washbasin height adjustment
- Variable distance for fixing bolts
- Water supply and drainage connections included



URINAL LIGHT WALL

Ultra adjustable

150 kg resistance

- Concealed light wall installation
- Supporting wall fixing structure load bearing to 150 kg
- Urinal height adjustment
- Variable distance for fixing bolts
- Water supply and drainage connections included



HYBRID WC - BIDET FRAME



SCB 350

Supporting ground &
supporting wall fixation



SCB 350 WC / BIDET FRAME

Multipurpose frame



- **Structure load bearing to 400kg**
- Accepts flush supply sleeves from Ø30 to Ø50mm
- Accepts WC drain connections from Ø90 to Ø120mm
- Accepts bidet drain connection from Ø38 to Ø45mm

WALL HUNG SANITARYWARE LOW HEIGHT - FURNITURE



CE
EN 14055
Type 1 or 2

INTRA FURNITURE + SCB 350

Compact
Self-supporting

INTRA FURNITURE

- Concealed furniture installation
- **Mechanical or pneumatic**, double or simple flush front commands
- Adjustable double flush outlet valve
- Adjustable noiseless float valve

SCB 350

- Self-supporting structure load bearing to 400kg
- Accepts flush supply sleeves from Ø30 to Ø50mm
- Accepts WC drain connections from Ø90 to Ø120mm



790

Supporting wall fixation



BCM 790


The low height solution

Ideal for below windows & cloakrooms

- Wall fixing structure load bearing to 400 kg
- Dual flush, on site adjustable mechanical flushing
- Inlet valve:
 - Compact 95L
 - Compact 95L delayed action
- Brass stop valve
- Insulated to prevent condensation

Optional 90° drain connection kit :

- HDPE Ø 90 mm male
- HDPE Ø 100 mm male
- HDPE Ø 110 mm male
- PVC Ø 100 mm male




790

Supporting ground fixation



**Low
Self-supporting**



FLUSH PLATES

FLUSHING OPTIONS:

AUTOMATIC OPERATION:

This system is the preferred solution for public places to ensure that the WC will always be clean and available for the next use.

Those touchless flush plates prevent bacteria transmission.

MECHANICAL ACTUATION:

The most popular flushing mode on the market, efficient flushing and simplicity of installation.

REMOTE:

Designed to place the flush actuator at hand reach. To ease the flushing, buttons can protrude for palm or fist pushing. A complete range adapted to diminished people.


INSPIRED COLLECTIONS:

DESIGN: Available in different models and various decorative finishes, lightweight and resistant to shocks.



MATERIAL: The purity of tempered glass with its clean forms, the Reflet range offers elegant control plates with depth effects. Resistant and noble metal alloy bring consistence to SMART.

CREATIVE: Following current trends, our range of creative plates will allow you to achieve a welcoming and original look thanks to a choice of colours and styles.

ESSENTIAL: Simple but effective, lightweight and resistant to shocks.



CONTENT



AUTOMATIC

p . 27



AUTOMATIC FLUSHPLATE

p. 27

MECHANICAL

p . 27 / 28

MATERIAL



REFLET 90/360

p. 27



SMART

p. 27

DESIGN



SPHERE

p. 28



SQUARE

p. 27



SMARTY

p. 28



SEGMENT

p. 28



GLOBE

p. 28

ESSENTIAL



YIN YANG

p. 28



MEDIA

p. 28



MOON

p. 28



LEMON

p. 28

REMOTE COMMANDS

p . 29



PNEUMATIC COMMAND

p. 29



CABLE COMMAND

p. 29



CLOSING PLATES


p. 29

INGENIO exclusive


AUTOMATIC flush plate - Glass & Light




New



AUTOMATIC flush plate - Glass



AUTOMATIC flush plate - ABS



DESIGN Sphère - ABS




INTRASLIM / INGENIO / VERSO 350 / 536 / 790

MATERIAL Reflet 360 - Glass



MATERIAL Reflet 90 - Glass




MATERIAL Smart - Aluminium alloy



FLUSH PLATE vs CISTERNS

INTRASLIM / INGENIO / VERSO 350 / 536 / 790


DESIGN Square - ABS



DESIGN Smarty - ABS



DESIGN Segment - ABS



DESIGN Globe - ABS



INTRASLIM / VERSO 350 / 536 / 790

ESSENTIAL Yin Yang - ABS



ESSENTIAL Media - ABS



ESSENTIAL Moon - ABS



ESSENTIAL Lemon - ABS



PNEUMATIC COMMAND

VERSO 350 PN / INTRA PN / INTRASLIM PN

Recessed/
Leveled buttons



Recessed/
Overtaking button



Leveled/
Overtaking button



Vandal proof



Recessed/
Leveled buttons



Adapted to Intraslim, Intra

CABLE COMMAND

INTRA

V2 D50



Ø 50 mm

V1 D50



Ø 50 mm

V2 D40



Ø 40 mm

V1 D40




Ø 40 mm

CLOSING PLATES

INTRASLIM / INTRA

Glass or metal




WC CONNECTIONS

SUPPLY SLEEVE STRAIGHT CONNECTOR


Standard

Extended



PVC

Between frame and building




Between WC and frame




HDPE





Between frame and building



Between WC and frame




ADAPTERS



PACKING INFORMATION

Model	Packing	Packing		Pallet			MOQ
		N# of sales units	Width x depth x height (mm)	Width x depth (mm)	N# of masterboxes	N# of sales units	
Concealed cisterns							
Intraslim Back To Wall - Wet Wall	Box	1	725 x 570 x 105	800 x 1200	36	36	36
Intraslim Back To Wall - Light Wall	Box	1	725 x 570 x 105	800 x 1200	36	36	36
Intraslim Wal Hung - Wet Wall	Box	1	725 x 570 x 105	1000 x 1200	32	32	32
Intraslim Wal Hung - Light Wall - Low Depth	Box	1	1150 x 605 x 145	1000 x 1200	20	20	20
SCB350	Box	1	725 x 570 x 105	1000 x 1200	60	60	60
536 - Supporting Wall Fixation	Box	1	1105 x 393 x 164	800 x 1200	20	20	20
536 - Supporting Ground/ Wall Fixation	Box	1	1115 x 405 x 170	800 x 1200	20	20	20
536 - Supporting Ground Fixation	Box	1	1100 x 390 x 193	800 x 1200	20	20	20
Verso 350	Box	1	1085 x 195 x 365	800 x 1200	20	20	20
Verso 350 - Supporting Ground Fixation	Box	1	1100 x 165 x 356	800 x 1200	20	20	20
Ingenio - any version	Box	1	1145 x 570 x 163	800 x 1200	20	20	20
Intra - any version	Box	1	483 x 437 x 130	1000 x 1200	80	80	80
Verso 800 - any version	Box	1	797 x 440 x 192	800 x 1200	19	19	19
790 - Supporting Wall Fixation	Box	1	795 x 505 x 155	800 x 1200	24	24	24
790 - Supporting Ground/ Wall Fixation	Box	1	805 x 626 x 196	800 x 1200	20	20	20
Flush plates							
Automatic flush plate - Glass - Glass & Light	Box	1	439 x 237 x 312	1000 x 1200	64	64	64
Automatic flush plate - Access	Box	1	324 x 237 x 312	1000 x 1200	72	72	72
Reffet 90 & 360 - Closing plates	Box	10	510 x 400 x 350	800 x 1200	22	220	220
Smart / Square / Segment / Smarty / Globe / Yin Yang / Moon / Lemon / Vandalproof Monovolume	Box	40	510 x 400 x 470	1000 x 1200	18	720	40
Remote - Pneumatic	Box	18	410 x 400 x 290	800 x 1200	32	576	576
Remote - Pneumatic - Vandalproof	Box	upon demand					
Remote - cable	Box	upon demand					

Non contractual pictures.
Products can be modified without any announcement.



4, quai Antoine 1^{er} / B.P. 219
MC 98007 MONACO Cedex

Tél. : +377 93 15 53 75
Fax : +377 92 05 71 04

contact@siamp.com
www.siamp.com