

Mechanical Piping Systems

Save time and increase profits by using Victaulic wherever possible. Everyone wins.



Contractors

- Faster installation times translates to fewer man-hours and less exposure to risk
- Meet and exceed tight project schedules with proprietary pipe joining technologies
- Improve jobsite safety—join pipe without the use of a flame
- Reduce risk by utilizing Victaulic as a single supplier for all piping systems
- Minimize risk to your schedule and your bottom line by making Victaulic your integrated project delivery partner

Owners

- Reduce owner liability and risk of injury by eliminating hotworks
- Reduce downtime on system retrofits and expansions
- Create a more sustainable environment
- Generate revenue faster with a shorter building construction schedule

Engineers

- Reduce risk with visual verification of joint integrity
- Accommodate piping system movement in smaller spaces, with less stress on components
- Specify with confidence; Victaulic products are expertly designed and engineered
- Provide system solutions where needed with enhanced design versatility



There is only one Victaulic.

WWW.VICTAULIC.COM

Grooved Pipe Joining Technology

How does it work?

The groove is made by cold forming or machining a groove into the end of a pipe.

A gasket encompassed by the coupling housing is wrapped around the two grooved pipe ends, and the key sections of the coupling housing engage the grooves.

The bolts and nuts are tightened with a socket wrench or impact wrench.

TYPES OF GROOVED COUPLINGS


- Flexible coupling allows for controlled linear and angular movement, which accommodates pipeline deflection as well as thermal expansion and contraction.
- Rigid coupling does not allow for movement, similar to a flanged or welded joint.



Your design benefits from our product features


FLEXIBILITY

Accommodates for predictable, controlled thermal piping movement.




NOISE AND VIBRATION ATTENUATION

Reduces the transmission of noise and vibration throughout a piping system.



SEISMIC STRESS ABSORPTION

Features significant pressure restraint and end load capacity, capable of withstanding piping movement generated from seismic forces.





www.victaulic.com

The Victaulic Difference

Over 85 years of innovation.



A wider, wedge-shaped groove facilitates proper coupling positioning and offers unprecedented assembly, as well as speed and reliability, giving contractors the speed they want, and engineers the performance they need. **Two-piece** coupling housing for all sizes. **Twice** the end load capabilities. $14-60"/350-1525 \, \text{mm}$ sizes. Patented

WWW.VICTAULIC.COM/AGS



Characterized by a single unit coupling design, installation-ready technology allows an installer to assemble a coupling by simply inserting the coupling onto the grooved end of a pipe, fitting, valve or accessory and then tightening the nuts. Up to **10 times** faster to install than other joining methods. $1\frac{1}{4}-8\frac{\pi}{32}-200$ mm sizes, depending on the coupling style. Patented

WWW.VICTAULIC.COM/INSTALLATIONREADY



Hydronic Balancing

Victaulic provides balancing products that allow contractors to improve productivity on the jobsite, and that allow engineers to accurately control building temperatures, while optimizing energy efficiency. Balancing valves enhance comfort and **cut energy costs** through precise control of building temperature.

Victaulic KOIL-KIT™ Coil Packs provide a **customizable coil solution** delivered to the jobsite as a pre-connected unit for faster and easier installation.

WWW.VICTAULIC.COM/BALANCING









Technology timeline

Victaulic introduces the first grooved end coupling, the "Victory Joint"

AWWA-size ductile iron system introduced 1930

1946 First field-grade cut groovers brought to market

Victaulic introduces roll grooving 1957

First mechanical coupling for joining high density polyethylene (HDPE) pipe 1979


First angled-bolt pad rigid coupling introduced 1983

Victaulic introduces first small diameter IPS-size pipe press connect system 1991

Advanced Groove System for large diameter piping systems is introduced 2005

Couplings featuring patented installation-ready technology are introduced

Victaulic introduces Vic-Press™ for Schedule 10S stainless steel 2011



Since 1925, Victaulic has been at the forefront of mechanical piping systems innovation with more than 1,000 patents for piping related products.

The Victaulic Difference

A global solutions provider depended on for over 85 years.




Victaulic is specified for the world's most demanding projects.

IN EVERY PART OF THE WORLD

• Global manufacturing and a growing sales network

VICTAULIC IS AN ISO 9001 CERTIFIED COMPANY

• All global locations earn the highest certified ratings possible



Heating and Cooling Systems

By specifying and installing Victaulic systems, engineers, owners and installing contractors conserve time and financial resources through:

- Compressed construction schedules
- Lower total installed cost
- A safer work environment

www.victaulic.com

• Reduced system downtime



Heating

A complete product line for \(^34-60''/20-1525\) mm size heating applications.

APPLICATIONS

- Hot (hydronic) heating
- Glycol systems
- Boiler piping systems
- Fan coils
- Coil headers





Cooling

A complete product line for $\frac{3}{4}-60^{\circ}/20-1525\,\text{mm}$ size cooling applications.

APPLICATIONS

- Chilled cooling water
- Condenser water
- Glycol systems
- Cooling towers
- Brine systems
- Special coolant systems
- Central chiller
- Ice chiller systems
- Air handling units



Victaulic Grooved Systems

- Require 45 percent less man-hours on average over welding
- Eliminate costly fire watch and hazardous fumes and flames
- Reduce material handling by 30-70 percent
- Reduce energy consumption



VICTAULIC

Plumbing Systems

By eliminating the need to braze or solder, contractors can reduce the risk of rework.

Victaulic systems are also the fastest joining method available, installing nearly twice as fast as welding, brazing or soldering, and 20 percent faster than "press" products.

WWW.VICTAULIC.COM/PLUMBING



Plumbing

A complete product line for $\frac{1}{2}$ -60"/15-1525 mm size plumbing applications.

APPLICATIONS

- Potable water systems
- Storm water systems
- Roof drains
- Vacuum plumbing systems
- Drain, waste and vent systems





Fire Protection Systems

Victaulic provides an exhaustive and innovative product line exclusively designed for Fire Protection systems.



WWW.VICTAULIC.COM/FP

Fire Protection

A complete product line for $\frac{1}{2}-8$ "/15-200 mm size fire protection applications.

THE PRODUCT LINE INCLUDES

- Devices, valves, couplings, fittings, flexible sprinkler fittings, hole cut products and a full offering of automatic sprinklers
- Complete system solutions for wet and dry pipe applications
- Pipe preparation tools and accessories






System Solutions

Meet and exceed tight schedules.


Standard grooved couplings install up to 5 times faster than welded joints and up to 3 times faster than flanged. Victaulic couplings featuring installation-ready technology install in half the time of standard grooved couplings.



WWW.VICTAULIC.COM/SCHEDULE

Improve safety and reduce risk.

By specifying Victaulic products and eliminating hotworks, an engineer can reduce risks during the design phase, contributing to a reduction in an owner's potential liability and costs. Eliminating hotworks when possible reduces risk for clients, occupants and contractors.



WWW.VICTAULIC.COM/SAFETY

Create a more sustainable environment.

VICTAULIC PRODUCTS...

- Are made from 90 percent recycled material using Lean, responsible manufacturing processes.
- Keep building systems operating at peak efficiency because they allow for easy access to the system for unscheduled and routine maintenance.
- Match the life of the buildings in which they are installed, are recyclable, and can be re-used.
- Eliminate dangerous fumes and reduce energy consumption.





Engineered by Victaulic to reduce risk and meet the needs of the end-user.

- Victaulic engineers elastomer formulations, designs gasket/seal geometries, and manufactures its own gaskets.
- Victaulic produces all of its own prototypes.
- Victaulic conducts metallurgical tests on every pour from its foundries.
- Victaulic uses product testing standards and industry specifications in addition to its own engineering expertise and strict requirements.
- Victaulic is a vertically integrated company, supporting continuous process improvement and consistent global manufacturing.
- Victaulic utilizes state-of-the-art analytical equipment.
- Victaulic relies on historical data from nearly one century of product development and manufacturing.

There is only one piping product manufacturer whose commitment to quality adds this kind of value, and that company is Victaulic.





VICTAULIC

System Solutions

ENGINEERED TO MEET REAL NEEDS



Accommodate piping movement with less stress on components.

The dimensions of the Victaulic coupling key are narrower than the pipe groove, allowing room for that coupling key to move in the groove while maintaining the pressurized seal of the gasket.

Additionally, the width of the coupling housing allows for pipe end separation, therefore leaving room for controlled linear and angular movement.

The mechanical coupling remains a self-restrained joint and the unique pressure responsive design provides sealing even under deflection and pipe movement.

VICTAULIC COUPLINGS ACCOMMODATE FOR THERMAL PIPING MOVEMENT IN FOUR WAYS:

- Providing an expansion joint that utilizes grooved mechanical pipe components
- Allowing the system to "free-float"
- Utilizing the linear movement/deflection capabilities of flexible grooved couplings
- Providing an expansion loop that utilizes grooved mechanical components

WWW.VICTAULIC.COM/THERMAL






Maintain operational integrity of piping systems during a seismic event.

Testing performed at the Real-Time Multi-Directional Experimental Laboratory at the Center for Advanced Technology for Large Structural Systems at Lehigh University in Bethlehem, Pennsylvania, USA proved the suitability of Victaulic grooved mechanical couplings to maintain operational integrity of piping systems during seismic events.



Dampen overall vibration amplitude by 80-90 percent.

Seattle-based SSA Acoustics LLP conducted field measurements and concluded that when placed in a formation of three couplings linked near to each other in close proximity to the source of vibration, Victaulic mechanical piping systems deliver unsurpassed vibration isolation and sound attenuation characteristics.



WWW.VICTAULIC.COM/NOISEANDVIBRATION

Your Integrated Project Delivery Partner

Minimize risk to your schedule and your bottom line.

Victaulic works with your business from design through construction to ensure your project runs as efficiently as possible.



Design to construction

Estimating

3D Modeling for multiple platforms (Revit, MEP, etc.)

BIM Coordination Packages can help to reduce man-hours, calendar days and unexpected costs.

Product Specification and Selection Services

Value Engineering such as accommodating system movement, vibration attenuation, system flexibility, alignment ease etc.





Lean construction

Lean Prefabrication Concepts can increase through-put by removing bottlenecks.

- Lean manufacturing concepts applied to fabrication shop and field
- Lean fabrication shop evaluations
- VicFabrication Cell

Virtual Truck Loading Software allows for "one-touch" fabrication. patent-pending

Integrated supply chain

Safer System Installations translates to fewer man-hours, lower costs and less exposure to risk.


Bag and Tag Services minimize material handling.

Coordinated Shipments deliver products when and where you need them.

Training and Continuing Education Opportunities

Inspection Services places a guarantee on the pipe installation for the life of the system.

Full Scope Product Offering





Piping. Systems. Solutions.

Visit www.victaulic.com

- Searchable product and global project database
- Downloadable product submittals and literature
- Piping software demos and modules
- Engineering support

VICTAULIC

BELGIUM (EUROPE HEADQUARTERS)

Prijkelstraat 36 B9810 Nazareth (Belgium) 32 93 81 15 00 49 6151 9573 0 (within Germany)

viceuro@victaulic.com

UNITED KINGDOM

Units B1 & B2, SG1 Industrial Park Cockerell Close Gunnels Wood Road, Stevenage Hertfordshire SG1 2NB (UK) 44 1438 310 690 viceuro@victaulic.com

UNITED ARAB EMIRATES

971 4 883 88 70

viceuro@victaulic.com

FZ LIU10 AA01, AA02, AA03, AA04 and AA05 Al Munawala Street Jebel Ali Freezone – Southzone PO BOX 17683 Jebel Ali, Dubai **UAE-United Arab Emirates**

www.victaulic.com

Unit 808, Building B Hongwell International Plaza No. 1602 West Zhongshan Road Shanghai, China 200235 86 21 6021 9400 vicap@victaulic.com

India Land Global Industrial Park Plot 4, Hinjewadi, Phase-1, Mulshi Pune 411057, India 91 20 67 919 300 viceuro@victaulic.com

UNITED STATES AND WORLD HEADQUARTERS

4901 Kesslersville Road Easton, PA 18040 USA 1 800 PICK VIC 1 800 742 5842 (within North America) 1 610 559 3300 pickvic@victaulic.com

CANADA

123 Newkirk Road Richmond Hill, ON L4C 3G5 (Canada) 1 905 884 7444 viccanada@victaulic.com

