

SMART

 **BIAL**
EVERYTHING IN PLACE

CONFIGURATION SMART RAIL S



DESIGN YOUR OWN CONFIGURATION



BIAL accessories - more space for your towels



BIAL design valves



Available in all BIAL colours




CODE GENERATOR

CONFIGURATION SMART: **RAIL S**

BIAL
EVERYTHING IN PLACE

ORDER GENERATOR **TUBE RADIATOR**

31 XXX YYYY ZZ



YYYY	A (mm)	H (mm)	B (mm)	C (mm)	D (mm)	m (kg)	n exp.	(Watt)	(Watt)
4509	450	974	400 / 50	70-90	85-105	7.47	1.2644	388	400
4513	450	1374	400 / 50	70-90	85-105	10.47	1.2366	583	600
4516	450	1694	400 / 50	70-90	85-105	13.07	1.2461	718	800
6009	600	974	550 / 50	70-90	85-105	9.34	1.2562	521	600
6013	600	1374	550 / 50	70-90	85-105	12.92	1.2387	751	800
6016	600	1694	550 / 50	70-90	85-105	15.66	1.2467	916	800
7509	750	974	700 / 50	70-90	85-105	11.27	1.2461	655	600
7513	750	1374	700 / 50	70-90	85-105	15.77	1.2409	919	800
7516	750	1694	700 / 50	70-90	85-105	19.07	1.2472	1113	1000



ALTA midd **XXX= 022**




ALTA **XXX= 021**

ZZ	01	02	03	04
	white	anthracite	sandy	platinum



ORDER GENERATOR **ACCESSORIES SET: RAIL S**

33 002 YYYY ZZ



YYYY	A (mm)	D (mm)	m (kg)
4500	450	295-315	2.87
6000	600	295-315	3.16
7500	750	295-315	3.45

ZZ	01	02	03	04
	white	anthracite	sandy	platinum



ELECTRIC HEATER

typ ILS
230V, 50Hz,
IPX5, class II



26 005 **YYYY ZZ**

typ ELS
230V, 50Hz,
IPX5, class I



26 006 **YYYY ZZ**

YYYY	0400	0600	0800	1000
Watt	400	600	800	1000

ZZ	01	05	06
	white	chrome	black



VALVE



28 001 001 **ZZ**



28 002 001 **ZZ**



28 005 001 **ZZ**



28 006 001 **ZZ**

ZZ	01	05
	white	chrome

CONFIGURATION SMART SHELF



DESIGN YOUR OWN CONFIGURATION



Electric heater with
2-hour drying function



Smart accessories: BOX



BIAL design valves




CODE GENERATOR

CONFIGURATION SMART: **SHELF**

BIAL
EVERYTHING IN PLACE

ORDER GENERATOR TUBE RADIATOR

31 XXX YYYY ZZ



YYYY	A (mm)	H (mm)	B (mm)	C (mm)	D (mm)	m (kg)	n exp.	(Watt)	(Watt)
4509	450	974	400 / 50	70-90	85-105	7.47	1.2644	388	400
4513	450	1374	400 / 50	70-90	85-105	10.47	1.2366	583	600
4516	450	1694	400 / 50	70-90	85-105	13.07	1.2461	718	800
6009	600	974	550 / 50	70-90	85-105	9.34	1.2562	521	600
6013	600	1374	550 / 50	70-90	85-105	12.92	1.2387	751	800
6016	600	1694	550 / 50	70-90	85-105	15.66	1.2467	916	800
7509	750	974	700 / 50	70-90	85-105	11.27	1.2461	655	600
7513	750	1374	700 / 50	70-90	85-105	15.77	1.2409	919	800
7516	750	1694	700 / 50	70-90	85-105	19.07	1.2472	1113	1000



ALTA midd **XXX= 022**



ALTA **XXX= 021**

ZZ	01	02	03	04
	white	anthracite	sandy	platinum



ORDER GENERATOR ACCESSORIES SET: SHELF

33 001 YYYY ZZ



YYYY	A (mm)	D (mm)	m (kg)
4500	450	295-315	0.72
6000	600	295-315	0.97
7500	750	295-315	1.23

ZZ	01	02	03	04
	white	anthracite	sandy	platinum



ELECTRIC HEATER

typ ILS
230V, 50Hz,
IPX5, class II



26 005 YYYY ZZ

typ ELS
230V, 50Hz,
IPX5, class I



26 006 YYYY ZZ

YYYY	0400	0600	0800	1000
Watt	400	600	800	1000

ZZ	01	05	06
	white	chrome	black



VALVE



28 001 001 ZZ



28 002 001 ZZ



28 005 001 ZZ



28 006 001 ZZ

ZZ	01	05
	white	chrome

CONFIGURATION SMART DUO

BIAL
EVERYTHING IN PLACE



DESIGN YOUR OWN CONFIGURATION



Available in all BIAL
colours



Smart accessories: BOX



Electric heater with
2-hour drying function




CODE GENERATOR

CONFIGURATION SMART: DUO

BIAL
EVERYTHING IN PLACE

ORDER GENERATOR TUBE RADIATOR

31 XXX YYYY ZZ



YYYY	A (mm)	H (mm)	B (mm)	C (mm)	D (mm)	m (kg)	n exp.	(Watt)	(Watt)
4509	450	974	400 / 50	70-90	85-105	7.47	1.2644	388	400
4513	450	1374	400 / 50	70-90	85-105	10.47	1.2366	583	600
4516	450	1694	400 / 50	70-90	85-105	13.07	1.2461	718	800
6009	600	974	550 / 50	70-90	85-105	9.34	1.2562	521	600
6013	600	1374	550 / 50	70-90	85-105	12.92	1.2387	751	800
6016	600	1694	550 / 50	70-90	85-105	15.66	1.2467	916	800
7509	750	974	700 / 50	70-90	85-105	11.27	1.2461	655	600
7513	750	1374	700 / 50	70-90	85-105	15.77	1.2409	919	800
7516	750	1694	700 / 50	70-90	85-105	19.07	1.2472	1113	1000



ALTA midd **XXX= 022**




ALTA **XXX= 021**

ZZ	01	02	03	04
	white	anthracite	sandy	platinum



ORDER GENERATOR ACCESSORIES SET: DUO

33 033 YYYY ZZ



YYYY	A (mm)	D (mm)	m (kg)
4500	450	295-315	1.36
6000	600	295-315	2.1
7500	750	295-315	2.39

ZZ	01	02	03	04
	white	anthracite	sandy	platinum



ELECTRIC HEATER

typ ILS
230V, 50Hz,
IPX5, class II



26 005 YYYY ZZ

typ ELS
230V, 50Hz,
IPX5, class I



26 006 YYYY ZZ

YYYY	0400	0600	0800	1000
Watt	400	600	800	1000

ZZ	01	05	06
	white	chrome	black



VALVE



28 001 001 ZZ



28 002 001 ZZ



28 005 001 ZZ



28 006 001 ZZ

ZZ	01	05
	white	chrome



DESIGN YOUR OWN CONFIGURATION



Available in all BIAL
colours



Smart accessories:
DRYER



BIAL design valves




CODE GENERATOR

CONFIGURATION SMART: HOME

BIAL
EVERYTHING IN PLACE

ORDER GENERATOR TUBE RADIATOR

31 XXX YYYY ZZ



YYYY	A (mm)	H (mm)	B (mm)	C (mm)	D (mm)	m (kg)	n exp.	(Watt)	(Watt)
4509	450	974	400 / 50	70-90	85-105	7.47	1.2644	388	400
4513	450	1374	400 / 50	70-90	85-105	10.47	1.2366	583	600
4516	450	1694	400 / 50	70-90	85-105	13.07	1.2461	718	800
6009	600	974	550 / 50	70-90	85-105	9.34	1.2562	521	600
6013	600	1374	550 / 50	70-90	85-105	12.92	1.2387	751	800
6016	600	1694	550 / 50	70-90	85-105	15.66	1.2467	916	800
7509	750	974	700 / 50	70-90	85-105	11.27	1.2461	655	600
7513	750	1374	700 / 50	70-90	85-105	15.77	1.2409	919	800
7516	750	1694	700 / 50	70-90	85-105	19.07	1.2472	1113	1000



ALTA midd XXX= 022




ALTA XXX= 021

ZZ	01	02	03	04
	white	anthracite	sandy	platinum



ORDER GENERATOR ACCESSORIES SET: HOME

33 015 YYYY ZZ



YYYY	A (mm)	D (mm)	m (kg)
4500	450	295-315	0.91
6000	600	295-315	1.2
7500	750	295-315	1.49

ZZ	01	02	03	04
	white	anthracite	sandy	platinum



ELECTRIC HEATER

typ ILS
230V, 50Hz,
IPX5, class II



26 005 YYYY ZZ

typ ELS
230V, 50Hz,
IPX5, class I



26 006 YYYY ZZ

YYYY	0400	0600	0800	1000
Watt	400	600	800	1000

ZZ	01	05	06
	white	chrome	black



VALVE



28 001 001 ZZ



28 002 001 ZZ



28 005 001 ZZ



28 006 001 ZZ

ZZ	01	05
	white	chrome

CONFIGURATION SMART TWO

BIAL
EVERYTHING IN PLACE



DESIGN YOUR OWN CONFIGURATION



Available in all BIAL
colours



Smart accessories: BOX



Electric heater with
2-hour drying function




CODE GENERATOR

CONFIGURATION SMART: **TWO**

BIAL
EVERYTHING IN PLACE

ORDER GENERATOR TUBE RADIATOR

31 XXX YYYY ZZ



YYYY	A (mm)	H (mm)	B (mm)	C (mm)	D (mm)	m (kg)	n exp.	(Watt)	(Watt)
4509	450	974	400 / 50	70-90	85-105	7.47	1.2644	388	400
4513	450	1374	400 / 50	70-90	85-105	10.47	1.2366	583	600
4516	450	1694	400 / 50	70-90	85-105	13.07	1.2461	718	800
6009	600	974	550 / 50	70-90	85-105	9.34	1.2562	521	600
6013	600	1374	550 / 50	70-90	85-105	12.92	1.2387	751	800
6016	600	1694	550 / 50	70-90	85-105	15.66	1.2467	916	800
7509	750	974	700 / 50	70-90	85-105	11.27	1.2461	655	600
7513	750	1374	700 / 50	70-90	85-105	15.77	1.2409	919	800
7516	750	1694	700 / 50	70-90	85-105	19.07	1.2472	1113	1000



ALTA midd **XXX** = 022




ALTA **XXX** = 021

ZZ	01	02	03	04
	white	anthracite	sandy	platinum



ORDER GENERATOR ACCESSORIES SET: TWO

33 032 YYYY ZZ



YYYY	A (mm)	D (mm)	m (kg)
4500	450	295-315	0.91
6000	600	295-315	1.2
7500	750	295-315	1.49

ZZ	01	02	03	04
	white	anthracite	sandy	platinum



ELECTRIC HEATER

typ ILS
230V, 50Hz,
IPX5, class II



26 005 YYYY ZZ

typ ELS
230V, 50Hz,
IPX5, class I



26 006 YYYY ZZ

YYYY	0400	0600	0800	1000
Watt	400	600	800	1000

ZZ	01	05	06
	white	chrome	black



VALVE



28 001 001 ZZ



28 002 001 ZZ



28 005 001 ZZ



28 006 001 ZZ

ZZ	01	05
	white	chrome

CONFIGURATION SMART FAMILY

BIAL
EVERYTHING IN PLACE



DESIGN YOUR OWN CONFIGURATION



Available in all BIAL
colours



BIAL design valves



Electric heater with
2-hour drying function




CODE GENERATOR

CONFIGURATION SMART: **FAMILY**

BIAL
EVERYTHING IN PLACE

ORDER GENERATOR **TUBE RADIATOR**

31 XXX YYYY ZZ



YYYY	A (mm)	H (mm)	B (mm)	C (mm)	D (mm)	m (kg)	n exp.	(Watt)	(Watt)
4509	450	974	400 / 50	70-90	85-105	7.47	1.2644	388	400
4513	450	1374	400 / 50	70-90	85-105	10.47	1.2366	583	600
4516	450	1694	400 / 50	70-90	85-105	13.07	1.2461	718	800
6009	600	974	550 / 50	70-90	85-105	9.34	1.2562	521	600
6013	600	1374	550 / 50	70-90	85-105	12.92	1.2387	751	800
6016	600	1694	550 / 50	70-90	85-105	15.66	1.2467	916	800
7509	750	974	700 / 50	70-90	85-105	11.27	1.2461	655	600
7513	750	1374	700 / 50	70-90	85-105	15.77	1.2409	919	800
7516	750	1694	700 / 50	70-90	85-105	19.07	1.2472	1113	1000



ALTA midd **XXX= 022**




ALTA **XXX= 021**

ZZ	01	02	03	04
	white	anthracite	sandy	platinum



ORDER GENERATOR **ACCESSORIES SET: FAMILY**

33 014 YYYY ZZ



YYYY	A (mm)	D (mm)	m (kg)
4500	450	295-315	1.13
6000	600	295-315	1.46
7500	750	295-315	1.78

ZZ	01	02	03	04
	white	anthracite	sandy	platinum



ELECTRIC HEATER

typ ILS
230V, 50Hz,
IPX5, class II



26 005 **YYYY ZZ**

typ ELS
230V, 50Hz,
IPX5, class I



26 006 **YYYY ZZ**

YYYY	0400	0600	0800	1000
Watt	400	600	800	1000

ZZ	01	05	06
	white	chrome	black



VALVE



28 001 001 **ZZ**



28 002 001 **ZZ**



28 005 001 **ZZ**



28 006 001 **ZZ**

ZZ	01	05
	white	chrome

white chrome

CONFIGURATION SMART PASSION



DESIGN YOUR OWN CONFIGURATION



Available in all BIAL
colours



BIAL design valves



Electric heater with
2-hour drying function




CODE GENERATOR

CONFIGURATION SMART: **PASSION**

BIAL
EVERYTHING IN PLACE

ORDER GENERATOR TUBE RADIATOR

31 XXX YYYY ZZ



YYYY	A (mm)	H (mm)	B (mm)	C (mm)	D (mm)	m (kg)	n exp.	(Watt)	(Watt)
4509	450	974	400 / 50	70-90	85-105	7.47	1.2644	388	400
4513	450	1374	400 / 50	70-90	85-105	10.47	1.2366	583	600
4516	450	1694	400 / 50	70-90	85-105	13.07	1.2461	718	800
6009	600	974	550 / 50	70-90	85-105	9.34	1.2562	521	600
6013	600	1374	550 / 50	70-90	85-105	12.92	1.2387	751	800
6016	600	1694	550 / 50	70-90	85-105	15.66	1.2467	916	800
7509	750	974	700 / 50	70-90	85-105	11.27	1.2461	655	600
7513	750	1374	700 / 50	70-90	85-105	15.77	1.2409	919	800
7516	750	1694	700 / 50	70-90	85-105	19.07	1.2472	1113	1000



ALTA midd **XXX= 022**




ALTA **XXX= 021**

ZZ	01	02	03	04
	white	anthracite	sandy	platinum



ORDER GENERATOR ACCESSORIES SET: PASSION

33 011 YYYY ZZ



YYYY	A (mm)	D (mm)	m (kg)
4500	450	295-315	2.87
6000	600	295-315	3.16
7500	750	295-315	3.45

ZZ	01	02	03	04
	white	anthracite	sandy	platinum



ELECTRIC HEATER

typ ILS
230V, 50Hz,
IPX5, class II



26 005 YYYY ZZ

typ ELS
230V, 50Hz,
IPX5, class I



26 006 YYYY ZZ

YYYY	0400	0600	0800	1000
Watt	400	600	800	1000

ZZ	01	05	06
	white	chrome	black



VALVE



28 001 001 ZZ



28 002 001 ZZ



28 005 001 ZZ



28 006 001 ZZ

ZZ	01	05
	white	chrome

CONFIGURATION SMART TRAVEL



DESIGN YOUR OWN CONFIGURATION



Available in all BIAL
colours



Smart accessories:
DRYER



BIAL design valves




CODE GENERATOR

CONFIGURATION SMART: TRAVEL

BIAL
EVERYTHING IN PLACE

ORDER GENERATOR TUBE RADIATOR

31 XXX YYYY ZZ



YYYY	A (mm)	H (mm)	B (mm)	C (mm)	D (mm)	m (kg)	n exp.	(Watt)	(Watt)
4509	450	974	400 / 50	70-90	85-105	7.47	1.2644	388	400
4513	450	1374	400 / 50	70-90	85-105	10.47	1.2366	583	600
4516	450	1694	400 / 50	70-90	85-105	13.07	1.2461	718	800
6009	600	974	550 / 50	70-90	85-105	9.34	1.2562	521	600
6013	600	1374	550 / 50	70-90	85-105	12.92	1.2387	751	800
6016	600	1694	550 / 50	70-90	85-105	15.66	1.2467	916	800
7509	750	974	700 / 50	70-90	85-105	11.27	1.2461	655	600
7513	750	1374	700 / 50	70-90	85-105	15.77	1.2409	919	800
7516	750	1694	700 / 50	70-90	85-105	19.07	1.2472	1113	1000



ALTA midd XXX= 022




ALTA XXX= 021

ZZ	01	02	03	04
	white	anthracite	sandy	platinum



ORDER GENERATOR ACCESSORIES SET: TRAVEL

33 012 YYYY ZZ



YYYY	A (mm)	D (mm)	m (kg)
4500	450	295-315	2.68
6000	600	295-315	2.93
7500	750	295-315	3.19

ZZ	01	02	03	04
	white	anthracite	sandy	platinum



ELECTRIC HEATER

typ ILS
230V, 50Hz,
IPX5, class II



26 005 YYYY ZZ

typ ELS
230V, 50Hz,
IPX5, class I



26 006 YYYY ZZ

YYYY	0400	0600	0800	1000
Watt	400	600	800	1000

ZZ	01	05	06
	white	chrome	black



VALVE



28 001 001 ZZ



28 002 001 ZZ



28 005 001 ZZ



28 006 001 ZZ

ZZ	01	05
	white	chrome

CONFIGURATION SMART RUN



DESIGN YOUR OWN CONFIGURATION



BIAL design valves



Available in all BIAL
colours



Electric heater with
2-hour drying function




CODE GENERATOR

CONFIGURATION SMART: **RUN**

BIAL
EVERYTHING IN PLACE

ORDER GENERATOR TUBE RADIATOR

31 XXX YYYY ZZ



YYYY	A (mm)	H (mm)	B (mm)	C (mm)	D (mm)	m (kg)	n exp.	P ₁ (Watt)	P ₂ (Watt)
4509	450	974	400 / 50	70-90	85-105	7.47	1.2644	388	400
4513	450	1374	400 / 50	70-90	85-105	10.47	1.2366	583	600
4516	450	1694	400 / 50	70-90	85-105	13.07	1.2461	718	800
6009	600	974	550 / 50	70-90	85-105	9.34	1.2562	521	600
6013	600	1374	550 / 50	70-90	85-105	12.92	1.2387	751	800
6016	600	1694	550 / 50	70-90	85-105	15.66	1.2467	916	800
7509	750	974	700 / 50	70-90	85-105	11.27	1.2461	655	600
7513	750	1374	700 / 50	70-90	85-105	15.77	1.2409	919	800
7516	750	1694	700 / 50	70-90	85-105	19.07	1.2472	1113	1000



ALTA midd **XXX= 022**




ALTA **XXX= 021**

ZZ	01	02	03	04
	white	anthracite	sandy	platinum



ORDER GENERATOR ACCESSORIES SET: RUN

33 035 YYYY ZZ



D (mm)	m (kg)
185-205	1.45

ZZ	01	02	03	04
	white	anthracite	sandy	platinum



ELECTRIC HEATER

typ ILS
230V, 50Hz,
IPX5, class II



26 005 **YYYY ZZ**

typ ELS
230V, 50Hz,
IPX5, class I



26 006 **YYYY ZZ**

YYYY	0400	0600	0800	1000
Watt P ₁	400	600	800	1000

ZZ	01	05	06
	white	chrome	black



VALVE



28 001 001 **ZZ**



28 002 001 **ZZ**



28 005 001 **ZZ**



28 006 001 **ZZ**

ZZ	01	05
	white	chrome

CONFIGURATION SMART SPORT

BIAL
EVERYTHING IN PLACE



DESIGN YOUR OWN CONFIGURATION



BIAL design valves



Available in all BIAL
colours



Electric heater with
2-hour drying function




CODE GENERATOR

CONFIGURATION SMART: **SPORT**

BIAL
EVERYTHING IN PLACE

ORDER GENERATOR TUBE RADIATOR

31 XXX YYYY ZZ



YYYY	A (mm)	H (mm)	B (mm)	C (mm)	D (mm)	m (kg)	n exp.	(Watt)	(Watt)
4509	450	974	400 / 50	70-90	85-105	7.47	1.2644	388	400
4513	450	1374	400 / 50	70-90	85-105	10.47	1.2366	583	600
4516	450	1694	400 / 50	70-90	85-105	13.07	1.2461	718	800
6009	600	974	550 / 50	70-90	85-105	9.34	1.2562	521	600
6013	600	1374	550 / 50	70-90	85-105	12.92	1.2387	751	800
6016	600	1694	550 / 50	70-90	85-105	15.66	1.2467	916	800
7509	750	974	700 / 50	70-90	85-105	11.27	1.2461	655	600
7513	750	1374	700 / 50	70-90	85-105	15.77	1.2409	919	800
7516	750	1694	700 / 50	70-90	85-105	19.07	1.2472	1113	1000



ALTA midd **XXX= 022**

ALTA **XXX= 021**




ZZ	01	02	03	04
	white	anthracite	sandy	platinum



ORDER GENERATOR ACCESSORIES SET: SPORT

33 013 YYYY ZZ



YYYY	A (mm)	D (mm)	m (kg)
4500	450	295-315	1.36
6000	600	295-315	2.1
7500	750	295-315	2.39

ZZ	01	02	03	04
	white	anthracite	sandy	platinum



ELECTRIC HEATER

typ ILS
230V, 50Hz,
IPX5, class II



26 005 YYYY ZZ

typ ELS
230V, 50Hz,
IPX5, class I



26 006 YYYY ZZ

YYYY	0400	0600	0800	1000
Watt	400	600	800	1000

ZZ	01	05	06
	white	chrome	black



VALVE



28 001 001 ZZ



28 002 001 ZZ



28 005 001 ZZ



28 006 001 ZZ

ZZ	01	05
	white	chrome

white chrome

CONFIGURATION SMART ALPIN



DESIGN YOUR OWN CONFIGURATION



BIAL design valves



Available in all BIAL
colours



Electric heater with
2-hour drying function




CODE GENERATOR

CONFIGURATION SMART: **ALPIN**


BIAL
EVERYTHING IN PLACE

ORDER GENERATOR TUBE RADIATOR

31 XXX YYYY ZZ



YYYY	A (mm)	H (mm)	B (mm)	C (mm)	D (mm)	m (kg)	n exp.	(Watt)	(Watt)
4509	450	974	400 / 50	70-90	85-105	7.47	1.2644	388	400
4513	450	1374	400 / 50	70-90	85-105	10.47	1.2366	583	600
4516	450	1694	400 / 50	70-90	85-105	13.07	1.2461	718	800
6009	600	974	550 / 50	70-90	85-105	9.34	1.2562	521	600
6013	600	1374	550 / 50	70-90	85-105	12.92	1.2387	751	800
6016	600	1694	550 / 50	70-90	85-105	15.66	1.2467	916	800
7509	750	974	700 / 50	70-90	85-105	11.27	1.2461	655	600
7513	750	1374	700 / 50	70-90	85-105	15.77	1.2409	919	800
7516	750	1694	700 / 50	70-90	85-105	19.07	1.2472	1113	1000



ALTA midd **XXX= 022**




ALTA **XXX= 021**

ZZ	01	02	03	04
	white	anthracite	sandy	platinum



ORDER GENERATOR ACCESSORIES SET: ALPIN

33 032 2032 ZZ



D (mm)	m (kg)
185-205	2.9

ZZ	01	02	03	04
	white	anthracite	sandy	platinum



ELECTRIC HEATER

typ ILS
230V, 50Hz,
IPX5, class II



26 005 YYYY ZZ

typ ELS
230V, 50Hz,
IPX5, class I



26 006 YYYY ZZ

YYYY	0400	0600	0800	1000
Watt	400	600	800	1000

ZZ	01	05	06
	white	chrome	black



VALVE



28 001 001 ZZ



28 002 001 ZZ



28 005 001 ZZ



28 006 001 ZZ

ZZ	01	05
	white	chrome