



ATF

The pictures have merely explanatory purposes and can be changed with no warning


ATF
X-DRIVE
Cod. 02.023.65
MADE IN ITALY

ATF
S-DRIVE 5000 SW
Cod. 02.023.53
MADE IN ITALY

ATF
S-DRIVE 4500 SW
Cod. 02.023.90
MADE IN ITALY

ATF
START SW
Cod. 02.023.60
MADE IN ITALY

ATF
REMIN SW
Cod. 02.023.57
MADE IN ITALY


The pictures have merely explanatory purposes and can be changed with no warning


X-DRIVE
cod. 02.023.65

S-DRIVE 4500 SW
cod. 02.023.90

S-DRIVE 5000 SW
cod. 02.023.53

ATF START SW
cod. 02.023.60

ATF RÈMIN SW
cod. 02.023.57

TECHNICAL FEATURES	X-DRIVE cod. 02.023.65	S-DRIVE 4500 SW cod. 02.023.90	S-DRIVE 5000 SW cod. 02.023.53	ATF START SW cod. 02.023.60	ATF RÈMIN SW cod. 02.023.57
Color touch display 5"	Tablet 8" 4G Wi-Fi	✓ 5"	✓ 5"	-	-
Monochromatic graphic display 240x64	-	-	-	✓	-
Software with icons easy to use	✓	✓	✓	✓	-
Multilingual software	✓	✓	✓	✓	-
Pump	1	1	2	1	1
Oil Measurement: 2 electronic scales	✓	✓	✓	✓	visual
Gearbox's outlet oil pressure measurement	✓	✓	✓	✓	✓
ATF's outlet oil pressure measurement	✓	-	✓	-	-
AWS function: Automatic new oil specific weight correction	✓	✓	✓	manual	-
Automatic Warm-Up function (starting of the automatic cycle upon reaching the min. optimal temperature)	✓	✓	✓	-	-
Washing of the new oil suction circuit	✓	✓	✓	-	-
Measurement of the waste oil temperature	✓	✓	✓	✓	-
Dipstick kit	-	-	✓	-	optional
Automatic additive injection	✓	✓	✓	guided manual	guided manual
Possibility to operate in automatic or manual mode	✓	✓	✓	semi-automatic	manual
Input flow reduction regulator (built-in)	✓	-	-	-	-
Integrated diagnosis with messages and related guide for the service	✓	-	-	-	-
Dual 12V DC and 220V AC power supply with low battery alarm and automatic power source recognition	✓	-	-	-	-
Software and database updatable via USB	WiFi	✓	✓	-	-
Flowmeters (old/new)	✓ backlight	✓ backlight	✓ backlight	transparent hoses, 3 mt	✓
New and waste oil tanks	2 x 20lt	2 x 20lt	2 x 30lt	2 x 20lt	2x20lt
New sintered reusable filter with magnet	✓ 2 filters	✓ 2 filters	✓ 2 filters	✓ 2 filters	✓ 2 filters
2 cases of couplings and hoses for European and Asiatic vehicles	✓	✓	✓	✓	v
Printer	✓	Optional	✓	Optional	-
Kit SmartPack (subscription for 12 months)	✓	✓	✓	✓	✓
Software for power steering oil change	-	✓	✓	-	-
Integrated database with brand, version, number of ratios, gearbox type, oil quantity, oil code; the connection to be used and the oil type/brand can be inserted manually by the operator	✓	✓	✓	-	-
Oil flow hose inversion	Automatic (internal)	Built-In	Built-In	Built-In	Built-In
Dimensions, mm	620x520x1210	360x440x1120	610x440x1120	620x510x1000	470x420x1020
Weight	75 kg	45 kg	45 kg	55 kg	50 kg

The pictures have merely explanatory purposes and can be changed with no warning

STANDARD ACCESSORIES

SmartPack Atf

ONLINE DATA BASE

NEW!
2021

Online **DATA BASE** with technical information on automatic transmissions (diagrams, photos, location of fittings, etc.)


NOTE:

SMART PACK is provided free of charge with the purchase of an ATF SPIN and is valid for 12 months from the first activation. The renewal of the paid service is reserved for customers who have purchased an ATF SPIN.

Atf Adapters

STANDARD ACCESSORIES

DOUBLE SEAL FITTINGS


Cod. 02.022.52/new VOLVO V50		cod. 02.022.33/new JAP/MB/LANCIA	cod. 02.022.30/new JAP/BMW	cod. 02.022.31/new JAP/GM	cod. 02.022.32/new JAP/GM	cod. 02.022.29/new JAP/ALFA ROMEO	cod. 02.022.34/new JAP/VOLVO
Cod. 02.022.21/new DSG	Cod. 02.022.11/new AISIN	cod. 02.022.79/new JAP/MB/HUMMER/JEEP	cod. 02.022.84/new JAP/M14X1,5	cod. 02.022.37/new JAP/CITROEN/LANCIA	cod. 02.022.81/new JAP/1/8G	cod. 02.022.44/new BMW/MERCEDES 2001	cod. 02.022.80/new JAP/RUBBER HOSE FITTING
cod. 02.022.58/new BMW 6 MARCE/8 GEARS	cod. 02.022.98/new BMW 6 HP ZF	cod. 02.022.07/.78/.45/ new BMW 2010	cod. 02.022.09/new BMW 3 SERIES	cod. 02.022.18/new OPEL INSIGNA	cod. 02.022.63/new VW TIGUAN/PORSCHE 911	cod. 02.022.13/new AUDI Q5/Q7	cod. 02.022.99/new FIAT 500 X ZF
cod. 02.022.85/new DIPSTICK	cod. 05.090.82 MERCEDES BENZ 96 - TRONIC	Hoses for general applications cod. 02.022.25/new (ø 8) x 2		cod. 02.022.26/new (ø 10)	Hoses for general applications cod. 02.022.27/new (ø 12)		cod. 02.022.28/new (ø 14)

The pictures have merely explanatory purposes and can be changed with no warning



ATF X-Drive


Cod. 02.023.65

Oil Exchanger for Automatic Transmissions with the removable 8" Tablet for the remote control of functions (Bluetooth)

- 8" 4G Wi-Fi Tablet
- Direct consultation of the database online (by 4G or Wi-Fi)
- Remote control of functions and monitoring of ongoing operations via the ATF's removable tablet
- Guided information for the user
- Integrated database
- Automatic oil flow recognition and inversion (electronically)
- Input flow reduction regulator (built-in)
- Integrated diagnosis with messages and related guide for the service
- Improved procedure for replacing new oil tank (other tanks on request)
- Guided functions for manual procedure
- Funzioni guidate for radiator washing procedure and filter replacement
- Specific procedure for DSG
- Dual 12V DC and 220V AC power supply with low battery alarm and automatic power source recognition
- Printer included
- Direct access to waste oil for pan emptying
- Kit of fittings and hoses for European and Asian cars



MADE IN ITALY






Home Page




Automatic cycle



Manual cycle




Washing




Recycling



Utility



Data Base



Online Data Base



Oil Exchanger for Automatic Transmissions

- **A:** 5" color touch display
- **A:** Gearbox outlet oil pressure measurement
- **A:** ATF's outlet oil pressure measurement
- **B:** Multilingual software
- **C:** AWS function: Automatic new oil Weight Set
- **D:** Funzione warm-up automatico (avvio del ciclo automatico al raggiungimento della temperatura minima ottimale)
- **Integrated oil flow inversion system** **NEW!**
- **E:** Washing of the new oil suction circuit
- **F:** Dipstick kit
- **G:** Automatic additive injection
- **H:** Possibility to operate in automatic or manual mode
- **I:** Software and database updatable via USB
- **J:** Flowmeters with backlight (old/new)
- **K:** New and waste oil tanks
- **L:** 2 new sintered reusable filters with magnet **NEW!**
- **M:** Kit of couplings and hoses for European and Asiatic vehicles included
- **N:** Printer
- **O:** **SmartPack** (12 months of free access to the online Database)
- **P:** Software for power steering oil change
- **Q:** Integrated database with brand, version, number of ratios, gearbox type, oil quantity, oil code
- WiFi module for data transmission / reception - kit 01.000.328 on request*

SPIN CONNECT 4.0

Built-in WiFi module + SD Card
Cod. 01.000.328*



*to be ordered at the same time as the ATF station

ATF S-Drive 5000 SW

Cod. 02.023.53



MADE IN ITALY

S-DRIVE 5000 SW


A




B



G




M




C



H




D



I



N




E



J



O



F




K



P



L



Q



ATF S-Drive 4500 SW
Cod. 02.023.90

Oil Exchanger for Automatic Transmissions

- **A:** Color touch display 5"
- **A:** Gearbox outlet oil pressure measurement
- **B:** Multilingual software
- **C:** AWS function: Automatic new oil Weight Set
- **D:** Funzione warm-up automatico (avvio del ciclo automatico al raggiungimento della temperatura minima ottimale)
- **Integrated oil flow inversion system** **NEW!**
- **E:** Washing of the new oil suction circuit
- **F:** 2 new sintered reusable filters with magnet **NEW!**
- **G:** Automatic additive injection
- **H:** Possibility to operate in automatic or manual mode
- **I:** Software and database updatable via USB
- **J:** Flowmeters with backlight (old/new)
- **K:** New and waste oil tanks
- **L:** Kit of couplings and hoses for European and Asiatic vehicles included
- **M:** **SmartPack** (12 months of free access to the online Database)
- **N:** Software for power steering oil change
- **O:** Integrated database with brand, version, number of ratios, gearbox type, oil quantity, oil code
- WiFi module for data transmission / reception - kit 01.000.328 on request*

SPIN CONNECT 4.0





Built-in WiFi module + SD Card
Cod. 01.000.328*



*to be ordered at the same time as the ATF station



MADE IN ITALY

S-DRIVE 4500 SW








Semi-automatic Oil Exchanger for Automatic Transmissions

- **A:** Graphic display 240x64
- **A:** Control keyboard with only 4 buttons
- **A:** User-friendly software with icons
- Intuitive software that adapts to different operation mode of the workshop
- **B:** Multilingual software (22 languages)
- **A:** Measurement of the return pressure
- **C:** Selection of the oil specific weight (kg/lt)
- 2 electronic scales
- 1 pump, 220V50Hz (110V60Hz on request)
- Measurement of the oil temperature
- **D:** Possibility to operate in manual or full automatic mode
- **E:** Protection against overpressure with "automatic recirculation" at the beginning or end of charge
- **F:** Automatic length compensation of the hoses
- **G:** Possibility to update the software
- **H:** Manual additive injection
- **I:** Automatic hose inversion **(NEW!)**
- **J:** Transparent hoses for the oil flow control
- **K:** Case of couplings and hoses for European and Asiatic vehicles
- **L:** Removable new/old oil tanks, capacity 20lt
- **M:** 2 sintered magnetic filters (reusable) **(NEW!)**
- **N:** Optional printer
- **O:** SmartPack (12 months of free access to the online Database)

ATF START SW

Cod. 02.023.60



ATF START SW


Atf RÉMIN manual

Manual Oil Exchanger for Automatic Transmissions

- **A:** Control panel with used oil pressure gauge, taps/phase switches and flowmeters
- **B:** Kit of couplings and hoses for European and Asiatic vehicles (standard included)
- **C:** **SmartPack** (12 months of free access to the online Database)
- **D:** 500ml additive injector with protection against operational errors
- **E:** **Automatic hose inversion** **(NEW!)**
- **F:** 20 liter removable oil containers for new/used oil
- **G:** 2 sintered magnetic filters (reusable) **(NEW!)**
- **H:** Magnetic litre-counters: Useful for visual control of the levels (used oil, new oil)
- **I:** Facilitated use of the appliance





MADE IN ITALY

ATF RÉMIN SW
Cod. 02.023.57

ATF RÉMIN SPIN USER'S GUIDE					
	A	B	C	ATF PUMP	CAR ENGINE
VERIFY THE PRESSURE PRESENCE ON THE GAUGE				OFF	ON
ADDITIVE INJECTION				ON	OFF
CLEANING				OFF	ON
EMPTY THE OIL PAN				OFF	ON
REMOVE THE OIL PAN				OFF	OFF
RADIATOR CLEANING				ON	OFF
FILTER CHANGE & OIL PAN REMOUNT				OFF	OFF
FILL THE PAN WITH NEW OIL				ON	OFF
OIL CHANGE IN THE TORQUE CONVERTER ADJUST SLOWLY THE TAP				ON	ON
RESTORE THE CONNECTION				OFF	OFF
OIL LEVEL CONTROL				ON	OFF
USED OIL DISCHARGE				ON	OFF

ATF RÈMIN SW



C

Go back to Brands list | Go back to Model search

Technical data for FORD - GALAXY - 2.0 DURATORO TDCi (CA1)

Starting Year	Ending Year	Oil	Oil Quantity (L)	Oil Type	Oil Grade	Oil Additive	Oil Filter	Oil Drain
2010	2016	WSS-M2C936-A	6.00	5W-40	API/ACEA	DOT	400000.01	400000.01

WSS-M2C936-A

Filters: 7050-40001-40

Drain: 400000.01

Adapters: 400000.01

SmartPack



Models available for Brand FORD

Model	Year	Starting Year	Ending Year	KW
FORD - GALAXY	2010	2010	2016	100
GALAXY - 2.0 DURATORO TDCi (CA1)	2010	2010	2016	100
GALAXY - 2.0 DURATORO TDCi (CA1)	2010	2010	2016	100
GALAXY - 2.0 DURATORO TDCi (CA1)	2010	2010	2016	100
GALAXY - 2.0 DURATORO TDCi (CA1)	2010	2010	2016	100

Cannot find the model? Contact us

Go back to: Brands list



The pictures have merely explanatory purposes and can be changed with no warning

STANDARD COUPLINGS, INCLUDED IN THE FOLLOWING MODELS:
ATF XDRIVE • ATF 5000 • ATF 4500 • ATF START • ATF REMIN
DOUBLE SEAL FITTINGS


					
Cod. 02.022.11/new AISIN (Fiat Croma, Lancia Thesis, Renault Espace, Citroen C5/C3)		Cod. 02.022.21/new DSG		Cod. 02.022.52/new VOLVO V50	
					
cod. 02.022.59/new BMW 8 MARCE/8 GEARS		cod. 02.022.98/new BMW 8 HP ZF		cod. 02.022.85/new DIPSTICK	
					
cod. 02.022.33/new JAP/MB/LANCIA		cod. 02.022.30/new JAP/BMW		cod. 02.022.31/new JAP/GM	
					
cod. 02.022.79/new JAP/MB/HUMMER/JEEP		cod. 02.022.84/new JAP/M14X1,5		cod. 02.022.37/new JAP/CITROEN/LANCIA	
					
cod. 02.022.07/.78/.45/new BMW 2010		cod. 02.022.09/new BMW 3 SERIES		cod. 02.022.18/new OPEL INSIGNA	
					
Hoses for general applications		Hoses for general applications		Hoses for general applications	
cod. 02.022.25/new (ø 8) x 2		cod. 02.022.26/new (ø 10)		cod. 02.022.27/new (ø 12)	
					
cod. 05.090.82 MERCEDES BENZ 9G - TRONIC		Tool for draining and top up of oil in automatic gearboxes		Tool for draining and top up of oil in automatic gearboxes	
cod. 02.022.33/new JAP/MB/LANCIA		cod. 02.022.30/new JAP/BMW		cod. 02.022.31/new JAP/GM	
cod. 02.022.32/new JAP/GM		cod. 02.022.29/new JAP/ALFA ROMEO		cod. 02.022.34/new JAP/VOLVO	
cod. 02.022.79/new JAP/MB/HUMMER/JEEP		cod. 02.022.84/new JAP/M14X1,5		cod. 02.022.37/new JAP/CITROEN/LANCIA	
cod. 02.022.81/new JAP/1/8G		cod. 02.022.44/new BMW/MERCEDES 2001		cod. 02.022.80/new JAP/RUBBER HOSE FITTING	
cod. 02.022.63/new VW TIGUAN/PORSCHE 911		cod. 02.022.13/new AUDI Q5/Q7		cod. 02.022.99/new FIAT 500 X ZF	
Hoses for general applications		Hoses for general applications		Hoses for general applications	
cod. 02.022.25/new (ø 8) x 2		cod. 02.022.26/new (ø 10)		cod. 02.022.27/new (ø 12)	
cod. 02.022.28/new (ø 14)		Hoses for general applications		Hoses for general applications	

SMART PACK ATF

SMART PACK ATF


Cod. 02.022.110

ONLINE DATA BASE

with technical information on automatic transmissions
(diagrams, photos, location of fittings, etc.)

NOTE:

SMART PACK is provided free of charge with the purchase of an ATF SPIN and is valid for 12 months from the first activation. The renewal of the paid service is reserved for customers who have purchased an ATF SPIN.



Additives ATF



Cod. 02.000.51

ATF flushing additive, 350 ml



Cod. 02.000.67

ATF flushing additive, 5 lt

OPTIONAL ACCESSORIES



Cod. 02.000.62

Kit for **USA/Japan vehicles**

(Ford, Cadillac, Toyota, Nissan, Chrysler Jeep, GM, Dodge, Honda, Chevrolet, Chevy Duramax)



Cod. 02.022.66

Oil level refiller



Cod. 02.022.04

Kit 2 oil level dipstick

Mercedes A-Class & C-Class



Cod. 05.088.21

Service trolley for ATF accessories



Cod. 05.090.82

Tool for draining and top up of oil in automatic gearboxes of **Mercedes Benz 9G - Tronic**