

**VERTICAL**  
**Power**

**Premium lifting technology for  
transporters & Co.  
5.0 - 6.5 t**



## Great performance: The strong guys from AUTOPSTENHOJ



### The Biglift series from AUTOPSTENHOJ convinces with strong lifting capacities of 5.5 - 6.5 t.

For decades transporters and light trucks have been lifted by our electro-hydraulic inground lifts.

The establishing of distribution centres for goods outside of bigger cities and the more and more significant online trading has led to a fast development of vehicles to transport goods into the cities.

Innovative and forward-looking spirit on future developments on the market, combined with a very close cooperation with the leading automobile manufacturers, made us already some time ago change the cylinder's diameter to 213 mm in order to guarantee an outstanding stability for the transporters which become bigger and bigger.

The lifting capacities of 5.5 or 6.5 t for the lifts with swivel arms correspond exactly to the requirements of the vehicle manufacturers and the piston distance of 2,300 mm and especially of 2,650 mm make a smooth drive-on possible.



## Biglift from 5.5 - 6.5 t

### Sometimes more is simply more! And a lot helps a lot.

The double and even triple telescopic swivel arms with our known range of pads and wheel-supports reach all lifting points without any problems.

The universal lifting area in combination with the corresponding lifting pads also enables use for standard cars and also for e-cars.

Of course, for this series we have relied on a thousand times tested and proven components such as an suboil motor, flexible synchronization and hard-chromed cylinders with extensive guides.

The platform types comply with the required width of 650 mm and with a length of 4.8 m (5.5 t) or 5.5 m (6.5 t).







## Great performance: The strong guys from AUTOPSTENHOJ



### The Maestro series from AUTOPSTENHOJ convinces with strong lifting capacities of 5.0 - 6.5 t.

Especially during the last years there has been a fast development also for our electro-mechanical 2-post lifts.

In the standard our worldwide-recognized welded posts including carriage with rollers already guarantee an incomparable stability.

Powerful motors and high-quality bearings increase the capacity additionally.

The lifting capacities of 5.0, 5.5 or 6.5 t with swivel arms of the latest generation correspond exactly to the requirements of the vehicle manufacturers and the arm construction make a smooth drive-on possible.



## Maestro lifts from 5.0 - 6.5 t

### Sometimes more is simply more! And a lot helps a lot.

The double and even triple telescopic swivel arms with our known range of pads and wheel-supports reach all lifting points without any problems.

The universal lifting area in combination with the corresponding lifting pads also enables use for standard cars and also for e-cars.

Of course, for this series we have relied on a thousand times tested and proven components and reach this way an outstanding high degree of reliability.

Furthermore, we have a complete product portfolio of 4-post lifts at our disposal, which comply with the required platform width and length, too.







Sharklift 4.55 & 4.65 F 480/550



Biglift 2.55 Fv Uni



Biglift 4.55 Combi Saav

**We do 4-ram, 4-post..**

**..with a lifting capacity of 5 - 7.2 t**



Major 4-post lift 5 - 7.2 t







**AUTOPSTENHOJ GmbH**

Sandkampstr. 90 | D -48432 Rheine

☎ +49 5971 8602-02

✉ info@autopstenhoj.com

**AUTOPSTENHOJ GmbH**

Barrit Langgade 188-190 | DK-7150 Barrit

☎ +45 76 82 13 30

✉ info@autopstenhoj.com