





# Air Tank Clamp

- Air Tank Clamps
- Colliers pour Réservoirs d'air
- Befestigungen für Druckluftbehälter
- Fascette per serbatoi d'aria
- Abrazaderas para depósitos de aire



# INVICTA 88X - One Part Air Tank Clamp

#### Features:

Increased safety, with two internal weld seams and two external weld spots at the strap anchorage point on the support.

2mm Mild Carbon Steel, Phosphated, and with 800 micron Polyamide coating. This clamp is fully assembled with either two M12 DIN984 or two M12 DIN980 Nuts Compliant with STANDARD 87/404/EC

Ø
206mm
246mm
276mm
310mm
396mm





# INVICTA 87X "FLANGE" Air Tank Clamp

#### **Features**

- 1. Carbon Steel with 800-micron Polyamide coating
- 2. Assembled with 2 Standard M10 Nuts

Ø
206mm
246mm
276mm
310mm
396mm



# INVICTA WKLX Air Tank Clamp

- 1. Carbon Steel with Black Powder Coating
- 2. Fitted with EPDM Rubber
- 3. Assembled with 1 M12 Nut and 1 M12 Washer
- 4. Each clamp packed individually in a poly-bag

Ø	
206mm	
246mm	
276mm	
310mm	
396mm	





## INVICTA 97X - Two Part Air Tank Clamp

#### Features:

- 1. Steel Thickness 2mm
- 2. Available in Zinc Plating or in 800-micron Polyamide Coating
- 3. Sold unassembled as a kit, with channel and strap in a plastic bag.
- 4. Sold with two M12 Nuts: 1 M12 Nylock Nut, and 1 M12 Flat Washer
- 5. These clamps enable a 50% reduction in transportation volume. Assembly instructions are provided.


Ø
206mm
246mm
276mm
310mm
396mm



### INVICTA 84X - Standard V-Shaped Air Tank Clamps

- 1. Carbon Steel with 800 micron Polyamide Coating
- 2. 4mm thick carbon steel with 14mm hole
- 3. Sold individually, not assembled, with two M10 nylock nuts and two M10 plain washers

Ø
206mm
246mm
276mm
396mm
310mm
360mm
396mm






## INVICTA 7172X - Italian V-Shaped Air Tank Clamps

#### Features:


- 1. Carbon Steel with 800 micron Polyamide Coating
- 2. M8 "U" for Aluminium Tanks and M10 "U" for STEEL Tanks
- 3. 4mm thick carbon steel with 14mm hole
- 4. Sold individually, not assembled, with two M10 nylock nuts and two M10 plain washers

Ø
206mm
246mm
276mm
296mm
310mm
360mm
396mm



# 75X: Standard U for Air Tank Clamps

- 1. Carbon Steel with 800 micron Polyamide Coating and Zinc Plating
- 2. M10 Thread




Tank Diameter = D	R	A	н	L
100	50	90	185	195
150	75	90	210	220
200	100	90	270	280
206	103	85	276	286
246	123	85	316	326
250	125	55	290	300
250	125	95	330	340
Replac	ced by 75.2	76.00		
275 - 276	138	85	346	356
300	150	70	360	370
300	150	50	337	347
300	150	40	275	285
300	150	130	400	410
310	155	82	372	382
310	155	57	347	357
320	160	60	360	370
350	175	95	415	425
396	198	85	466	476
400	200	110	496	506



## 76X: Standard Support for Air Tank Clamps

#### Features:

1.3mm Carbon Steel with 800 micron Polyamide Coating



Tank Diameter = D	R	E	F	В	J	C
100	50	98	78	40	110	4
150	75	148	130	40	160	4
200	100	198	149	40	210	5
206	103	204	155	40	216	5
246	123	244	172	40	256	5
250	125	248	176	40	260	5
250	125	248	176	40	260	1,5
	Replaced	by 76.27	6.00			
275 - 276	138	274	202	40	286	5
300	150	298	226	40	310	5
310	155	308	236	40	320	6
320	160	318	246	40	330	8
350	175	348	265	40	360	10
396	198	394	311	40	406	10
400	200	398	315	40	410	10

## 77X: Standard Kits for Air ank Clamps


- 1. A kit comprises 2 U + 2 Support + 4 Nylock Nuts; each kit packed in a plastic bag
- 2. Additional Nylock nuts available on request.



Tank Diameter = D	Standard "U"	Standard Supports	Nylstop M10 Nuts
100	75.100.00	76.100.00	78.000.00
150	75.150.00	76.150.00	78.000.00
200	75.200.00	76.200.00	78.000.00
206	75.206.00	76.206.00	78.000.00
246	75.246.00	76.246.00	78.000.00
250	75.250.00	76.250.00	78.000.00
	Replaced by	77.276.00	
275 - 276	75.276.00	76.276.00	78.000.00
300	75.300.00	76.300.00	78.000.00
300	75.300.01	76.300.00	78.000.00
310	75.310.00	76.310.00	78.000.00
310	75.310.01	76.310.00	78.000.00
320	75.320.00	76.320.00	78.000.00
350	75.350.00	76.350.00	78.000.00
396	75.396.00	76.396.00	78.000.00
400	75.400.00	76.400.00	78.000.00



### **Rubber Protection for Air Tank Clamps**




93.206.00	206	450	40	31	126	92
	246	700	40	32	156	95
93,000.00	276	700	40	12	156	95
	310	700	40	32	156	95
93.396.00	396	930	40	33	190	96



### 73X : Foldable Air Tank Clamps

Sold in KITS of two clamps. 2 mm thick steel, "Phosphated" then coated with matt black paint or electrogalvanised. . Foldable "Strap" Clamps sold in KITS containing two clamps in a plastic bag:

2 foldable clamps + 4 standard M12 nuts.



Tank Diameter = D	A	В	М	Р	E
206	130	65	43	230	11x16
246	180	90	43	270	11x16
276	180	90	43	300	11x16
310	200	100	43	335	11x16
396	250	125	43	420	11x16
206	122	61	43	230	12x16
246	162	81	43	270	12x16
276	192	96	43	300	12x16
310	227	113	43	335	12x16
396	307	153	43	420	12x16



#### Contact Information

Invicta India Pvt. Ltd.

N-258/B GK1 New Delhi India

**REX Consolidated (Factory)** 

80 DLF Industrial Area Phase 1 Faridabad 121003 India

Phone: +91-9810614124

#### © Copyright 2016 Invicta India Pvt. Ltd.

All information and data stated in this Product Range document has been compiled with utmost care. Nevertheless, Invicta accepts no liability for any errors, omissions or other inaccuracies contained herein. Subject to change without notice. Reprinting or reproduction, in whole or in part, including of photographs, illustrations or graphics, is not permitted without the prior written consent of Invicta India Pvt. Ltd.. We reserve all rights in connection with this document.

The vehicle applications cited in this Product Range document may possibly be valid only up to the date printed on the last page of the document. All references made in this Product Range document to the item numbers of vehicle manufacturers and/or competitors are provided for the purpose of comparison only. Such information is not allowed to be used in invoices issued to vehicle owners.

For enquiries, please email us: rahul@invictaindia.com