


LucasElektrik



Alternators & Starter Motors
Agricultural and Construction Machinery

www.lucaselektrik.com
Catalogue Nr. Jan22



PRODUCT NO & INFORMATION

REFERENCES

APPLICATIONS



LEA0972

14V / 33A

Rotation: CW
Pulley Outside Diameter (mm): 82.0
Number of Groove: 1
A:49.0 B:24.0 C:74.0
W(M4)

0120339515
0120339527
063730016010
0986030121
11.201.783
19093002
4257074
4474752
4998353
63300802
0120339516
0120339528
0986030120
11.201.037
111180
4224325
4275283
46231680
51217620
63300900

FIAT
LAMBORGHINI TRACTORS
SAME DEUTZ-FAHR GROUP



LEA0254

14V / 35A

Rotation: CW
Pulley Outside Diameter (mm): 74.0
Number of Groove: 1
A:44.0 B:24.0
B+(M6)

100211-4540
20140102
27060-78003-71
DRA3519
LRA01719
110629
27060-78003
8EL732735-001
JA970IR

TOYOTA



LEA0255

14V / 35A

Rotation: CW
Pulley Outside Diameter (mm): 69.0
Number of Groove: 1
A:42.0 B:13.0 C:82.0
B+(M8)

112068
8EL737630-001
A7T03371A
JA1412IR
23100-50K10
A7T03371
DRA3888
LRA01994

NISSAN
TCM



LEA0253

14V / 40A

Rotation: CW
Pulley Outside Diameter (mm): 74.0
Number of Groove: 1
A:44.0 B:24.0
B+(M6)

100211-1661
100211-4700
110620
27060-78001-71
3049491
DRA3453
LRA02615
RE72915
TY6760
100211-1662
100211-4701
27060-78001
27060-96001
8EL732736-001
JA971IR
RE42778
RE729151

HYSTER
JOHN DEERE
TOYOTA



LEA0257

14V / 40A

Rotation: CW
Pulley Outside Diameter (mm): 76.0
Number of Groove: 1
A:46.0 B:20.0 C:68.0
B+(M6)

100211-4000
100211-4002
110564
27060-78301-71
8EL730126-001
JA792IR
100211-4001
100211-4003
27060-78301
3049393
DRA3449

HYSTER
TOYOTA



LEA0561

14V / 40A

Rotation: CW
Pulley Outside Diameter (mm): 69.0
Number of Groove: 1
A:41.5 B:21.0
B+(M6)

100211-453
119620-77202
LRA01980
119620-77201
AM877740

YANMAR




LEA1095

14V / 40A

Rotation: CW
Pulley Outside Diameter (mm): 59.0
Number of Groove: 1
A:62.0 B:29.0
B+(M6)

101211-3720
101211-3722
1157326
17580-64010
DAN1067
101211-3721
114411
157326
8EL012240-721

LOMBARDINI
TP



PRODUCT NO & INFORMATION

REFERENCES

APPLICATIONS



LEA0001
14V / 45A
Rotation: CW/CCW
B:9.0 C:87.0
B+ D+

0120339502	0986031691	BEDFORD
0986031700	110178	DENNIS EAGLE
23548	23565	FORD
23570	23584	INNOCENTI
23593	23595	JENSEN
23598	23602	LAND ROVER
23605	23713	LDV
23715	23716	MARSHALL TRACTORS
23717	23718	MASSEY FERGUSON
23719	23726	MORGAN



LEA0002
14V / 45A
Rotation: CW/CCW
B:9.0 C:87.0
B+ D+

0986031681	0986044601	AC
110179	23568	AVELING BARFORD
23572	23574	DENNIS EAGLE
23583	23591	FORD
23592	23600	MARSHALL TRACTORS
23609	23616	RELIANT
23624	23631	TVR
23632	23641	
23644	23646	
23652	23653	



LEA0003
14V / 45A
Rotation: CW/CCW
B:9.0 C:87.0
B+ D+

111184	1447110R91	BARBER GREENE
23618	23619	CASE
23645	23654	DENNIS EAGLE
23659	23673	DENNIS SPECIALIST VEHICLES
23675	23683	FENWICK
23701	23720	FORD
23736	23738	MARSHALL TRACTORS
23738R	23754	MASSEY FERGUSON
23760	23773	
23775	23781	



LEA0009
14V / 45A
Rotation: CW/CCW
B:27.0
B+ D+

1676689M91	1676690M91	MASSEY FERGUSON
1699871T	1875955M1	NISSAN COMMERCIAL/MOTOR IBERICA
1895271M91	24019	
24022	24087	
24123	24123R	
3637264R91	54021906	
54021927	9124476029	
DRA3458	LRA00361	
LRA361		



LEA0010
14V / 45A
Rotation: CW/CCW
B:9.0 C:87.0
B+ D+

0986031701	111185	AVELING BARFORD
23573	23617	BARBER GREENE
23620	23621	BEDFORD
23622	23623	CASE
23648	23679	DENNIS EAGLE
23684	23700	DENNIS SPECIALIST VEHICLES
23703	23709	FORD
23711	23721	IVECO FORD
23735	23737	JAGUAR
23737R	23743	JCB



LEA0011
14V / 45A
Rotation: CW/CCW
B:9.0 C:87.0
B+ D+ W

24037	2871A139	JCB
36826200	36829900	
5008754	54021831	
54021998	54022026	
714/06800R	9124476308	
LRA00278	LRA278	



LEA0013
14V / 45A
Rotation: CW/CCW
B:9.0 C:87.0
B+ D+ S

23814	24072	AVELING BARFORD
24211	54021879	NEW HOLLAND
54022169	E3NN10B376AA	
LRA00122	LRA122	



PRODUCT NO & INFORMATION

REFERENCES

APPLICATIONS



LEA0019

61920006

BMC

14V / 45A

Rotation: CW
Pulley Outside Diameter (mm): 63.0
Number of Groove: 1
A:37.0 B:9.0 C:87.0
B+(M6) D+



LEA0023

308.09.08
61920010

30800090029

BASAK TRACTOR

14V / 45A

Rotation: CW
Pulley Outside Diameter (mm): 73.0
Number of Groove: 1
A:58.0 B:18.0 C:63.0
B+(M6) D+



LEA0024

001366U91M
61920022

001366U91M

UZEL (Massey Ferguson)

14V / 45A

Rotation: CW
Pulley Outside Diameter (mm): 70.0
Number of Groove: 1
A:59.0 B:18.0 C:66.0
B+(M6) 67 15



LEA0027

063394556000
61920110

2C91134000
63394556000

UNIVERSAL TRACTORS

14V / 45A

Rotation: CW
Pulley Outside Diameter (mm): 97,5
Number of Groove: 1
A:94.0 B:61.0
B+(M6) D+



LEA0028

0986031701
23617
23684
23721
23737R
23765
23779
23811
2871609
3129850R91

111185
23622
23709
23737
23759
23766
23808
23891
2871A102T
3638512R91

BARBER GREENE
BEDFORD
CASE
DENNIS EAGLE
DENNIS SPECIALIST VEHICLES
FORD
IVECO FORD
JAGUAR
JCB
JENSEN

14V / 45A

Rotation: CW
Pulley Outside Diameter (mm): 63.0
Number of Groove: 1
A:36.0 B:9.0 C:87.0
B+ D+



LEA0029

0120489144
0120489761
0120489765
116760506000
4382200
4470411
46231786
4721589
4721592
4750583

0120489145
0120489762
0986033881
436105
4386883
46231725
4721578
4721591
4731839
4787594

ALFA ROMEO
FIAT
HUERLIMANN
IVECO (Aifo)
IVECO FIAT
LAMBORGHINI TRACTORS
SEAT

14V / 45A

Rotation: CW
Pulley Outside Diameter (mm): 85.0
Number of Groove: 1
A:50.0 B:18.0 C:66.0
B+ (M6) D+



LEA0044


1676689M92
24318
3538541M1
3698017M91
436167
54022147
54022195
54022206
54022225
54022243

24199
2871A165
3698016M91
436145
54022146
54022167
54022205
54022215
54022241
54022245

CASE
JCB
LAND ROVER
RELIANT
ROVER

14V / 45A

Rotation: CW/CCW
B:12.0 C:83.0
B+(M6) W(M5)



PRODUCT NO & INFORMATION

REFERENCES

APPLICATIONS



LEA0066

14V / 45A

Rotation: CW/CCW
B:12.0 C:83.0
B+(M6) W(M5) S

24246	24256
24327	2871A139
3698017M91	54022292
54022310	54022447
54022481	9124476319
E3NN10B376AB	E3NN10B376AC
E3NN10B376AD	LRA00530
LRA530	MAR134
NAB103	

NEW HOLLAND



LEA0091

14V / 45A

Rotation: CW
Pulley Outside Diameter (mm): 83.0
Number of Groove: 1
A:57.5 B:27.0
B+ D+

1676689M92	1676689M92
61920343	

MASSEY FERGUSON
MOTORSAN ENGINES



LEA0123

14V / 45A

Rotation: CW
Pulley Outside Diameter (mm): 73.0
Number of Groove: 1
A:36.5 B:12.0 C:83.0
B+(M6) W(M5)

3698016M91	3698016M91
54022431	

CASE
ITM CO
JCB
LAND ROVER
MASSEY FERGUSON
RELIANT
ROVER



LEA0124

14V / 45A

Rotation: CW
Pulley Outside Diameter (mm): 75.0
Number of Groove: 2
A:38.5 B:12.0 C:83.0
B+(M6) W(M5)

3698017M91	54022432
------------	----------

CASE
ITM CO
JCB
LAND ROVER
MASSEY FERGUSON
RELIANT
ROVER



LEA0135

14V / 45A

Rotation: CW
Pulley Outside Diameter (mm): 78.0
Number of Groove: 1
A:35.5 B:12.0 C:83.0
B+(M6) D+ W(M5)

2871A109	2871A122
2871A139	3698017M91
54022446	

MASSEY FERGUSON



LEA0142

14V / 45A

Rotation: CW
B:9.0 C:87.0
B+ D+ S

61920237	8EL725606-001
CA15IR	LRA132

NEW HOLLAND




LEA0143

14V / 45A

Rotation: CW
B:56.0
B+(M6) D+(M5) W(M5)

11.201.342	11.204.882
61920244	814484
821590	AAK1317
AAK4622	IA0342
MG717	

IMR



PRODUCT NO & INFORMATION

REFERENCES

APPLICATIONS



LEA0273

61920364

IMR

14V / 45A

Rotation: CW
Pulley Outside Diameter (mm): 69.0
Number of Groove: 1
A:77.0 B:56.0
B+(M6) W(M5)



LEA0281

113623

24384

NEW HOLLAND

24385

24414

24415

54022525

54022526

54022566

14V / 45A

Rotation: CW
Pulley Outside Diameter (mm): 67.0
Number of Groove: 6
A:33.0 B:12.0 C:83.0
B+(M6) D+(M5) W(M5)



LEA0313

61920328

MASSEY FERGUSON

14V / 45A

Rotation: CW
Pulley Outside Diameter (mm): 70.0
Number of Groove: 1
A:34.5 B:9.0 C:88.0
B+ D+



LEA0318

54022622

CASE
JCB
LAND ROVER
ROVER

14V / 45A

Rotation: CW
Pulley Outside Diameter (mm): 65.0
Number of Groove: 1
A:54.0 B:12.0 C:83.0
B+(M6) W(M5)



LEA0400

0120339502

0986031661

BEDFORD

0986031691

0986031700

DENNIS EAGLE

0986044581

0986044641

FORD

110178

19025752

INNOCENTI

14V / 45A

Rotation: CW
Pulley Outside Diameter (mm): 73.0
Number of Groove: 1
A:34.0 B:9.0 C:87.0
B+ D+

23548

23565

JENSEN

23566

23570

LAND ROVER

23584

23593

LDV

23595

23598

MARSHALL TRACTORS

23602

23603

MASSEY FERGUSON

23605

23606

MORGAN



LEA0420

24087

MASSEY FERGUSON

14V / 45A

Rotation: CW/CCW
B:27.0
B+ D+



LEA0423

0120339502

0986031661

BEDFORD

0986031691

0986031700

CASE

0986044581

0986044641

DENNIS EAGLE

11.201.067

110178

FORD

14V / 45A

Rotation: CW
Pulley Outside Diameter (mm): 62.0
Number of Groove: 1
A:35.0 B:9.0 C:88.0
B+ D+

19025752

23548

INNOCENTI

23565

23566

JENSEN

23570

23584

LAND ROVER

23593

23595

LDV

23598

23602

MARSHALL TRACTORS

23603

23605

MASSEY FERGUSON



PRODUCT NO & INFORMATION

REFERENCES

APPLICATIONS



LEA0424

14V / 45A

Rotation: CW

Pulley Outside Diameter (mm): 62.0

Number of Groove: 1

A:35.5 B:9.0 C:87.0

B+ D+

111184

23618

23645

23659

23675

23701

23736

23738R

23760

23775

1447110R91

23619

23654

23673

23683

23720

23738

23754

23773

23781

BARBER GREENE

CASE

DENNIS EAGLE

DENNIS SPECIALIST VEHICLES

FENWICK

FORD

MARSHALL TRACTORS

MASSEY FERGUSON



LEA0425

14V / 45A

Rotation: CW

Pulley Outside Diameter (mm): 84.0

Number of Groove: 1

A:56.5 B:27.0

B+ D+

1676689M91

1699871T

1895271M91

24022

24123R

54021906

9124476029

LRA00361

1676690M91

1875955M1

24019

24123

3637264R91

54021927

DRA3458

LRA361

MASSEY FERGUSON

NISSAN COMMERCIAL/MOTOR IBERICA



LEA0428

14V / 45A

Rotation: CW

Pulley Outside Diameter (mm): 73.0

Number of Groove: 1

A:77.0 B:56.0

B+(M6) W(M5)

38800090021

61920364

STEYR

ZETOR



LEA0486

14V / 45A

Rotation: CW

Pulley Outside Diameter (mm): 67.0

Number of Groove: 6

A:35.5 B:12.0 C:83.0

B+(M6) D+(M4) W(M5)

11.201.480

82000689

83999794

F0NN10B376AA

F2NN10B376CA

MG525

63324384

82001260

AAK1338

F2NN10B376BA

IA0480

NEW HOLLAND



LEA0487

14V / 45A

Rotation: CW

Pulley Outside Diameter (mm): 78.0

Number of Groove: 1

A:36.5 B:12.0 C:83.0

B+(M6) W(M5) S

11.201.505

3961474

82857207

AAK1345

DRA3289

E3NN10B376AB

E3NN10B376AD

IA0505

MG207

111363

54022310

83961474

CA725IR

E3NN10B376AA

E3NN10B376AC

F1NN10B376AA

LRA00530

NEW HOLLAND



LEA0499

14V / 45A

Rotation: CW

Pulley Outside Diameter (mm): 78.5

Number of Groove: 1

A:58.0 B:27.0

B+ D+

1618473M91

1618477M91

1699871T

1874758M92

1875955M91

1897264M91

3637264R91

CA613IR

1618474M91

1618478M91

1874681M91

1875955M1

1895271M91

24123R

8EL725896-001

MASSEY FERGUSON

NISSAN COMMERCIAL/MOTOR IBERICA



LEA0500

14V / 45A

Rotation: CW

Pulley Outside Diameter (mm): 72.0

Number of Groove: 1

A:76.5 B:56.0

B+(M6) D+(M4) W(M5)

0120339514

0986030130

11.201.096

1163985

1171617

1177481

294391000

3144942R91

3218239R91

42522730

014144

0986030131

110641

1171617

1177481

294390200

3138942R91

3218239EX

42522730

436265

BOSCH

BPM

CASE

DEUTZ DITER

DEUTZ FAHR (KHD)

EISENWERKE KAISERSLAUTERN

FARYMANN

FENDT

GOLDONI

HOLDER



PRODUCT NO & INFORMATION

REFERENCES

APPLICATIONS



LEA0531

14V / 45A

Rotation: CW/CCW
Pulley Outside Diameter (mm): 71.0
Number of Groove: 1
A:77.0 B:56.0
B+(M6) D+(M4) W(M5)

11.201.813
IA0813

AAK1365
MG104

DEUTZ FAHR (KHD)



LEA0562

14V / 45A

Rotation: CW
Pulley Outside Diameter (mm): 80.0
Number of Groove: 1
A:60.0 B:27.0
B+ D+

1618473M91
1618477M91
1676689M91
1699871T
1874758M92
1895271M91
24019
24087
24123R
54021906

1618474M91
1618478M91
1676690M91
1874681M91
1875955M1
1897264M91
24022
24123
3637264R91
54021927

MASSEY FERGUSON
NISSAN COMMERCIAL/MOTOR IBERICA



LEA0563

14V / 45A

Rotation: CW
Pulley Outside Diameter (mm): 70.0
Number of Groove: 1
A:34.5 B:9.0 C:88.0
B+ D+

54021493
54021845
54022011
61920329

54021810
54021985
54022084

AC
AUELING BARFORD
DENNIS EAGLE
FORD
MARSHALL TRACTORS
RELIANT
TVR



LEA0617

14V / 45A

Rotation: CW
Pulley Outside Diameter (mm): 90.0
Number of Groove: 1
A:58.0 B:15.0 C:70.0
B+(M6) D+(M4) W(M5)

11.201.070
4808498
63321637
C000900010030
LRA02727

4787590
63321037
AAK1116
IA0070
MG42

FIAT



LEA0716

14V / 45A

Rotation: CW
Pulley Outside Diameter (mm): 73.0
Number of Groove: 1
A:58.0 B:15.0 C:71.0
B+(M6) D+ W

47465532
47515252
47781393
47906769
61920455
63394557
84402417

47465538
47515258
47906766
5085901
61920456
84402416

CNH
FIAT
TURK TRACTOR (CNH)



LEA0726

14V / 45A

Rotation: CW
Pulley Outside Diameter (mm): 73.0
Number of Groove: 1
A:58.0 B:18.0 C:64.0
B+(M6) D+ W

0-7150110
7150110

61920043
7152947

TUMOSAN



LEA0757


14V / 45A

Rotation: CW
Pulley Outside Diameter (mm): 66.0
Number of Groove: 1
A:34.0 B:9.0 C:87.0 D:115.0
B+ D+

0986031691
9124476005

19025752
MAR399

AUSTIN
CASE
DAF
DENNIS
INNOCENTI
LAND ROVER
MARSHALL TRACTORS
MG
MINI
RENAULT AGRICULTURE



PRODUCT NO & INFORMATION

REFERENCES

APPLICATIONS



LEA0758

14V / 45A

Rotation: CW
Pulley Outside Diameter (mm): 66.0
Number of Groove: 1
A:34.0 B:9.0 C:87.0
B+ D+

2871616 2871A137
448206 5003657
6014808 6014810
6052967 742131700
74EB10300GA 75EB10300HB
81AB10300ZA 85FB10300BA
86BB10300DB AH2040C
AQ2140C D2RY10346C
D2RY10346C D4RY10346A
R71BB10346FA



LEA0863

14V / 45A

Rotation: CW
Pulley Outside Diameter (mm): 90.0
Number of Groove: 1
A:85.5 B:56.0
B+(M6) D+(M4) W

0120339512 0120339513 CLAAS
0120339543 0120339545 HATZ
0986030110 11.201.560 JOHN DEERE
11.201.784 111649 LAMBORGHINI TRACTORS
7901820 8EL730032-001 SAME DEUTZ-FAHR GROUP
9AR2968K AAG1342
AAG1343 AZ23575
CA734IR DA1220
DRA0110 DRA1791
IA0560 IA0784



LEA0864

14V / 45A

Rotation: CW
B:56.0
B+(M6) D+(M4) W(M5)

0120300567 0120339521 ARONA
0120339536 0986030140 CASE
11.201.507 111662 FENDT
11572610 3218577EX FERRARI
605710100130 8EL725899-001 GOLDONI
AAG1341 AAG3315 LOMBARDINI
CA616IR DA1250 VM MOTORI
DA1250N DRA0140
DRA0140N IA0507
LRA00611 MG517



LEA0866

14V / 45A

Rotation: CW
B:9.0 C:87.0
B+ D+

0986044581 110178 CASE
23685 23716 DENNIS EAGLE
23730B 23748 FORD
23769A 23795 LAND ROVER
23830 23848A LEYLAND DAF
24024 24024E MANITOU
24026B 24179 MG
2871A103 2929180 RELIANT
436141 66021543 VAUXHALL
9AR2918G LRA00100



LEA0900

14V / 45A

Rotation: CW
Pulley Outside Diameter (mm): 63.0
Number of Groove: 8
A:30.2 B:56
B+(M6) D+(M4) W(M5)

11.203.704 AAK1827 AGRITALIA
IA1401 MG334



LEA1062

14V / 45A

Rotation: CW
Pulley Outside Diameter (mm): 71.0
Number of Groove: 1
B:56.0
B+(M6) D+(M4) W(M5)

11.201.502 11572620 CASE
AAG1340 B506371 FENDT
IA0502 MG282 LOMBARDINI




LEA1177

14V / 45A

Rotation: CW
B:56.0
B+(M6) D+(M4) W(M5)

11.201.500 11572620 AGRITALIA
116131 AAG1314 LOMBARDINI
AAG1338 C000900010100
IA0500 MG195



PRODUCT NO & INFORMATION

REFERENCES

APPLICATIONS



LEA1193

14V / 45A

Rotation: CW
Pulley Outside Diameter (mm): 80.0
Number of Groove: 1
A:54.8 B:27.0
B+(M6) D+(M4) W(M5)

11.201.095 1618473M91
1618474M91 1618477M91
1618478M91 1699871T
1874681M91 1874758M92
1874758M92 1875955M1
1875955M91 1895271M91
1897264M91 23865
23865A 23880
24123P 3637264R91
9AR2547 9AR2548

MASSEY FERGUSON



Photo has been used for reference only.

LEA1204

14V / 45A

Rotation: CW
Pulley Outside Diameter (mm): 83.0
Number of Groove: 1
A:90.6 B:56.0
B+(M6) D+(M4) W(M5)

004001C01 113683
26021276 26021278
26921168 26921168A
40001C01

MAHINDRA



LEA0014

14V / 50A

Rotation: CW
Pulley Outside Diameter (mm): 84.0
Number of Groove: 1
A:36.0 B:9.0 C:89.0
B+ D+

1476689M92 1476689M92
61920178

MASSEY FERGUSON



LEA0025

14V / 50A

Rotation: CW
Pulley Outside Diameter (mm): 70.0
Number of Groove: 1
A:59.0 B:18.0 C:66.0
B+(M6) D+ B-(M5)

0011899U91 063399915000
61920025 61920165
63399915000

UZEL (Massey Ferguson)



LEA0026

14V / 50A

Rotation: CW
Pulley Outside Diameter (mm): 70.0
Number of Groove: 1
A:59.0 B:18.0 C:66.0
B+(M6) D+ B-(M5)

0013593U91 61920045
61920166

UZEL (Massey Ferguson)



LEA0723

14V / 50A

Rotation: CW
Pulley Outside Diameter (mm): 70.0
Number of Groove: 1
A:46.5 B:18.0 C:66.5
B+(M6) D+

61920435 7105036

TARAL MAKINA



LEA0770

14V / 50A

Rotation: CW
Pulley Outside Diameter (mm): 63.0
Number of Groove: 1
A:36.0 B:9.0 C:89.0
B+ D+

61920660



PRODUCT NO & INFORMATION

REFERENCES

APPLICATIONS



LEA0030

14V / 55A

Rotation: CW/CCW
B:12.0 C:83.0
B+(M6) W(M5)

0120339504
0120489096
0120489100
0120489244
0120489313
0986033860
1447706R91
24156
24200
24262

0120400872
0120489098
0120489104
0120489288
0120489937
1447706M91
24145
24169
24260
24289

FORD
MASSEY FERGUSON
ROVER



LEA0032

14V / 55A

Rotation: CW
Pulley Outside Diameter (mm): 66.0
Number of Groove: 1
A:36.5 B:12.0 C:83.0
B+(M6) W(M5)

0986033862
24178
436173
54022080
54022148
84BB10300AB
84BX10300AB
8EL725694-001
AAK4139
D85BB10300GA

11.201.305
43356055
54021955
54022137
61920310
84BB10300BA
86FB10300AA
9124476309
CA293IR
GXE2291

CASE
FORD
GUTBROD



LEA0033

14V / 55A

Rotation: CW/CCW
B:12.0 C:83.0
B+(M6) W(M5)

0124489048
1447312M91
1693232M91
24208
2871A147
3536265M91
436692
54022096
54022109
54022118

110770
1447701R91
1897695R91
24298
3536264M91
3930501R91
54022053
54022108
54022117
54022142

JCB
LDV
MASSEY FERGUSON
ROVER



LEA0034

14V / 55A

Rotation: CW
Pulley Outside Diameter (mm): 66.0
Number of Groove: 1
A:36.5 B:12.0 C:83.0
B+(M6) W(M5)

0120488182
0120489833
0986031380
0986036020
1485513
1507007
1571101
1654180
24149
24191

0120489075
0120489958
0986031381
0986036022
1485514
1553527
1595276
24136
24165
24192

CASE
FORD
ROVER
TVR



LEA0071

14V / 55A

Rotation: CW
Pulley Outside Diameter (mm): 60.0
Number of Groove: 1
A:75.5 B:56.0
B+(M6) D+(M4) W(M5)

0120488114
1177481
61920118
LRB134

0120489309
1177481
IA0796
MG358

DEUTZ FAHR (KHD)
FENDT
JENBACHER WERKE
KRAMER
LANSING LINDE
VM MOTORI



LEA0076

14V / 55A

Rotation: CW/CCW
B:56.0
B+(M6) D+(M5) W(M5)

0120300514
0120339514
0120488114
0986030130
11.201.096
1171617
1177481
1178521
20030014
294390200

0120300552
0120339531
0120488185
0986037890
1163985
1175731
1178299
1178606
29281227
294391000

BPM
DEUTZ DITER
DEUTZ FAHR (KHD)
FARYMANN DIESEL
FENDT
JENBACHER WERKE
KRAMER
LANSING LINDE
MWM-DIESEL
VM MOTORI



LEA0085

14V / 55A

Rotation: CW/CCW
B:27.0
B+(M6) W(M5)

1674526M1
61920261
9AR5070K

3405390M1
9AR2861K
LRA964

MASSEY FERGUSON



PRODUCT NO & INFORMATION

REFERENCES

APPLICATIONS



LEA0097

14V / 55A

Rotation: CW
Pulley Outside Diameter (mm): 66.0
Number of Groove: 1
A:36.5 B:12.0 C:83.0
B+(M6) W(M5)

0120400873	0120489050
0120489099	0120489593
0120489602	0120489681
0120489700	0120489701
0120489802	0120489850
0120489851	0986030380
0986030780	0986033860
11.201.143	111086
23863	432819
436166	436173

FORD
NEW HOLLAND



LEA0099

14V / 55A

Rotation: CW/CCW
B:56.0
B+(M6) D+(M4) W(M5)

0061541602	0101542602
0120400639	0120400645
0120400788	0120400789
0120400798	0120400851
0120489022	0120489710
0986030150	0986030340
0986030630	0986031270
11.201.499	112098
1163752	1171638
1516564R	3218544EX

ABG
CASE
CLAAS
IVECO
IVECO FIAT
MERCEDES-UNIMOG
NEW HOLLAND
ORENSTEIN, KOPPEL
SCHLUTER



LEA0119

14V / 55A

Rotation: CW
Pulley Outside Diameter (mm): 78.0
Number of Groove: 1
A:35.5 B:12.0 C:83.0
B+(M6) D+ W(M5) S

1695613M	2871A144
2871A147	2871A148
3698015R91	3698016M91
4917266T	4917919T
54022336	86VB10300AA
E7NN10B376AB	F0NN10B376AB
F0NN10B376BB	LRA02690

FORD
MASSEY FERGUSON
NEW HOLLAND
PERKINS



LEA0120

14V / 55A

Rotation: CW/CCW
B:12.0 C:83.0
B+(M6) W(M5) S

111739	1695613M
24273	2871A144
2871A147	2871A148
3698015R91	3698016M91
4917266T	4917919T
54022336	86VB10300AA
8EL730024-001	ADU7777
CA726IR	DRA3838
E7NN10B376AB	F0NN10B376AB
F0NN10B376BB	LRA02690

MASSEY FERGUSON



LEA0122

14V / 55A

Rotation: CW/CCW
B:12.0 C:83.0
B+(M6) W(M5)

1695613M91	24277
5021162	54022218
54022353	54022354
82FB10300EA	84FB10300MB
86AB10300AB	86AB10300ABA
86AB10300ACA	86AB10300DB
86AB10300EB	87BB10300BA
89AB10300GA	A5T31772
A5T31773	A5T31774
LRA00640	

CASE
FORD
MASSEY FERGUSON
ROVER
TVR



LEA0125

14V / 55A

Rotation: CW
Pulley Outside Diameter (mm): 86.0
Number of Groove: 2
A:43.5 B:12.0 C:83.0
B+(M6) W(M5)

2871A141	2871A141
61920181	

MOTORSAN ENGINES
PERKINS



LEA0198

14V / 55A

Rotation: CW/CCW
Pulley Outside Diameter (mm): 73.0
Number of Groove: 1
A:75.0 B:51.0
B+ D+ W B- EXC

6661611	7982728
8EL730121-001	92497A3
A000B0431	A000B0471K
A0B09601	AC155513
AC155515	AC155616
AC155907	AR150CA
DRZ0141	JA787IR
LRA02062	TA0B09601

BOBCAT



PRODUCT NO & INFORMATION

REFERENCES

APPLICATIONS



LEA0282

14V / 55A

Rotation: CW
Pulley Outside Diameter (mm): 78.0
Number of Groove: 1
A:35.5 B:12.0 C:83.0
B+(M6) W(M5) S

111739	1695613M
24273	2871A141
2871A144	2871A147
2871A148	3698015R91
3698016M91	4917266T
4917919T	54022336
86VB10300AA	8EL730024-001
ADU7777	CA726IR
DRA3838	E7NN10B376AB
F0NN10B376AB	F0NN10B376BB

MASSEY FERGUSON



LEA0283

14V / 55A

Rotation: CW
Pulley Outside Diameter (mm): 78.0
Number of Groove: 1
A:35.5 B:12.0 C:83.0
B+(M6) W(M5)

54022280

JCB
LDV
MASSEY FERGUSON
ROVER



LEA0284

14V / 55A

Rotation: CW
Pulley Outside Diameter (mm): 78.0
Number of Groove: 1
A:35.5 B:12.0 C:83.0
B+(M6) W(M5)

61920188

FORD
MASSEY FERGUSON
ROVER



LEA0310

14V / 55A

Rotation: CW
Pulley Outside Diameter (mm): 70.0
Number of Groove: 1
A:35.0 B:12.0 C:83.0
B+(M6) W(M5)

11.203.675	3693247M91
61920306	AAK1820
MG682	

LANDINI



LEA0311

14V / 55A

Rotation: CW
Pulley Outside Diameter (mm): 70.0
Number of Groove: 1
A:35.0 B:12.0 C:83.0
B+(M6) W(M5)

61920307



LEA0324

14V / 55A

Rotation: CW
Pulley Outside Diameter (mm): 73.0
Number of Groove: 1
A:36.0 B:12.0 C:83.0
B+(M6) W(M5)

110770	1447312M91
1447701R91	1693232M91
24157	24208
24298	2871A147
436692	54022053
54022096	54022108
54022109	61920187
714/12500R	85BB10300DA
85BB10300FA	8EL725882-001
9124476015	ADU7777

JCB
LDV
MASSEY FERGUSON
ROVER



LEA0396

14V / 55A

Rotation: CW/CCW
B:12.0 C:83.0
B+(M6) W(M5)

110770	1447312M91
1447701R91	1693232M91
1897695R91	24208
24298	2871A141
2871A147	3536264M91
3536265M91	3930501R91
436692	54022053
54022096	54022108
54022109	54022117
54022118	54022142

JCB
LDV
MASSEY FERGUSON
ROVER



PRODUCT NO & INFORMATION

REFERENCES

APPLICATIONS



LEA0426

14V / 55A

Rotation: CW
Pulley Outside Diameter (mm): 73.0
Number of Groove: 1
A:37.0 B:12.0 C:83.0
B+(M6) W(M5)

110770 1447312M91
1447701R91 1693232M91
1897695R91 24208
24298 2871A141
2871A147 3536264M91
3536265M91 3930501R91
436692 54022053
54022096 54022108
54022109 54022117
54022118 54022142

JCB
LDV
MASSEY FERGUSON
ROVER



LEA0435

14V / 55A

Rotation: CW
Pulley Outside Diameter (mm): 78.0
Number of Groove: 1
A:36.0 B:12.0 C:83.0
B+(M6) D+ W(M5) S

1695613M 2871A141
2871A144 2871A147
2871A148 3698015R91
3698016M91 4917266T
4917919T 54022336
86VB10300AA ADU7777
E7NN10B376AB F0NN10B376BB
F0NN10B376BB LRA00376
YLE10011 YLE10066

FORD
MASSEY FERGUSON
NEW HOLLAND
PERKINS
ROVER



LEA0436

14V / 55A

Rotation: CW
B:27.0
B+(M6) W(M5)

1674526M1 3405390M1
61920261 9AR2861K
9AR5070K LRA964

MASSEY FERGUSON



LEA0508

14V / 55A

Rotation: CW
Pulley Outside Diameter (mm): 90.0
Number of Groove: 1
A:82.0 B:56.0
B+(M6) D+(M4) W(M5)

0120489703 0120489704
0986033320 11.201.929
8EL725822-001 943356783
AAK3328 AL207585
AL28516 AL35998
AZ26910 CA522IR
DRA3320 IA0453
LRA00621 MAR876
MG215

JOHN DEERE



LEA0514

14V / 55A

Rotation: CW
B:56.0
B+(M6) D+(M4) W(M5)

11.203.390 1181747
1182037 AAK4342
IA1022 LRA03475
MG563

DEUTZ FAHR (KHD)



LEA0518

14V / 55A

Rotation: CW
Pulley Outside Diameter (mm): 78.0
Number of Groove: 1
A:36.0 B:12.0 C:83.0
B+(M6) D+ W(M5) B-(M5) S

1695613M 2871A144
2871A147 2871A148
3698015R91 3698016M91
4917266T 4917919T
54022336 54022336A
81863039 86VB10300AA
ADU7777 E7NN10B376AB
F0NN10B376AB F0NN10B376BB
LRA00376 YLE10011
YLE10066

MASSEY FERGUSON
NEW HOLLAND
PERKINS
ROVER




LEA0519

14V / 55A

Rotation: CW
Pulley Outside Diameter (mm): 67.0
Number of Groove: 1
A:37.0 B:12.0 C:83.0
B+(M6) D+ W(M5) S

54022753 82982788 NEW HOLLAND



PRODUCT NO & INFORMATION

REFERENCES

APPLICATIONS



LEA0520

14V / 55A

Rotation: CW
Pulley Outside Diameter (mm): 78.0
Number of Groove: 1
A:36.0 B:12.0 C:83.0
B+(M6) W(M5)

110770
1447701R91
1897695R91
24298
2871A147
3536265M91
436692
54022096
54022109
54022118

1447312M91
1693232M91
24208
2871A141
3536264M91
3930501R91
54022053
54022108
54022117
54022142

JCB
LDV
MASSEY FERGUSON
ROVER



LEA0543

14V / 55A

Rotation: CW
Pulley Outside Diameter (mm): 73.0
Number of Groove: 1
A:36.0 B:12.0 C:83.0
B+(M6) W(M5)

11.201.764
IA0764

AAK1388
MG235

LANDINI



LEA0610

14V / 55A

Rotation: CW
Pulley Outside Diameter (mm): 80.0
Number of Groove: 1
A:49.0 B:15.0 C:70.0
B+(M6) D+(M4) W(M5)

0986035760
20100975
4808507
DRA3355
MG191

11.201.336
2995030
AAK4162
IA0336

AIFO
ALFA ROMEO
FIAT
IVECO



LEA0734

14V / 55A

Rotation: CW
Pulley Outside Diameter (mm): 73.0
Number of Groove: 2
A:58.0 B:15.0 C:64.0
B+(M6) D+ W(M5)

0-7152947
7150110

61920494
7152947

TUMOSAN



LEA0906

14V / 55A

Rotation: CW
Pulley Outside Diameter (mm): 69.5
Number of Groove: 1
A:22.2 B:50.8
B+(M6) D+(M4) W(M5)

11.204.318
IA1300

AAK4803
MG25

AGRITECH



LEA0913

14V / 55A

Rotation: CW
Pulley Outside Diameter (mm): 55.0
Number of Groove: 8

11.203.824
AAK1867
MG453

87311827
IA1206

NEW HOLLAND

Picchio has been used for reference only.



LEA0919


14V / 55A

Rotation: CW
B:11.5 C:82.0
B+(M6) D+(M4) W(M5)

11.204.365
3284457M91
83632800
89674900
AAK4818
IA1122
MG226

11.204.507
35215120
83632800
89731700
AAK4866
IA1549
MG73

MASSEY FERGUSON
VALTRA (VALMET)



PRODUCT NO & INFORMATION

REFERENCES

APPLICATIONS



LEA1138

14V / 55A

Rotation: CW
Pulley Outside Diameter (mm): 79.0
Number of Groove: 1
A:73.8 B:50.8
B+(M6) D+(M4) W(M5)

0120489533	0120489534
0986031070	11.201.230
112310	12311352708
432872	436130
6005719494	9AR2984
9AR5037L	AAK1193
C000900010050	IA0230
LRA00812	MAR482
MG228	VA138

BMW
VOLVO (BM)



LEA1163

14V / 55A

Rotation: CW
Pulley Outside Diameter (mm): 65.0
Number of Groove: 1
A:35.3 B:12.0 C:83.0
B+(M6) D+(M4) W(M5)

11.203.536	82989529
AAK4380	IA1298
MG618	

CASE



LEA1164

14V / 55A

Rotation: CW
Pulley Outside Diameter (mm): 75.0
Number of Groove: 1
A:89.0 B:56.0
B+(M6) D+(M4) W(M5)

11.201.796	11.203.751
AAK1839	AAK4592
IA1359	MG287

HELWAN DIESEL



LEA1165

14V / 55A

Rotation: CW
B:80.0
B+(M6) D+(M4) W(M5)

11.204.695	35214230
3589442M91	6205039M91
6228051M91	6228052M91
6228053M91	6228054M91
6228055M91	6237273M91
6237274M91	6237275M91
6237276M91	6237501M91
6283263M91	6283264M91
6283266M91	9120080154
AAK4939	IA1381

MASSEY FERGUSON



LEA1166

14V / 55A

Rotation: CW
Pulley Outside Diameter (mm): 75.0
Number of Groove: 2
A:117.1 B:80.0
B+(M6) D+(M4) W(M5)

11.204.440	6237276M93
6283264M91	AAK4843
IA1553	MG737

AGCO
MASSEY FERGUSON



LEA1203

14V / 55A

Rotation: CW
Pulley Outside Diameter (mm): 93.0
Number of Groove: 1
A:76.0 B:50.0
B+(M6) D+(M4) W(M5)

443113516061	939950
9516061	LRA02356

ZETOR




LEA1205

14V / 55A

Rotation: CW
Pulley Outside Diameter (mm): 71.0
Number of Groove: 1
A:79.0 B:56.0
B+(M8) D+(M4) W(M5) B-(M5)

0120400742	0120400743
0120400838	0120400839
0120489114	0120489627
11.201.624	111841
1204018	1204110
1204112	1204120
1204165	1204168
1204170	1204310
3472220	3472275
432824	436153

ERIN MOTOR
FARYMANN DIESEL
FSO
OPEL
VAUXHALL



PRODUCT NO & INFORMATION

REFERENCES

APPLICATIONS



LEA1223

14V / 55A

Rotation: CW
Pulley Outside Diameter (mm): 68.0
Number of Groove: 1
A:36.0 B:12.0 C:83.0
B+(M6) W(M5)

0120489048	0120489074
0120489090	0120489091
0120489093	0120489214
0120489345	0120489666
0120489667	0120489843
0120489844	0986030760
0986030761	0986030768
0986031350	0986034200
0986036010	11.201.301
11.201.579	24065

CASE
CATERPILLAR
FORD
GEHL
INTERNATIONAL HARVESTER
JCB
LIEBHERR
LISTER-PETTER
MARSHALL TRACTORS
MASSEY FERGUSON



LEA1236

14V / 55A

Rotation: CW
Pulley Outside Diameter (mm): 60.0
Number of Groove: 5

11.201.707	3476244M91
3930501R91	AAK4568
ADU8090	ADU9052
ADU9670	IA0707
MG102	

PERKINS
ROVER



LEA0883

14V / 60A

Rotation: CW/CCW
B+(M6) D+(M5) W(M5) B-(M5)

01179755	01179897
01179897KZ	01180648KZ
11.201.292	11.203.106
11.204.448	112183
112548	1179897
1180648	1180660
1182105	1182434
436376	436491
439190	A13N255
A13N271	AAK2301

KHD



LEA0912

14V / 61A

Rotation: CW
Pulley Outside Diameter (mm): 70.0
Number of Groove: 1
A:36.6 B:11.5 C:82.0
B+(M6) D+(M4) W(M5)

11.201.884	6106494M91
AAK3316	IA0884
MG412	

FERMEC
TEREX



LEA0035

14V / 65A

Rotation: CW/CCW
B:12.0 C:83.0
B+(M6) W(M5)

0120489384	0120489385
111355	24158
24209	24245
24291	24356
24390	2871A148
433415	54022054
54022143	54022164
54022176	54022191
54022193	54022204
54022216	54022229

CASE
JCB
ROVER



LEA0036

14V / 65A

Rotation: CW/CCW
B:12.0 C:83.0
B+(M6) W(M5)

0120489384	24202
2871A148	433415
54022164	54022176
54022191	54022193
54022204	54022216
54022229	54022244
54022255	54022262
54022282	54022306
54022409	54022428
54022439	54022483

CASE
JCB
ROVER




LEA0037

14V / 65A

Rotation: CW/CCW
B:12.0 C:83.0
B+(M6) D+(M4) W(M5)

24220	54022197
54022340	63324220
DRA3588	LRB00127
LRB127	MAN118
MAN182	MAR118
NAB405	PRC6364

LAND ROVER
LEYLAND DAF
ROVER



PRODUCT NO & INFORMATION

REFERENCES

APPLICATIONS



LEA0038

14V / 65A

Rotation: CW/CCW
B:12.0 C:83.0
B+(M6) W(M5)

0986044571 111738
112238 1475923M91
24161 24228
24240 24241
24242 24290
24297 432865
54022058 54022060
54022140 54022162
54022179 54022189
54022192 54022220

CASE
CUMMINS
LDV
MASSEY FERGUSON
PERKINS
ROVER



LEA0070

14V / 65A

Rotation: CW/CCW
B:25.0 C:82.0
B+(M6) D+(M5) W(M5)

20100527 20140115
24418 28171A166
4342110 54022664
MAN767

HYSTER
PERKINS
PERKINS SABRE



LEA0080

14V / 65A

Rotation: CW/CCW
B:51.0
B+(M6) D+(M5) W(M5)

0120488205 0120488293
0120488475 0986040290
11.201.935 111888
3604448RX 3911248
3920679 39206791
3E7285 43354109
61920215 8EL737217-001
A186125 A187873
A187873 AAK3330
AT173624 CA1197IR

CASE
INGERSOLL-RAND
JOHN DEERE



LEA0140

14V / 65A

Rotation: CW
Pulley Outside Diameter (mm): 73.0
Number of Groove: 1
A:45.0 B:25.0 C:82.0
B+(M6) D+(M5) W(M5)

20140115 24418
28171A166 2871A166
4342110 54022662
54022664 MAN767

KRAMER
MASSEY FERGUSON
SCHÄFFER



LEA0285

14V / 65A

Rotation: CW
Pulley Outside Diameter (mm): 67.0
Number of Groove: 1
A:36.5 B:12.0 C:83.0
B+(M6) W(M5)

54022097

CASE
JCB
ROVER



LEA0397

14V / 65A

Rotation: CW
Pulley Outside Diameter (mm): 73.0
Number of Groove: 1
A:37.0 B:12.0 C:83.0
B+(M6) W(M5)

61920296

BASKENT TRACTOR



LEA0429

14V / 65A

Rotation: CW
Pulley Outside Diameter (mm): 73.0
Number of Groove: 1
A:79.0 B:56.0
B+(M6) W(M5)

61920364

IMR



PRODUCT NO & INFORMATION

REFERENCES

APPLICATIONS



LEA0430

14V / 65A

Rotation: CW
Pulley Outside Diameter (mm): 84.0
Number of Groove: 1
A:35.5 B:12.0 C:83.0
B+(M6) W(M5)

0120489384 111355
24158 24209
24245 24291
24356 24390
2871A148 433415
54022054 54022143
54022164 54022176
54022191 54022193
54022204 54022216
54022229 54022242

CASE
JCB
ROVER



LEA0502

14V / 65A

Rotation: CW
B:56.0
B+(M6) D+(M5) W(M5)

0120300552 0986037890
11.201.226 11.201.570
11.203.405 11.204.880
11.204.884 1163985
1171617 1175731
1177481 1178299
1178521 1178606
118151 20030014
29281227 294390200
294391000 31100090048

DEUTZ FAHR (KHD)
FENDT
JENBACHER WERKE
KRAMER
LANSING LINDE
VM MOTORI



LEA0541

14V / 65A

Rotation: CW
Pulley Outside Diameter (mm): 75.0
Number of Groove: 2
A:38.0 B:12.0 C:83.0
B+(M6) W(M5)

11.201.415 3536265M91
3536265M91 3536265M91
3551780M91 3551780M91
3551780M92 3551780M92
AAK1329 CA628IR
IA0415 MG590

LANDINI



LEA0542

14V / 65A

Rotation: CW
Pulley Outside Diameter (mm): 73.0
Number of Groove: 1
A:36.5 B:12.0 C:83.0
B+(M6) W(M5)

11.201.913 3536264M91
3661191M91 AAK3320
IA0913 MG348

LANDINI
MASSEY FERGUSON



LEA0556

14V / 65A

Rotation: CW
B:12.0 C:83.0
B+(M6) W(M5)

0120489384 11.201.578
111355 24158
24209 24245
24291 24356
24390 2871A148
2871A163 433415
54022054 54022143
54022164 54022176
54022191 54022193
54022204 54022216

BETA MARINE
CASE
JCB
PERKINS ENGINES
ROVER



LEA0584

14V / 65A

Rotation: CW
Pulley Outside Diameter (mm): 88.0
Number of Groove: 1
A:37.0 B:12.0 C:83.0
B+(M6) W(M5)

11.201.276 113574
24049 3477851R91
3538541M91 432864
6005706647 6173461
63358020 66021411
8EL725641-001 8EL725714-001
9AR2919P AAK4118
CA22H CA312IR
DRA3013 DRA3940
IA0276 LRA00131

BEDFORD MARINE
CASE
FORD
NEW HOLLAND
VALTRA (VALMET)



LEA0586

14V / 65A

Rotation: CW
Pulley Outside Diameter (mm): 72.0
Number of Groove: 1
A:77.0 B:56.0
B+(M6) D+(M4) W(M5)

01162339 01163752
01163753 01171638
0120400600 0120484134
0120484233 03045177
11.201.219 11.201.444
11.203.415 112098
1163752 1171638
12270186 12911594
130100090744 1532068C2
20100983 2522976

ABG
CASE
CLAAS
DRESSER
EICHER
FARYMANN
FENDT
INTERNATIONAL HARVESTER
IVECO
MAGIRUS-DEUTZ



PRODUCT NO & INFORMATION

REFERENCES

APPLICATIONS



LEA0609

14V / 65A

Rotation: CW
Pulley Outside Diameter (mm): 70.0
Number of Groove: 1
A:44.0 B:15.0 C:75.0
B+(M6)

11.201.717
23100-71J10
46207932
46231780
AAK1373
MG86

23100-71J00
2871A166
46231751
46445102
IA0717

LANDINI
NISSAN
PERKINS



LEA0611

14V / 65A

Rotation: CW
Pulley Outside Diameter (mm): 85.0
Number of Groove: 2
A:42.0 B:15.0 C:70.0
B+(M6) D+(M4) W(M5)

11.201.330
AAK4156
MG524

4849157
IA0330

FIAT



LEA0618

14V / 65A

Rotation: CW
Pulley Outside Diameter (mm): 93.0
Number of Groove: 2
A:58.0 B:15.0 C:70.0
B+(M6) D+(M4) W(M5)

0986035631
4763249
63305832
AAK4155
IA0329
MG521

11.201.329
4798447
63307801
C000900010060
LRA01352

AGRIFULL
ALFA ROMEO
FIAT
HUELMANN
SAME DEUTZ-FAHR GROUP
VM MOTORI



LEA0696

14V / 65A

Rotation: CW
Pulley Outside Diameter (mm): 93.0
Number of Groove: 1
A:37.0 B:12.0 C:83.0
B+(M6) D+ W(M5)

11.201.739
AAK1380
MG436

836664037
IA0739

VALTRA (VALMET)



LEA0703

14V / 65A

Rotation: CW
B:56.0
B+(M6) D+(M4) W(M5)

0120488138
03045177
0986039800
1171638
1532068C1
50366500
61000090072
81261016039
9515010
CA1242IR

0120488233
0986038050
1163752
12270186
3218544EX
6005706652
6854980
8EL737371-001
9516693
G345900011010

CASE
CLAAS
FENDT
MERCEDES-BENZ
STEYR
ZETOR



LEA0705

14V / 65A

Rotation: CW
Pulley Outside Diameter (mm): 82.0
Number of Groove: 1
A:36.0 B:12.0 C:82.0
B+(M6) D+ W(M5)

11.201.470
11.204.581
AAK3369
IA0470
MG176

11.203.097
836666723
AAK4893
LRA02047
MG656

VALTRA (VALMET)



LEA0707


14V / 65A

Rotation: CW
Pulley Outside Diameter (mm): 72.0
Number of Groove: 1
A:35.0 B:12.0 C:83.0
B+(M6) D+ W(M5)

54022536
63324245
CA1346IR
MAN131
YLE101580

54022647
66021636
DRA3925
YLE10067

AUSTIN
CASE
LAND ROVER



PRODUCT NO & INFORMATION

REFERENCES

APPLICATIONS



LEA0713

14V / 65A

Rotation: CW

Pulley Outside Diameter (mm): 73.0

Number of Groove: 1

A:58.0 B:15.0 C:71.0

B+(M6) D+ W

47465539

47563621

47906767

5089513

63396555

63399915

47515263

47780203

47906830

61920458

633999020

93395575

CNH

FIAT

TURK TRACTOR (CNH)



LEA0714

14V / 65A

Rotation: CW

Pulley Outside Diameter (mm): 73.0

Number of Groove: 2

A:58.0 B:15.0 C:71.0

B+(M6) D+ W

47465541

47563623

47906768

61920457

84402419

47515265

47780205

47906837

63396565

87625674

CNH

TURK TRACTOR (CNH)



LEA0715

14V / 65A

Rotation: CW

Pulley Outside Diameter (mm): 67,5

Number of Groove: 8

A:58.0 B:15.0 C:71.0

B+(M6) D+ W

47364498

47515266

47780212

61920459

47465544

47563625

48195848

CNH

TURK TRACTOR (CNH)



LEA0727

14V / 65A

Rotation: CW

Pulley Outside Diameter (mm): 70.0

Number of Groove: 1

A:58.0 B:15.0 C:64.0

B+(M6) D+(M4) W(M5)

0-7152685

61920422

TUMOSAN



LEA0728

14V / 65A

Rotation: CW

Pulley Outside Diameter (mm): 73.0

Number of Groove: 2

A:58.0 B:15.0 C:64.0

B+(M6) D+(M4) W(M5)

0-7152773

7152773

61920454

7152945

TUMOSAN



LEA0732

14V / 65A

Rotation: CW

Pulley Outside Diameter (mm): 76.0

Number of Groove: 1

A:58.0 B:15.0 C:65.5

B+(M6) D+ W

5340530009001000 61920445

BASAK TRACTOR



LEA0733

14V / 65A

Rotation: CW

Pulley Outside Diameter (mm): 73.0


Number of Groove: 1

A:93,5 B:56.0

B+(M6) D+ W

5340530009001300 61920464

BASAK TRACTOR



PRODUCT NO & INFORMATION

REFERENCES

APPLICATIONS



LEA0735

14V / 65A

Rotation: CW
Pulley Outside Diameter (mm): 72.0
Number of Groove: 2
A:58.0 B:15.0 C:64.0
B+(M6) D+ W(M5)

0-7152945
7152773

61920495
7152945

TUMOSAN



LEA0766

14V / 65A

Rotation: CW
Pulley Outside Diameter (mm): 93.0
Number of Groove: 1
A:37.0 B:11.0 C:81.0
B+(M6) W(M5)

2871A148
3930504R1
YLE10067

3819359M91
873F10300BA
YLE101580

AUSTIN
LAND ROVER
MASSEY FERGUSON
MG



LEA0907

14V / 65A

Rotation: CW/CCW
B:56
B+(M6) D+(M4) W(M5)

11.203.296
AAK4312
MG553

3ALT004
IA1160

ZANOTTI



LEA0915

14V / 65A

Rotation: CW
B:11.5 C:83.0
B+(M6) D+(M4) W(M5)

11.203.696
47519003
87576058
AAK3898
MG567

11.204.310
87576052
AAK1824
IA1331

NEW HOLLAND



LEA0916

14V / 65A

Rotation: CW
Pulley Outside Diameter (mm): 68.0
Number of Groove: 2
A:34.7 B:11.5 C:82.0
B+(M6) D+(M4) W(M5)

11.203.667
3692514M91
AAK1817
IA1315
MG199

11.203.725
3695885M91
AAK1835
IA1358
MG284

LANDINI
MCCORMICK



LEA0964

14V / 65A

Rotation: CW
B:11.5 C:82.0
B+(M6) D+(M4) W(M5)

11.203.696
11.204.579
87576052
AAK1824
AAK4891
IA1574
MG567

11.204.310
47519003
87576058
AAK3898
IA1331
MG175

CASE
NEW HOLLAND



LEA0965


14V / 65A

Rotation: CW
Pulley Outside Diameter (mm): 60.0
Number of Groove: 8
A:26.4 B:50.8
B+(M6) D+(M4) W(M5)

11.204.756
F002G10574
MG736

AAK4981
IA1642
SA2326021138

TATA



PRODUCT NO & INFORMATION

REFERENCES

APPLICATIONS



LEA1140

14V / 65A

Rotation: CW
Pulley Outside Diameter (mm): 94.0
Number of Groove: 1
A:59.5 B:27.0
B+(M6) D+(M4) W(M5)

11.204.373
3581388M1
6005706661
IA0692

3467043M91
3930502R91
AAK4822
MG271

MASSEY FERGUSON



LEA1144

14V / 65A

Rotation: CW
Pulley Outside Diameter (mm): 83.0
Number of Groove: 2
A:38.4 B:15.0 C:82.0
B+(M6) D+(M4) W(M5)

103613
111686N
AAK4871
MG778

11.204.515
61920546
IA1561

ERKUNT TRACTOR



LEA1148

14V / 65A

Rotation: CW/CCW
B:15.0 C:65.0
B+(M6) D+(M4) W(M5)

063321424010
114669
294393700
294395500
395250A1
63320013
63320124
63321040
63321424
63321458

11.201.463
294393200
294394200
294395700
6005712872
63320037
63320137
63321079
63321428
63321502

AGCO
BPM
DEUTZ FAHR (KHD)
HUEBLIMANN
LAMBORGHINI TRACTORS
MASSEY FERGUSON
NEW HOLLAND
SAME DEUTZ-FAHR GROUP



LEA1149

14V / 65A

Rotation: CW
B:15.0 C:77.0
B+(M6) D+(M4) W(M5)

11.201.662
73327994
IA0662

294395400
AAK4543
MG357

SAME DEUTZ-FAHR GROUP
STEYR-DAIMLER-PUCH



LEA1156

14V / 65A

Rotation: CW
Pulley Outside Diameter (mm): 69.0
Number of Groove: 1
A:77.0 B:56.0
B+(M6) D+ W(M5)

0120489043
0120489057
0120489685
0120489687
0986030710
11.201.215
12311277232
12311361373
432843
436137

0120489044
0120489058
0120489686
0120489688
0986031240
11.204.879
12311277502
12311361824
436136
436286

BMW
CLAAS



LEA1181

14V / 65A

Rotation: CW
B:12.0 C:82.0
B+(M6) D+(M5) W(M5)

063377460010
102211-8161
185046500
225-3141
2871A306
61920558
71440152
DA1135
DRA0025
MAN7460

102211-8160
111760N
185046501
2871A301
3943494
63377460
8EL012240-861
DAN653
LRA03302

CATERPILLAR
JCB
TEREX
VALTRA (VALMET)



LEA1186


14V / 65A

Rotation: CW
B:12.0 C:83.0
B+(M6) W(M5)

0986044571
111738
1475923M91
24228
24241
24290
432865
54022060
54022162
54022189

11.201.811
112238
24161
24240
24242
24297
54022058
54022140
54022179
54022192

CASE
CUMMINS
LDV
MASSEY FERGUSON
PERKINS
ROVER



PRODUCT NO & INFORMATION

REFERENCES

APPLICATIONS



LEA0088

14V / 70A

Rotation: CW/CCW
B:27.0
B+(M6) W(M5)

111948
2541131
2940772
3930503R1
8EL737572-001
DRA3549

2541130
2541148
3581387R1
61920260
CA1387IR
LRA959

MASSEY FERGUSON



LEA0105

14V / 70A

Rotation: CW
B:12.0 C:83.0
B+(M6) W(M5)

0120489293
11.201.810
2541290
3478360M91
35599503M91
3582821R1
3611577M91
3612670M91
3701911M91
3760524M91

0120489385
24294
2541400
3478360R91
35599504M91
3611576M91
3611931M91
3615942R1
3701912M91
3930504R1

CASE
JCB
KRAMER
LISTER-PETTER
MASSEY FERGUSON
MCCORMICK
PERKINS
VALTRA (VALMET)



LEA0111

14V / 70A

Rotation: CW/CCW
B:12.0 C:83.0
B+(M6) W(M5) S

11.201.504
24400
54022561
54022706
66021605
AAK1344
DRA3837
E7NN10B376BA
LRA00522
MAN142

24274
54022560
54022562
63324274
8EL737507-001
CA1330IR
E7NN10B376AB
IA0504
LRA522
MAR142

NEW HOLLAND



LEA0112

14V / 70A

Rotation: CW/CCW
B:12.0 C:83.0
B+(M6) W(M5)

114360
24294
2541290
3478360M91
35599503M91
3582821R1
3611577M91
3615942R1
3701912M91
3930504R1

24249
24387
2541400
3478360R91
35599504M91
3611576M91
3612670M91
3701911M91
3760524M91
3933142M91

MASSEY FERGUSON



LEA0115

14V / 70A

Rotation: CW/CCW
B:12.0 C:83.0
B+(M6) D+(M5) W(M5)

113623
24385
24415
54022525
54022566

24384
24414
54022397
54022526
54022567

NEW HOLLAND



LEA0121

14V / 70A

Rotation: CW
Pulley Outside Diameter (mm): 78.0
Number of Groove: 1
A:36.0 B:12.0 C:83.0
B+(M6) D+ W(M5) S

111740
LRA00522

54022337
LRA522

MASSEY FERGUSON
NEW HOLLAND




LEA0126

14V / 70A

Rotation: CW
Pulley Outside Diameter (mm): 84.0
Number of Groove: 1
A:35.5 B:12.0 C:83.0
B+(M6) W(M5)

61920224

ITM CO



PRODUCT NO & INFORMATION

REFERENCES

APPLICATIONS



LEA0134

14V / 70A

Rotation: CW
Pulley Outside Diameter (mm): 74.0
Number of Groove: 2
A:36.5 B:12.0 C:83.0
B+(M6) W(M5)

24294
2541400
3478360R91
35599504M91
3611576M91
3611931M91
3615942R1
3701912M91
3930504R1
54022382

2541290
3478360M91
35599503M91
3582821R1
3611577M91
3612670M91
3701911M91
3760524M91
54022200
54022383

MASSEY FERGUSON



LEA0136

14V / 70A

Rotation: CW
Pulley Outside Diameter (mm): 100
Number of Groove: 2
A:39.0 B:12.0 C:83.0
B+(M6) D+ W(M5)

54022562

MASSEY FERGUSON



LEA0137

14V / 70A

Rotation: CW
Pulley Outside Diameter (mm): 78.0
Number of Groove: 1
A:35.5 B:12.0 C:83.0
B+(M6) D+ W(M5)

24400
2871A154
54022479
54022579
8EL725855-001
ADU9548
ASU1693
DRA3294
GEU2115
LRA01888

2871A148
2871A163
54022479A
87800219
ADU8880
ADU9750
CA564IR
GEU2109
GXE2115
RTC5845

NEW HOLLAND
PERKINS ENGINES
ROVER



LEA0270

14V / 70A

Rotation: CW/CCW
B:10.5 C:83.0
B+(M6) W(M5)

61920357
66021155
CA1457IR

66021126
8EL737662-001
NAB900

VOLVO



LEA0272

14V / 70A

Rotation: CW
Pulley Outside Diameter (mm): 72.0
Number of Groove: 1
A:44.0 B:11.0 C:83.0
B+(M6) W(M5)

110497
66021126
CA1457IR

61920363
8EL737662-001
NAB900

AUSTIN-HEALEY
CUMMINS



LEA0275

14V / 70A

Rotation: CW
Pulley Outside Diameter (mm): 65.0
Number of Groove: 1
A:37.5 B:12.0 C:83.0
B+(M6) W(M5)

110968
8EL737664-001
NAB300

61920352
CA1459IR

FORD
LAND ROVER
MASSEY FERGUSON
NEW HOLLAND



LEA0277


14V / 70A

Rotation: CW
Pulley Outside Diameter (mm): 75.0
Number of Groove: 1
A:59.0 B:27.0
B+(M6) W(M5)

110970
8EL737666-001
NAB302

61920354
CA1461IR

MASSEY FERGUSON



PRODUCT NO & INFORMATION

REFERENCES

APPLICATIONS



LEA0280

14V / 70A

Rotation: CW
Pulley Outside Diameter (mm): 78.0
Number of Groove: 1
A:35.5 B:12.0 C:83.0
B+(M6) W(M5) S

11.201.504	111740
24274	24400
54022560	54022561
54022562	54022706
63324274	8EL737507-001
AAK1344	CA1330IR
DRA3837	E7NN10B376AB
E7NN10B376BA	IA0504
LRA00522	LRA522
MAN142	MAR142

NEW HOLLAND



LEA0294

14V / 70A

Rotation: CW
Pulley Outside Diameter (mm): 65.0
Number of Groove: 1
A:51.0 B:27.0
B+(M6) W(M5)

111204	66021169
8EL737674-001	CA1469IR
NAB905	

CASE
JAGUAR
TVR



LEA0323

14V / 70A

Rotation: CW
Pulley Outside Diameter (mm): 74.0
Number of Groove: 1
A:80.0 B:56.0
B+(M6) D+(M4) W(M5)

61920355



LEA0394

14V / 70A

Rotation: CW
Pulley Outside Diameter (mm): 73.0
Number of Groove: 1
A:36.0 B:12.0 C:83.0
B+(M6) W(M5)

110497
66021126
CA1457IR

61920363
8EL737662-001
NAB900

AUSTIN-HEALEY
CUMMINS



LEA0403

14V / 70A

Rotation: CW/CCW
B:11.0 C:83.0
B+(M6) W(M5) B-(M5)

110497
66021126
CA1457IR

61920357
8EL737662-001
NAB900

AUSTIN-HEALEY
CUMMINS



LEA0404

14V / 70A

Rotation: CW
Pulley Outside Diameter (mm): 74.0
Number of Groove: 2
A:36.5 B:12.0 C:83.0
B+(M6) W(M5)

54022528

MASSEY FERGUSON




LEA0421

14V / 70A

Rotation: CW
Pulley Outside Diameter (mm): 67.0
Number of Groove: 6
A:31.5 B:12.0 C:83.0
B+(M6) D+(M5) W(M5)

54022526

NEW HOLLAND



PRODUCT NO & INFORMATION

REFERENCES

APPLICATIONS



LEA0427

14V / 70A

Rotation: CW
Pulley Outside Diameter (mm): 73.0
Number of Groove: 1
A:36.5.0 B:12.0 C:83.0
B+(M6) W(M5)

24249	24294
24387	2541290
2541400	3478360M91
3478360R91	35599503M91
35599504M91	3582821R1
3611576M91	3611577M91
3612670M91	3615942R1
3701911M91	3701912M91
3760524M91	3930504R1
54022200	54022293

MASSEY FERGUSON



LEA0432

14V / 70A

Rotation: CW
Pulley Outside Diameter (mm): 78.0
Number of Groove: 1
A:36.0 B:12.0 C:83.0
B+(M6) W(M5) S

11.201.504	24274
24400	54022560
54022561	54022562
54022706	63324274
8EL737507-001	AAK1344
CA1330IR	DRA3837
E7NN10B376AB	E7NN10B376BA
IA0504	LRA00522
LRA522	MAN142
MAR142	MG283

NEW HOLLAND



LEA0503

14V / 70A

Rotation: CW
Pulley Outside Diameter (mm): 94.0
Number of Groove: 1
A:60.0 B:27.0
B+(M6) W(M5)

11.201.693	11.204.374
1691795R92	1699872R1
1699872T	3405390M1
3930503R1	6005003157
6005701123	7700012969
7700017041	AAK4554
AAK4823	DRA3549
IA0693	MG272

MASSEY FERGUSON



LEA0509

14V / 70A

Rotation: CW
Pulley Outside Diameter (mm): 90.0
Number of Groove: 1
A:83.0 B:56.0
B+(M6) D+(M4) W(M5)

0120488217	0120488218
0120489156	0120489317
0986037450	11.201.934
8EL732698-001	AAK3329
AL67175	AL67176
AL81436	CA915IR
DRA3445	DRA7450
IA0592	LRA01703
LRB00293	MG277
TY6669	

JOHN DEERE



LEA0523

14V / 70A

Rotation: CW
Pulley Outside Diameter (mm): 78.0
Number of Groove: 1
A:36.0 B:12.0 C:83.0
B+(M6) D+(M4) W(M5)

11.201.876	116126
388188A1	A231295A1
AAK3312	IA0876
MG402	

CASE
MCCORMICK



LEA0524

14V / 70A

Rotation: CW
Pulley Outside Diameter (mm): 78.0
Number of Groove: 2
A:35.0 B:12.0 C:83.0
B+(M6) D+(M4) W(M5)

11.201.877	11.203.379
63340009	710366A1
A188590A1	AAK3313
AAK4339	IA0877
IA1185	MAN819
MG330	MG403

CASE
MCCORMICK




LEA0528

14V / 70A

Rotation: CW
Pulley Outside Diameter (mm): 115.0
Number of Groove: 1
A:84.0 B:56.0
B+(M6) D+(M4) W(M5)

11.201.946	7700053087
7700058810	AAK3314
AAK3340	IA0880
MG388	

RENAULT AGRICULTURE



PRODUCT NO & INFORMATION

REFERENCES

APPLICATIONS



LEA0529

14V / 70A

Rotation: CW
Pulley Outside Diameter (mm): 83.0
Number of Groove: 1
A:84.0 B:56.0
B+(M6) D+(M4) W(M5)

11.201.936
7700058809
IA0665
MG278

7700036535
AAK3331
LRA01931

RENAULT AGRICULTURE



LEA0536

14V / 70A

Rotation: CW
B:12.0 C:83.0
B+(M6) D+(M5) W(M5)

113623
24385
24415
54022526
54022567

24384
24414
54022525
54022566
F2NN10B376BA

NEW HOLLAND



LEA0572

14V / 70A

Rotation: CW
B:12.0 C:83.0
B+(M6) D+(M5) W(M5) S

113623
24384
24414
54022397
54022526

24295
24385
24415
54022525
54022566

NEW HOLLAND



LEA0748

14V / 70A

Rotation: CW
Pulley Outside Diameter (mm): 89.0
Number of Groove: 2
A:52.0 B:27.0
B+(M6) D+ W(M5) B-(M5)

3618907M1
439098

3618907M1

MASSEY FERGUSON



LEA1048

14V / 70A

Rotation: CW
Pulley Outside Diameter (mm): 80.0
Number of Groove: 1
A:72.2 B:51.0
B+(M6) D+(M4) W(M5)

11.201.856
AAK3305

114465

VOLVO (BM)



LEA1136

14V / 70A

Rotation: CW
Pulley Outside Diameter (mm): 80.0
Number of Groove: 1
A:72.2 B:51.0
B+(M6) D+(M4) W(M5)

11.201.945
IA0856

AAK3339
MG230

DEUTZ AG (KHD)
VOLVO (BM)



LEA1139


14V / 70A

Rotation: CW
Pulley Outside Diameter (mm): 84.0
Number of Groove: 2
A:59.5 B:27.0
B+(M6) D+(M4) W(M5)

11.201.524
2541746
3618907R1
432981
433475
6005003144
6005700087
7700009011
8EL737562-001
A13N279

2541713
2940148
432978
433474
436710
6005700087
6005700725
7700034499
A13N275
A14N37

MASSEY FERGUSON
RENAULT AGRICULTURE



PRODUCT NO & INFORMATION

REFERENCES

APPLICATIONS



LEA1180

14V / 70A

Rotation: CW
Pulley Outside Diameter (mm): 74.0
Number of Groove: 1
A:59.5 B:27.0
B+(M6) D+(M4) W(M5)

11.201.513	11.204.372
2522161	2523458
2541198	2541744
2541756	2940119
2940146	432977
432980	433472
433473	433478
433481	436709
436711	6005003141
6005003142	6005003150

RENAULT AGRICULTURE



LEA1194

14V / 70A

Rotation: CW
Pulley Outside Diameter (mm): 44.5
Number of Groove: 4
A:29.0 B:11.3 C:83.0
B+ (M6) W(M5)

38208919	61920605	LISTER-PETTER
----------	----------	---------------



LEA1216

14V / 70A

Rotation: CW
Pulley Outside Diameter (mm): 67.0
Number of Groove: 6
A:36.0 B:12.0 C:83.0
B+(M6) D+(M4) W(M5)

11.201.481	20130209	FORD NEW HOLLAND
63324295	72735525	
AAK1339	F2NN10B376BA	
IA0481	MG526	



LEA0057

14V / 72A

Rotation: CW/CCW
B:12.0 C:83.0
B+(M6) W(M5)

24407	54022580	JCB
714/26100	LRB290	



LEA0535

14V / 72A

Rotation: CW
B:12.0 C:83.0
B+(M6) W(M5)

24407	54022580	JCB
714/26100	LRB290	



LEA0708

14V / 72A

Rotation: CW
Pulley Outside Diameter (mm): 70.0
Number of Groove: 1
A:35.0 B:12.0 C:83.0
B+(M6) D+ W(M5)

11.203.675	11.203.790	AUSTIN
20110290	2871A160	JCB
3693247M91	61920306	LANDINI
63324407	714/26100	MASSEY FERGUSON
714/26100R	87800219	MG
AAK1820	AAK1857	NEW HOLLAND
DRA3667	IA1373	ROVER
LRB00290	MAN817	VALTRA
MG550	MG682	




LEA0908

14V / 75A

Rotation: CW
Pulley Outside Diameter (mm): 80.0
Number of Groove: 1
A:84.0 B:56.0
B+(M6) D+(M4) W(M5)

012048947	11.204.382	JOHN DEERE
69X56677B	AAK4825	
IA0998	MG479	
RE509106	RE559951	



PRODUCT NO & INFORMATION

REFERENCES

APPLICATIONS



LEA0917

14V / 75A

Rotation: CW
Pulley Outside Diameter (mm): 70.0
Number of Groove: 2
A:38.5 B:11.5 C:82.0
B+(M6) D+(M4) W(M5)

11.204.029
9HT12011A6A
IA1442

61920596
AAK3815
MG579

HATTAT
URSUS



LEA0437

14V / 80A

Rotation: CW/CCW
Pulley Outside Diameter (mm): 83.0
Number of Groove: 1
A:45.5 B:12.0 C:83.0
B+(M6) W(M5) B-(M5)

11.201.745
11.201.956
111509
200-01384
2720578
2871A152
2871A602
35361
36202344
47020055

11.201.832
11.203.104
112112
200-69190
2871A145
2871A157
3-2720578
35361
40082
47020057

BETA MARINE
FORD CASTOLDI HYDROJET
FORD FENWICK
FORD FORNAUT
JGM
LEYLAND THRONYCROFT
LISTER-PETTER
MERMAID MARINE
PERKINS ENGINES
PERKINS SABRE



LEA0521

14V / 80A

Rotation: CW
B:12.0 C:83.0
B+(M6) D+(M4) W(M5)

11.203.393
381133
AAK4345
IA0983

3701911M91
3823653M1
DRA0175
MG541

AGCO



LEA0522

14V / 80A

Rotation: CW
Pulley Outside Diameter (mm): 75.0
Number of Groove: 2
A:38.0 B:12.0 C:83.0
B+(M6) D+(M4) W(M5)

11.203.392
3821975M91
82036252
IA0984

3821974M91
4279540M93
AAK4344
MG539

MASSEY FERGUSON



LEA0527

14V / 80A

Rotation: CW
Pulley Outside Diameter (mm): 72.0
Number of Groove: 1
A:77.5 B:56.0
B+(M6) D+(M4) W(M5)

11.201.914
3045177
AAK3321
G345900011010
LRA02672
X830060022

12270186
605710100161
DRA9800
IA0914
MG210

DEUTZ FAHR (KHD)
FENDT



LEA0530

14V / 80A

Rotation: CW
Pulley Outside Diameter (mm): 50.0
Number of Groove: 6
A:83.0 B:56.0
B+(M6) D+(M4) W(M5)

11.203.321
AAK4318
MG332

7700073467
IA1165

RENAULT AGRICULTURE



LEA0533


14V / 80A

Rotation: CW
Pulley Outside Diameter (mm): 65.0
Number of Groove: 1
A:37.5 B:12.0 C:83.0
B+(M6) W(M5)

110968
8EL737664-001
NAB300

61920352
CA1459IR

FORD
LAND ROVER
MASSEY FERGUSON
NEW HOLLAND



PRODUCT NO & INFORMATION

REFERENCES

APPLICATIONS



LEA0637

14V / 80A

Rotation: CW
Pulley Outside Diameter (mm): 73.0
Number of Groove: 1
A:36.0 B:11.0 C:83.0
B+(M6) D+ W(M5)

110497
66021126
CA14571R

61920363
8EL737662-001
NAB900

AUSTIN-HEALEY
CUMMINS



LEA0641

14V / 80A

Rotation: CW
Pulley Outside Diameter (mm): 73.0
Number of Groove: 1
A:57.5 B:15.0 C:78.5
B+(M6) D+ W(M5)

61920449

BASKENT TRACTOR



LEA0642

14V / 80A

Rotation: CW
Pulley Outside Diameter (mm): 73.0
Number of Groove: 2
A:37.0 B:12.0 C:83.0
B+(M6) B- D+(M4) W(M5)

11.203.393
381133
AAK4345
IA0983

3701911M91
3823653M1
DRA0175
MG541

AGCO



LEA0704

14V / 80A

Rotation: CW
Pulley Outside Diameter (mm): 73.0
Number of Groove: 2
A:38.5 B:12.0 C:82.0
B+(M6) D+(M4) W(M5)

11.203.392
3821974M91
3821975M91
82036252
AAK3355
DRA0176
MG539

116114
3821974M91
3821975M91
82036252
AAK4344
IA0984

MASSEY FERGUSON



LEA0706

14V / 80A

Rotation: CW
B:11.0 C:82.0
B+(M6) D+(M4) W(M5)

3823653M1
AAK3354

3823653M2
LRA02045

AGCO
MASSEY FERGUSON



LEA0720

14V / 80A

Rotation: CW
Pulley Outside Diameter (mm): 73.0
Number of Groove: 2
A:58.0 B:15.0 C:71.0
B+(M6) D+ W

47633027
61920467

47780210

CNH
TURK TRACTOR (CNH)



LEA0721


14V / 80A

Rotation: CW
Pulley Outside Diameter (mm): 67,5
Number of Groove: 8
A:52.0 B:15.0 C:71.0
B+(M6) D+ W

47609404
47906732
63396568

47780209
61920468

TURK TRACTOR (CNH)



PRODUCT NO & INFORMATION

REFERENCES

APPLICATIONS



LEA0724

14V / 80A

Rotation: CW
Pulley Outside Diameter (mm): 77.0
Number of Groove: 1
A:94.0 B:56.0
B+(M6) D+ W(M5)

105712

61920491

ERKUNT TRACTOR



LEA0725

14V / 80A

Rotation: CW
Pulley Outside Diameter (mm): 73.0
Number of Groove: 2
A:58.0 B:15.0 C:64.0
B+(M6) D+ W

0-7152814

7152934

715814

61920470

7152936

TUMOSAN



LEA0729

14V / 80A

Rotation: CW
Pulley Outside Diameter (mm): 73.0
Number of Groove: 2
A:58.0 B:15.0 C:64.0
B+(M6) D+ W(M5)

0-7152934

7152934

715814

61920490

7152936

TUMOSAN



LEA0730

14V / 80A

Rotation: CW
Pulley Outside Diameter (mm): 71.0
Number of Groove: 7
A:54.0 B:15.0 C:64.0
B+(M6) D+ W(M5)

0-7152936

7152934

715814

61920492

7152936

TUMOSAN



LEA0903

14V / 80A

Rotation: CW
Pulley Outside Diameter (mm): 60.0
Number of Groove: 8
A:78.0 B:51.0
B+(M6) D+(M4) W(M5)

11.204.395

69X51908A

9120060041

IA1299

RE505895

RE533516

SE502626

69X51907A

9120060040

AAK4830

MG482

RE519629

REX51907B

CATERPILLAR

JOHN DEERE

JOHN DEERE MARINE

LIEBHERR



LEA0905

14V / 80A

Rotation: CW
Pulley Outside Diameter (mm): 87.6
Number of Groove: 1
A:32.6 B:50.8
B+(M6) D+(M4) W(M5)

11.203.264

84994151

F000LD0103

MG316

6201691M91

AAK4305

IA1131

NEW HOLLAND



LEA0910

14V / 80A

Rotation: CCW
Pulley Outside Diameter (mm): 80.0
Number of Groove: 1

11.203.561

19093034

DA1854

IA1268

11573690


AAK3187

DRA0744

MG355

LOMBARDINI

Photo has been used for reference only.



PRODUCT NO & INFORMATION

REFERENCES

APPLICATIONS



LEA0911

14V / 80A

Rotation: CW
B:15.0 C:67.0
B+(M6) D+ W(M5)

11.203.298
294397320
AAK3166
MG540

115689
73327987
IA1152

HUERLIMANN
JOHN DEERE
SAME DEUTZ-FAHR GROUP



LEA0914

14V / 80A

Rotation: CW
Pulley Outside Diameter (mm): 55.0
Number of Groove: 8
A:37.1 B:11.5 C:82.0
B+(M6) D+(M4) W(M5)

11.204.324
504334055
5801453375
AAK4807
IA1392
MG145

11.204.325
504345414
5801453376
AAK4808
IA1420
MG146

CARRARO
CLAAS
IVECO
LS MTRON



LEA0918

14V / 80A

Rotation: CW
Pulley Outside Diameter (mm): 80.0
Number of Groove: 1
A:36.3 B:11.5 C:82.0
B+(M6) D+(M4) W(M5)

11.203.888
IA1410

AAK1882

AGRITALIA



LEA0966

14V / 80A

Rotation: CW
Pulley Outside Diameter (mm): 83.0
Number of Groove: 2
A:38.4 B:11.5 C:82.0
B+(M6) D+(M4) W(M5)

11.204.809
AAK4998
MG133

5340510009000100 BASAK TRACTOR
IA1653 HATTAT



LEA1167

14V / 80A

Rotation: CW
Pulley Outside Diameter (mm): 70.0
Number of Groove: 1
A:38.3 B:12.0 C:83.0
B+(M6) D+(M4) W(M5)

11.203.375
AAK4336
LRA03385

205804
IA1227
MG161

AGCO



LEA1168

14V / 80A

Rotation: CW
Pulley Outside Diameter (mm): 68.0
Number of Groove: 2
A:34.7 B:12.0 C:83.0
B+(M6) D+(M4) W(M5)

11.203.624
3691711M91
IA1311

3691711M91
AAK1804
MG680

LANDINI



LEA1169


14V / 80A

Rotation: CW
B:56.0
B+(M6) D+(M4) W(M5)

11.203.564
115777
4287013M2
AAK4931
LRA03545

11.204.670
4287013M1
AAK4390
IA1321
MG168

MASSEY FERGUSON



PRODUCT NO & INFORMATION

REFERENCES

APPLICATIONS



LEA1170

14V / 80A

Rotation: CW
Pulley Outside Diameter (mm): 80.0
Number of Groove: 1
A:45.0 B:15.0 C:75.0
B+(M6) D+(M4) W(M5)

11.204.059
332/W4452
AAK3827
IA1451

11.204.913
332/W4452-S
AAK4634
MG721

JCB



LEA1171

14V / 80A

Rotation: CW
Pulley Outside Diameter (mm): 70.0
Number of Groove: 1
A:81.8 B:56.0
B+(M6) D+(M4) W(M5)

11.204.296
ED001157421
MG464

AAK3893
IA1548

BCS
FARMTRAC
FERRARI
GOLDONI
JCB
KOHLER



LEA1197

14V / 80A

Rotation: CW
Pulley Outside Diameter (mm): 70.0
Number of Groove: 1
A:45.0 B:15.0 C:75.0
B+ (M6) D+ (M4) W(M5)

11.203.754
IA1363

AAK1841

JCB



LEA1161

14V / 85A

Rotation: CW
B:14.0 C:82.0
B+ (M6) D+ (M5) W(M5)

063377461010
11.203.433
185046522
2871A156
2871A302
2871A307
3671529M1
54022466
54022524
54022775

063377462010
113763
225-3142
2871A168
2871A303
2871A308
530054.0
54022469
54022606
54022797

BOBCAT
JCB
LAND ROVER
LANDINI
MANITOU
MASSEY FERGUSON
MCCORMICK
TEREX



LEA1162

14V / 85A

Rotation: CW
Pulley Outside Diameter (mm): 90.0
Number of Groove: 1
A:58.0 B:17.0 C:56.0
B+ (M6) D+ (M5) W(M5)

500364130
63321822
DRA1353

63321744
DA2463
LRA02550

CASE
NEW HOLLAND



LEA0220

14V / 90A

Rotation: CW
Pulley Outside Diameter (mm): 83.0
Number of Groove: 1
A:38.0 B:13.0 C:58.0
B+(M8)

6675292
DRA0192
TA000A48401

6678205
LRA03022
TA000A48402

BOBCAT



LEA0867

14V / 90A

Rotation: CW
B:56.0
B+(M8) D+(M5) W

0123315501
11.201.791
11.203.062
11.203.186
440047
AAK5142
AAK5391
AL111675
C920901010010
DRB6000

0986046000
11.203.062
11.203.063
11.203.397
51261017237
AAK5336
AAK5566
AL114092
DB7110
F920901010010

FENDT
JOHN DEERE



PRODUCT NO & INFORMATION

REFERENCES

APPLICATIONS



LEA0868

14V / 90A

Rotation: CW

B:56.0

B+(M8) D+(M5) W

01181745
01183181
01183620
113768
1181743
1182038
19093012
AAK5567
DA2448N
DRA1338N

01182038
01183427
11.203.398
1171745
1181745
1183181
AAK5335
DA2448
DRA1338
IA1023

KHD
SCHÄFFER
TEREX



LEA0870

14V / 95A

Rotation: CW

Pulley Outside Diameter (mm): 82.0

Number of Groove: 1

A:84.0 B:56.0

B+(M8) D+(M5) W

11.201.668
73327980
AAK5116
LRA01935

6005706660
7700036536
IA0668
MG234

RENAULT AGRICULTURE



LEA0872

14V / 95A

Rotation: CW

Pulley Outside Diameter (mm): 56.0

Number of Groove: 8

A:31.0 B:15.0 C:79.0

B+(M8) D+(M5) W(M5)

11.203.440
11.204.138
114772
320/08549
320/08648
320/08649
320/08719
AAK5758
AAK5813
AAK5840

11.204.115
11.204.467
19093009
320/08610
320/08648
320/08719
AAK5583
AAK5807
AAK5820
DA1933

JCB



LEA1157

14V / 95A

Rotation: CW

Pulley Outside Diameter (mm): 50.0

Number of Groove: 8

A:83.0 B:56.0

B+(M8) D+(M5) W

11.201.738
7700042474
AAK5125
LRA01940

114513
7700046783
IA0738
MG435

RENAULT AGRICULTURE



LEA1211

14V / 95A

Rotation: CW

01183866
04124782
AAK4936
MG169

04123605
11.204.685
IA1472

ATLAS
ATLAS-WEYHAUSEN
DEUTZ AG (KHD)
GEHL
MANITOU
MERLO
SCHÄFFER
TEREX
ZETOR



LEA1089

28V / 20A

Rotation: CW

Pulley Outside Diameter (mm): 68.0

Number of Groove: 1

A:43.0 B:14.0 C:80.0

B+(M5) W

110448
30668-58101
34468-16100
A001T70283
A1T70283
A7TA8083
LRA02437

20130180
32A68-06200
5812003300
A001T70783
A1T70783
LR220-23

MITSUBISHI



LEA0016

28V / 27A

Rotation: CW

Pulley Outside Diameter (mm): 89.0

Number of Groove: 1


A:44.5 B:18.0 C:68.0

B+(M6) D+

0120489410
0120489412
0120489639
0120489662
0120489793
0120489796
0986032191
4715786
4717872
4722724

0120489411
0120489612
0120489661
0120489682
0120489794
0986031340
112097
4717871
4721890
4738563

ALLIS CHALMERS (US)
ASTRA
IVECO (Aifo)
IVECO FIAT
LAVERDA COMBINES
NEW HOLLAND



PRODUCT NO & INFORMATION

REFERENCES

APPLICATIONS



LEA0110

28V / 30A

Rotation: CW/CCW
B:12.0 C:83.0
B+(M6) D+(M5) W(M5)

24382

54022523



LEA0320

28V / 30A

Rotation: CW
Pulley Outside Diameter (mm): 82.0
Number of Groove: 1
A:45.0 B:18.0 C:66.0
B+(M6) D+ W

0120489410
0120489612
0120489661
0120489682
0120489794
0986031340
11.201.055
42498628
436416
4717871

0120489412
0120489639
0120489662
0120489793
0120489796
0986032191
42498594
432990
4715786
4717872

ALLIS CHALMERS (US)
ASTRA
FIAT
IMR
IVECO
IVECO (Aifo)
IVECO FIAT
IVECO FORD
LAVERDA COMBINES
SAME DEUTZ-FAHR GROUP



LEA0398

28V / 30A

Rotation: CW
Pulley Outside Diameter (mm): 61.0
Number of Groove: 8
A:33.5 B:12.0 C:83.0
B+(M6) W(M5)

0986080850
2871A007
54022415
54022618
54022711
8EL012584-281
AELB710
CA1050IR
LRA935

1200583
54022245
54022578
54022619
54022711A
8EL732875-001
AELB710
LRA00935
MAN187

DAF



LEA0510

28V / 35A

Rotation: CW
Pulley Outside Diameter (mm): 72.0
Number of Groove: 1
A:77.0 B:56.0
B+(M6) D+(M4) W(M5)

0061541702
0120400542
0120400563
0120400567
0120400640
0120400642
0120400674
0120400688
0120400694
0120400734

0120400541
0120400558
0120400566
0120400569
0120400641
0120400666
0120400685
0120400690
0120400732
0120400760

ABG
AHLMANN
ATLAS
ATLAS COPCO
DEMAG
DEUTZ FAHR (KHD)
DRESSER
EISENWERKE KAISERSLAUTERN
FAUN
FUCHS



LEA0513

28V / 35A

Rotation: CW
B:56.0
B+(M6) D+(M4) W(M5)

0120488135
1181737
AAK4343
MG564

11.203.391
1182042
IA1027

DEUTZ FAHR (KHD)



LEA0526

28V / 35A

Rotation: CW
B:56.0
B+(M6) D+(M4) W(M5)

0120488153
0120488283
0986035910
1178136
20130134
42522737
AAK4348
IA1079
MG554

0120488234
0120489731
11.203.404
1179468
21615917
861355
CA369IR
LRA02482

ABG
BOSCH
DEUTZ FAHR (KHD)
FUCHS
HAMM
IRMER UND ELZE
IVECO
LIEBHERR
ORENSTEIN, KOPPEL
POCLAIN



LEA0577


28V / 35A

Rotation: CW
Pulley Outside Diameter (mm): 81.0
Number of Groove: 1
A:75.5 B:56.0
B+(M6) D+(M4) W(M5)

0061541702
0120400542
0120400563
0120400567
0120400640
0120400642
0120400674
0120400688
0120400694
0120400734

0120400541
0120400558
0120400566
0120400569
0120400641
0120400666
0120400685
0120400690
0120400732
0120400760

ABG
AHLMANN
ATLAS
ATLAS COPCO
DEMAG
DEUTZ FAHR (KHD)
DRESSER
EISENWERKE KAISERSLAUTERN
FAUN
FUCHS



PRODUCT NO & INFORMATION

REFERENCES

APPLICATIONS



LEA0590

28V / 35A

Rotation: CW
Pulley Outside Diameter (mm): 80.0
Number of Groove: 1
A:45.0 B:15.0 C:63.0
B+(M6) D+(M4) W(M5)

0120489410	0120489412
0120489612	0120489682
0120489793	0120489794
0986031340	0986032191
11.201.055	432990
436416	4715786
4717871	4721890
4722724	4738563
4738569	4738570
4738571	4738772

AIFO
ASTRA
FIAT
IVECO
LAVERDA
SAME DEUTZ-FAHR GROUP
UNIC
ZASTAVA



LEA1134

28V / 35A

Rotation: CW
A:77.0 B:56.0
B+(M6) D+(M4) W(M5)

0031541702	01161074
01164664	01180588
01182155	01183453
01183634	01183848
0120400685	0120400799
0120488292	01561316
11.203.150	11.203.403
7421315000	AAK3379
AAK4347	G0041590
IA1080	MG203

AHLMANN
VETUS DEN OUDEN



LEA0081

28V / 45A

Rotation: CW/CCW
B:51.0
B+(M6) D+(M4) W(M5)

0120489071	0120489640
11.201.759	11.201.941
20130211	3939028
93028	AAK1387
AAK3336	IA0759
LRA02436	MG84
P941542	

CASE
JOHN DEERE
JOHN DEERE MARINE
KOMATSU
LIEBHERR
TIMBERJACK




Photo has been used for reference only.

LEA0909

28V / 50A

Rotation: CCW
Pulley Outside Diameter (mm): 80.0
Number of Groove: 1

11.203.411	11575370
19093033	AAK3176
DA1853	DRA0743
IA1193	MG600

LOMBARDINI



LEA1090

28V / 50A

Rotation: CW
Pulley Outside Diameter (mm): 82.0
Number of Groove: 2
A:60.0 B:13.0 C:71.0
B+(M6)

1812005303	1812005304
1812005901	1812005902
1812005903	1812005904
A004TU5485	A004TU5486
A004TU9586	AT263669
SE502076	

ISUZU
JOHN DEERE
NEW HOLLAND



LEA1172

28V / 50A

Rotation: CW/CCW
Pulley Outside Diameter (mm): 80.0
Number of Groove: 1
A:83.7 B:56.0
B+(M8) D+(M5) W

11.204.076	11.204.944
443113516875	9515875
AAK3837	AAK4641
IA1461	MG722
RE544045	RE70779
RE71583	

JOHN DEERE




LEA0271

28V / 55A

Rotation: CW/CCW
B:11.0 C:83.0
B+(M6) W(M5)

61920358



PRODUCT NO & INFORMATION

REFERENCES

APPLICATIONS



LEA0274

61920365

28V / 55A

Rotation: CW
Pulley Outside Diameter (mm): 72.0
Number of Groove: 1
A:44.5 B:11.0 C:83.0
B+(M6) W(M5)



LEA0296

110977

8EL737673-001

NAB901

66021174

CA1468IR

NAB924

UNIVERSAL

28V / 55A

Rotation: CW
Pulley Outside Diameter (mm): 75.0
Number of Groove: 1
A:37.0 B:11.0 C:83.0
B+(M6) W(M5)



LEA0300

61920669

28V / 55A

Rotation: CW
Pulley Outside Diameter (mm): 65.0
Number of Groove: 1
A:80.0 B:56.0
B+(M6) W(M5)



LEA0301

61920670

28V / 55A

Rotation: CW
Pulley Outside Diameter (mm): 65.0
Number of Groove: 1
A:51.0 B:27.0
B+(M6) W(M5)



LEA0321

11.201.930

IA0521

AAK3131

MG219

CASE

JOHN DEERE

28V / 55A

Rotation: CW
Pulley Outside Diameter (mm): 69.0
Number of Groove: 1
A:72.0 B:51.0
B+(M6) D+(M4) W(M5)



LEA0322

61920207

28V / 55A

Rotation: CW
B:56.0
B+(M6) D+(M5) W(M5)



LEA0337

0120469527

0120469761

0120469983

0986033100

111146

1377860

1697321

371963

5008758

51261017190

0120469562

0120469891

0636247R

0986033920

1368237

1612497

36694500

4630801130


51261017156

54021853

IVECO FORD
LEYLAND DAF
MAN

28V / 55A

Rotation: CW/CCW
B:80.0
B+(M8) D+(M4) W(M5) B-(M6)



PRODUCT NO & INFORMATION

REFERENCES

APPLICATIONS



LEA0574

28V / 55A

Rotation: CW
Pulley Outside Diameter (mm): 65.0
Number of Groove: 1
A:37.5 B:12.0 C:83.0
B+(M6) W(M5)

MASSEY FERGUSON
NEW HOLLAND



LEA0597

28V / 55A

Rotation: CW
Pulley Outside Diameter (mm): 80.0
Number of Groove: 1
A:45.0 B:15.0 C:63.0
B+(M6) D+(M4) W(M5)

11.201.555
79014078
IA0555
MG399

63304510
AAK4507
LRA00928

BENFRA
FIAT
FIAT-ALLIS
IVECO
SEATEK



LEA0692

28V / 55A

Rotation: CW
B:51.0
B+(M8) D+ W

0120488206
11.201.941
19020535
3020678
3920678
AAK3336
AR187916
IA0759
SE501835
TY6774

0120488294
112170
19020536
3284392
A187916
AL12148
AT161324
MG84
TY24322

CASE
JOHN DEERE
KOMATSU



LEA0882

28V / 55A

Rotation: CW

Photo has been used for reference only.

01182167
01182959
01183429
01183626
113738
AAK5565
DA1857N
DRA0747N
MG337

01182403
01183195
01183443
11.203.396
19093008
DA1857
DRA0747
IA1076

ATLAS COPCO
DEUTZ AG (KHD)
KHD
LIEBHERR
SENNEBOGEN



LEA0904

28V / 55A

Rotation: CW
Pulley Outside Diameter (mm): 60.0
Number of Groove: 8
A:27.2 B:50.8
B+(M8) D+(M5) W(M5)

0120488298
9120060039
AT175195
AT221116
IA1362
RE161324
RE537146

11.204.140
AAK3870
AT207608
AT228217
MG568
RE507631
SE501341

JOHN DEERE



LEA1141

28V / 55A

Rotation: CW
Pulley Outside Diameter (mm): 84.0
Number of Groove: 2
A:59.5 B:27.0
B+(M6) D+(M4) W(M5)

11.201.943
IA0854

AAK3337
MG385

VOLVO
VOLVO (BM)



LEA1174


28V / 55A

Rotation: CW
Pulley Outside Diameter (mm): 70.7
Number of Groove: 1
A:84.5 B:51.0
B+(M8) D+(M5) W

11.203.849
AAK1877
MG501

241459
IA1400

CUMMINS



PRODUCT NO & INFORMATION

REFERENCES

APPLICATIONS



LEA1196

28V / 55A

Rotation: CW
Pulley Outside Diameter (mm): 44.5
Number of Groove: 4
A:29.0 B:11.3 C:83.0
B+ (M6) W(M5)

61920606

75722080

LISTER-PETTER



Photo has been used for reference only.

LEA1208

28V / 55A

Rotation: CW

0120469032

109-2362

2871C202

74-34100

DRA0063

1092362

113186

3976608

DA1173

LRA02494

CATERPILLAR

JCB

VOLVO



LEA0230

28V / 60A

Rotation: CW/CCW
Pulley Outside Diameter (mm): 95.0
Number of Groove: 5
A:41.0 B:14.0 C:102.0
B+(M6) D+(M5) R(M5)

113457

219055

2526005

219055

2502-6005B

390049

HYUNDAI



LEA0495

28V / 60A

Rotation: CW
B:51.0
B+(M6) D+(M5) W(M4) B-(M5)

111658

436639

592601

872021

8EL731718-001

9011063163

A14N118M

A14N200M

A14N81M

CA858IR

2541828

439068

845940

872757

8EL731719-001

A14N112M

A14N122M

A14N47M

CA857IR

LRB00306

VOLVO

VOLVO - PENTA



LEA0921

28V / 65A

Rotation: CW
Pulley Outside Diameter (mm): 55.0
Number of Groove: 8
A:37.1 B:12.0 C:82.0
B+(M8) D+(M5) W

11.204.328

5801453379

IA1376

504271462

AAK4811

MG487

IVECO



LEA0267

28V / 70A

Rotation: CW/CCW
Pulley Outside Diameter (mm): 60.0
Number of Groove: 8
A:41.0 B:14.0 C:100.0
B+(M6) D+(M4) B- R(M4)

0986081030

10459146

10461235

1117915

112160

19010111

19010148

19010185

19020307

6742-01-5175

10459110

10459306

1117900

1117944

1305787H91

19010121

19010182

19010195

19020382

707118

CUMMINS

KOMATSU

TIMBERJACK

VOLVO



LEA0688

28V / 70A


Rotation: CW
Pulley Outside Diameter (mm): 91.0
Number of Groove: 2
A:83.0 B:13.0 C:102.0
B+(M6) D+(M4) R(M4)

0120240038

5A8908

3Y8200

CATERPILLAR



PRODUCT NO & INFORMATION

REFERENCES

APPLICATIONS



LEA0712

28V / 70A

Rotation: CW
Pulley Outside Diameter (mm): 54.0
Number of Groove: 8
A:36.0 B:14.0 C:82.0
B+(M8)

0124555005	0124555061
0124555110	0986045160
113188	42498713
4892318	4892318
4892318	4892318
4892320	86081
CA1699IR	DRB5160
DRB5160X	LRA02535

CASE
IVECO
NEW HOLLAND



LEA0763

28V / 70A

Rotation: CW
B:14.0 C:101.0
B+(5/16)

3972735	4936879
8600017	8600020
8600154	8600360
8600407	8600504
8700019	LRA03812
MDA3946	

JCB



LEA0619

14V / 100A

Rotation: CW
B:51.0
B+(M8) D+(M5) W

0120484011	0120484018
0120484026	0986040280
11.201.727	11.201.875
11.203.268	111843
20130136	32821554
3282554	8EL737218-001
9X0341	A005A0024
A187623	AAK4307
AAK5123	AAK5165
AH137883	AT175194

BUKH (AABENRAA)
CASE
CATERPILLAR
JOHN DEERE
NEW HOLLAND



LEA0871

14V / 100A

Rotation: CW
B:56.0
B+(M8) D+(M5) W

01177063	01178607	ATLAS COPCO
01182173	01182961	BOBCAT
01182961	01183455	BOMAG
01183455	01183630	DEUTZ AG (KHD)
01183844	0120484001	DEUTZ FAHR (KHD)
0120484001	04191523	IVECO
0986041840	0986041840	KRAMER
11.203.331	112046	LIEBHERR
1177063	1177063	SAME DEUTZ-FAHR GROUP
1178607	1178607	TEREX



LEA0885

14V / 100A

Rotation: CW
B:56.0
B+(M8) D+(M5) W

0120484015	03045177
12270187	DA0930
DRA9820	G198902011010
LRA03422	

DEUTZ FAHR (KHD)
FENDT
MWM-DIESEL



LEA0887

14V / 100A

Rotation: CW/CCW
Pulley Outside Diameter (mm): 60.0
Number of Groove: 8
A:78.0 B:51.0
B+(M8) D+(M5) W

11.203.660	11.204.396
AAK1815	AAK4831
IA1309	MG483
MG681	RE533653
SE502627	

JOHN DEERE




LEA0892

14V / 100A

Rotation: CW
Pulley Outside Diameter (mm): 70.0
Number of Groove: 1
A:44.0 B:12.0 C:79.0
B+(M8) D+(M5) W

11.203.850	194165
241459	AAK1878
IA1351	MG502

GEHL
MANITOU



PRODUCT NO & INFORMATION

REFERENCES

APPLICATIONS



LEA0893

14V / 100A

Rotation: CW

B:56.0

B+(M8) D+(M5) W

01182968
01183624
11.203.524
11.204.463
114783
AAK4378
AAK4945
MG24

01183439
01183842
11.204.049
11.204.708
AAK3817
AAK4849
IA1326

DEUTZ AG (KHD)
LINDE



LEA0894

14V / 100A

Rotation: CW

Pulley Outside Diameter (mm): 55.0

Number of Groove: 4

A:26.8 B:56.0

B+(M8) D+(M5) W

0011225650
114787
IA1485

11.203.911
AAK1890
MG5

CLAAS



LEA0920

14V / 100A

Rotation: CW

B:56.0

B+(M8) D+(M5) W

0120484002
0120484016
0986036800
113632
20110294
AAK4829
AL60033
AL81437
CA8471R
IA1518

0120484003
0120484020
11.204.391
19093019
8EL731708-001
AL207586
AL78690
AZ38462
DRA6800
LRA02688

JOHN DEERE



LEA0962

14V / 100A

Rotation: CW

Pulley Outside Diameter (mm): 56,2

Number of Groove: 8

A:16.1 B:56.0

B+(M8) D+(M5) W

11.204.580
AAK4892
IA1583

1157422
ED0011574220
MG180

JCB
KOHLER



LEA0963

14V / 100A

Rotation: CW

Pulley Outside Diameter (mm): 70.0

Number of Groove: 1

A:25.8 B:56.0

B+(M8) D+(M5) W

11.204.666
ED0011574230
MG620

AAK4927
IA1610

JCB
KOHLER
LOMBARDINI



LEA1147

14V / 100A

Rotation: CW

B:11.5 C:80.0

B+(M8) D+(M5) W

130NX201000

61920560

MOTORSAN ENGINES
PERKINS



LEA0746

14V / 115A

Rotation: CW

Pulley Outside Diameter (mm): 67.0

Number of Groove: 8

A:32.0 B:13.0 C:83.0

B+(M6) D+(M5) W(M5)

11.203.087
82001259
82003307
AAK5354
LRA03868

63321347
82002329
82010243
IA1019
MG246

NEW HOLLAND



PRODUCT NO & INFORMATION

REFERENCES

APPLICATIONS



LEA0626

14V / 120A

Rotation: CW/CCW

B:51.0

B+(M8) D+(M5) W

0120484027
11.204.639
20130210
6220167M91
6228057M91
6306840M91
6306842M91
AAK4921
DA1153
IA1382

11.204.405
11.204.772
504075799
6228056M91
6228058M91
6306841M91
AAK4834
AAK4984
DRA0043
IA1522

AGCO
CASE
JOHN DEERE
MASSEY FERGUSON
MINSK TRACTORS (BELARUS)



LEA0719

14V / 120A

Rotation: CW

B:56.0

B+(M6) D+(M5) W(M5) B-(M5)

11.201.666
11.203.017
11.204.582
113610
73327986
836666225
836666721
AAK5114
AAK5316
AAK5850

11.201.925
11.203.099
11.204.583
294394600
836640927
836666720
8EL737907-001
AAK5181
AAK5364
AAK5851

AGCO POWER (SISU DIESEL)
VALTRA (VALMET)



LEA0736

14V / 120A

Rotation: CW

Pulley Outside Diameter (mm): 76.0

Number of Groove: 2

A:28.5 B:14.0 C:82.0

B+(M6) D+ W(M5)

113961
3780634M1
439279
A13VI243
MAN7464

3780634M1
437195
63377464
LRA02192

MASSEY FERGUSON



LEA0773

14V / 120A

Rotation: CW

Pulley Outside Diameter (mm): 73.0

Number of Groove: 2

A:38.0 B:14.5 C:83.0

B+(M8) D+(M5)

11.203.388
3821976M91
3821976M92
3821978M91
AAK5195
AAK5562
LRA02087

3788017M91
3821976M92
3821977M91
4271312M91
AAK5323
IA0970
MG308

MASSEY FERGUSON



LEA0873

14V / 120A

Rotation: CW

B:56.0

B+(M8) D+(M5) W

0123512500
11.204.152
8EL737739-001
AL111676
CA1493IR
DB7140
DRB6030
MG4

0986046030
112062
AAN5311
AL114093
DA1948
DRA0838
IA1095

CUMMINS
JOHN DEERE
JOHN DEERE MARINE
KOHLER



LEA0874

14V / 120A

Rotation: CW

Pulley Outside Diameter (mm): 67.0

Number of Groove: 8

A:32.0 B:14.0 C:83.0

B+(M6) D+(M5) W(M5) B-(M5)

063321753010
11.203.088
113529
63321347
63321817
82002329
82010243
87361085
AAK5355
DA1372

11.203.087
11.203.493
4170444
63321753
82001259
82003307
82014508
AAK5354
AAK5591
DRA0262

FORD
NEW HOLLAND



LEA0875

14V / 120A

Rotation: CW

Pulley Outside Diameter (mm): 60.0

Number of Groove: 8

A:77.0 B:50.0

B+(M8) D+(M5) W B-(M5)

11.203.181
7700068501
DA2435
IA1073
MG327

113986
AAK5388
DRA1325
LRA03623

CLAAS



PRODUCT NO & INFORMATION

REFERENCES

APPLICATIONS



LEA0876

14V / 120A

Rotation: CW
B:15.0 C:84.0
B+(M6) D+(M5) W(M5)

11.203.175
19093000
3777677M1
62990LJ
AAK5384
DA1139N
DRA0029
DRA0263
LRA03150
113967
2871A310
3777677R1
63321468
DA1139
DA1373
DRA0029N
IA1203
MG562

ERKUNT TRACTOR
HATTAT
MANITOU
MASSEY FERGUSON



LEA0877

14V / 120A

Rotation: CW
Pulley Outside Diameter (mm): 55.0
Number of Groove: 8
A:37.1 B:12.0 C:82.0
B+(M8) D+(M5) W

11.204.326
11.204.490
47383500
504271461
6510784M92
87311822
AAK1832
AAK4858
IA1504
MG223
11.204.484
114450
47383500
5801453378
87311822
87311822
AAK4314
AAK4860
LRA03793
MG485

AGCO
CASE
CLAAS
ERKUNT TRACTOR
JOHN DEERE
LANDINI
MANITOU
MCCORMICK
NEW HOLLAND
STEYR



LEA0878

14V / 120A

Rotation: CW
B:56.0
B+(M8) D+(M5) W

01181250
0986039820
111978
130100090006
8EL737516-001
AAK4360
CA1335IR
LRA01668
0120484021
11.203.333
12270612
6033GB2009
AAK4322
B120402804
IA1153
MG597

FENDT
IVECO
SAME DEUTZ-FAHR GROUP



LEA0886

14V / 120A

Rotation: CW
B:56.0
B+(M8) D+(M5) W

0120484012
0120484019
11.203.332
73327982
A005A0025
AE53101
AL78689
AL81438
CA1068IR
DA9810N
0120484017
0986039810
113531
8EL737017-001
AAK4321
AL207589
AL78692
AT78689
DA0920
DRA9810

JOHN DEERE



LEA0888

14V / 120A

Rotation: CW
Pulley Outside Diameter (mm): 60.0
Number of Groove: 8
A:27.5 B:51.0
B+(M8) D+(M5) W

11.203.661
11.204.569
AAK1816
AAK4889
IA1310
RE533654
SE502628
11.204.413
115605
AAK4835
AH165975
MG268
SE501343

JOHN DEERE



LEA0889

14V / 120A

Rotation: CW
Pulley Outside Diameter (mm): 55.0
Number of Groove: 8
A:75.0 B:51.0
B+ (M8) W

11.204.669
84254289
84254290
84416587
84416590
AAK3829
AAK4817
IA1453
MG137
84254289
84254290
84416587
87422777
AAK4805
AAK4930
LRA03698

CASE
NEW HOLLAND




LEA0890

14V / 120A

Rotation: CW
B:56.0
B+(M8) D+(M5) W

01182175
01183632
11.203.402
AAK4346
MG201
01183499
01183846
114470
IA1082

DEUTZ AG (KHD)



PRODUCT NO & INFORMATION

REFERENCES

APPLICATIONS



LEA0891

14V / 120A

Rotation: CW
B:20.0 C:48.5
B+(M8) D+(M5) B-(M5) W

11.204.686
48201109
48201303
DRA0748
LRA03816
116506
48201171
AAK4937
IA1181
MG581

NANNI INDUSTRIES



LEA0898

14V / 120A

Rotation: CW
B:11.5 C:83.0
B+(M8) D+(M5) W

11.204.479
200-08183
88647700
89732000
AAK4855
IA1272
MG39
MG639
11.204.641
82665410
89731800
AAK4376
AAK4923
IA1542
MG636

BETA MARINE
MASSEY FERGUSON
VALTRA (VALMET)



LEA0899

14V / 120A

Rotation: CW
B:11.5 C:83.0
B+(M8) D+(M5) W

11.203.540
11.203.779
11.204.292
11.204.564
11.204.613
47518999
72735116
72740622
83679100
83679100
11.203.593
11.204.087
11.204.311
11.204.606
11.204.640
5801394632
72740613
72740642
83679100
87576053

CASE
MASSEY FERGUSON
NEW HOLLAND



LEA0941

14V / 120A

Rotation: CW
Pulley Outside Diameter (mm): 50.0
Number of Groove: 8
B:56.0
B+(M8) D+(M5) W

0123512500
AL114093
AL111676
LRA01949

JOHN DEERE



LEA1130

14V / 120A

Rotation: CW
Pulley Outside Diameter (mm): 49.0
Number of Groove: 6
A:45.4 B:56.0
B+(M6) D+(M5) W(M5) B-(M5)

11.204.229
AAK5823
MG486
401418
IA1508

MASSEY FERGUSON



LEA1131

14V / 120A

Rotation: CW
B:65.0
B+(M6) D+(M5) W(M5) B-(M5)

11.203.645
AAK5732
MG119
294397340
IA1588

SAME DEUTZ-FAHR GROUP




LEA1132

14V / 120A

Rotation: CW
Pulley Outside Diameter (mm): 55.0
Number of Groove: 8
A:53.5 B:50.8
B+(M8) D+(M5) W

11.204.636
61920552
IA1644
5801730697
AAK4920

TURK TRACTOR (CNH)



PRODUCT NO & INFORMATION

REFERENCES

APPLICATIONS



LEA1142

14V / 120A

Rotation: CW

Pulley Outside Diameter (mm): 73.0

Number of Groove: 2

A:58.0 B:15.0 C:68.0

B+(M8) D+(M5) W

0-EA-0000002508 61920575

TUMOSAN



LEA1143

14V / 120A

Rotation: CW

Pulley Outside Diameter (mm): 71,8

Number of Groove: 7

A:54.0 B:15.0 C:68.0

B+(M8) D+(M5) W

0-7153178

61920554

TUMOSAN



LEA1155

14V / 120A

Rotation: CW

Pulley Outside Diameter (mm): 61.0

Number of Groove: 8

A:33.0 B:14.0 C:84.0

B+(M6) D+(M5) W(M5) B-(M5)

11.203.494

19093046

82020011

87261082

87361082

AAK5592

AAK5763

IA1224

MG687

11.203.853

439826

84141452

87310882

87652087

AAK5746

DRA0812

LRA03324

SG10B071

CASE

NEW HOLLAND

STEYR-DAIMLER-PUCH



LEA1158

14V / 120A

Rotation: CW

Pulley Outside Diameter (mm): 86.0

Number of Groove: 2

A: 38,5 B:15.0 C:84.0

B+(M6) D+(M5) W(M5)

103611

AAK5844

MG611

11.204.514

IA1562

MG611

ERKUNT TRACTOR



LEA1159

14V / 120A

Rotation: CW

Pulley Outside Diameter (mm): 72.0

Number of Groove: 1

B:15.0 C:84.0

B+(M6) D+(M5) W(M5)

11.204.519

IA1563

MG612

AAK5846

MG612

ERKUNT TRACTOR



LEA1160

14V / 120A

Rotation: CW

Pulley Outside Diameter (mm): 67.0

Number of Groove: 8

A:32.0 B:14.0 C:83.0

B+(M6) D+(M5) W(M5) B-(M5)

11.203.729

114896

5840260

87755553

AAK5760

LRA03787

MG443

11.203.823

47744887

87652089

AAK5745

IA1225

MG443

CASE

NEW HOLLAND



LEA1179

14V / 120A

Rotation: CW

Pulley Outside Diameter (mm): 86.0

Number of Groove: 2

A:37.5 B:12.0 C:83.0

B+(M8) D+(M5) W

103611

61920556

111685N

ERKUNT TRACTOR



PRODUCT NO & INFORMATION

REFERENCES

APPLICATIONS



LEA1183

14V / 120A

Rotation: CW
Pulley Outside Diameter (mm): 61.0
Number of Groove: 8
A:33.0 B:14.0 C:84.0
B+(M8) D+(M5) W(M5) B-(M5)

11.203.822
MG286

AAK5759

CASE
NEW HOLLAND
STEYR-DAIMLER-PUCH



LEA1184

14V / 120A

Rotation: CW
Pulley Outside Diameter (mm): 72.0
Number of Groove: 1
A:38.3 B:12.0 C:83.0
B+(M8) D+(M5) W

103610
61920557

111684N

ERKUNT TRACTOR



LEA1209

14V / 120A

Rotation: CW
Pulley Outside Diameter (mm): 55.0
Number of Groove: 8
A:75.0 B:51.0
B+ (M8) W

102211-9090
11.204.319
84254289
84416587
87422777
AAK4804
IA1452
MG691

11.204.060
11.204.352
84254289
84416587
AAK3828
AAK4813
MG274

CASE
NEW HOLLAND



LEA1210

14V / 120A

Rotation: CW
Pulley Outside Diameter (mm): 72.0
Number of Groove: 1

11.204.635
AAK4919
MG138

84281043
IA1454

CASE
NEW HOLLAND



LEA1212

14V / 120A

Rotation: CW

01183868
04124784
11.204.779
AAK3869
IA1473

04123607
11.204.137
3972863M1
AAK4990
MG165

BOBCAT
BOMAG
DEUTZ AG (KHD)
MANITOU
MASSEY FERGUSON
MERLO
SAME DEUTZ-FAHR GROUP



LEA1217

14V / 120A

Rotation: CW
Pulley Outside Diameter (mm): 71.0
Number of Groove: 2
A:96.0 B:56.0
B+(M6) D+(M5) W(M5) B-(M5)

11.201.800
72735358
AAK5145
MG359

3654073M91
73327999
IA0800

LANDINI



LEA1218


14V / 120A

Rotation: CW
Pulley Outside Diameter (mm): 55.0
Number of Groove: 6
A:92.0 B:56.0
B+(M6) D+(M5) W(M5) B-(M5)

11.201.440
111811
211237001010
6281-200-035
7066804M92
AAK5392
DRA3855
IA1055
MG186

11.203.187
211037001010
51023771
6281-200-035-2C
AAK5102
DA4965
IA0440
LRA01505
MG305

ISEKI
LADA
MERCEDES-BENZ
UAZ



PRODUCT NO & INFORMATION

REFERENCES

APPLICATIONS



LEA0879

14V / 135A

Rotation: CW
B:14.5 C:100.0
B+ (7/16)

0120468055	11.204.159
112773	125849A1
125849A1	125849A1R
84136137	860567
86994128	93033
AAN5318	IA1169
LRA03294	MG575
RE36268	TY6773

CASE
JOHN DEERE
NEW HOLLAND



Photo has been used for reference only.

LEA1199

14V / 140A

Rotation: CW

100211-6030	100211-6031
100211-6050	100211-6051
100211-6420	100211-6492
111830	156858
8EL731751-001	93023
DAN2036	JA864IR
LRA01308	LRA01943
RE37201	RE44140
RE46608	

JOHN DEERE



LEA0880

14V / 150A

Rotation: CW
Pulley Outside Diameter (mm): 77.0
Number of Groove: 9
A:85.0 B:56.0
B+(M8) D+(M5) W

01181741	01182040	ARONA
01182629	01182691	CASE
01183185	01183483	CLAAS
01183606	0121541402	DEUTZ AG (KHD)
0123515500	0123515501	FENDT
0123515503	0124515502	JOHN DEERE
0124615057	03269108	MANITOU
0986047210	11.203.065	RENAULT
11.203.119	11.204.254	STEYR
113949	19093015	



LEA1128

14V / 150A

Rotation: CW
B:14.0 C:101.8
B+(M6) R(M4) D+(M5) B-(M6)

0R8332	10459187	CATERPILLAR
1259597	19010180	FORD
71370306		



LEA1202

14V / 150A

Rotation: CW
B:56.0
B+(M8) D+(M5) W

0123510060	0123510074	ARONA
0123512502	0123520015	CLAAS
0123520030	0124615041	FENDT
0986043130	11.204.149	JOHN DEERE
112196	115987	
1180758	1340893	
294396100	294396500	
73327991	87452821	
8EL737704-001	8EL738231-001	
90021177	AAN5308	



LEA0881

14V / 175A

Rotation: CW
B:14.0 C:102.0
B+(M8) D+(M5) W(M5) B-(M6)

11.204.172	114698	CASE
87439313	87439313	MASSEY FERGUSON
87439317	87439317	NEW HOLLAND
87677207	87677207	
87677208	87677208	
87720193	AAN5331	
DA2443	DRA1333	
IA1349	MG9	




Photo has been used for reference only.

LEA1200

14V / 200A

Rotation: CW

01182544	01183187	DEUTZ FAHR (KHD)
01183475	01183608	LAMBORGHINI TRACTORS
11.204.187	114192	SAME
19093007	AAN5302	ZETOR
AAN5346	AAN5511	
AAN5797	DA1845	
DRA0735	IA1215	
LRA03202	MG29	



PRODUCT NO & INFORMATION

REFERENCES

APPLICATIONS



Photo has been used for reference only.

LEA1201

14V / 200A

Rotation: CW

Pulley Outside Diameter (mm): 63.0

Number of Groove: 8

0124625029
F00E100154
RE210793

114211
LRA03998
SE501834

JOHN DEERE



LES0096

12V / 0,9kW

Rotation: CW

Number of Teeth: 8

A:74.0 B:14.0 C:137.0

111005
3021007
478018400A
906991601
LRS01344

150002302
478018400
8EA732850-001
JS907
M3T30981

HYSTER
SUMIMOTO
YALE



LES0097

12V / 0,9kW

Rotation: CW

Number of Teeth: 8

A:74.0 B:20.5 C:132.0

0986012831
1362069
14389000
14508010
150002305
2314322
3021367
3068345
326875
440090916

110182
1438900
14406350
145080101
220052112
3003784
3021367A
3125892
388040
4400909160

EATON
HYSTER
SUMITOMO YALE
TCM



LES0098

12V / 0,9kW

Rotation: CW

Number of Teeth: 8

A:77.0 B:18.0 C:131.0

0986014151
150002301
220007377
3790819
530084602
900540856
DRS4151
M3T15971
M3T25981
M3T42881

110292
150002304
3046665
4322070
8EA726453-001
908329
JS362
M3T22681
M3T32681
MD003551

HYSTER
MITSUBISHI
YALE



LES0163

12V / 0,9kW

Rotation: CW

Number of Teeth: 8

A:82.5 B:7.5 C:146.0

0986012891
110256
23300-00H10
23300-20P00
23300-L1110
23300-P0613
23300-P5112
23300-P5114-EP
8EA726423-001
DRS2932

0986012931
111452
23300-00H11
23300-60S10
23300-L1111
23300-P0614
23300-P5114
23300-R9000
8EA730291-001
DRS3243

KOMATSU
NISSAN
TCM



LES0280

12V / 1,0kW

Rotation: CW

Number of Teeth: 8

A:77.0 B:18.0 C:134.0

185086370
3803904
861845
M2T47281

185086540
3840888
LRS02114

PERKINS
VOLVO - PENTA



LES0312

12V / 1,0kW

Rotation: CCW

Number of Teeth: 9

A:74.0 B:28.5 C:144.0

113141
191-1682-04
191-1808-04
191-1949-04
191-1949-07
M002T32581
M002T43681
M002T43881

113167
191-1804-04
191-1808-06
191-1949-06
191-1949-08
M002T43481
M002T43781
M2T43881

MITSUBISHI
NEW HOLLAND
ONAN



PRODUCT NO & INFORMATION

REFERENCES

APPLICATIONS



LES0283
12V / 1,1kW
Rotation: CW
Number of Teeth: 9
A:88.9 B:16.5 C:156.0

113680	114197
119626-77010	119626-77011
119653-77010	119865-77012
228000-7470	228000-7471
AM809215	AM879204
LRS02748	M809215
RS41157	S114-656
S114-656A	SE501858
TY25238	

JOHN DEERE



LES0104
12V / 1,2kW
Rotation: CW
Number of Teeth: 10
A:76.8 B:17.0 C:154.0

110572	920971
LRS01522	M001T79681
M001T79781	M1T79681
M1T79781	MD318086
MD320618	

CATERPILLAR
CLARK
MITSUBISHI



LES0357
12V / 1,2kW
Rotation: CCW
Number of Teeth: 9
A:76.0 B:27.5 C:165.0

0001107024	063521070240
0986018110	11.131.002
112171	116556
20385841103	563-50
58401420	58402480
61924109	AZE2617
IS1015	LRT00192
MS359	MSN2010

ANADOLU MOTOR
ARONA
BCS
GOLDONI
LOMBARDINI
MOSA
RUGGERINI



LES0556
12V / 1,2kW
Rotation: CW
Number of Teeth: 9
A:76.0 B:15.0 C:162.0

0001107033	0001107051
0001107062	0001107085
063521070620	0986019040
11.131.928	111015
12851306	58401940
58402090	8EA732894-001
AZD2127	CS807
D6RA22	D6RA52
DRS9040	DS0150
IS1279	LRS01190

LOMBARDINI



LES0072
12V / 1,4kW
Rotation: CW
Number of Teeth: 11
A:95.0 B:20.5 C:138.0

112675	113408
129608-77010	129698-77010
LRS01531	LRS01617
S114-815	S114-815A
S114-817	

YANMAR



LES0170
12V / 1,4kW
Rotation: CW
Number of Teeth: 9
A:82.5 B:8.0 C:187.0


111108	23300-K9160
23300-W9810	55.0010
8EA732664-001	DRS3345
JS779	JS939
LRS01119	M001T60081
M001T60381	M1T60081
M1T60381	

NISSAN



LES0179
12V / 1,4kW
Rotation: CW
Number of Teeth: 9
A:82.5 B:26.0 C:151.0

028000-4200	028000-4201	ATLAS COPCO
028000-4990	028000-4991	BETA MARINE
028000-6260	028000-6261	BOBCAT
110244	110720	BOMAG
111299	113966	CARRIER
128000-0141	128000-0170	HYUNDAI
128000-0171	128000-0180	JOHN DEERE
128000-0181	128000-6640	KUBOTA
1540163010	1540163011	NANNI INDUSTRIES
1540163012	1540163013	TEREX



PRODUCT NO & INFORMATION

REFERENCES

APPLICATIONS



LES0182
12V / 1,4kW
Rotation: CW
Number of Teeth: 11
A:88.8 B:27.0 C:149.0

112545
228000-1880
75717980
LRS01314
128000-8101
228000-1881
75721700

LISTER-PETTER



LES0281
12V / 1,4kW
Rotation: CW
Number of Teeth: 9
A:66.0 B:17.0 C:158.0

028000-8320
028000-8322
110447
128000-0050
128000-3591
128000-9950
128000-9958
15504-63010
15504-63012
15741-63011
028000-8321
0986023460
112547
128000-3590
128000-5261
128000-9951
15471-63011
15504-63011
15741-63010
16235-63010
AVANT
BELOS
BETA MARINE
BOBCAT
GRASSHOPPER
KUBOTA
MANITOU
MUSTANG
NANNI INDUSTRIES
RANSOMES, SIMS & JEFFERIES



LES0300
12V / 1,5kW
Rotation: CW
Number of Teeth: 15
A:77.0 B:29.5 C:186

110933
8EA732671-001
JS895
M2T50381
8EA732671001
DRS3713
LRS01131
M2T50391

mitsubishi



LES0369
12V / 1,7kW
Rotation: CW
Number of Teeth: 10
A:77.0 B:15.5 C:223.5

61924108
7105035
TARAL MAKINA



Photo has been used for reference only.

LES0555
12V / 1,9kW
Rotation: CW
Number of Teeth: 9

0001354012
0001354082
0001366004
0986017310
19024267
A0021519501
AZJ3551
LRS01007
0001354027
0001354091
0001366022
1303920
A0011516001
AZJ0101
F139900060011
DEUTZ AG (KHD)
FARYMANN
FENDT
LOMBARDINI
MWM-DIESEL




LES0184
12V / 2,0kW
Rotation: CW
Number of Teeth: 9
A:95.0 B:19.0 C:210.0

110820
8944299770
8971185420
8EA732661-001
JS776
S13-89
S13-89B
S13-89D
8941299771
8944299772
8971839130
DRS3376
LRS01198
S13-89A
S13-89C
ISUZU
THERMO KING



LES0003
12V / 2,1kW
Rotation: CW
Number of Teeth: 10
A:88.8 B:25.5 C:242.0

110817
26285
26303
26310A
26310E
26310G
27424
27427
LRS00120
20500120
26285A
26310
26310B
26310F
26310H
27424A
DRS3458
LRS120
LEYLAND DAF
RELIANCE MERCURY



PRODUCT NO & INFORMATION

REFERENCES

APPLICATIONS



LES0004

12V / 2,1kW

Rotation: CW
Number of Teeth: 10
A:88.8 B:29.5 C:237.0

0001326020
0001362093
1447586M91
20500124
26148A
26148H
26196
26196B
26199A
26283A
0001362020
110443
1873A010
26148
26148F
26148N
26196A
26199
26283
26283F

AVELING BARFORD
BALKANCAR
BARBER GREENE
JONES CRANES
MASSEY FERGUSON
MATBRO
OVERUM FARM
RELIANCE MERCURY
SANDERSON



LES0007

12V / 2,1kW

Rotation: CW
Number of Teeth: 10
A:88.8 B:29.0 C:263.0

110464
26286
61924137
9004475055
DRS3425
LRS155
20234963
27419
8EA737094-001
CS949
LRS00155
NSB515

BOSS
COMPAIR
LEYLAND DAF
LISTER-PETTER



LES0008

12V / 2,1kW

Rotation: CW
Number of Teeth: 11
A:92.0 B:24.5 C:242.0

0001362060
110818
20500157
26167
26278
26834
27413
27463
63226845
63227528
11.130.972
1712921T
26071
26173
26813
26845
27423
2873168
63227413
8EA730221-001

ALLIS CHALMERS (US)
AVELING BARFORD
CASE
LINER CONCRETE
MASSEY FERGUSON



LES0011

12V / 2,1kW

Rotation: CW
Number of Teeth: 10
A:88.8 B:29.5 C:232.0

110442
26281
27415
27479
2873A015
2873D001
66925051
888346M2
894732M2
9004475209
1691806R1
26281R
27477
2873145T
2873A103
3930509R1
888346M1
894732M1
8EA737091-001
CS946

BALKANCAR
COMPAIR
CONVEYANCER
INGERSOLL-RAND
JONES CRANES
LANSING LINDE
MASSEY FERGUSON
RELIANCE MERCURY



LES0012

12V / 2,1kW

Rotation: CW
Number of Teeth: 10
A:88.8 B:20.0 C:248.0

110438
26288
3046890EX
LRS172
20500172
27420
3046890R92
NSB504

CASE



LES0014

12V / 2,1kW

Rotation: CW
Number of Teeth: 9
A:109.8 B:26.0 C:244.0




LES0015

12V / 2,1kW

Rotation: CW
Number of Teeth: 10
A:92.0 B:25.5 C:237.0

0001362008
110439
1680065M1
1680065M3
1808449M2
1893611M91
26154
26264
27409
27432R
11.130.711
1680064M1
1680065M2
1680065R3
1808449R2
1903119M91
26220
26412
27432
27459

BUHRER
COMPAIR
EICHER
EPPLE BUXBAUM
JCB
MASSEY FERGUSON
UZEL (Massey Ferguson)



PRODUCT NO & INFORMATION

REFERENCES

APPLICATIONS



LES0018

12V / 2,1kW

Rotation: CW
Number of Teeth: 10
A:88.8 B:30.0 C:232.0

110442	26271
26413	27407
27411	27433
888346M1	8EA725964-001
9004475060	CS107
DRS3333	LRS215
NSB505	

MASSEY FERGUSON



LES0027

12V / 2,1kW

Rotation: CW
Number of Teeth: 13
A:88.8 B:29.5 C:232.0

26279	26280
27416	2873144
2873183	2873A011
63227491	LRS00550
LRS550	MSN179
NSB502	

PERKINS



LES0028

12V / 2,1kW

Rotation: CW
Number of Teeth: 10
A:88.8 B:25.5 C:236.0

27414	LRS00551
LRS551	

LEYLAND DAF



LES0032

12V / 2,1kW

Rotation: CCW
Number of Teeth: 11
A:92.0 B:24.5 C:242.0

115572	204-13273
20500555	26270
26270H	26270J
27410	27410A
LRS00555	LRS555

LISTER-PETTER



LES0037

12V / 2,1kW

Rotation: CW
Number of Teeth: 9
A:109.8 B:25.5 C:234.0

0001362032	0001362039
0001362105	0986012670
0986012671	4169096
4682998	4710224
4722682	4728682
4759929	500333269
61924066	63217101
63217125	63217126
88205001	88205005
8EA726196-001	943217126

AGRIFULL
ALLIS CHALMERS (US)
BENFRA
IVECO (Aifo)
NEW HOLLAND



LES0047

12V / 2,1kW

Rotation: CW
Number of Teeth: 11
A:82.4 B:20.0 C:238.0

0001362022	0001362035
207.07.02	207020002
296190300	296190800
40800090007	61924011
DRS3325	LRS02050

BASAK TRACTOR




LES0052

12V / 2,1kW

Rotation: CW
Number of Teeth: 10
A:92.0 B:25.0 C:232.0

0016974U91M	61924042	UZEL (Massey Ferguson)
-------------	----------	--------------------------



PRODUCT NO & INFORMATION

REFERENCES

APPLICATIONS



LES0210
12V / 2,1kW
Rotation: CW
Number of Teeth: 13
A:88.8 B:29.5 C:231.0

114730
27412
2873A013
63227485
LRS01001
26275
27477A
2873A101
DRS3796

PERKINS



LES0208
12V / 2,2kW
Rotation: CW
Number of Teeth: 10
A:82.5 B:22.5 C:218.0

1039827
32A66-00100
32A66-00600
32A66-20601
8EA737263-001
DRS3279
LRS01468
M2T62271
M2T74371
M8T70371
111272
32A66-00101
32A66-00601
32A66-26100
920670
JS1009
M2T52271
M2T62272
M2TS0071
M8T71571

MITSUBISHI



LES0350
12V / 2,2kW
Rotation: CW
Number of Teeth: 9
A:95.0 B:10.0 C:213.0

1347064
228000-1890
228000-1892
228000-8040
2873K401
3122813
8970429971
LRS02067
15119632
228000-1891
228000-1893
228000-8041
3114993
8970429970
8970429972

HYSTER
ISUZU



LES0381
12V / 2,2kW
Rotation: CW
Number of Teeth: 9
A:82.5 B:26.0 C:176.0

0001109330
113900
RE508922
SE501844
0001109331
LRS02676
RE540304

JOHN DEERE



LES0678
12V / 2,2kW
Rotation: CW
Number of Teeth: 11
A:95.0 B:20.0 C:236.0

897170-4000
897349-4020
M008T77072
M008T77075
M8T77072
M8T77075
897204-7130
M008T77071
M008T77074
M8T77071
M8T77074

CASE
ISUZU



LES0715
12V / 2,2kW
Rotation: CW
Number of Teeth: 11
A:89.0 B:47.0 C:230.0

26024094A

BASAK TRACTOR
ERKUNT TRACTOR
SONALIKA



LES0195
12V / 2,3kW
Rotation: CW
Number of Teeth: 9
A:95.0 B:20.0 C:211.0

112676
129900-77040
220103475
AT211995
DS2123
S0001250600
S13-404
129900-77010
1599845
580062748
DRS1013
LRS01565
S13-204

CLARK
HYSTER
HYUNDAI
KOMATSU
MANITOU
VOLVO
YALE
YANMAR



PRODUCT NO & INFORMATION

REFERENCES

APPLICATIONS



LES0346

12V / 2,3kW

Rotation: CW
Number of Teeth: 9
A:82.5 B:23.0 C:192.0

0001109369	0001223016
0001223021	01181751
01182124	01182382
01182384	01183404
01183599	04300006
04300007	063522230160
0986019820	11.131.458
11.131.948	11.131.949
113181	1181751
1182124	1182382

ATLAS COPCO
BOMAG
DEUTZ AG (KHD)
GEHL
HAMM
JCB
KHD
KRAMER
LIEBHERR
TEREX



LES0491

12V / 2,3kW

Rotation: CW
Number of Teeth: 11
A:82.5 B:24.0 C:193.0

0001218172	0001218772
0001223002	01180180
01180995	0986017430
0986018290	11.131.109
11.131.951	111855
1180180	20513069
8EA737793-001	9142726
9142900	AZE4202
AZE4535	CS1185
CS1566	DRS8290

KHD



LES0048

12V / 2,4kW

Rotation: CW
Number of Teeth: 9
A:109.8 B:26.5 C:240.0

063217121010	11.130.618
113381	27430
27430A	27440
27440A	5111319
61924033	63217121
8EA731785-001	AZJ3145
AZJ3195	AZJ3462
CS795	DRS3405
IS0618	LRS01203
LRS944	MS107

FIAT
UNIVERSAL TRACTORS



LES0134

12V / 2,5kW

Rotation: CW
Number of Teeth: 13
A:88.8 B:47.0 C:222.0

104452A1	104452A2R
113725	128000-0210
128000-0211	128000-0212
128000-0213	128000-0214
128000-0215	128000-0540
128000-0541	128000-0542
128000-0543	128000-0544
128000-2270	128000-2271
128000-2272	128000-2273
128000-2480	128000-3120

CASE
CUMMINS
GEHL
TEREX
VOLVO



LES0138

12V / 2,5kW

Rotation: CW
Number of Teeth: 13
A:89.0 B:48.0 C:221.0

028000-5880	028000-5881
028000-5882	028000-5883
028000-5884	1044451A1
104451A1	10461497
10465399	110627
116930A1	16930A1
8EA737226-001	9702809588
DRS3539	JS1012
LRS01256	R39341

CASE



LES0229

12V / 2,5kW

Rotation: CCW
Number of Teeth: 9
A:82.5 B:21.0 C:242.0

11.131.029	20385840097
5840143	58401430
61924071	9000143204
AZJ3359	IS1007
MS229	

ANADOLU MOTOR



LES0230

12V / 2,5kW

Rotation: CW
Number of Teeth: 9
A:109.8 B:27.0 C:232.0

0-7151387	61924015
61924015A	61924097
7151387	

TUMOSAN



PRODUCT NO & INFORMATION

REFERENCES

APPLICATIONS



LES0478

12V / 2,5kW

Rotation: CCW
Number of Teeth: 9
A:82,5 B:21.0 C:242.0

0001354007	0001354089
0001362058	11.130.248
11.130.525	115423
563-08	563-56
63217180	943217425
AZJ3150	AZJ3552
DRS3306	DS4416
IS0248	IS0525
LRS01262	MS301
MS392	MSR243

AGRITALIA
BPM
GOLDONI
LOMBARDINI
MOSA
RUGGERINI



LES0135

12V / 2,7kW

Rotation: CW
Number of Teeth: 10
A:89.0 B:24.0 C:207.0

028000-0960	110941
128000-1060	128000-1061
128000-1062	1430535
1430539	228000-1350
228000-1351	228000-5590
3049383	3E7905
6T7001	6V0492
8EA730726-001	DRS3303
JS735	LRS01426

CATERPILLAR
MANITOU



LES0137

12V / 2,7kW

Rotation: CW
Number of Teeth: 13
A:82.5 B:35.0 C:234.0

028000-8400	028000-8401
028000-8402	028000-8403
028000-8404	10479630
110942	1113283
228000-6470	2355695
6632415	8EA737130-001
9702800840	9702809840
JS929	LRS01387
RE19275	RE41799
RE51447	RE51694

BOBCAT
CLARK
ELGIN SWEEPER
GALION
JOHN DEERE
JOHN DEERE MARINE
TOYOTA



LES0216

12V / 2,7kW

Rotation: CW
Number of Teeth: 11
A:88.8 B:47.5 C:233.0

6675957	6676957
6685190	TM000A28901

BOBCAT



LES0473

12V / 2,7kW

Rotation: CW
Number of Teeth: 10
A:100.0 B:32.0 C:207.0

00017855223-2007	11.130.436
11.130.685	112488
24073708000	9142780
920001103	AZJ3124
AZJ3229	IS0436
IS0685	MS185
MS320	

MINSK TRACTORS (BELARUS)



LES0475

12V / 2,7kW

Rotation: CW
Number of Teeth: 10
A:82.5 B:34.0 C:234.0

0001358041	0001362312
0001362316	0986014730
11.130.533	111755
8EA730222-001	AL41247
AL62690	AL70850
AZJ3157	CS395
DRS4730	DS5840
IS0533	LRS01089
MS334	TY25952

JOHN DEERE
RENAULT AGRICULTURE




LES0477

12V / 2,7kW

Rotation: CW
Number of Teeth: 11
A:82.5 B:20.0 C:247.0

000050476102	0001362303
0001362304	0986017970
11.130.838	11.131.140
115472	12411333980
19083024	20540106
40000901	50183500
50476102	A17970
AZJ3258	AZJ3291
AZJ3386	DRS7970
DRS7970N	DS9080

BMW
CUMMINS
HATZ
MERCURISER
VM MOTORI



PRODUCT NO & INFORMATION

REFERENCES

APPLICATIONS



LES0482

12V / 2,7kW

Rotation: CW
Number of Teeth: 9
A:89.0 B:20.0 C:258.0

0001359025	0001359072
0001362025	0001362043
0001362306	0001362314
0001367007	0001369017
0986011020	0986011210
11.130.669	11.130.670
111332	112219
116496	19024282
19024285	433315
443115142801	6005003153

CASE
FENDT
RENAULT



LES0001

12V / 2,8kW

Rotation: CW
Number of Teeth: 10
A:101.5 B:25.5 C:241.0

0001359116	111573
20500106	26246
26304	26343
26351	26376
27513	27526
714/03000R	714/11200R
9004475034	DRS3456
GEU436	LRS00106
LRS106	NSB542

AVELING BARFORD
BMC
DENNIS EAGLE
JCB
LEYLAND DAF
MARSHALL TRACTORS
TCM



LES0006

12V / 2,8kW

Rotation: CW
Number of Teeth: 11
A:88.8 B:47.5 C:246.0

0001359010	0001359047
0001359124	0001367032
0001367067	0986013690
0986013691	11.130.179
11.131.249	110545
19024841	19677130A
20500147	26342
26342F	26342H
26342J	27512
27512A	27512B

BALKANCAR
DRONNINGBORG
ROSENLEW
URSUS
VALTRA (VALMET)
ZETOR



LES0009

12V / 2,8kW

Rotation: CW
Number of Teeth: 10
A:88.8 B:29.5 C:238.0

0001359127	063227592010
0986018151	11.130.526
111737	1447732MI
20500968	26294
26294R	26359
26369	27502
2873001T	2873022
2873A030	3551773M91
3581576MI	3648190M91
37701400	54293284

ATLAS COPCO
ATLAS-WEYHAUSEN
LAVERDA COMBINES
MASSEY FERGUSON



LES0010

12V / 2,8kW

Rotation: CW
Number of Teeth: 10
A:88.8 B:29.5 C:237.0

11.130.629	110460
20500137	26295
26358	26358R
27503	27519
2873002	2873002T
3116683EX	3116683R91
8EA737093-001	9004475405
AZJ3203	CS948
IS0629	LRS00162
LRS137	LRS162

ARBOS
CONVEYANCER
DENNIS EAGLE
DENNIS SPECIALIST VEHICLES
DRONNINGBORG
JCB
MUIR-HILL
OVERUM FARM
SEDDON ATKINSON



LES0013

12V / 2,8kW

Rotation: CW
Number of Teeth: 10
A:88.8 B:29.5 C:237.0

11.130.629	110565
1868283M5	20500173
26271	27510
27515	27523
27529	27539
27541	27565
27568	27578
27583	27594
27599	3516094M1
3519400M1	3539390M91

ASKAM (Chrysler Trucks Turkey)
BALKANCAR
LANSING LINDE
MASSEY FERGUSON
RELIANCE MERCURY
SHELVOKE & DREWRY



LES0016

12V / 2,8kW

Rotation: CW
Number of Teeth: 10
A:88.8 B:29.5 C:236.0

0986018151	110615
1446802M91	1447732R1
20500968	26357
26357R	27518
27592	2873A001
2873B056	2873B061
2873B071	3581576M1
3581576R1	3630508R1
37701400	63227592
714/29300R	8EA730219-001

ATLAS COPCO
BARBER GREENE
COMPAIR
DENNIS EAGLE
HY-MAC
HYUNDAI
INGERSOLL-RAND
JCB
MARSHALL TRACTORS
RELIANCE MERCURY



PRODUCT NO & INFORMATION

REFERENCES

APPLICATIONS



LES0017

12V / 2,8kW

Rotation: CW
Number of Teeth: 10
A:92.0 B:20.5 C:243.0

11.130.579
20500212
26277
26330
26339
26395
27500
3049385
9004475304
CS200
110462
26211
26316
26338
26352
26925
27569
8EA726026-001
AZJ3182
D1NN11000A

BUHRER
HEMA (Ford)
HY-MAC
MATBRO
NEW HOLLAND
SANDERSON
WEATHERILL



LES0019

12V / 2,8kW

Rotation: CW
Number of Teeth: 10
A:88.8 B:29.5 C:238.0

11.130.373
1447698M1
1860093M2
1868285M2
1868287T
26323
26366
26410R
27572
2873004
110565
1447731R1
1868285M1
1868285M3
1871434M1
26345
26410
27539
2873003
2873D002

ASKAM (Chrysler Trucks Turkey)
BENATI
EICHER
MASSEY FERGUSON



LES0021

12V / 2,8kW

Rotation: CW
Number of Teeth: 10
A:92.0 B:25.5 C:241.0

0001362084
11.130.520
110819
1691805M1
1808449R2
1868283R5
1871433M2
20500301
26365
27522
0986018160
11.130.632
168065M3
1691805R2
1868283M5
1871433M1
1893705T
26344
26411
27540

EICHER
MASSEY FERGUSON



LES0029

12V / 2,8kW

Rotation: CW
Number of Teeth: 10
A:92.0 B:20.5 C:243.0

111499
27528
CS987
K308650
LRS00552
NSB527
26379
8EA737236-001
DRS3543
K919752
LRS552

CASE



LES0030

12V / 2,8kW

Rotation: CW
Number of Teeth: 10
A:88.8 B:46.5 C:234.0

112136
1618050M3
1618050R4
26398
27533R
3637269R91
8EA730193-001
CS623
MSN192
1618050M01A
1618050M4
20500553
27533
27601
63227533
9004475319
LRS553
NSB528

MASSEY FERGUSON



LES0035

12V / 2,8kW

Rotation: CW
Number of Teeth: 10
A:88.8 B:47.5 C:250.0

0986020051
11.131.997
20500706
27595
8EA737088-001
AZJ3466
DRS3426
LRS00706
MS418
NSB541

11.130.665
111574
27564
63227564
AZJ3217
CS889
IS0665
LRS706
MSN198

BMC
ERF
JCB
LEYLAND DAF




LES0038

12V / 2,8kW

Rotation: CW
Number of Teeth: 9
A:88.8 B:28.0 C:238.0

0001358027
0001358046
0001358073
0001359003
0001359027
0001359049
0001359078
0001362016
0001362091
0001362311
0001358044
0001358049
0001358305
0001359012
0001359046
0001359073
0001359096
0001362034
0001362305
0001362313

ABG
ATLAS COPCO
ATLAS-WEYHAUSEN
BOMAG
CASE
CITROEN
DEUTZ FAHR (KHD)
FUCHS
HATRA
IVECO FIAT



PRODUCT NO & INFORMATION

REFERENCES

APPLICATIONS



LES0040

12V / 2,8kW

Rotation: CW
Number of Teeth: 10
A:88.8 B:29.5 C:237.0

110615	111737
1446802M91	1447732R1
26357	26357R
27518	27520
27570	27592
27596	27603
27607	27609
27621	27625
27628	2873A001
2873B056	2873B061

ATLAS COPCO
BARBER GREENE
COMPAIR
DENNIS EAGLE
DENNIS SPECIALIST VEHICLES
HY-MAC
HYUNDAI
INGERSOLL-RAND
JCB
LINER CONCRETE



LES0041

12V / 2,8kW

Rotation: CW
Number of Teeth: 10
A:88.8 B:29.5 C:237.0

11.130.629	111346
26414	26414R
27541	27565
27568	27589
27590	27598
27602	27608
27610	27620
27626	27627
27627B	27629
2873006	2873006T

ASKAM (Chrysler Trucks Turkey)
BALKANCAR
CONVEYANCER
JCB
MASSEY FERGUSON
MOTORSAZAN ENGINES
RELIANCE MERCURY



LES0043

12V / 2,8kW

Rotation: CW
Number of Teeth: 10
A:88.8 B:29.5 C:238.0

27578	27583
27594	27599
3516094M1	3519400M1
3597372R2	3763362M91
3763362M92	63227594
63227598	9004475058
LRS173	MSN541

ITM CO
MASSEY FERGUSON



LES0044

12V / 2,8kW

Rotation: CW
Number of Teeth: 10
A:88.8 B:29.5 C:237.0

11.130.373	1447698M1
1447731R1	1860093M2
1868285M1	1868285M2
1868285M3	1868285M3
1868287T	1871434M1
26323	26345
26366	26410
26410R	27572
2873003	2873004
2873D002	3930506R1

BENATI
EICHER
MASSEY FERGUSON
MOTORSAZAN ENGINES



LES0045

12V / 2,8kW

Rotation: CW
Number of Teeth: 9
A:88.8 B:47.5 C:250.0

61924045

MOTORSAZAN ENGINES



LES0046

12V / 2,8kW

Rotation: CW
Number of Teeth: 11
A:82.4 B:20.0 C:240.0

0001358020	0001358051
0001359004	0001359108
0001367013	0986012710
11.130.201	19024238
296191400	296191400
296191800	406090004
407090009	408.09.08
40800090008	40800090010
44288158W	61924013
63216876	8EA726083-001

BASAK TRACTOR
HUELIMANN
LAMBORGHINI TRACTORS
SAME



LES0051


12V / 2,8kW

Rotation: CW
Number of Teeth: 10
A:92.0 B:25.5 C:241.0

00015634U91M

61924038

UZEL (Massey Ferguson)



PRODUCT NO & INFORMATION

REFERENCES

APPLICATIONS

LES0053

12V / 2,8kW

Rotation: CW
Number of Teeth: 10
A:88.8 B:29.5 C:234.0



001952U2M

61924043

UZEL (Massey Ferguson)

LES0218

12V / 2,8kW

Rotation: CW
Number of Teeth: 10
A:88.8 B:29.5 C:230.0



LES0256

12V / 2,8kW

Rotation: CW
Number of Teeth: 11
A:88.8 B:46.5 C:247.0



0001359048
11.130.821
19024228
19024815
409090001
8EA732654-001
CS799
MS309

0001359099
110551
19024270
296191100
80350911
AZJ3285
IS0821

AGRITALIA
LAMBORGHINI TRACTORS
RENAULT AGRICULTURE
SAME DEUTZ-FAHR GROUP
STEYR-DAIMLER-PUCH
URSUS
ZETOR

LES0652

12V / 2,8kW

Rotation: CW
Number of Teeth: 10
A:89.0 B:46.0 C:250.0



0001362324
1107872
1109261
1113282
1903117M91
517533M93
6651258
910886

110590
1109253
1113281
1903103M91
1903117V91
579936M91
6651664
LRS01230

BOBCAT
CLARK
MASSEY FERGUSON
PERKINS

LES0152

12V / 3,0kW

Rotation: CW
Number of Teeth: 10
A:88.8 B:47.0 C:243.0



113237
128000-5721
228000-5730
3E5382
9W2946

128000-5720
128000-5722
228000-5731
6667825
DRS0255

CATERPILLAR

LES0199

12V / 3,0kW

Rotation: CW
Number of Teeth: 9
A:89.0 B:28.0 C:240.0



0001230006
0986019020
112071
3045396
AZF4514
CS1130
IS0841
MS446

01180928
11.130.841
1180928
8EA737629-001
CA1130IR
DRS9020
LRS01603
STM8652

ABG
AGCO
ATLAS
ATLAS COPCO
BOBCAT
BOMAG
CLAAS
DEUTZ AG (KHD)
DEUTZ FAHR (KHD)
FENDT

LES0217

12V / 3,0kW


Rotation: CW
Number of Teeth: 10
A:88.8 B:47.0 C:233.0



6676958
TM000A29901

TM000A29001

BOBCAT



PRODUCT NO & INFORMATION

REFERENCES

APPLICATIONS



LES0250

12V / 3,0kW

Rotation: CW
Number of Teeth: 10
A:92.0 B:25.5 C:237.0

11.130.408
AZJ3114

815969
IS0408

IMR
IMT
TAM



LES0251

12V / 3,0kW

Rotation: CW
Number of Teeth: 10
A:88.8 B:29.5 C:233.0

11.130.411
AZJ3117
MS548

815970
IS0411

IMR
IMT
PERKINS
STORE
TAM
URSUS



LES0252

12V / 3,0kW

Rotation: CW
Number of Teeth: 10
A:88.8 B:29.5 C:233.0

11.130.807
114777
388187A1
388187A2
AZJ3330
IS0807
LRS01608
MS434

11.131.218
323319A1
388187A2
388187A3
AZJ3402
IS1067
MS315

CASE
FERMEC
MCCORMICK



LES0253

12V / 3,0kW

Rotation: CW
Number of Teeth: 10
A:88.8 B:29.5 C:233.0

11.130.808
388186A1
388186A3
AZJ3403
IS1068
MS314

11.131.219
388186A2
AZJ3331
IS0808
MS142

CASE
MCCORMICK



LES0271

12V / 3,0kW

Rotation: CW
Number of Teeth: 10
A:89.0 B:29.0 C:220.0

113655
2873K624
63280041
71440531
LRS02425

2873K405
428000-1290
71440231
DRS3954
MSN8041

PERKINS



LES0272

12V / 3,0kW

Rotation: CW
Number of Teeth: 10
A:88.88 B:31.6 C:222.1

11.131.014
11.131.228
113654
428000-1380
860714
AZF4538
AZF4569
IS1071
MS111

11.131.065
11.131.612
2873K404
63280040
AZF4159
AZF4542
DRS0066
LRS02206
MSN8040

ISEKI
PERKINS



LES0341

12V / 3,0kW

Rotation: CW
Number of Teeth: 10
A:89.0 B:48.0 C:246.0

0001354107
0001359069
0001367042
10965R93
1107862
1113284
19083020
20500240
26336E
26336L

0001359045
0001362310
0986015040
11.131.038
1107867
112660
1998343
26336
26336F
26336Q

CASE
INTERNATIONAL HARVESTER



PRODUCT NO & INFORMATION

REFERENCES

APPLICATIONS



LES0351

12V / 3,0kW

Rotation: CW
Number of Teeth: 9
A:110.0 B:26.0 C:232.0

0001223503
0001359102
0001367028
063216831000
063217126000
0986022550
11.130.403
11.131.603
110640
19024272

0001223504
0001362032
0001367082
063216831020
063296847000
11.130.203
11.130.409
110529
110813
2022506

AGRIFULL
AIFO
BENFRA
CNH
FIAT
IVECO
TURK TRACTOR (CNH)



LES0354

12V / 3,0kW

Rotation: CW
Number of Teeth: 10
A:89.0 B:29.0 C:204.0

11.130.904
61990354

38211818M94
AZF4520

PERKINS



LES0379

12V / 3,0kW

Rotation: CW
Number of Teeth: 9
A:110.0 B:28.0 C:241.0

0001230007
0001230023
063522300070
0986018987
500325145
500338952
504059251
LRS01562

0001230010
0001262007
0986018980
113182
500325145
500338952
DRS8980

CASE
FORD
NEW HOLLAND



LES0391

12V / 3,0kW

Rotation: CW
Number of Teeth: 10
A:89.0 B:28.0 C:241.0

0001230021
0001262022
11.132.260
2859527
323019050
47137534
504036476
50435711
504357110
5043676

0001262021
11.131.352
285217
2859528
47132888
504031929
504357109
504357110
50436476
5801577137

CASE
DOOSAN
IVECO
KOMATSU
MCCORMICK
NEW HOLLAND



LES0404

12V / 3,0kW

Rotation: CW
Number of Teeth: 11
A:82.4 B:20.0 C:238.0

0001362022
11.130.521
207.07.02
296190300
40800090007
63207138
DRS3325
MS300

0001362035
110530
207020002
296190800
61924011
AZJ3149
IS0521

BASAK TRACTOR
BPM
SAME DEUTZ-FAHR GROUP
STEYR



LES0407

12V / 3,0kW

Rotation: CW
Number of Teeth: 11
A:89.0 B:48.0 C:220.0

0001230002
0986023990
8EA737878-001
CS1376
LRS01563
RE504807

0001367077
115609
8EA738258-061
DRS0067
RE503226

JOHN DEERE



LES0425


12V / 3,0kW

Rotation: CW
Number of Teeth: 10
A:92.0 B:26.0 C:241.0

26024341A
61924144

2824P00301

MASSEY FERGUSON



PRODUCT NO & INFORMATION

REFERENCES

APPLICATIONS



LES0435

12V / 3,0kW

Rotation: CW

Number of Teeth: 10

0011230231
01461400
11.131.167
11271610
19083037
7700061622
AZF4253
AZJ3284
DS1381
LRS03890

0011271610
11.130.820
11.131.929
113532
7700047132
7700066115
AZF4559
DRS0271
IS1055
MS45

CLAAS
RENAULT AGRICULTURE



LES0480

12V / 3,0kW

Rotation: CW

Number of Teeth: 10

A:92.0 B:21.0 C:252.0

0001369015
0986017510
11.131.705
19024266
82005342
82014160
8EA737621-001
986017510
AZF4183
AZF4539

0001369023
11.130.627
112074
81866002
82013134
82021372
9142766
AZF4115
AZF4511
AZJ3201

BOBCAT
CASE
CNH
FIAT
NEW HOLLAND



LES0481

12V / 3,0kW

Rotation: CW

Number of Teeth: 9

A:82.5 B:22.0 C:247.0

0001230012
0001367005
11.130.898
111001
19024250
296192300
63216816
AZE4295
AZJ3320
CS718

0001262029
0986024080
11.132.434
116451
296192300
29619390
8EA731762-001
AZF4220
AZJ3557
DRS3326

AGCO
HUERLMANN
LAMBORGHINI TRACTORS
SAME DEUTZ-FAHR GROUP
STEYR



LES0483

12V / 3,0kW

Rotation: CW

Number of Teeth: 9

A:110.0 B:26.0 C:267.0

0001359122
11.130.697
4713806
4737759
4755110
4807376
63216873
63216898
9972215
CS682

0001367029
110522
4719666
4737759
4807376
4807376
63216896
8EA730198-001
AZJ3237
DRS2720

AGRIFULL
FIAT
IVECO
LAVERDA COMBINES
NEW HOLLAND



LES0560

12V / 3,0kW

Rotation: CW

Number of Teeth: 9

A:110.0 B:27.0 C:240.0

0001230009
DRS0025

500325146
DS1135

NEW HOLLAND



LES0654

12V / 3,0kW

Rotation: CW

Number of Teeth: 9

A:109.8 B:26.5 C:187.5

11.132.127
61924200
IS1379

47376282
AZE6572

CASE
NEW HOLLAND



LES0723

12V / 3,0kW

Rotation: CW


Number of Teeth: 10

A:89.0 B:29.0 C:263.0

11.130.795
202-34463
202-34960
2873A016
IS0795

202-31963
202-34596
272-905
AZJ3324
MS333

BOSS
COMPAIR
LEYLAND DAF
LISTER-PETTER



PRODUCT NO & INFORMATION

REFERENCES

APPLICATIONS



LES0382
12V / 3,1kW
Rotation: CW
Number of Teeth: 11
A:89.0 B:21.5 C:256.0

0001369018
11.130.705
138207A1
AZJ3243
IS0705
MS355
0986017290
112135
19024283
DRS7290
LRS04045

CASE



LES0392
12V / 3,2kW
Rotation: CW
Number of Teeth: 10
A:89.0 B:29.0 C:226.0

11.131.606
11.131.946
11.132.035
19083001
2873K621
312-7539
3784889M2
3823621M91
428000-1380
AZE4172
11.131.780
11.131.964
114387
225-3148
2873K632
357-5202
3784890M1
4227442M91
AZE4151
AZE4199

LINDE
MANITOU
MASSEY FERGUSON
MST (SANKO)



LES0393
12V / 3,2kW
Rotation: CW
Number of Teeth: 10
A:89.0 B:29.0 C:220.0

11.131.112
11.131.315
11.131.535
11.131.975
114388
2873K625
2873K634
3821818M91
4227054M91
714/40231
11.131.216
11.131.424
11.131.781
11.131.984
2873K624
2873K626
3586849
3873K627
4227441M91
714/40531

BASAK TRACTOR
BOBCAT
ERKUNT TRACTOR
HATTAT
MANITOU
MASSEY FERGUSON
PERKINS
URSUS



LES0441
12V / 3,2kW
Rotation: CW
Number of Teeth: 10
A:82.5 B:34.0 C:238.0

028000-8401
028000-8403
11.131.789
AZE4655
DS1413
MS293
RE42730
RE505746
RE516157
RE533976
028000-8402
028000-8404
AJ59342
DRS0303
IS1027
RE19196
RE49033
RE509658
RE529594
RE551445

ATLAS COPCO
BOBCAT
CLARK
JOHN DEERE



LES0657
12V / 3,2kW
Rotation: CW
Number of Teeth: 10
A:89.0 B:47.0 C:194.0

11.131.773
AZE4171
MS397
205806
IS1153

AGRITALIA
MASSEY FERGUSON



LES0660
12V / 3,2kW
Rotation: CW
Number of Teeth: 10
A:89.0 B:27.0 C:202.0

0001250001
11.131.921
47375306
82036365
87398251
AZE4123
AZE4194
AZE4573
LRS03886
0001250002
114021
47715266
84208918
87583927
AZE4139
AZE4210
IS1189
MS24

CASE
CLAAS
CNH
EUROMACCHINE
NEW HOLLAND
STEYR-DAIMLER-PUCH




LES0663
12V / 3,2kW
Rotation: CW
Number of Teeth: 10

0001362049
10.130.141
11.130.194
11.132.166
2873143
3542184M91
3546390M91
432567
432571
6005700082
0986050570
11.130.074
11.132.165
20500190
2873A104
3542184M92
3650746M91
432570
6005007548
63227480

IMR
IMT
MASSEY FERGUSON
PERKINS
STORE
TAM
URSUS

Photo has been used for reference only.



PRODUCT NO & INFORMATION

REFERENCES

APPLICATIONS



LES0664

12V / 3,2kW

Rotation: CW
Number of Teeth: 10
A:89.0 B:28.0 C:220.0

0001367040
11.132.159
1691806R1
1868285R3
20500969
26271
26358A
26410R
27519
27565

0986023190
1447834M91
1860093M2
1868287T
234987A1
26358
26410
26414
27541
27568

BALKANCAR
CASE
COMPAIR
CONVEYANCER
DENNIS
FERMEC
INGERSOLL-RAND
INTERNATIONAL HARVESTER
JCB
JONES CRANES



LES0714

12V / 3,2kW

Rotation: CW
Number of Teeth: 10
A:82.5 B:35.0 C:198.0

0001223502
11.131.833
116379
AZE4185
D7R14
DRT2520
DT3630
LRS03792
RE501347
RE501693

0986022520
113478
438012
D7R14
DRS3313
DS4423
IS1059
MS430
RE501680
RE501713

JOHN DEERE



LES0716

12V / 3,2kW

Rotation: CW
Number of Teeth: 10

11.132.383
61924212
AZE4284
MS660

2873K627
8HT12002A6A
IS1204

ERKUNT TRACTOR
LANDINI
PERKINS
URSUS



LES0717

12V / 3,2kW

Rotation: CW
Number of Teeth: 10

11.131.716
4213912M91
AZE4165
MS297

2873K633
61924201
IS1208

ERKUNT TRACTOR
LINDNER
MCCORMICK
PERKINS
URSUS



LES0718

12V / 3,2kW

Rotation: CW
Number of Teeth: 10

11.131.731
AZE4167
MS299

4213912M91
IS1233

LANDINI
MCCORMICK
PERKINS



LES0719

12V / 3,2kW

Rotation: CW
Number of Teeth: 10

11.132.278
AZE4265
MS791

6525845M91
IS1415

LANDINI
MCCORMICK



LES0720


12V / 3,2kW

Rotation: CW
Number of Teeth: 9
A:89.0 B:21.0 C:211.0

11.130.706
130100090735
6005701125
7700519797
932510700024
AZJ3244
IS0706
LRS00566
MS394

11.132.155
6005003153
605720100071
7700525547
AZE4240
C000900060180
IS1388
MS339
X830100004000

CASE
FENDT
RENAULT AGRICULTURE



PRODUCT NO & INFORMATION

REFERENCES

APPLICATIONS



LES0721

12V / 3,2kW

Rotation: CW
Number of Teeth: 9
A:89.0 B:48.0 C:194.0

0001359014
0001369016
1133958R1
121905A1
19024257
3218677R91
3228193R91
3229193R91
B503362
IS1383
0001359074
11.132.153
1133958R1
121905AEX
3055414R92
3228193EX
3229193EX
AZE4238
IS0704
LRS00570

CASE
INTERNATIONAL HARVESTER



LES0402

12V / 3,4kW

Rotation: CW
Number of Teeth: 10
A:82.5 B:34.0 C:239.0

0001230005
11.131.374
35259580
8EA726143-001
AR70437
AZF4596
DRS2420
MS89
RE501002
RE501689
11.130.569
1107871
443115142700
AL62691
AZF4521
AZJ3181
IS0793
RE19975
RE501298
RE502196

JOHN DEERE



LES0677

12V / 3,4kW

Rotation: CW
Number of Teeth: 10
A:82.5 B:35.0 C:238.0

0001230003
11.131.384
11.131.883
AZE4169
AZE4589
DRS0152
LRS02467
MS430
RE501713
RE71505
11.131.108
11.131.751
116379
AZE4534
AZF4240
IS1300
MS419
RE500819
RE501854

JOHN DEERE



LES0231

12V / 3,5kW

Rotation: CW
Number of Teeth: 9
A:109.8 B:27.0 C:231.0

0-7150365
61924070A
7150365
61924070
61924098

TUMOSAN



LES0352

12V / 3,5kW

Rotation: CW
Number of Teeth: 9
A:110.0 B:26.0 C:232.0

063216831010
110529
2022507
4172113
4699405
4702248
4715701
47465549
4755109
47906005
11.132.156
2022506
4169093
4692478
4699705
4706044
4737755
47507514
4763996
47906044

AIFO
FIAT
FIAT-OM-CARELLI-ELEVATORI
TURK TRACTOR (CNH)



LES0681

12V / 3,5kW

Rotation: CCW
Number of Teeth: 9
A:82.5 B:21.0 C:240.0

61924162

LANZ BULDOG
TEMPO



LES0340

12V / 4,0kW

Rotation: CW
Number of Teeth: 11
A:89.0 B:48.0 C:230.0

0001260001
0986025790
114275
DRS0719
LRS02538
RE526375
RE541166
SE501868
0001260004
11.139.179
AZF4416
IS9480
MS894
RE527400
RE542532

JOHN DEERE



PRODUCT NO & INFORMATION

REFERENCES

APPLICATIONS



LES0489

12V / 4,0kW

Rotation: CW
Number of Teeth: 11
A:89.0 B:48.0 C:243.0

228000-6530	228000-6531
228000-6532	228000-7871
DRS0901	DS2011
LRS02606	RE69704
RE70957	SE501403
TY24439	

JOHN DEERE



LES0658

12V / 4,0kW

Rotation: CW
Number of Teeth: 9
A:89.0 B:28.0 C:248.0

08820245	090021540
11.131.864	114475
1182974	1183237
1183679	1183714
AZF4231	F836900060010
F836900060060	IS1239
MS69	

BOMAG
DEUTZ AG (KHD)
FENDT
HAMM
HUERLIMANN
KRAMER
LAMBORGHINI TRACTORS
MERLO
SAME DEUTZ-FAHR GROUP
ZETOR



LES0479

12V / 4,2kW

Rotation: CW
Number of Teeth: 10
A:89.0 B:48.0 C:226.0

0001326331	0001362319
01912346	10465026
10465043	10479621
11.132.180	1113276
1113593	1998423
2346	31780157
3283329	3283330
35259620	3604481RX
3604482RX	3604648
3604648RX	3604654

BOMAG
CASE
CUMMINS
DRESSER
FORD
HYSTER
INGERSOLL-RAND
JLG
PERKINS



LES0485

12V / 4,2kW

Rotation: CW
Number of Teeth: 10
A:92.0 B:21.0 C:281.0

0001369200	0001369201
11.130.659	11.131.573
115391	81868126
82005343	82005343
82013923	82013923
84036631	AZF4146
AZJ3212	FONN7HO22BA
F1NN11000AA	IS0659
IS1158	LRS01498
MS268	MS291

AVELING BARFORD
BARBER GREENE
CASE
COMPAIR
INGERSOLL-RAND
JCB
MATBRO
NEW HOLLAND
RELIANCE MERCURY
SANDERSON



LES0486

12V / 4,2kW

Rotation: CW
Number of Teeth: 9
A:88.0 B:28.0 C:246.0

0001230014	0001262001
0001262002	01182233
01182925	01183120
01183235	01183712
03045396	090015728
090021179	11.131.769
116093	1180928KZ
1181976	12417754662
AZF4194	AZF4197
F716900060010	F716900060060

ATLAS
ATLAS COPCO
BOMAG
CLAAS
DEUTZ FAHR (KHD)
FENDT
HAMM
HUERLIMANN
KHD
KRAMER



LES0487

12V / 4,2kW

Rotation: CW
Number of Teeth: 10
A:89.0 B:29.0 C:244.0

11.131.575	11.131.782
115389	19083006
2873K601	2873K631
3127536	63227478
AZF4148	AZF4204
DRS0272	DRS0272N
DS1382	DS1382N
IS1160	IS1193
LRS03789	M100R2016SE
MS295	MS400

ATLAS
ATLAS COPCO
BARBER GREENE
BEDFORD
CASE
COMPAIR
DODGE
HY-MAC
HYUNDAI
INGERSOLL-RAND




LES0488

12V / 4,2kW

Rotation: CW
Number of Teeth: 10
A:89.0 B:29.5 C:245.0

067916T1	11.131.077
11.131.574	11.131.784
114852	19083040
234987A1	2834390M91
2873K604	2873K605
2873K606	2873K635
296194600	35259310
35260950	3786310M1
3788259M93	3788259M94
3821818M91	3821818M93

AGCO
CASE
FARMTRAC
LANDINI
MASSEY FERGUSON
MCCORMICK
PERKINS
RENAULT AGRICULTURE
URSUS



PRODUCT NO & INFORMATION

REFERENCES

APPLICATIONS



LES0490

12V / 4,2kW

Rotation: CW
Number of Teeth: 10
A:89.0 B:48.0 C:224.0

0001367081	0986024000
11.131.092	11.131.191
11.131.237	11.131.375
112442	AL70852
AL81154	AZF4550
AZF4562	AZF4570
AZF4597	CS1205
DRS3818	IS1063
IS1070	IS1157
LRS01622	LRS03898

BOBCAT
CLARK
JOHN DEERE
MASSEY FERGUSON



LES0653

12V / 4,2kW

Rotation: CW
Number of Teeth: 10
A:92.0 B:48.0 C:225.0

01912347	10461645
11.131.300	113429
193432A1	193432A2
2347	3920328
91902C1	A162469
A187728	AZF4577
DRS0356	DS1466
DSN2011	IS1089
MS117	

CASE
CUMMINS



LES0661

12V / 4,2kW

Rotation: CW
Number of Teeth: 11
A:89.0 B:48.0 C:225.0

0001260025	0001260026
11.132.183	11.132.356
113570	162000090722
162000090722	35259360
47111575	569018D1
571229D1	8200564
83646500	836673290
836866817	836873088
836873290	836873457
84284540	87693781

AGCO POWER (SISU DIESEL)
CASE
CHALLENGER
JCB
MASSEY FERGUSON
ROSENLEW
VALTRA
VALTRA (VALMET)
ZETOR



LES0662

12V / 4,2kW

Rotation: CW
Number of Teeth: 10

11.132.489	5801847128
AZF4401	IS1419
MS805	

IVECO

Photo has been used for reference only.



LES0665

12V / 4,2kW

Rotation: CW
Number of Teeth: 9
A:110.0 B:27.0 C:246.0

11.131.604	4755109
500325145	500338952
504059251	5801441814
63216831	63522300
AZF4155	IS1262
MS79	MSN2039

NEW HOLLAND



LES0692

12V / 4,2kW

Rotation: CW
Number of Teeth: 10

11.132.118	4289959M2
4289959M3	4289959M4
4289959M93	4292765M91
4292765M92	AZF4304
IS1200	MS22

MASSEY FERGUSON

Photo has been used for reference only.




LES0697

12V / 4,2kW

Rotation: CW
Number of Teeth: 11
A:89.0 B:48.0 C:246.0

11.130.810	11.131.602
836664029	AZF4154
AZJ3332	IS0810
IS1168	MS398

AGCO POWER (SISU DIESEL)



PRODUCT NO & INFORMATION

REFERENCES

APPLICATIONS



LES0200

24V / 3,2kW

Rotation: CW
Number of Teeth: 11
A:82.5 B:22.5 C:218.0

111913	34466-03101	MITSUBISHI
34466-15101	34466-15102	
34466-20102	3785420	
8EA732662-001	DRS3284	
JS777	LRS01842	
M2T27672	M2T65271	
M2T65272	M2T65275	
M3T54071	M3T54072	
M5T27671	TM000A32201	



LES0036

24V / 3,5kW

Rotation: CW
Number of Teeth: 9
A:109.8 B:26.0 C:226.0

0001363101	0001363111	ALLIS CHALMERS (US)
0986011160	0986011161	BENFRA
11.130.216	110517	FIAT
19024242	20500839	IVECO (Aifo)
42498142	42498230	IVECO FIAT
455520	4691200	IVECO FORD
4706931	4744841	NEW HOLLAND
4752403	4807377	
61924067	63217201	
63217225	63217226	



LES0039

24V / 4,0kW

Rotation: CW
Number of Teeth: 9
A:88.8 B:28.0 C:266.0

0001360003	0001360012	ABG
0001360035	0001368001	AHLMANN
0001368007	0986011270	CASE
11.130.491	1161422	COMPAIR
1164995	1172099	EISENWERKE KAISERSLAUTERN
1173241	1701065	FUCHS
19024234	42522641	IVECO FIAT
42522653	455516	ORENSTEIN, KOPPEL (Faun)
61924051	6200662	VOLVO
744648	8EA726170-001	WESERHUTTE



LES0319

24V / 4,0kW

Rotation: CW
Number of Teeth: 9
A:89.0 B:27.5 C:239.0

0001231005	0001231028	DEUTZ AG (KHD)
0001263008	0001263028	DEUTZ FAHR (KHD)
0001368001	01163626	
01173820	01179586	
01180804	01180999	
01182235	01182931	
01183122	01183239	
01183681	01183716	
0986021000	11.130.842	
11.131.770	112494	



LES0337

24V / 4,0kW

Rotation: CW
Number of Teeth: 11
A:89.0 B:28.0 C:240.0

0001231007	0001231030	FENDT
0001368056	0986018990	MAN
11.130.730	112446	
113468	19024286	
51262017157	51262017183	
51262017189	51262017213	
51262019157	51262019183	
51262019213	8EA737912-001	
AZF4509	CS1243	
DRS8990	IS0730	



LES0353

24V / 4,0kW

Rotation: CW
Number of Teeth: 9
A:110.0 B:27.0 C:232.0

063216731010	0986011160	TURK TRACTOR (CNH)
110517	19024273	
61924159	63217226	
92900352	92900518	
CS231	DRS1160	
LRS00839	MSN213	




LES0603

24V / 4,0kW

Rotation: CW
Number of Teeth: 9
A:82.5 B:23.0 C:270.0

11.131.841	22010410	STEYR-DAIMLER-PUCH
AZF4222	IS1282	
MS36		



PRODUCT NO & INFORMATION

REFERENCES

APPLICATIONS



LES0626

24V / 4,0kW

Rotation: CW
Number of Teeth: 9
A:89.0 B:28.0 C:269.0

0001360031	0001368008
11.131.868	1173560
1182933	1183243
1183246	1183685
1183720	19070148
19083004	3047129
6107017	AZF4233
DRS0265	IS1246
MS71	

DEUTZ AG (KHD)
VOLVO - PENTA



LES0682

24V / 4,0kW

Rotation: CW
Number of Teeth: 10
A:89.0 B:30.0 C:240.0

0001368026	0001368051
0986013770	11.130.993
112670	20244940
3091293M91	5000383929
5000683929	61924138
8091293M91	AZJ3351
DRS3770	DS4880
IS0993	LRS01845
MS369	

DAF
HANOMAG
LISTER-PETTER
PERKINS
TIMBERJACK



LES0140

24V / 4,5kW

Rotation: CW
Number of Teeth: 11
A:90.0 B:16.0 C:255.0

028000-5860	028000-5861
028000-5862	028000-5863
028000-5890	028000-6010
028000-6011	028000-6012
110490	28100-22060
28100-22060-71	28100-22061
28100-22061-71	28100-22080
3004568	8EA730274-001
DRS3257	JS733
LRS01881	

TOYOTA



LES0202

24V / 4,5kW

Rotation: CW
Number of Teeth: 10
A:89.0 B:46.0 C:250.0

10455500	10479616
10479623	11.131.359
1113277	1113291
1113594	111760
1268855H91	1998488
3675204	3909914
3918377	707112
8EA732680-001	9011707112
AZF4594	C4929600
DRS3510	DRZ5168

CUMMINS



LES0257

24V / 4,5kW

Rotation: CW
Number of Teeth: 10
A:88.7 B:47.5 C:223.0

228000-0630	228000-0631
228000-0632	228000-0633
228000-1750	228000-1751
228000-4992	228000-6640
228000-6670	3675758RX
3920644	3922474
3957592	600-863-4110
600-863-4130	673-181-2530
673-381-6510	673-382-6510
69014	LRS02736

CASE
CUMMINS
DRESSER
HITACHI
JCB
KOMATSU



LES0282

24V / 4,5kW

Rotation: CW
Number of Teeth: 10
A:89.0 B:29.0 C:241.0

0R4321	1006929
114268	143-0541
228000-183	228000-1830
228000-1831	228000-1832
2873K406	DRS0206
LRS02594	

CATERPILLAR




LES0261

24V / 5,5kW

Rotation: CW
Number of Teeth: 11
A:100.0 B:24.5 C:276.0

0350-552-0310	0350-552-0311
0350-552-0330	0350-552-0331
0350-552-0332	0350-552-0333
0350-552-0334	0350-552-0335
0350-552-0336	0350-552-0337
0350-552-0338	0350-552-0339
0350-552-0516	128000-4685
128000-4686	128000-4687
128000-4688	28100-1700
28100-1700A	28100-2040

HINO



PRODUCT NO & INFORMATION

REFERENCES

APPLICATIONS



LES0313

24V / 7,5kW

Rotation: CW
Number of Teeth: 12
A:92.0 B:46.0 C:395.0

0001420003	0001420004
0001420005	0R2186
0R5207	10413558
10461031	10461136
10461357	10479115
10479136	10479225
11.131.905	110999
1113923	1990359
1990433	1990453
1990457	1990497

CATERPILLAR
CUMMINS
JOHN DEERE



LES0450

24V / 7,5kW

Rotation: CW
Number of Teeth: 11
A:92.0 B:45.0 C:391.0

0R2187	0R2190
0R4259	10461024
10461030	10461043
10461128	10461184
10461259	104-7041
104-7042	10478943
10478986	10478998
10479111	10479114
10479290	106-8551
106-8554	10R0400

CLARK
CUMMINS



LES0651

24V / 7,5kW

Rotation: CW
Number of Teeth: 11

0001420002	0001420006
0001420008	0001420010
0001420011	10461057
10461125	10478880
10478911	10478912
10479339	10479340
10479343	110347
1109222	1109285
1109286	1109287
1109288	1109289

CATERPILLAR
CLARK
FIAT
IVECO