

| PHOTO                                                                             | Item No.            | WT(kg) | Description                              | surface treatment |
|-----------------------------------------------------------------------------------|---------------------|--------|------------------------------------------|-------------------|
|  | <b>2WB</b>          | 1      | 18MM PIN, 40MM,10.5MM<br>HOLE (20*270mm) | hot galvanizing   |
|  | <b>AT&amp;2DMD</b>  | 0.31   | Diameter 59X54 (85*90*6mm),<br>16MM HOLE | hot galvanizing   |
|  | <b>COUPLING(LA)</b> | 0.45   | 20.05MM                                  | hot galvanizing   |

|                                                                                    |                |      |                        |                 |
|------------------------------------------------------------------------------------|----------------|------|------------------------|-----------------|
|   | <b>HGWC</b>    | 0.5  | 40B X 55C X 50MM X 42H | hot galvanizing |
|   | <b>P&amp;U</b> | 0.55 | 90X40 41MM             | hot galvanizing |
|   | <b>RBRMP</b>   | 0.95 | 205MM, 16MM POST       | hot galvanizing |
|  | <b>RBRMPS</b>  | 1    | 172MM, 18MM            | hot galvanizing |

|                                                                                     |              |     |                  |                 |
|-------------------------------------------------------------------------------------|--------------|-----|------------------|-----------------|
|    | <b>RBSP8</b> | 1.3 | 205MM, 25X25TUBE | hot galvanizing |
|    | <b>ROOF</b>  | 0.3 | 40X85, 6MM PLATE | hot galvanizing |
|    | <b>RP</b>    | 0.4 | 16MM, 230MM      | hot galvanizing |
|  | <b>RT2N</b>  | 0.5 | 36MM             | hot galvanizing |

|                                                                                    |              |      |              |                 |
|------------------------------------------------------------------------------------|--------------|------|--------------|-----------------|
|   | <b>SB1H</b>  | 0.65 | 20X20BAR,    | hot galvanizing |
|   | <b>TLB</b>   | 0.38 | 10"          | hot galvanizing |
|   | <b>TLBTP</b> | 0.75 | 232MM        | hot galvanizing |
|  | <b>TUBE</b>  | 0.55 | 40X40, 30X30 | hot galvanizing |

|                                                                                    |                   |      |                             |                 |
|------------------------------------------------------------------------------------|-------------------|------|-----------------------------|-----------------|
|   | <b>UB2N</b>       | 0.35 | 45MM, 32X32HOLE             | hot galvanizing |
|   | <b>WDBRP</b>      | 0.55 | 16MM, 9", 50MM              | hot galvanizing |
|   | <b>WDBSP</b>      | 0.5  | 30X30, 19MM, ANGLE 5 DEGREE | hot galvanizing |
|  | <b>WDBU&amp;T</b> | 0.4  | 40MM, 30X30TUBE             | hot galvanizing |

|                                                                                    |                |      |                                |                 |
|------------------------------------------------------------------------------------|----------------|------|--------------------------------|-----------------|
|   | <b>WRB1</b>    | 0.75 | 20MM PIN, 12X32 BAR            | hot galvanizing |
|   | <b>WRB1TU</b>  | 1.35 | 1.35KG, 22MM PIN, 25X50 TUBE   | hot galvanizing |
|   | <b>WRB2BD</b>  | 1.1  | 20MM PIN, 21MM HOLE, 40X12 BAR | hot galvanizing |
|  | <b>WRB90D1</b> | 1    | 20X20 BAR, 19.5 PIN            | hot galvanizing |

|                                                                                    |                     |     |                                     |                 |
|------------------------------------------------------------------------------------|---------------------|-----|-------------------------------------|-----------------|
|   | <b>BB</b>           | 1.2 | 95MM                                | hot galvanizing |
|   | <b>BOAT BAR</b>     | 10  | 50X50TUBE, 1930MM, 20MM PIN, 7 PINS | hot galvanizing |
|   | <b>CAN HOLDER</b>   |     |                                     | hot galvanizing |
|  | <b>SUPPORT BOLT</b> | 2   | 25MM                                | hot galvanizing |

|                                                                                    |               |      |                       |                 |
|------------------------------------------------------------------------------------|---------------|------|-----------------------|-----------------|
|   | <b>TLBUWD</b> | 0.4  | 12", 4 HOLES          | hot galvanizing |
|   | <b>WB</b>     | 2.85 | 75MM, 55MM X 68MM     | hot galvanizing |
|   | <b>WP</b>     | 4    | 53X53 TUBE, 165 X 103 | hot galvanizing |
|  | <b>WP2</b>    | 3.6  | 53X53 TUBE, 106 X 166 | hot galvanizing |



|                                                                                    |                            |      |                        |                 |
|------------------------------------------------------------------------------------|----------------------------|------|------------------------|-----------------|
|   | <b>WPB</b>                 | 6.8  | 50 X 75 TUBE, 165 X 95 | hot galvanizing |
|   | <b>WRB6</b>                | 7.5  | 24MM PIN, 50X70 TUBE   | hot galvanizing |
|   | <b>ADJ-<br/>CONNECTION</b> | 1.08 | 55MM, 44X44 TUBE       | hot galvanizing |
|  | <b>B4</b>                  | 2.15 | 24MM X 40 KEY          | hot galvanizing |

|                                                                                    |                     |      |                                            |                 |
|------------------------------------------------------------------------------------|---------------------|------|--------------------------------------------|-----------------|
|   | <b>BB-ASSY</b>      | 1.4  | 80, 18MM TUBE, M12 BOLT                    | hot galvanizing |
|   | <b>BBP</b>          | 0.95 | 82                                         | hot galvanizing |
|   | <b>CAN HOLDER</b>   | 4.37 | BASE PLATE: 65X115, 65 X 87<br>360X375X230 | hot galvanizing |
|  | <b>CAN HOLDER B</b> | 6.15 | MOUNTING PLATE: 80X95<br>370X180X280       | hot galvanizing |

|                                                                                    |                     |      |             |                 |
|------------------------------------------------------------------------------------|---------------------|------|-------------|-----------------|
|   |                     | 2.94 | 370X280X280 | hot galvanizing |
|   | <b>4.5kg BASKET</b> | 1.25 | 260X190     | hot galvanizing |
|   | <b>9kg BASKET</b>   | 1.53 | 320X190     | hot galvanizing |
|  | <b>4.5kg BASKET</b> | 2    |             | hot galvanizing |

|                                                                                    |                   |      |            |                 |
|------------------------------------------------------------------------------------|-------------------|------|------------|-----------------|
|   | <b>9kg BASKET</b> | 2.35 |            | hot galvanizing |
|   | <b>CONECTION</b>  | 0.45 | 50MM, 20MM | hot galvanizing |
|   | <b>MBB</b>        | 2    | MP: 55X183 | hot galvanizing |
|  | <b>SB-ADJ</b>     | 2.28 | 125, 50X50 | hot galvanizing |


|                                                                                    |                 |      |                                                      |                 |
|------------------------------------------------------------------------------------|-----------------|------|------------------------------------------------------|-----------------|
|   | <b>STB</b>      | 2.86 | BASE PLATE: 65X115, 65 X 87 TYRE<br>PLATE: 108 + 101 | hot galvanizing |
|   | <b>VBB2</b>     | 4.25 | MP:48X 142, 107MM X 14MM PIN                         | hot galvanizing |
|   | <b>WALK WAY</b> | 16   |                                                      | hot galvanizing |
|  | <b>WB-OLD</b>   | 3.55 | 77MM, 48X117, 14MM PIN                               | hot galvanizing |

|                                                                                    |                 |      |                     |                 |
|------------------------------------------------------------------------------------|-----------------|------|---------------------|-----------------|
|   | <b>WDB100D</b>  | 1.24 | 35X35 TUBE, 50MM    | hot galvanizing |
|   | <b>WDBSLD</b>   | 0.94 | 35X35 TUBE, 50MM    | hot galvanizing |
|   | <b>WP-2ND B</b> | 4.37 | MP:60X223, 35X70    | hot galvanizing |
|  | <b>WRB4</b>     | 1.85 | 20MM PIN, 21.5 HOLE | hot galvanizing |

|                                                                                                                                                                            |  |      |                              |                 |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|------|------------------------------|-----------------|
|                                                                                           |  | 0.31 | 59X54 (85*90*6mm), 16MM HOLE | hot galvanizing |
| <br><br> |  | 0.2  | 100X22, 50MM H TO H          | hot galvanizing |
|                                                                                                                                                                            |  | 0.15 | 75X22                        | hot galvanizing |
|                                                                                          |  | 0.31 | 43X124X74                    | hot galvanizing |

|                                                                                    |  |      |                |                 |
|------------------------------------------------------------------------------------|--|------|----------------|-----------------|
|   |  | 0.1  | 22 X 50        | hot galvanizing |
|   |  | 0.13 | 20X40          | hot galvanizing |
|   |  | 0.6  | 50X50          | hot galvanizing |
|  |  | 0.88 | U width-42.8mm | hot galvanizing |



|                                                                                    |        |      |                                                      |                 |
|------------------------------------------------------------------------------------|--------|------|------------------------------------------------------|-----------------|
|   |        | 0.72 | 255X40X40 thick3mm length13mm                        | hot galvanizing |
|   | 44504L | 5.25 | 965*75*50*5 hole44.45/31.75<br>center distance495.3  | hot galvanizing |
|   | 44505R | 5.25 | 965*75*50*5 hole44.45/31.75<br>center distance 495.3 | hot galvanizing |
|  |        | 10.2 | 1778*75*50*5 hole55.6<br>center distance647.7        | hot galvanizing |

|                                                                                    |  |      |                                                      |                 |
|------------------------------------------------------------------------------------|--|------|------------------------------------------------------|-----------------|
|   |  | 36.3 | 2389*90*56*5 HOLE14.3                                | hot galvanizing |
|   |  | 44.6 | 3353*100*63*6 hole14.3<br>center distance965.2/800.1 | hot galvanizing |
|   |  | 18.8 | 3500lbs axle, 0.75 degree chamfer at<br>two ends     | hot galvanizing |
|  |  | 26.6 | 4200 lbs axle, 0.75 chamfer at two<br>ends           | hot galvanizing |

|                                                                                    |  |      |                                  |                 |
|------------------------------------------------------------------------------------|--|------|----------------------------------|-----------------|
|   |  | 4.6  | Roller Pivot Tube 32", 3mm tube  | hot galvanizing |
|   |  | 5.2  | Roller Pivot Tube 36", 3mm tube  | hot galvanizing |
|   |  | 14.3 | Roller Pivot Tube 48" 1/4" tube  | hot galvanizing |
|  |  | 16   | Roller Pivot Tube 54", 1/4" tube | hot galvanizing |