CHAMALEON

Be smart, go efficient



ADVANTAGES

SAVES TIME AND MONEY

Reduces labour costs for repairs

Offers the possibility to finish more repair jobs with the same number of employees

Generates more turnover by offering an express service

BETTER SERVICE

Increases customer satisfaction through shorter repair time Can offer same day car return Better results thanks to modern, fast, high quality solutions

ENVIRONMENT

Saves resources in manpower and needed materials Saves energy thanks to a much shorter repair and drying time



2K EXPRESS PRIMER 4:1



- Extremely fast drying Excellent adhesion to bare metals
- Perfect coverage
- Can be sanded after only 10 minutes force drying or 60 minutes at 20 °C

Name	Colour	Packing	Article	Package
2K Express primer 4:1	grey	11	14991	6
Hardener 299		250 ml	12993	12

180 **HS FAST & PERFECT EXPRESS CLEAR COAT**



- · Very fast drying
- Can be polished after 15 min. if dried at 60 °C
- Excellent resistance against environmental and weathering conditions
- Offers durable gloss retention

Name	Packing	Article	Package
HS Fast & perfect express clear coat	11	11805	6
HS Fast & perfect express clear coat	5 l	11808	4
Hardener 280	0,5	12804	6
Hardener 280	2,5	12807	4

189 **UHS AIR DRY EXPRESS CLEAR COAT**



- · Extremely fast drying UHS clear coat
- No heating necessary
- Cures in only 40 min. at 20 °C
- Optimized for both water and solvent based bi-coat systems

Name	Packing	Article	Package
UHS Air dry express clear coat	51	11898	4
Hardener 289	2,5	12897	4

UNIVERSAL MEDIUM-GRAINED PUTTY



- Used as a base material for filling surface irregularities Has a high degree of adhesion to different materials Does not leave pores
 Does not cloq up abrasive material while sanding Light grey colour

Name	Packing (inc. hardener)	Article	Package
Universal medium-grained putty	0,250 kg	15012	12
Universal medium-grained putty	0,515 kg	15014	12
Universal medium-grained putty	1 kg	15015	12
Universal medium-grained putty	2 kg	15016	6
Universal medium-argined putty	4.100 kg	15019	2

FIBERGLASS PUTTY 503



- Used for leveling out deep dimples and repairing of car body surfaces exposed to corrosion and for the restoration of the geometrical shape of car bearing parts

 Can be used to repair large damaged areas in one step

 High elastichy

 Green colour

Name	Packing (inc. hardener)	Article	Package
Fiberglass putty	0,250 kg	15032	12
Fiberglass putty	0,515 kg	15034	12
Fiberglass putty	1 kg	15035	12
Fiberglass putty	2 kg	15036	6
Fiberglass putty	4,100 kg	15039	2

505 SUPER SOFT PUTTY



- Putty on the base of unsaturated polyester resins with micro-fine fillers which enable the creation of a very smooth and even surface
 Perfect for filling large areas of blemished surface
 High placeties

- High elasticity Ocher colour

Name	Packing (inc. hardener)	Article	Package
Super soft putty	0,250 kg	15052	12
Super soft putty	0,515 kg	15054	12
Super soft putty	1 kg	15055	12
Super soft putty	2 kg	15056	6
Super soft putty	4,100 kg	15059	2
Super coft putty	30 kg	15058	

FINISHING FINE-GRAINED PUTTY



- · Used for correction of small defects of all kinds of surfaces, light dimples,
- osed for Cortection in stillar affects of all rights of so pores and grinding marks Has a high degree of adhesion to different materials Provides a very smooth surface High elasticity White colour

Name	Packing (inc. hardener)	Article	Package
Finishing fine-grained putty	0,250 kg	15022	12
Finishing fine-grained putty	0,515 kg	15024	12
Finishing fine-grained putty	1 kg	15025	12
Finishing fine-grained putty	2 kg	15026	6

ALUMINIUM PUTTY 504



- Used for both small and large surface irregularities on the car body Has a high degree of adhesion to different materials Possesses high-grade mechanical durability High elasticity Grey colour

Name	Packing (inc. hardener)	Article	Package
Aluminium putty	0,250 kg	15042	12
Aluminium putty	0,515 kg	15044	12
Aluminium putty	1 kg	15045	12
Aluminium putty	2 kg	15046	6
Aluminium putty	4,100 kg	15049	2

PUTTY FOR PLASTICS 507



- Used for the repair of plastic elements for filling scratches and damages
 Easy to apply thanks to its softness and elasticity
 Suitable for any type of plastic polyproplene, polyurethane, acrylonitrile,
 styrene-butadiene, polyamides, polyvinyl chloride
 Black colous.

Name	Packing (inc. hardener)	Article	Package
Putty for plastics	0,250 kg	15072	12
Putty for plastics	0,515 kg	15074	12
Du f L i	1.1	15075	10

REPAIR BOX 508



- The set includes unsaturated, elasticized polyester resin, hardener as well as glassfibre fabric
 Used to fill holes caused by corrosion or mechanical damage, fixates and strengthens metallic and plastic parts and surfaces
 After hardening can be sanded and coated with all polyester putties
 Can be applied on polyester laminate, wood, 2K acrylic primers, epoxy primers and old lacquer coatings
 Honey colour

Name	Packing	Article	Package	
Repair box	0,250 kg	15080	6	

POLYESTER RESIN 509



- Reactive unsaturated polyester resin, which can be applied on nearly any surface, especially in combination with fibreglass tissue and fibreglass matt
 Used to bridge bigger holes, perforations from corrosions and damaged
- osed to bridge plager holes, periorations from corosi areas

 Can be applied very well on metal, wood and concrete

 High elasticity

 Honey colour

Name	Packing (inc. hardener)	Article	Package
Polvester resin	1 ka	15095	6

NC PUTTY 510



- 1K fine-grained putly
 Designed to correct minor defects during paintwork (pores, small damages,
 scratches) before priming and painting.
 Excellent adhesion to different metals

- Very easy to sand Ideal for spot repairs Can be covered with different types of paints (base, acrylic, alkyd)
- Light Beige color

Name	Packing	Article	Package
NC putty	0,250 kg	15100	12
NC putty	1 kg	15101	on request

407 SPRAY PUTTY



- High quality polyester filler with anti-rust additives
 Suitable to fill small/not deep scratches from sanding, pores and other Justable to till small/not deep scratches from sanding, pores and other unevennesses in one go
 For useing on blank steel, polyester putty, old paint coats (except thermoplastic acrylates) and GRP
 Quick drying allows quick working
 Beige colour

Name	Packing Article (inc. hardener)		Package	
Spray putty	1,250 kg	14075	6	

511 SUPER FILL PUTTY





- Ease of working Quick, time-saving handling Very good adherence on different surfaces Excellent filling properties Easy to sand, even after a longer period Grey colour

Name	Packing	Article	Package
Super fill putty	1,85 kg	15116	6
Super fill putty	4 kg	15119	2

SOFT & PERFECT BODYFILLER





- Self-levelling, lightweight 2K polyester body filler Leaves a very smooth surface without pores Excellent adhesion to iron, steel, aluminium, galvanised substrates, GRP and wood No sogging of the filler

	1		
Name	Packing	Article	Package
Soft & perfect bodyfiller	31	15757	4

BLACK LINE

555 SOFT LIGHT PUTTY



- Even and pore free finish
 Doesn't clog up sanding paper
 Very smooth finish due to micro filling particles
 Time efficient, fast applying, short drying time

- High elasticity Light beige colour

Name	Packing	Article	Package
Soft light putty	0,5	15554	12
Soft light putty	11	15555	6

FIBERGLASS LIGHT PUTTY



- New fiberglass light putly is a product with unique characteristics It weighs almost half of ordinary putly Does not create pores It is easy to sand, has high elasticity and excellent adhesive properties to different materials
- materials Can be easily sanded down to zero No need for additional fine putty application, can directly be overcoated with filling
- primer Light green colour

Name	Packing	Article	Package
Fiberglass light putty	0,5	15334	12
Fiberglass light putty	11	15335	6

466

2K ALL IN ONE PRIMER 4:1



Works

- Wet on wet Direct to metal (DTM)
- As sanding primer As plastic primer (flexible)

Name	Colour	Packing	Article	Package
2K All in one primer 4:1	grey	11	14664	6
Hardener		0,25	12663	12

UHS CLEAR COAT



- 2K acrylic ultra high solid clear coat with excellent scratch protection Economic consumption applied in only 1,3 layers Based on reflow technology Provides an outstanding protection coupled with resistance to microscratches (e.g. by car wash) and chemicals wash) and chemicals mended for high quality (complete or partial) painting

Name	Packing	Article	Package
UHS Clear coat	11	11775	6
UHS Clear coat	51	11778	4
UHS hardener 277	0,5	12774	6
UHS hardener 277	2,5	12777	4
UHS Hardener fast 278	0,5	12784	6
UHS Hardener fast 278	2,5	12787	4

UHS CLEAR COAT (FOR HIGH TEMPERATURES)



- 2K acrylic ultra high solid clear coat with excellent gloss
 Optimized for temperatures warmer than 25 °C/77 °F
 Economic consumption applied in only 1,5 layers
 Based on reflow technology
 Provides outstanding protection coupled with resistance to microscratches (e.g. by
 car wash) and chemicals
 Recommended for high quality complete or partial painting

Name	Packing	Article	Package
UHS Clear coat	51	11788	4
UHS Hardener	2,5	12777	4

2K ACRYLIC FILLING PRIMER 5:1



- An easy to sand 2K filling primer with excellent adhesive properties and high filling power
 Provides a high anti-consvier protection
 Spot repairs can be carried out without the filler sinking or the build up of edges
 15.20% of hinner can be added, or 30.40% to use "wet on wet"
 Easy to sand, even after a long period
 First to naok.

	LUSY K		ppiy
•	Good	ac	hacin

Name	Colour	Packing	Article	Package
Acrylic filling primer optimal HS 5+1	grey	0,5 1/1 1	14885/14881	6/6
Acrylic filling primer optimal HS 5+1	black	0,5 1/1 1	14886/14882	6/6
Acrylic filling primer optimal HS 5+1	red	11	14883	6
Acrylic filling primer optimal HS 5+1	white	11	14884	6
Acrylic filling primer optimal HS 5+1	grey	2,51	148890	4
Acrylic filling primer optimal HS 5+1	black	2,5	148880	4
Acrylic filling primer optimal HS 5+1	grey	51	14889	2
Acrylic filling primer optimal HS 5+1	black	51	14888	2
Acrylic filling primer optimal HS 5+1	white	51	14887	2
Hardener for Acrylic primer	-	0,1 1/0,2 1	12881/12884	6/12
Hardener for Acrylic primer	-	0,5 1/1 1	12883/12885	6/6

2K PRIMER 4:1

444



- High filling 2K HS filler
 Fast sanding
 Excellent adhesion
 Excellent protection against corrosion

Name	Colour	Packing	Article	Package
2K Primer 4:1	grey	0,81	14441	6
2K Primer 4:1	black	0,81	14442	6
2K Primer 4:1	white	0,81	14443	6
2K Primer 4:1	grey	3,61	14444	2
2K Primer 4:1	black	3,61	14445	2
2K Primer 4:1	white	3,61	14446	2
Hardener for Acrylic primer	-	0,21	12884	12
Hardener for Acrylic primer	-	0,91	12886	6

404 2K WASH PRIMER 2:1



- An acid curing, chromate-free 2K Primer especially developed for aluminum surfaces. Used to provide an active protection against corrosion and excellent adhesion to iron Resistant to week acids and bases, propellants, solvents, water and de-icing salt Europe and the construction of the control of the cont

Name	Packing	Article	Package
Wash primer 2:1	11	14045	6
Hardener for wash primer 2:1	0,51	12044	6

1K PLASTIC PRIMER



- One-component primer for almost all synthetic parts used in a car: ABS, EP-Laminate, PA, PBTP, PC, POM, PPCPDM, PPO, PUR hard, PUR solt, PVC Excellent adhesion to all interior and exterior plastic parts
 Can be painted over with acrylic paints and top coats
 Quick drying allows quick working

Name	Colour	Packing	Article	Package
Plastic primer	transparent-silver	0,51	14094	6
Plastic primer	transparent-silver	11	14095	6

1K PLASTIC FILLING PRIMER





- Fast-drying plastic primer Excellent filling properties For use an PEPDPM, ABS, PC, ABS-PC, PMMA, PA, PUR, PVC, GRP plastics Recoatable with 1K and 2K topcoats

Name	Colour	Packing	Article	Package
1K Plastic Filling Primer	light grey	11	14105	6

422 IK PRIMER FAST



- 1K nitro-synthetic primer Overcoating with water based coats is not recommended Quick drying allows quick working Possesses very good sanding property Excellent coverage

Name	Colour	Packing	Article	Package
1K primer fast	grey	11	14225	6
1K primer fast	grey	31	14227	on request

467 2K WET ON WET PRIMER





- Can be overcoated after only 15 minutes drying time at 20 °C Provides universal adhesion Directly applicable on steel, iron, aluminium and galvanized substrates as well as on commonly used plastics in the automotive industry (e.g. PP-EPDM, ASB, PC, ABS-PC, PUR, PVC, GRP).

Name	Packing	Article	Package
2K Wet on wet primer	11	14671	6

455 2K EPOXY PRIMER 2:1



- 2K high solid epoxy-based primer with non-toxic anticorrosive pigments. Used to provide an active protection against corrosion and excellent adhesion to iron Resistant to weak acids and bases, propellants, solvents, water and de-icing salt Easy to sand, even after a longer period. Quick drying allows quick working: can be overpainted in 45 minutes

Name	Colour	Packing	Article	Package
Epoxy primer 2:1	light grey	11	14554	6
Hardener epoxy primer	-	0,51	12554	6

READY MIX COLOURS

BASE COAT



- Base paint
 Easy handling
 High coverage
 High spreading rate
 Application in one layer only
 Optimal colour match Other colours - on request

Name	Colour	Packing	Article	Package
Base coat	black	11	51001	6
Base coat	silver	11	51098	6
Base coat	white	11	51003	6
Base coat	black	3	51011	4
Base coat	on request	11/3	51XXX	6/4

2K TOP COAT



- 2K. AC acrylic paint
 Excellent durability
 High coverage
 Original colour match
 Easy application
 MS-quality
 All major car brands colours are in the system

Name	Colour	Packing	Article	Package
2K Top Coat	on request	0,81	51XXX	6
Hardener for 2K Top Coat	-	0,4	12600	6

· Colours on request

BASECOAT BINDER





- Solvent-based two-layer basecoat Suitable for all binder mixing systems Transparent Weather-resistant

Name	Colour	Packing	Article	Package
Basecoat Binder	transparent	3 L	51500	4



The new standard for polishing technique



ADVANTAGES

HIGH QUALITY

The new LASER polishing products have been developed for the professional car refinishing market and represent a new standard in polishing technique. Thanks to the unique Self-Sharpening Particle Technology, our polishing products will never lose their cutting edge.

SUPREME CUT

EXTREMLY FAST & EFFICIENT





EASY TO WORK WITH

The LASER product line contains an easy to use product for all polishing jobs, an excellent swirl remover and even a dedicated protection product. We've succeeded in combining ease of use with efficient, time saving qualities, without losing any of our high quality demands.

- High performance cutting compound
- Outstanding and extreme cut
- Superior high-gloss features
- Knocks out even the deepest and most severe paint imperfections in seconds

Name	Colour	Packing	Article	Package
Supreme cut	white	0.5 kg	49931	10
Supreme cut	white	1 kg	49932	8



PERFECT CUT

ALL IN ONE COMPOUND



- · An easy to use "one for all" polishing compound
- Keeps its cutting edge due to self sharpening particles technology
- Removes sanding marks up to P1500
- · Can be used on large surfaces
- · Suitable for all modern types of paint
- Used for both cutting and finishing stages polishes by simply changing the polishing pad
- Contains no silicone or wax, polishing out instead of filling scratches

Name	Packing	Article	Package
Perfect cut	500 g	49911	12
Perfect cut	1 kg	49901	6

ULTIMATE FINISH

HOLOGRAM AND SWIRL REMOVER





- · Anti haze compound
- Long-lasting removal of haze, swirls and holograms on dark paintwork
- Extreme fine grains guarantee reliable removal of the smallest paint imperfections and micro scratches

Name	Colour	Packing	Article	Package
Ultimate finish	grey	0.5 kg	49933	10

PERFECT SHINE

SHINE+PROTECT



- The perfect product to bring the luster back to any cars paint job
- · Provides a quick and lasting shine
- Forms a durable, water repellant layer that gives excellent protection and still allows fresh paint to breathe

Name	Packing	Article	Package
Perfect shine	500 ml	49903	12

POWER CUT

POLISHING PASTE



- Aggressive paste
- Pre-polishing
- Suitable for old paint coatings
- Possible to remove sanding marks with a grid of up to P 1000
- Optimized for use with lambwool pad

Name	Packing	Article	Package
Power cut	1 kg	49930	12

155 HS CLEAR COAT



- HS Clear Coat is an acrylic clear coat with scratch resistant properties and UV protection Applied without adding thinner Excellent durability against all environmental and climatic circumstances Resistant to mechanic influences

- Yellowing resistant Provides perfect gloss Easy to polish

Name	Packing	Article	Package
HS Clear coat	0,5	11554	6
HS Clear coat	11	11555	6
HS Clear coat	51	11558	4
UNI Hardener slow	0,5 1/2,5 1	12214/12217	6/4
UNI Hardener fast	0,5 1/2,5 1	12354/12357	6/4
UNI Hardener standard	0,25/0,5 1/2,5 1	12503/12504/12507	12/6/4
HS Hardener standard	0,5 1/2,5 1	12224/12227	6/4

166 HS CLEAR COAT LOW VOC



- Two-component high-solid acrylic clear coat with low VOC content
 Possesses based durability against all climatic, chemical and mechanical influences
 High gloss and optimal flow for clear-over-base applications of water and security of the security of th

Name	Packing	Article	Package
HS Clear coat low VOC	11	11665	6
HS Clear coat low VOC	51	11668	4
Hardener for low VOC	0,51	12264	6
Hardener for low VOC	2,5	12267	4
Hardener Fast for low VOC	0,51	12274	6
Hardener Fast for low VOC	2,5	12277	4
Hardener Slow for Iow VOC	2,51	12287	4

133 MS CLEAR COAT



- MS Clear Coat is a scratch resistant acrylic clear coat with high UV protection
 Gives a perfect gloss and deep colour fo the surface
 Excellent durability against all environmental and climatic circumstances
 Can be applied with up to 5% thinner
 Yellowing resistant
 Easy to polish

Name	Packing	Article	Package
MS Clear coat	11	11335	6
MS Clear coat	51	11338	4
UNI Hardener slow	0,5 1/2,5 1	12214/12217	6/4
UNI Hardener fast	0,5 1/2,5 1	12354/12357	6/4
UNI Hardener standard	0,25/0,5 1/2,5 1	12503/12504/12507	12/6/4
HS Hardener standard	0,5 1/2,5 1	12224/12227	6/4

122 CLEAR COAT MATT



- Non-yellowing matt finish For air- and force drying Provides a smooth and durable matt finish No gloss increase over time Can be used for almost all base coats Has a 15-20% gloss degree at a 60° angle

Name	Packing	Article	Package
Clear coat matt	11	11225	6
UNI Hardener fast	0,5 l	12354	6
UNI Hardener slow	0,5 l	12214	6
UNI Hardener standard	0,5 l	12504	6
HS Hardonor standard	0.51	12224	6

250 221

235

UNI HARDENER STANDARD/SLOW/FAST



- Standard / Slow / Fast For clear coat 122 Matt, 133 MS and 155 HS For 444/488 acrylic primers

Name	Packing	Article	Package
UNI Hardener standard	0,251	12503	12
UNI Hardener standard	0,5	12504	6
UNI Hardener standard	2,5	12507	4
UNI Hardener slow	0,5	12214	6
UNI Hardener slow	2,5	12217	4
UNI Hardener fast	0,5	12354	6
UNI Hardener fast	2,5	12357	4

ANTI-GRAVELS/SPECIAL COATINGS

UNDERBODY PROTECTION





- Ensures permanently a particularly soft surface even in elevated film thicknesses
 Excellent stone chip resistance
 Very good adhesive strength
 Shock- and scratch-resistant
 Permanently elastic even with large temperature fluctuations
 Recordable after only 1 2 h drying at 20 °C

Name	Colour	Packing	Article	Package
Underbody protection	white	1 kg	37257	12
Underbody protection	grey	1 kg	37256	12
Underbody protection	black	1 kg	37255	12

BITUMEN BRUSHABLE 710



- Underbody coating based on bitumen
 Specially developed for brush application
 Provides an excellent protective barrier
- Easy to apply Resistant to water, brine, acids and alkaline

Name	Packing	Article	Package
Bitumen brushable	1 kg	37101	12

UNDERBODY PROTECTION WATER-BASED





- Water-dilutable and environmentally friendly stone chip protection paint
- Sound absorbing properties Ready to use

Name	Colour	Packing	Article	Package
Underbody protection water-based	black	1 kg	37245	12
Underbody protection water-based	grey	1 kg	37246	12

GUARD 2K TRUCK BED LINER



- Highly resistant 2K polyurethane-acrylic paint system
 Excellent adhesion
 Strong protection against corrosion, stains, rust and mechanical damage
 Vibration and noise reduction
 Applicable to many kinds of surfaces
 Highly scratch resistant paint

Name	Packing	Article	Package
Guard 2K Truck Bed Liner	0,75	37415	12
Guard 2K Truck Bed Liner TINTABLE	0,75	37416	12
Hardener for 2K Truck Bed Liner	0,25	12415	12

403 BUMPER PAINT



- High-strength elastic anti-gravel coating Used to protect parts that suffered from chemical and mechanical effects For restoring original bumper structure Quick drying allows quick working Excellent coverage Available in two colours

Name	Colour	Packing	Article	Package
Bumper paint	black	0,51	14037	6
Bumper paint	black	1.1	14035	6
Bumper paint	grey	11	14036	6

CAR CARE LINE

CAR WASH SHAMPOO

SUPER CONCENTRATE





- · Removes tough stains
- · Orange scent
- · Up to 30 washes

Name	Packing	Article	Package
Car wash shampoo super concentrate	1000 ml	49711	12

CERAMIC SHIELD

9H PROTECTION



- · Excellent reconditioning effect
- Very good scratch resistance
- · Water-repellent effect
- · Easy-to-clean effect
- Durable protection against weathering, UV radiation and mechanical stress

Name	Packing	Article	Package
Ceramic shield	50 ml	49761	3

TIRE SHINE & PROTECTION





- Product for tyres that protects and rejuvenates the rubber
- Silicone emulsion ensures long-lasting protection
- · Helps to keep surface looking nice for longer
- 1 bottle protects approximately 40 tyres

Name	Packing	Article	Package
Tire shine & protection	650 ml	49732	12

WET WAX SHINE





- Triple-action wet shine wax
- Brings back the natural shine
- Protects against harmfull UV
- · Can be used onall kinds of varnish

Name	Packing	Article	Package
Wet wax shine	650 ml	49762	12

WHEEL RIM CLEANER

SUPER STRONG





- · Removes dirt from all types of rims
- · Fast and efficient
- · Colour change indication RED means READY

Name	Packing	Article	Package
Wheel rim cleaner	650 ml	49721	12

FOAMING GLASS CLEANER





- · Provides streak-free shine
- · Perfect for vertical surfaces
- · Reduces steam accumulation

Name	Packing	Article	Package
Foaming glass cleaner	650 ml	49731	12

PLASTIC CLEANER





- One-step solution for keeping plastics in perfect condition
- · Leaves nice scent
- No-rinse formula
- · Silicone free

Name	Packing	Article	Package
Plastic cleaner	650 ml	49741	12

UPHOLSTERY CLEANER

SUPER STRONG





- · Removes dirt from deeper parts of the fabric
- · Can be used as a stain remover
- · Silicone free

Name	Packing	Article	Package
Upholstery cleaner	650 ml	49751	12

SPECIAL COATINGS/SEALANTS

HOLLOW SECTION WAX



- Excellent corrosion prevention Excellent adhesion Based on special waxes Excellent penetrating quality

Name	Colour	Packing	Article	Package
Hollow section wax	transparent brown	11	37815	12

773 POLYURETHANE ADHESIVE FOR WINDSCREENS



- · Used for the installation of windshields, side and rear windows and (re)sealing
- Used for the installation of windshields, side and rear windows light units Resistant to high dynamic pressure, oxidation and weathering Excellent vibration-absorbing and sound insulating properties Possesses high elasticity Wear resistant.

Name	Colour	Packing	Article	Package
Adhesive	black	310 ml	37731	12
Primer	-	30 ml	38721	12

RUST STOP & SEALER



- Converts moisture present in rust layers into carbon dioxide Excellent penetration capacity also in thick layers of rust Shortly seals the layers of rust Also stops zinc corrosion Can be overcoated with 1K or 2K primers or body fillers

Name	Packing	Article	Package
Rust stop & sealer	100 ml	39010	6

751 POLYURETHANE CAR BODY SEALANT

753



- Can be used to attach lightweight car parts like cover plates, gaskets, trims, Can be used to attach lightweight out puts line and perfector set.
 Used to fill up welding joints of car body elements
 Possesses high adhesive properties to untreated surfaces
 with all lacquer systems
 Possesses high elasticity
 Does not crack
 Available in three colours

Name	Colour	Packing	Article	Package
Polyurethane car body sealant	white	310 ml	37531	12
Polyurethane car body sealant	grey	310 ml	37521	12
Polyurethane car body sealant	black	310 ml	37511	12

BRUSHABLE PU SEALANT 765





- Excellent adhesion
 Spreadable by brush
 Permanently flexible
 Overcoatable with 1K and 2K paint systems
 Good vertical stability
 Resistant to water, oils, weak acids and bases

Name	Colour	Packing	Article	Package
Brushable PU sealant	grey	1 ka	37650	6

001 1K ACRYLIC PAINT BLACK MATT/ 1K ACRYLIC PAINT SILVER RAL 9006 002



- 1K acrylic paint designed for spot repairs or complete repainting of machinery and vehicles
 Paint with scratch resistant properties and with UV protection
 Fast drying
 Can be applied electrostatically

Name	Packing	Article	Package
1 K Acrylic paint black matt	11	50010	6
1K Acrylic paint silver RAL 9006	11	50020	6

THINNERS/DEGREASERS/ADDITIVES

UNIVERSAL THINNER



- A universal thinner for almost all 2K acrylic products Used for delution of paints and lacquers to the desired viscosity Guarantees optimal application and drying condition with optimal viscosity of the applied material

Name	Packing	Article	Package
Universal thinner	11	13225	6
Universal thinner	51	13228	4

UNIVERSAL THINNER SLOW



- A slow universal thinner for almost all 2K acrylic products Provides longer time of application Used for delution of paints and lacquers to the desired viscosity Guarantees optimal application and drying condition with optimal viscosity of the applied material

Name	Packing	Article	Package
Universal thinner slow	11	13235	6
Universal thinner slow	51	13238	4

SPOT BLENDER



- Creates a smooth transition between new and old paint layers Excellent for use in spot repairs, blending out any noticeable borders

٠	Can be	used	right	after	applying	the	lacquer	

Name	Packing	Article	Package
Spot blender	11	13405	6
Spot blender	51	13408	4

SILICONE REMOVER



- A cleaning and degreasing agent for all metallic and plastic surfaces Removes grease, silicone, oils and teflon Provides optimal adhesion to the applied coatings Prevents formation of silicone craters while painting

Name	Packing	Article	P
Silicone remover	11	13507	

360 ELASTIFIER



- Improves the elasticity of acrylic 2K coatings Prevents the coating from cracking when plastic car parts are deformed Has no influence on the color Easy to use by just adding 10–50% to the ready to use 2K coating

Nan	ne	Packing	Article	Package
Flos	tifier	250 ml	13601	12

361 ANTI SILICONE ADDITIVE

Silicone remover



- Anti silicone additive avoids Fish Eyes
 Improves the flow when coating surfaces with minor residues of silicone, polish, wax and grease.
 Suitable for paints based on synthetic resins

Name	Packing	Article	Package
A in the Library	050	10 (11	10

1K WASH PRIMER



- Excellent adhesion to blank grounded metal
 Weldable
- Fast drvina
- Active rust protection pigments guarantee best possible rust protection

Name	Packing	Article	Package
1K Wash primer	400 ml	26022	6

THICK LAYER FILLER





- · Used for leveling out superficial scratches and minor irregularities in sanded
- Used for leveling out superficial scratches surfaces
 Excellent filling properties and coverage
 Wet-on-wet application possible
 Good adhesion to all metal surfaces
 Very smooth flow
 High coverage

Name	Colour	Packing	Article	Package
Thick layer filler	grey	400 ml	26040	6
Thick layer filler	black	400 ml	26041	6
TI - I I (III	1.0	100 1	0/0/0	-

PLASTIC PRIMER



- · High quality, fast drying plastic primer for treated and untreated surfaces of
- several types of plastic

 Very good adhesion to all plastic parts such as bumpers, tuning parts and
- Re-sprayable with all lacquer systems
 Fast drying

Name	Colour	Packing	Article	Package
Plastic primer	transparent	400 ml	26014	6

1K EPOXY PRIMER



- · Excellent adhesion and corrosion protection for steel, galvanized steel,
- aluminium and fiberglass
- Wet-on-wet application possible

- Wet-on-wet application possible Fast drying Good flow Simple, time-saving application Good insulation against moisture
- Article

2K PRIMER FILLER PREMIUM



- Used on steel, galvanized steel and aluminum surfaces Protects against rust Mixing with hardener inside the can Good adhesive properties Easy wet and dry sandling Resistant to solvents

Name	Colour	Packing	Article	Package
2K Primer filler Premium	grey	200 ml	14012	6

PLASTIC FILLING PRIMER





- Fast-drying plastic primer Excellent filling properties For use on PP-EPDM, ABS, PC, ABS-PC, PMMA, PA, PUR, PVC, GRP plastics

٠	Recoatable with	1K	and	2K	topcoats.

Name	Colour	Packing	Article	Package
Plastic filling primer	light grey	400 ml	26015	6

PRIMER



- Used for quality spot repair
 Guarantees high-grade adhesion to metals and plastics
 Easy to apply
 Fost dyring
 Easy treatment
 Professional result

Name	Colour	Packing	Article	Package
Primer	grey	500 ml	26004	6
Primer	black	500 ml	26002	6
Primer	white	500 ml	26003	6

MULTI-FILL PRIMER





- For all metal surfaces and conventional plastics
 Filler and primer at the same time

- Short drying time
 Very good corrosion protection
 Excellent adhesion
- Recoat with water-and solvent-based paints as well as 1K and 2K topcoats

Name	Colour	Packing	Article	Package
Multi fill primer	grey	400 ml	26141	6

ISOLATOR PRIMER





- Quick drying
 Good adherence
 Easy to apply
 Improves adhesion for the top-coat

Name	Colour	Packing	Article	Package
Isolator primer	beige	400 ml	26723	6

ALUMINUM PRIMER





- Fast-drying primer
 Excellent filling properties
 For use on oluminum and iron surfaces, galvanized sheet, copper and brass
 Recoatable with 1K and 2K topcoats.

Name	Colour	Packing	Article	Package
Aluminum primer	grey	400 ml	26724	6

ZINC SPRAY UP TO 600 °C



- Cathodic corrosion protection for all blank metals Resistant against all forms of corrosion Heat resistant up to 600 °C Ideal for all outdoor metal constructions which are at a high risk from rust and corrosion

Name	Packing	Article	Package
Zinc spray	400 ml	26711	6

ZINC-ALU SPRAY UP TO 300 °C



- Coatable with air-drying acrylic, nitro-combi and synthetic lacquers Good flow Rust-protection

- Heat-resistant up to 300 °C Resistant to temperature changes

Name	Packing	Article	Package
Zinc Alu spray	400 ml	26722	6

ENGINE PAINT





- Special heat-resistant silicone-based paint for the decoration and protection of engines

- ot engines Very good adhesion Protects against moisture and dirt Also suitable for all other surfaces exposed to heat.

Name	Colour	Packing	Article	Package
Engine paint	black	400 ml	26603	6
Engine paint	grey	400 ml	26606	6

PAINT FOR PLASTIC AND BUMPER



- High quality, fast drying plastic paint for treated and untreated surfaces of different plastic types
 Applied directly to the plastic without previous priming
 Scratch resistance and shock proof
 Lasting colour and lasting

- Excellent coverage

Name	Colour	Packing	Article	Package
Paint for plastic and bumper	grey	400 ml	26314	6
Paint for plastic and bumper	black	400 ml	26334	6

UNDERBODY PROTECTION PREMIUM



- Premium quality Excellent coverage
- Extra strong structure, underbody coating surface Over sprayable with all lacquer systems Very good adhesion Resistant to weak acids, bases and salt

Coloui

white

black

Packing

500 ml

500 ml

500 ml

Article

38015

38025

38035

Underbody protection premium

Underbody protection premium

HEAT RESISTANT PAINT 650 °C



- High quality lacquer for treated and untreated surfaces which are subjected to very high temperatures
 Resistant to petrol, chemicals and weather influences
 Excellent adhesion

- Temperature resistant up to 650 °C
- High coverage
- Fast drvina

Name	Colour	Packing	Article	Package
Heat resistant paint	black	400 ml	26601	6
Heat resistant paint	silver	400 ml	26602	6

STRUCTURE SPRAY



- Structural reproduction of damaged plastics and plastic parts
- Shouldn't reproduction of liables that simple, time-saving application Should be overcoated. Should be overcoated so suitable for exterior plastic car parts e.g. door frames, mirrors, tuning parts and bumpers as well as interiors e.g. dashboard, centre console, door panels and bott lining

Name	Colour	Packing	Article	Package
Structure spray	black	500 ml	26340	6

UNDERBODY PROTECTION



- · Used for the protection of body sills, doors, wheel housing and other
- car body elements
 Protects against vibrations, sand, gravel, moister and salt
- Forms an elastic coating
- Easy to apply Contains anti-corrosive additives Possesses sound-insulating qualities

Name	Colour	Packing	Article	Package
Underbody protection	white	500 ml	37014	6
Underbody protection	grey	500 ml	37024	6
Underbody protection	black	500 ml	37034	6

LEATHER PAINT



- For real- and artificial leather (Vinyl)
 Abrasion-resistant and elastic
- Excellent adhesion Fast drying

- Easy and safe application

Name	Colour	Packing	Article	Package
Leather paint	black	400 ml	26801	6

BRAKE CALIPER PAINT





- High-grade acrylic quality
 Quick-drying
 Durable gloss Weather-resistant
 Hard surface, good elasticity
 Excellent adhesion

- Temperature-resistant: up to 80°C
 Very good coverage

Name	Colour	Packing	Article	Package
Brake caliper paint	red	400 ml	26611	6

2K CLEAR COAT PREMIUM



- · Perfectly suitable for spot repair and fast painting of car body elements
- Is mixed with hardener inside the can
 Provides a scratch-proof coating with an excellent gloss
 Protects against rust, weathering influences and UV-rays
- Fast drying

Name	Packing	Article	Package
2K Clear Coat Premium	200 ml	11012	6
2K Clear Coat Premium	500 ml	11013	6

PAINT FOR CARPET & FABRIC





- High-quality acrylic coat
 Simple spray application
 Easy restoration of worn out spots on textile car mats, carpets and convertible roofs
 Hides stains and worn out spots

Name	Colour	Packing	Article	Package	
Paint for carpet & fabric	black	400 ml	26802	6	

TRANSPARENT PAINT FOR GLASS & PLASTIC





- High-grade synthetic quality Transparent; the structure of the ground remains visible after coating Weather-resistant

- Durable gloss
 Very good colour retention (light-proof, non-yellowing)
 Scratch-, shock- and impact-resistant

N	lame	Colour	Packing	Article	Package
Tr	ransparent paint for glass and plastic	black	400 ml	26351	6
Tr	ransparent paint for glass and plastic	red	400 ml	26350	6

ACRYL SPRAY LACK





- Used for quality spot repair Guarantees high-grade adhesion to metals and plastics Easy to apply. Fast drying Easy treatment Professional result

Name	Colour	Packing	Article	Package
Wheelpaint	silver	500 ml	26104	6
Acrylic aerosol	black matt	500 ml	26204	6
Acrylic aerosol	black gloss	500 ml	26214	6
Acrylic aerosol	white gloss	500 ml	26414	6
Acrylic aerosol	black semimatt	500 ml	26205	6
Acrylic aerosol	white semimatt	500 ml	26206	6
Clear coat	matt	500 ml	26406	6
Clear coat	clear	500 ml	26404	216

BITUMEN



- High quality protective material for the underside of vehicles
 Remains flexible
 Excellent adhesion
 Resistant to weak acids, bases and weather influences

- Resistant to weak acids, bases and weather influences Excellent corrosion prevention
- Sound-absorbing

Name	Colour	Packing	Article	Package
Bitumen	black	500 ml	37100	6

RUST CONVERTER PRIMER 2 IN 1



- · Rust is neutralised and chemically converted

- Kust is neutralised and chemically converted
 Combats corrosion
 Suitable for the effective treatment and prevention of rust
 Offers long-term protection against corrosion and acts as a primer in one operation

Name	Colour	Packing	Article	Package
Rust Converter Primer 2 in 1	transparent	400 ml	26060	6

CONTROL GUIDE COAT



- High quality black control lacquer as aid for sanding
- High quanty
 Easy to use
 Fast drying

Name	Colour	Packing	Article	Package
Control guide coat	black	500 ml	26051	6

HOLLOW SECTION WAX



- Long term protection
- Easy to use due to extended spray nozzle Excellent adhesion

- Good coverage
 Resistant to brine, weak acids and bases

Name	Colour	Packing	Article	Package
Hollow section wax	white-transparent	500 ml	26740	6

SILICONE REMOVER



- Simple comfortable application
 Thorough removal of silicone, grease, oil, wax, dirt, tar, adhesive residues etc.
 Mild, non-aggressive solvent
 Improves adhesion of subsequent coatings
 Extremely time saving
 Desalination function

Name	Packing	Article	Package
Silicone remover spray	500 ml	26070	6

CONTACT ADHESIVE SPRAY





- Transparent contact adhesive based on synthetic rubber
 Quick and reliable to use
 Adjustable spray head allows you to control spray rate
 Jet spray nozzle which sprays in a 10 cm width

Name	Packing	Article	Package
Contact adhesive spray	500 ml	26803	6

PAINT REMOVER



- Highly effective spray for removing old paint layers Removes even the hardest paint layers Easy to apply Sticks to vertical surfaces due to gel like consistency Works on e.g., wood, stone, metal, bricks, glass, concrete and asphalt

Name	Packing	Article	Package
Paint remover	400 ml	26730	6

SPOT BLENDER



- High quality mixture of solvents to level the transition at spot repairs
 Results in a smooth transition between the old and the new lacquer
 Instantly visible result
 Directed jet spray

Name	Packing	Article	Package
Spot blender	400 ml	26504	6

SPRAY PUTTY



- High quality, fast drying filler for filling small irregularities in wooden metal and aluminium treated and untreated surfaces
 Corrosion preventive
 High coverage
 Fast drying

Name	Colour	Packing	Article	Package
Spray putty	beige-yellow	400 ml	26701	6

PRE-FILL STANDARD



- The spray contains a combination of compressed gas (175 ml) and solvents (100 ml) for subsequent filling
 Can be filled with up to 100 ml of almost any solvent-based product (paint, primer, clear coat) using special equipment
 Ideal for spot repairs or car body paint
 Excellent spraying

Name	Packing	Article

Package

PREMIUM ANTI STATIC OVERALL



- Anti static Washable Re-adjustable Long life fabric

- Long lite tablic
 Silicon free
 Fabric 55 gsm
 Colour dark & light grey

4	

LONG LIFE ANTI STATIC

Name	Sizes	Article	Package
Premium anti static overall	M	80024	5
Premium anti static overall	L	80025	5
Premium anti static overall	XL	80026	5

DISPOSABLE OVERALL



- 65% polypropylene, 35% PE film microporus
 Water resistant & air permeable
 Good breathability
 Low thermal resistance

- Good mechanical strength
 Fabric 50 gsm
 Colour white
 Fabric thickness 0,135 mm

Name	Sizes	Article	Package
Disposable overall	M	80027	10
Disposable overall	L	80028	10
Disposable overall	XL	80029	10
Disposable overall	XXL	80034	10

OVERALL



- Anti static
 Lint free
 Silicone free
- Washable
 100% Polyester
- Fabric 55 gsm Colour grey
- Article Package 80011 10 80013 XL 80014 10 XXL 80015

WORK PANTS





- Elastic straps
 Adjustable size
 High mechanical strength
 70% cotton, 30% polyester
 Washable
 Durable
 Colour: black

ame	Size	Article	Т
ork pants	S	85020	
ork pants	M	85021	Т
1	14 : 11	0.5000	$\overline{}$

Name	Size	Article	Package
Work pants	S	85020	1
Work pants	M	85021	1
Work pants	M tall	85022	1
Work pants	L	85023	1
Work pants	L tall	85024	1
Work pants	XL	85025	1

RESPIRATOR CARBON MASK FFP2



- · Excellent fit

- Adaptable nose bar
 Hypoallergenic
 High filtration capacity
 Stops at least 80% of airborne particles
 EN149:2001 certified

Name	Article	Package
Respirator mask FFP1	80101	20



- Active carbon mask with valve
- Excellent fit
 Adaptable nose bar

- Adaptable nose pur
 Hypoallergenic
 High filtration capacity
 Stops at least 94% of airborne particles
 EN149:2001 certified

Name	Article	Package
Respirator carbon mask FFP2	80102	20

NITRILE GLOVES

NITRILE SUPER GRIP GLOVES



- Powder-free nitrile gloves for preventing skin irritation
 Increased solvent resistance
 Extremely flexible, perfect fit and excellent comfort
 Colour: Blue

Name	Sizes	Article	Package
Nitrile gloves	M	48801	100
Nitrile gloves	L	48802	100
Nitrile gloves	XL	48803	100



- Due to the innovative gripper structure the gloves have excellent grip on wet and oily surfaces
 Powder-free nitrile gloves for protection against skin irritation
 Increased solvent resistance
 Extremely flexible, perfect fit and excellent comfort
 Colour: Black

Name	Sizes	Article	Package
Nitrile super grip gloves	M	48901	80
Nitrile super grip gloves	L	48902	80
Nitrile super grip gloves	XL	48903	80

855 HAND CLEANER









- · Liquid garage soap for removing oil, grease and other hard to remove Liquid garage soap for retinioning on, ground and substances.

 Possesses high cleansing properties due to the finest abrasive particles Softens and protects hand skin Cream-like consistency.

 Dermatologically tested Pleasant fragrance

Name	Packing	Article	Package
Hand Cleaner	250 ml	48551	12
Hand Cleaner	3,0 L	48553	6

HAND CLEANER ULTRA STRONG

- Premium cleaner
 Removing even 2k paints, heavy oils, grease and other hard to remove
 substances
 Passesses high cleansing properties due to the finest abrasive particles
 Softens and protects hand skin
 Cream-like consistency
 Dermatologically tested
 Pleasant fragrance

Name	Packing	Article	Package
Hand Cleaner Ultra Strong	250 ml	48601	12
Hand Cleaner Ultra Strong	3.0 L	48603	6

WAFFLE TACK RAG



- Removes dust from sanded surfaces Never dries out due to unique combination of resin and oil based substances Special shrinked waffle shape allows dust particles to penetrate deep into the fabric

Name	Sizes	Article	Package
Waffle tack rag	0,20 × 0,55 m – 0,90 × 0,95 m	48011	100 pcs

ABSORBING WIPES



- Intended for cleaning car body surface before painting
 Provides anti-static properties on the treated surface

Name	Sizes	Article	Package
Absorbing wipes	42 × 75 cm	48010	24 × 10

BLUETEX



- Used for car body cleaning Quickly absorbs water, oil and other technical liquids Tear resistant Resistant to solvents

Name	Sizes	Article	Package
Bluetex wipes	32 × 40 cm	48030	10 × 50
Bluetex roll	27 × 40 cm	48040	1 roll - 500 wines

PUTTY KNIFE SET



- Made from stainless steel
 Easy clean up
 Sets with 4 different sizes
 Suitable retail packaging

Name	Sizes	Article	Product dimension	Package
Putty knife set	1 × 50 mm 1 × 80 mm 1 × 100 mm		Length – 18 cm Width – 13 cm Height – 1 cm	

MIXING CUPS/CAPS



- · Disposable mixing cups for all kinds of paints and lacquers (including water Displaying cups for all names of plased paints)
 Transparent cups enable an exact mixing Recyclable
 Environmentally friendly
 Mixing cups can be stacked
 Available with matching lids

Name	Article	Package
Mixing cups 385 ml/Caps	48610/48611	200/200
Mixing cups 750 ml/Caps	48620/48622	200/200
Mixing cups 1400 ml/Caps	48630/48633	200/200
Mixing cups 2300 ml/Caps	48640/48644	100/100

MESH FILTER



- · Used for filtration of lacquer-and-paint materials, including water-based ones,
- before their application
 Mesh size 190/125 mµ

Name	Packing	Article	Package
Mesh filter 190 m μ	4 × 250 pcs	48400	1000
Mesh filter 125 mµ	4 × 250 pcs	48410	1000

DOUBLE-SIDED TAPE



- Designed for fixating in- and exterior trims and other light decorative parts
 Can be used on surfaces such as metal, wood, glass and various plastics
 Foam structure can compensate irregularities of surface
 Temperature resistant up to 100 °C

- Each roll packed separately in transparent plastic bag

Name	Sizes	Article	Package
Double-sided tape	6 mm × 5 m	48310	50
Double-sided tape	9 mm × 5 m	48320	50
Double sided tape	12 mm × 5 m	48330	50

FINE LINE TAPE BLUE



- Fine line tape with high temperature resistance and excellent adhesion to a wide variety of surfaces
 Can withstand temperatures of up to 150 °C for at least one hour
 Easy to use for contours and curry lines without losing adhesion
 Leaves no residue upon removal

Name	Sizes	Article	Package
Fine line tape blue	3 mm × 33 m	48360	20
Fine line tape blue	6 mm × 33 m	48361	20

MASKING TAPE



- Possesses perfect and durable adhesion
 Secure removal of old coating and further painting
 Heat-resistant 60 °C, 90 °C in 60 minutes
 Produced in 50 meters rolls
 Improved quality

Name	Colour	Heat-resistant	Sizes	Article	Package
Masking tape	beige	60 °C	18 mm × 50 m	48112	48
Masking tape	beige	60 °C	24 mm × 50 m	48122	36
Masking tape	beige	60 °C	36 mm × 50 m	48142	24
Masking tape	beige	60 °C	48 mm × 50 m	48152	24
Masking tape	brown	90 °C	18 mm × 50 m	48212	48
Masking tape	brown	90 °C	24 mm × 50 m	48222	36
Masking tape	brown	90 °C	36 mm × 50 m	48242	24
Maskina tana	brown	90 °C	48 mm × 50 m	48252	24

PREMIUM MASKING TAPE



- Water- and UV-resistant
 Excellent holding power
 Specifically designed to resist moisture and most common water-based points
 Clean removal after daying cycle at 90 °C/194 °F (max. 1 hour) or
 110 °C/203 °F (max. 30 mid metal, rubber and glass
 Very easy to apply, sticks instantly

Name	Colour	Sizes	Article	Package
Premium masking tape	yellow	18 mm × 50 m	48261	48
Premium masking tape	yellow	36 mm × 50 m	48263	24

SOFT EDGE FOAM MASKING TAPE



- Used to fill gaps on vehicles such as on car doors, hoods, trunk lid etc.
 Helps to shorten painting and improves the work quality by securing door seals
 It can also eliminate sharp edges of car paints

TAPE & STRIPPING REMOVE DISC



- . Synthetic disk suitable for removing trims and residues from sticker and double
- sided tape

 Does not damage the surface
- Time-saving
 Ideal speed: 3000 to 4000 rpm

48370

MASKING FILM

Name Soft edge foam masking tape



Name	Sizes	Article	Package
Masking film	$4 \times 5 = 20 \text{ m}^2$	48777	40
Masking film XL	$4 \times 7 = 28 \text{ m}^2$	48787	30

MASKING FILM ROLL



- · Fully electrostatic
- Tear resistant Secure removal of tape without leaving any residue Transparent Thickness 9-10 μm

Name	Sizes	Article	Package
Masking film roll	4 × 150 m	48790	1
Masking film roll	5 × 120 m	48791	1

SANDING PADS



- Two sided, lightweight, flexible sponges
 Made out of tough durable materilas
 Moulds easily to surface contours
 Crease resistant, non-cracking
 Rinse and reuse

Name	Sizes	Colour	Article	Grain	Package
Sanding pads, fine	119 x 98 mm	brown	48051	P400	50
Sanding pads, superfine	119 x 98 mm	green	48052	P800	50
Sanding pads, microfine	119 x 98 mm	purple	48053	P1500	50

WAFFLE POLISHING PADS



- For mechanical polishing and griding
 Suited for using with coarse-grained polishing pastes

Name	Colour	Sizes	Article	Package
Waffle polishing pads soft	black	150 × 25	49400	50
Waffle polishing pads hard	orange	150 × 25	49410	50

PREMIUM POLISHING PADS



- For mechanical polishing and grinding
 Extra durable foam
 Suitable for use with coarsegrained polishing pastes

Name	Colour	Sizes	Article	Package
Premium polishing pads soft	black	150 × 25	49981	50
Premium polishing pads hard	orange	150 × 25	49971	50
Premium polishing pads very hard	white	150 × 25	49961	50

BACKING PLATE



- Professional reusable backing plate for rotary machine polishers
 Designed for use with velcro polishing- and buffing pads
 Strong inlaid velcro for easy pad removal
 Standard M14 thread for all common polishing machines

Name	Sizes	Article	Package
Backing plate standard M14	150	49821	50

POLISHING PADS



- Polishing sponge pad for mechanical use of cutting and polishing components
 Available in three grades of hardness: soft, hard and very hard

Name	Colour	Sizes	Article	Package
Polishing pads soft 910 velcro	black	150 × 50	49100	50
Polishing pads hard 911 velcro	orange	150 × 50	49110	50
Polishing pads very hard 912 velcro	white	150 × 50	49120	50
Polishing pads soft 920 backing plate M14	black	150 × 50	49200	50
Polishing pads hard 921 backing plate M14	orange	150 × 50	49210	50
Polishing pads very hard 922 backing plate M14	white	150 × 50	49220	50
Polishing pads soft velcro	black	150 × 25	49300	50
Polishing pads hard velcro	orange	150 × 25	49310	50
Polishing pads very hard velcro	white	150 × 25	49320	50

FOR YOUR NOTES

FOR YOUR NOTES

The **Chamäleon** label was introduced in 1965 in Schwerte for the first time. Since that time, high quality putty products have been produced under the well-known black and yellow logo. Back then the Chamaleon putty products were mainly being manufactured for the German market and stood for the highest quality on which professional users could rely.

In 2002 it was decided to enlarge the putty product range and to start focusing on the international market. To realize this, the Chamüleon brand was outsourced into a separate company under a qualified management. All putty products would still be produced in Schwerte so the company could move into foreign markets with the excellent "Made in Germany" quality products. Heidelberg, located in the Rhine-Neckar-triangle, was chosen as the headquarters of the new company for its infrastructure and ideal conditions for the new expansion strategies.

Chamäleon GmbH managed to realize its set goals successfully and was able to establish itself internationally with a wide range of car refinishing products. The key to the young company's success is to offer "Made in Germany" quality products for very competitive prices and to offer the highest level of customer service.

In the beginning of 2013, the Chamäleon GmbH received the ISO 9001:2008 certificate and in 2019 received the newest ISO 9001:2015 certificate from TÜV Thüringen. This serves as proof of our ongoing commitment to quality and customer satisfaction. All this made the black and yellow label from Heidelberg one of the leading brands in many countries today.

We would gladly continue our history with you as our new business partner.

CHAMÄLEON GMBH ()

RUDOLF-DIESEL-STRAßE 8A 69115 HEIDELBERG, GERMANY

TEL.: +49-(0)6221/520440 **FAX:** +49-(0)6221/520449

E-MAIL: INFO@CHAMAELEON-PRODUKTION.DE

CHAMAELEON-PRODUKTION.DE



f ChamaeleonGmbH



Chamaeleon_gmbh



Chamäleon GmbH

