



[WWW.WAS.EU](http://WWW.WAS.EU)

# ***W184 and W185***



**W184 & W185**



**- MODERN DESIGN AND EXCELLENT QUALITY -**

## Multifunctional tail light: W184 and W185

The new shape of position light, which is different for the **W184** and **W185** lamps, makes both lamps recognisable and highly visible on the road.

The LED lamp modules: position, stop, indicator and reversing are made of a special compound, thanks to which the particular lighting points are not visible and it is only possible to see the shape and pleasant to the eye, glow with a neon-like effect.

The lens and the casing are made of a high quality compound which is resistant to scratches, temperature and UV radiation.

The **W184** series with a triangle shaped reflector is designated for trailers and semi-trailers, whereas the **W185** series with a hexagonal reflector, for vans, trucks and tractors.



### TWO VERSIONS OF INDICATOR: STATIC AND DYNAMIC

**ECE - EMC - IP 66/68 - LED - MADE IN POLAND**

**Power consumption W184 at 12V/24V**

**operating voltage:**

- position light – **1,27W-12V, 2,54W-24V**
- side position light – **0,3W-12V, 0,6W-24V**
- stop light – **1,25W (12V-24V)**
- direction indicator light – **10,8W (12V-24V)**
- dynamic indicator light – **10,6W (12V-24V)**
- reversing light – **4,5W (12V-24V)**
- fog light – **1,6W (12V-24V)**

**Weight of lamp: 1,3 kg**


**Power consumption W185 at 12V/24V**

**operating voltage:**





- position light – **1,3W-12V, 2,5W-24V**
- side position light – **0,3W-12V, 0,6W-24V**
- stop light – **1,3W (12V-24V)**
- direction indicator light – **10,8W (12V-24V)**
- dynamic indicator light – **10,6W (12V-24V)**
- reversing light – **4,5W (12V-24V)**
- fog light – **1,6W (12V-24V)**

**Polish product, European quality**

## Versions of **W184** (triangular reflecting device)



## Versions of **W185** (hexagonal reflecting device)



Specification: **L**- left side **P** - right side

[www.was.eu](http://www.was.eu)

# Cables and connectors: **W184 and W185**

TYCO connector



Schlemmer connector



WAS connector



## 4 CONNECT OPTIONS



round cable



TYCO connector




WAS connector



Schlemmer connector



# TECHNICAL DRAWING: **W184**



# TECHNICAL DRAWING: **W185**

